


ETSI object identifier tree; Rules and registration procedures



Reference

REG/SPS-05209 (39001ide.PDF)

Keywords

object identifier, ASN.1

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr
Individual copies of this ETSI deliverable
can be downloaded from
<http://www.etsi.org>
If you find errors in the present document, send your
comment to: editor@etsi.fr

Important notice

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference should be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.
All rights reserved.

Contents

Intellectual Property Rights	4
Foreword	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions and abbreviations	5
3.1 Definitions	5
3.2 Abbreviations	6
4 ETSI object identifier tree rules	6
4.1 Common domain	6
4.2 ETSI deliverable based domain	7
4.3 Reserved domain	7
5 Object identifier registration procedure	7
5.1 Common domain	7
5.1.1 Technical Body	7
5.1.2 ETSI Secretariat	7
5.2 ETSI deliverable based	8
5.3 Reserved domain	8
5.3.1 ETSI identified organizations	8
5.3.2 General	8
6 Registered common domain values	8
7 Registered reserved domain values	8
Bibliography	10
History	11

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This ETSI Guide (EG) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document supersedes ETS 300 351 (1994) which has been withdrawn.

The present document contains the rules and procedures for registering object identifier values within the ETSI object identifier tree, taking also into account the "new" ETSI deliverable types. In addition, the present document contains a table of common domain object identifier values which have been registered. This table will be updated by the ETSI Secretariat as further values are allocated.

Introduction

It is confirmed by the ETSI Secretariat that the provisional path value under the ITU-T (former CCITT) node shall be:

```
itu-t(0) identified-organization(4) etsi(0).
```

1 Scope

The present document defines the structure of the ETSI object identifier tree together with the rules and procedures for registering object identifier values for the first level of the ETSI subtree.

The object identifier tree component is applicable to all objects which cannot be imported from ITU-T (CCITT) Recommendations or ISO (ISO/IEC) standards or those objects which do not use the ECMA object identifier tree components as defined in ETSI deliverables based on ECMA standards.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ETR 060: "Signalling Protocols and Switching (SPS); Guidelines for using Abstract Syntax Notation One (ASN.1) in telecommunication application protocols".
- [2] ETR 090: "ETSI object identifier tree; Common domain; Intelligent Network (IN) domain".
- [3] ETR 091: "ETSI object identifier tree; Common domain; Mobile domain".
- [4] ETS 300 655: "ASN.1 library definition; Version 1.1".
- [5] EG 201 189: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Master list of codepoints and operation values".
- [6] CCITT Recommendation X.208: "Specification of Abstract Syntax Notation One (ASN.1)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

common domain: set of objects which are part of the definition of a protocol or a set of related protocols

information object: well-defined piece of information, definition, or specification which requires a name in order to identify its use in an instance of communication. [CCITT Recommendation X.208 [6], definition 3.31]

object identifier: value (distinguishable from all other such values) which is associated with an information object. [CCITT Recommendation X.208 [6], definition 3.32]

NOTE: An object identifier consists of a sequence of integers. Each integer represents a node in the object identifier tree. So, each successive integer can be thought of as a selection of an end of a branch of the tree. The branch is traversed to get to the next level in the tree.

3.2 Abbreviations


For the purposes of the present document, the following abbreviations apply:

EG	ETSI Guide
EN	European Standard (Telecommunications series)
ES	ETSI Standard
ETR	ETSI Technical Report
TR	Technical Report
TS	Technical Specification

4 ETSI object identifier tree rules

The object identifier tree defines single octet identifiers to the ETSI level. The values are split into three groups: Common domain, reserved and ETSI deliverable based. For the ETSI deliverable based usage, it assumes that the first 127 ETSI deliverables are not using ETSI object identifiers (as values 0 to 127 are allocated to other groups).

Figure 1 depicts the ETSI object identifier tree.



NOTE 1: The rules for assigning values in this domain are specified in subclause 4.1.

NOTE 2: The rules for assigning values in this domain are specified in subclause 4.3.

NOTE 3: The rules for assigning values in this domain are specified in subclause 4.2.

Figure 1: ETSI object identifier tree

4.1 Common domain

An identifier in the common domain is available for use only under the following rule: that the domain consists of definitions used in two or more ETSI deliverables. Names and values shall be allocated and registered by the ETSI Secretariat. Since only 126 values are available, domains should be used only if the commonality of such a domain justifies this. The granting of a domain value shall be upon the recommendation of the relevant Technical Body.

NOTE: The rules for using the common domain are interim. These rules need to be rediscussed and agreed after the first 50 values have been allocated. New allocation rules need also to provide a justification that can be used in the formulation of subsequent rules.

4.2 ETSI deliverable based domain

The object identifier tree value for a given ETSI deliverable is derived by deleting the first digit of its document number (and omitting leading zeroes). The rules and guidance for version control are described in ETR 060 [1] and are outside the scope of the present document.

EXAMPLE 1: The allocated value for ETS 300 182 is "182".

NOTE 1: Values allocated under the provisions of the former version of the present document (i.e. ETS 300 351) are unaffected.

EXAMPLE 2: The allocated value for TS 101 123 is "1123".

The allocated value for ES 201 123 is "1123".

NOTE 2: The assignment of document numbers is independent of ETSI deliverable type. Technically, TS 101 123 and ES 201 123 are just two different versions of the same document. Version control according to ETR 060 [1] applies.

EXAMPLE 3: The allocated value for EN 300 182 is "182".

NOTE 3: "New" document numbering starts at "x01 000" ($x = 1 \dots 3$), while "old" documents (typically ETSs which are converted into ENs) keep their original number. Technically, EN 300 182 is just a newer version of ETS 300 182. Version control according to ETR 060 [1] applies.

4.3 Reserved domain

This domain is used for all purposes other than those specified in subclauses 4.1 and 4.2. The values allocated are shown in table 2 (clause 7). Value 0 is used for ETSI identified organizations; values other than 0 are reserved for future use.

5 Object identifier registration procedure

5.1 Common domain

The ETSI Secretariat is responsible for the administration/documentation of all object identifiers within the ETSI subtree. For each allocated object identifier, the Technical Body acting as formal registration authority for the appropriate subtree shall send a request for documentation of the object identifier to the ETSI Secretariat.

5.1.1 Technical Body

Using the criteria defined in subclause 4.1, a single Technical Body shall be responsible for determining whether a set of information objects or related protocols will be granted the status of a value within the common domain.

Each Technical Body shall act as the formal registration authority for subtrees it establishes below the node allocated to it by the ETSI Secretariat. The Technical Body shall be responsible for producing appropriate ETSI deliverables (i.e. EGs) which describe these subtrees.

Where a domain spans the responsibility of more than one Technical Body, the Technical Bodies concerned have to agree which one should be responsible for the definition of the rules and the structure of the domain.

5.1.2 ETSI Secretariat

The ETSI Secretariat shall act as the formal registration authority for the first level of the ETSI subtree.

The request for a value to be allocated shall originate from a single Technical Body and be accompanied by a draft ETSI deliverable describing the structure of the domain. Any undocumented request shall be rejected.

An object identifier value once assigned shall not be reassigned.

Duplicate domain names shall not be accepted.

On receipt of a valid application, the next available number shall be allocated. Table 1 of the present document shall form the register of the values allocated. This table shall be updated as appropriate.

5.2 ETSI deliverable based

It shall be the responsibility of the Technical Body to ensure that each ETSI deliverable under its responsibility clearly defines the usage of the object identifier within that ETSI deliverable, using the criteria defined in subclause 4.2.

NOTE: This includes ETSI deliverables for which new versions are created.

5.3 Reserved domain

5.3.1 ETSI identified organizations

The ETSI Secretariat is responsible for the administration/documentation of object identifiers in the ETSI Identified Organizations arc of the Reserved domain arc down to and including the node corresponding to an individual organization (i.e. {0 4 0 127 0 n}); the organization concerned is itself responsible for allocation of nodes beneath that level, and ETSI will not record any such organization-specific allocations.

Any organization (whether or not an ETSI Member) may request the ETSI Secretariat to allocate an object identifier for that organization on this arc. The ETSI Secretariat shall allocate a value on a first-come first-served basis, in a fair and equitable manner, based on the principles given in subclause 5.3.2.

5.3.2 General

An object identifier value once assigned shall not be reassigned.

Duplicate domain names shall not be accepted.

On receipt of a valid application, the next available number shall be allocated. Table 2 of the present document shall form the register of the values allocated. This table shall be updated as appropriate.

6 Registered common domain values

Table 1 lists the common domain object identifier values so far registered by the ETSI Secretariat. Refer to the relevant ETSI deliverables for further information concerning a particular area within the common domain.

Table 1: Tree structure for the common domain registered values

Value	Responsible Technical Body	Name	ETSI deliverable	Date allocated
0	SPS	Mobile Domain	ETR 091 [3]	November 1992
1	SPS	IN Domain	ETR 090 [2]	June 1993
2	SPS	ETSI library	ETS 300 655 [4]	March 1997
3	SPS	Service Function	EG 201 189 [5]	June 1998
End of table as of June 1998.				

7 Registered reserved domain values

Table 2 lists the reserved domain object identifier values so far registered by the ETSI Secretariat.

Table 2: Tree structure for the reserved domain registered values

First level value	Name	Second level value	Name	Date allocated
0	ETSI Identified Organization			April 1999
0		1	Expert Telecoms GmbH	April 1999
0		2	France Telecom	April 1999
End of table as of April 1999.				

Example: The allocated node for Expert Telecoms GmbH is {0.4.0.127.0.1}.

Bibliography

The following material, though not specifically referenced in the body of the present document (or not publicly available), gives supporting information.

- ITU-T Recommendation X.200: "Information technology - Open Systems Interconnection - Basic reference model: The basic model".
- CCITT Recommendation X.209: "Specification of basic encoding rules for Abstract Notation One (ASN.1)".
- ITU-T Recommendation X.650: "Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing".
- CCITT Recommendation X.660: "Information Technology - Open Systems Interconnection - Procedures for the Operation of OSI Registration Authorities - General Procedures".
- ITU-T Recommendation X.680: "Information Technology - Abstract Syntax Notation One (ASN.1) - Specification of basic notation".
- ITU-T Recommendation X.690: "Information Technology - ASN.1 Encoding Rules - Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER)".
- CCITT Recommendation X.700: "Management framework for Open Systems Interconnection (OSI) for CCITT applications".

History

Document history		
Edition 1	October 1994	Publication as ETS 300 351
V2.1.2	September 1997	Publication
V2.2.2	September 1998	Publication
V3.1.1	July 1999	Membership Approval Procedure MV 9938: 1999-07-20 to 1999-09-17
V3.1.2	October 1999	Publication