
# Draft EN 301 084 V1.1.1 (1997-08)

European Standard (Telecommunications series)

# Network Aspects (NA); Integrated Services Digital Network (ISDN); Outgoing Call Barring-User Controlled (OCB-UC) supplementary service; Service description



Reference DEN/NA-010022 (a1c00ico.PDF)

Keywords

Call barring, stage 1, supplementary service

#### **ETSI Secretariat**

Postal address F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16 Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

X.400

c= fr; a=atlas; p=etsi; s=secretariat

Internet

secretariat@etsi.fr http://www.etsi.fr

2

**Copyright Notification** 

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

> © European Telecommunications Standards Institute 1997. All rights reserved.

# Contents

Intell	lectual Property Rights	5
Forev	word	5
1	Scope	6
2	Normative references	6
3	Definitions and abbreviations	7
3.1	Definitions	7
3.2	Abbreviations	7
4	Description	8
5	Procedures	8
5.1	Provision and withdrawal	
5.2	Normal procedures	
5.2.1		
5.2.2		
5.2.2.		
5.2.2.		
5.2.3		
5.2.4		
5.2.5	8	
5.3	Exceptional procedures	
5.3.1 5.3.2	Registration and erasure	
5.3.2		
5.3.2.		
5.3.3		
5.3.4		
6	Interworking requirements	
6.1 6.2	Interworking with non-ISDNs	
0.2	Interworking with private networks	
7	Interaction with ISDN supplementary services	12
7.1	Advice of charge	
7.1.1		
7.1.2		
7.1.3	8	
7.1.4	8 I	
7.2	Call waiting	
7.3	Call hold	
7.4	Explicit call transfer	
7.5 7.5.1	Number identification services	
7.5.1		
7.5.2		
7.5.4	1	
7.6	Closed user group	
7.7	Call completion services	
7.7.1	•	
7.7.2		
7.8	Conference services	
7.8.1		
7.8.2		
7.9	Direct dialling in	
7.10	Diversion services	

Call forwarding unconditional	14
Call forwarding busy	
Call forwarding no reply	14
Call deflection	
Selective call forwarding	
Call forwarding unconditional to a service centre	
Freephone	15
Malicious call identification	
Multiple subscriber number	
Subaddressing	15
Terminal portability	
Three party	
User-to-user signalling	
In-call modification	
Hunting services	16
Line hunting	
Trunk hunting	
Support of private numbering plans	16
Call barring services	
Remote control service	
Reverse charging	
Reverse charging: unconditional	
Interactions with other NA1 services	17
Universal access number	
Card calling services	
Charge card calling	
Virtual card calling	
Premium rate	
Televoting	
y	18
	Call forwarding busy Call forwarding no reply Call deflection Selective call forwarding Call forwarding unconditional to a service centre Freephone Malicious call identification Multiple subscriber number Subaddressing Terminal portability Three party User-to-user signalling In-call modification Hunting services Line hunting Trunk hunting Support of private numbering plans Call barring services Outgoing call barring: user controlled Outgoing call barring: fixed Reverse charging Reverse charging at call set up time Reverse charging Interactions with other NA1 services Universal access number Card calling services Charge card calling Premium rate Televoting

# Intellectual Property Rights

ETSI has not been informed of the existence of any Intellectual Property Right (IPR) which could be, or could become essential to the present document. However, pursuant to the ETSI Interim IPR Policy, no investigation, including IPR searches, has been carried out. No guarantee can be given as to the existence of any IPRs which are, or may be, or may become, essential to the present document.

### Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Network Aspects (NA), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure (TAP).

Proposed national transposition dates			
Date of latest announcement of this EN (doa):	3 months after ETSI publication		
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa		
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa		

### 1 Scope

The present document defines the stage one of the User Controlled Outgoing Call Barring (OCB-UC) supplementary service for the pan-European Integrated Services Digital Network (ISDN) as provided by European telecommunications operators. Stage one is an overall service description from the user's point of view (see CCITT Recommendation I.130 [1]), but does not deal with the details of the human interface itself.

The present document defines the interworking requirements of private ISDNs with the public ISDN.

In addition the present document specifies the base functionality where the service is provided to the user via a private ISDN.

The present document does not specify the additional requirements where the service is provided to the user via a telecommunications network that is not an ISDN but does include interworking requirements of other networks with the public ISDN.

Interactions with supplementary services not listed in clause 8 and other services not listed in clause 9 are outside the scope of the present document.

Charging principles are outside the scope of the present document.

The OCB-UC supplementary service enables calls belonging to certain types to be rejected when they are originated by the served user. The served user's ability to receive incoming calls is unaffected by the OCB-UC supplementary service. The served user can select the barring program, activate and later deactivate it.

NOTE: Barring of certain types of calls by the network provider due to national legislations, regulations or for any other reason, are out of the scope of this service.

The OCB-UC supplementary service is applicable to all circuit-switched telecommunications services.

The present document is applicable to the stage two and stage three standards for the ISDN OCB-UC supplementary service. The terms "stage two" and "stage three" are also defined in CCITT Recommendation I.130 [1]. Where the text indicates the status of a requirement (i.e. as strict command or prohibition, as authorization leaving freedom, or as a capability or possibility), this shall be reflected in the text of the relevant stage two and stage three standards.

Furthermore, conformance to the present document is met by conforming to the stage three standards with the field of application appropriate to the equipment being implemented. Therefore no method of testing is provided for the present document.

### 2 Normative references

References may be made to:

- a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or
- b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or
- c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or
- d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".
- [2] ITU-T Recommendation I.112 (1993): "Vocabulary of terms for ISDNs".

[3]	CCITT Recommendation E.164 (1991): "Numbering plan for the ISDN era".
[4]	ITU-T Recommendation I.210 (1993): "Principles of telecommunication services supported by an ISDN and the means to describe them".
[5]	ETS 300 345 (1994): "Integrated Services Digital Network (ISDN); Interworking between public

ISDNs and private ISDNs for the provision of telecommunication services; General aspects".

3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following definitions apply:

(basic) service; telecommunications service: See ITU-T Recommendation I.112 [2], section 2.2, definition 201.

barring program: A selection of type of calls or prefixes to which the calls can be barred.

basic access: See ITU-T Recommendation I.212 [2], section 2.4, definition 425.

disabling: An action taken by the user per call to prevent invocation of the OCB-UC supplementary service.

Integrated Services Digital Network (ISDN): See ITU-T Recommendation I.112 [2], section 2.3, definition 308.

**ISDN number:** A number conforming to the numbering plan and structure specified in CCITT Recommendation E.164 [3]

**network operator:** Entity which provides the network operating elements and resources for the execution of the OCB-UC supplementary service.

**Personal Identification Number (PIN):** The PIN is the 4 to 12 position alphanumeric code or password the customer possesses for authentication. This is used to provide authentication of the user with the access device.

Private Numbering Plan (PNP) call: See DE/NA1-00004 (SPNP).

primary rate access: See ITU-T Recommendation I.212 [2], section 2.4, definition 426.

served user: The user to whom the OCB-UC supplementary service is provided.

service provider: Entity which offers the OCB-UC supplementary service subscription. The network operator may be the service provider.

supplementary service: See ITU-T Recommendation I.210 [4], section 2.4.

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

Completion of Calls to Busy Subscriber
Completion of Call No Reply
Integrated Services Digital Network
Outgoing Call Barring-Fixed
Outgoing Call Barring-User Controlled
Personal Identification Number
Private Numbering Plan

# 4 Description

The OCB-UC supplementary service shall be available to users who are connected to the network via the basic access or the primary rate access.

The OCB-UC supplementary service enables calls belonging to certain types to be rejected when they are originated by the served user. The served user's ability to receive incoming calls is unaffected by the OCB-UC supplementary service.

Barring programs can contain one type of call, or a combination of different types of call. Examples of the different types of call are:

- national calls;
- international calls (Europe);
- intercontinental calls;
- special national services (e.g. Premium rate services).
- NOTE: Service providers may permit calls to numbers having special significance (e.g. emergency services) regardless of the active barring program. These numbers are outside the scope of the present document.

The service provider shall define the number of barring programs (maximum 256) and shall define the contents of each barring program (e.g. types of call) available for the OCB-UC supplementary service.

Outgoing calls from the served user's termination shall be barred according to the barring program which is active at the served user's access or ISDN number, and the associated basic service for the call.

Unauthorized use of the OCB-UC supplementary service is protected by the use of PINs.

### 5 Procedures

### 5.1 Provision and withdrawal

The OCB-UC supplementary service shall be provided after prior arrangement with the service provider. A PIN shall be assigned on provision of the OCB-UC supplementary service.

As a service provider option, the OCB-UC supplementary service can be provided on a per ISDN number basis, or the OCB-UC supplementary service can apply to the whole access. If the service provider offers both of these options, then it shall be a subscription option to choose which of these options applies.

The number of barring programs available, and the definition of each barring program is a service provider option.

The OCB-UC supplementary service can be subscribed to for all basic services subscribed to by the user, or as a service provider option, the user can identify particular basic service(s) for which the OCB-UC supplementary service shall apply.

As a service provider option, when the OCB-UC supplementary service is provided on a per ISDN number basis, and more than one ISDN number is allocated to the served user's access, the served user can be given the capability to indicate whether activation or deactivation applies to an indicated number or to all ISDN numbers on the access.

The OCB-UC supplementary service shall be withdrawn by the service provider upon request of the subscriber, or for service provider reasons.

### 5.2 Normal procedures

#### 5.2.1 Registration and erasure

Not applicable.

#### 5.2.2 Activation and deactivation

#### 5.2.2.1 Activation

The served user shall supply the following information when requesting the activation of the OCB-UC supplementary service:

- the barring program;
- the served user's PIN; and
- information as to whether the activation of the OCB-UC supplementary service is for all basic services to which the OCB-UC supplementary service applies, or for a specific basic service out of the basic services to which the OCB-UC supplementary service applies.

When subscription applies on a per ISDN number basis and more than one ISDN number is allocated to the access, then:

- the served user shall also supply the ISDN number for which the activation of the OCB-UC supplementary service shall apply (In this case the served user shall provide the PIN belonging to the indicated ISDN number); or
- as a service provider option, the served user can, if subscribed to, indicate that the activation of the OCB-UC supplementary service shall apply for all ISDN numbers for which the OCB-UC supplementary service is subscribed to. In this case, this activation shall replace any previous activation of the OCB-UC supplementary service which may be in force on individual ISDN numbers on the access, for the basic services indicated at activation.

When subscription applies for the whole access, or only one ISDN number is allocated to the access, the served user need not provide an ISDN number to identify the served user. If the served user includes an ISDN number allocated to that access, or indicates that the activation of the OCB-UC supplementary service shall apply to all ISDN numbers (if this functionality is offered by the service provider and subscribed to by the served user) then the ISDN number, or the indication of all ISDN numbers, shall be ignored. Activation of the OCB-UC supplementary service shall proceed as normal.

The served user can separately activate the OCB-UC supplementary service for each basic service to which the OCB-UC supplementary service applies and thereby request a different barring program for each basic service to which the OCB-UC supplementary service applies.

When the OCB-UC supplementary service is activated for all basic services, this activation shall replace any previous activation of the OCB-UC supplementary service which may be in force on individual basic services.

If the served user has only one barring program available, then the indication of a barring can be omitted when requesting the activation of the OCB-UC supplementary service.

Only one barring program shall be activated at a time for each basic service. The activation of a barring program will deactivate an already activated barring program. Thus only one barring program shall be active at a time for each basic service.

When the served user's request to activate the OCB-UC supplementary service is accepted, the network shall inform the served user. The information shall include the barring program and the basic service (or all basic services). All affected users shall be informed.

Calls originated prior to the activation of the OCB-UC supplementary service shall not be affected.

#### 5.2.2.2 Deactivation

The OCB-UC supplementary service can be deactivated in any of the following ways:

- the served user can request the deactivation of the OCB-UC supplementary service for individual basic services. The service provider shall inform the served user that the previous activation of the OCB-UC supplementary service has been deactivated. All affected users shall be informed;

- the served user can request the deactivation of the OCB-UC supplementary service for all basic services. The service provider shall inform the served user that the previous activation of the OCB-UC supplementary service has been deactivated. All affected users shall be informed;
- the served user can request the activation of the OCB-UC supplementary service indicating a basic service for which the OCB-UC supplementary service has already been activated. This shall replace the previous information registered for that basic service. In this case, users shall not be specifically informed of the deactivation. The procedures of subclause 6.2.2.1 for informing the served user apply;
- the served user can request the activation of the OCB-UC supplementary service for all basic services. This shall replace the information registered for all of the basic services for which the OCB-UC supplementary service has already been activated. In this case, users shall not be specifically informed of the deactivation. The procedures of subclause 6.2.2.1 for informing the served user apply.

When subscription applies on a per ISDN number basis and more than one ISDN number is allocated to the access, then:

- the served user shall also supply the ISDN number for which the deactivation of the OCB-UC supplementary service shall apply (In this case the served user shall provide the PIN belonging to the indicated ISDN number); or
- as a service provider option, the served user can, if subscribed to, indicate that the deactivation of the OCB-UC supplementary service shall apply for all ISDN numbers for which the OCB-UC supplementary service is subscribed to.

When subscription applies for the whole access, or only one ISDN number is allocated to the access, the served user need not provide an ISDN number to identify the served user. If the served user includes an ISDN number allocated to that access, or indicates that the deactivation of the OCB-UC supplementary service shall apply to all ISDN numbers (if this functionality is offered by the service provider and subscribed to by the served user) then the ISDN number, or the indication of all ISDN numbers, shall be ignored. Deactivation of the OCB-UC supplementary service shall proceed as normal.

The served user shall supply the PIN when requesting the deactivation of the OCB-UC supplementary service.

The OCB-UC supplementary service shall be deactivated on withdrawal.

#### 5.2.3 Invocation and operation

When the OCB-UC supplementary service has been activated, the type of call originated by the served user shall be checked with respect to the active barring program.

If this check indicates that the call shall be barred, then the call attempt shall be rejected. The served user shall be informed that the call was rejected due to the OCB-UC supplementary service. This response shall be the same as the response for the Outgoing Call Barring: fixed supplementary service.

If this check indicates that the call shall not be barred, then the call shall proceed as for the basic call procedures.

#### 5.2.4 Disabling

As a service provider option the owner of the termination by using an appropriate procedure shall be able per call to make outgoing calls barred by the OCB-UC supplementary service without restrictions. After such a call the OCB-UC supplementary service shall remain active. The disabling procedure shall include a PIN.

#### 5.2.5 Interrogation

The served user can interrogate the service provider in order to determine the status of the OCB-UC supplementary service. Interrogation can be done for the whole access, or on a per ISDN number basis. The served user can request that the information is provided for all basic services, or for the basic service indicated.

In response to interrogation for a single basic service, the served user shall be given an indication of whether the OCB-UC supplementary service is currently activated, and if it is currently activated, the associated barring program.

In response to interrogation for all basic services, the served user shall be given either an indication that the OCB-UC supplementary service is not currently activated, or a list of basic services for which the OCB-UC supplementary service has been activated together with the associated barring program.

No PIN is required in the interrogation request.

#### 5.3 Exceptional procedures

#### 5.3.1 Registration and erasure

Not applicable.

#### 5.3.2 Activation and deactivation

#### 5.3.2.1 Activation

If a request for the activation of the OCB-UC supplementary service cannot be accepted, the user shall receive a notification that the activation of the OCB-UC supplementary service was unsuccessful.

Possible reasons for rejection are:

- the OCB-UC supplementary service is not subscribed to;
- invalid barring program, e.g. the identified barring program is not subscribed to;
- incorrect PIN;
- basic service not subscribed to;
- invalid ISDN number.

#### 5.3.2.2 Deactivation

If a request for the deactivation of the OCB-UC supplementary service cannot be accepted, the user shall receive a notification that the deactivation of the OCB-UC supplementary service was unsuccessful.

Possible reasons for rejection are:

- the OCB-UC supplementary service is not subscribed to;
- incorrect PIN;
- the OCB-UC supplementary service is not activated;
- basic service not subscribed to;
- invalid ISDN number.

#### 5.3.3 Invocation and operation

Not applicable.

#### 5.3.4 Interrogation

If a request for the interrogation of the OCB-UC supplementary service cannot be accepted, the user shall receive a notification that the interrogation of the OCB-UC supplementary service was unsuccessful.

- the OCB-UC supplementary service is not subscribed to;
- basic service not subscribed to;
- invalid ISDN number.

## 6 Interworking requirements

### 6.1 Interworking with non-ISDNs

No additional requirements besides normal basic call.

### 6.2 Interworking with private networks

The OCB-UC supplementary service can be provided to a private ISDN.

Interworking with private ISDNs shall include the requirements given in ETS 300 345 [5]. Interworking shall take place by means of a local provision manner.

# 7 Interaction with ISDN supplementary services

#### 7.1 Advice of charge

#### 7.1.1 Advice of charge at call set-up

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.1.2 Advice of charge during the call

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.1.3 Advice of charge at the end of a call

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.1.4 Advice of charge on request

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.2 Call waiting

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.3 Call hold

### 7.4 Explicit call transfer

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.5 Number identification services

#### 7.5.1 Calling line identification presentation

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.5.2 Calling line identification restriction

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.5.3 Connected line identification presentation

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.5.4 Connected line identification restriction

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.6 Closed user group

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

NOTE: Both the OCB-UC supplementary service restrictions and the closed user group supplementary service restrictions shall be met.

### 7.7 Call completion services

#### 7.7.1 Completion of calls to busy subscribers

When the OCB-UC supplementary service is activated after the served user activates the completion of calls on busy subscriber supplementary service, the Completion of Calls to Busy Subscriber (CCBS) call shall be barred according to the barring program which is active at the served user's access or ISDN number, and the associated basic service for the CCBS call.

#### 7.7.2 Completion of calls on no reply

When the Fixed Outgoing Call Barring (OCB-F) supplementary service is activated after the served user activates the completion of calls on no reply supplementary service, the Completion of Call No Reply (CCNR) call shall be barred according to the barring program which is active at the served user's access or ISDN number, and the associated basic service for the CCNR call.

### 7.8 Conference services

#### 7.8.1 Conference call, add-on

#### 7.8.2 Conference call, meet-me

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.9 Direct dialling in

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.10 Diversion services

#### 7.10.1 Call forwarding unconditional

If the OCB-UC supplementary service has already been activated, a request to activate the call forwarding unconditional supplementary service shall be rejected if the served user's call to the forwarded-to user would be barred by the OCB-UC supplementary service.

If the call forwarding unconditional supplementary service was activated before the activation of the OCB-UC supplementary service, the call forwarding unconditional supplementary service shall not be affected.

#### 7.10.2 Call forwarding busy

If the OCB-UC supplementary service has already been activated, a request to activate the call forwarding busy supplementary service shall be rejected if the served user's calls to the forwarded-to user would be barred by the OCB-UC supplementary service; and

If the call forwarding busy supplementary service was activated before the activation of the OCB-UC supplementary service, the call forwarding busy supplementary service shall not be affected.

#### 7.10.3 Call forwarding no reply

If the OCB-UC supplementary service has already been activated, a request to activate the call forwarding no reply supplementary service shall be rejected if the served user's calls to the forwarded-to user would be barred by the OCB-UC supplementary service; and

If the call forwarding no reply supplementary service was activated before the activation of the OCB-UC supplementary service, the call forwarding no reply supplementary service shall not be affected.

#### 7.10.4 Call deflection

If the OCB-UC supplementary service has been activated, a request to invoke the call deflection supplementary service shall be rejected if the served user's calls to the deflected-to user would be barred by the OCB-UC supplementary service.

#### 7.10.5 Selective call forwarding

If the OCB-UC supplementary service has already been activated, a request to activate the selective call forwarding unconditional supplementary service shall be rejected if the served user's call to the forwarded-to user would be barred by the OCB-UC supplementary service.

If the selective call forwarding unconditional supplementary service was activated before the activation of the OCB-UC supplementary service, the selective call forwarding unconditional supplementary service shall not be affected.

If the OCB-UC supplementary service has already been activated, a request to activate the selective call forwarding busy supplementary service shall be rejected if the served user's calls to the forwarded-to user would be barred by the OCB-UC supplementary service; and

if the selective call forwarding busy supplementary service was activated before the activation of the OCB-UC supplementary service, the selective call forwarding busy supplementary service shall not be affected.

If the OCB-UC supplementary service has already been activated, a request to activate the selective call forwarding no reply supplementary service shall be rejected if the served user's calls to the forwarded-to user would be barred by the OCB-UC supplementary service; and

if the selective call forwarding no reply supplementary service was activated before the activation of the OCB-UC supplementary service, the selective call forwarding no reply supplementary service shall not be affected.

#### 7.10.6 Call forwarding unconditional to a service centre

If the OCB-UC supplementary service has already been activated, a request to activate the call forwarding unconditional to a service centre supplementary service shall be rejected if the served user's call to the forwarded-to user would be barred by the OCB-UC supplementary service.

If the call forwarding unconditional to a service centre supplementary service was activated before the activation of the OCB-UC supplementary service, the call forwarding unconditional to a service centre supplementary service shall not be affected.

### 7.11 Freephone

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.12 Malicious call identification

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.13 Multiple subscriber number

The OCB-UC supplementary service applying to the user indicated by the "number of the calling user" in the outgoing call, shall be used to determine whether the outgoing call may be set up. The network cannot guarantee that outgoing calls are restricted beyond applying the restrictions for the indicated "number of the calling user". If no "number of the calling user" is indicated when making the outgoing call, or the "number of the calling user" is not known at the served users access, then the outgoing call will be barred according to the active barring program (if any) belonging to the default ISDN number of the served users access.

### 7.14 Subaddressing

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.15 Terminal portability

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.16 Three party

### 7.17 User-to-user signalling

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.18 In-call modification

The OCB-UC supplementary service shall take precedence over the in-call modification supplementary service.

#### 7.19 Hunting services

#### 7.19.1 Line hunting

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.19.2 Trunk hunting

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.20 Support of private numbering plans

The served user shall have the possibility to have one active barring program that is applied when placing a PNP call, and another active barring program that is applied when placing an ISDN call.

### 7.21 Call barring services

#### 7.21.1 Outgoing call barring: user controlled

Not applicable.

#### 7.21.2 Outgoing call barring: fixed

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

NOTE: When placing an outgoing call both the OCB-F barring program and the OCB-UC barring program shall be applied (if active).

#### 7.22 Remote control service

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 7.23 Reverse charging

#### 7.23.1 Reverse charging at call set up time

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

#### 7.23.2 Reverse charging: unconditional

# 8 Interactions with other NA1 services

#### 8.1 Universal access number

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 8.2 Card calling services

#### 8.2.1 Charge card calling

OCB restrictions shall be overwritten by the charge card calling service.

#### 8.2.2 Virtual card calling

Calls using the service access code to the virtual card calling service, may be barred by the OCB-UC supplementary service.

Once the user gains access to the virtual card calling service, then the OCB-UC supplementary service shall be overridden by the virtual card calling service.

### 8.3 Premium rate

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

### 8.4 Televoting

# History

Document history							
V1.1.1	August 1997	Public Enquiry	PE 9748:	1997-08-01 to 1997-11-28			