

# ETSI EN 301 140-4-3 V1.1.3 (2000-05)

---

*European Standard (Telecommunications series)*

**Intelligent Network (IN);  
Intelligent Network Application Protocol (INAP);  
Capability Set 2 (CS2);  
Part 4: Abstract Test Suite (ATS) specification and Partial  
Protocol Implementation eXtra Information for Testing (PIXIT)  
proforma for Service Switching Function (SSF);  
Sub-part 3: Specialized Resource Functions (SRF)**

---



---

**Reference**

DEN/SPS-03038-4-3

---

**Keywords**

IN, CS2, INAP, ATS, PIXIT, SSF

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:

editor@etsi.fr

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.  
All rights reserved.

---

# Contents

Intellectual Property Rights .....	4
Foreword .....	4
1 Scope .....	5
2 References .....	5
<b>Annex A (normative): TTCN of the ATS for INAP CS2 CPH .....</b>	<b>6</b>
A1 The TTCN Graphical form (TTCN.GR).....	6
A2 The TTCN Machine Processable form (TTCN.MP) .....	6
<b>Annex B (normative): Partial PIXIT proforma for SRF .....</b>	<b>7</b>
B.1 Identification summary .....	7
B.2 ATS summary .....	7
B.3 Test laboratory .....	7
B.4 Client identification .....	7
B.5 SUT .....	8
B.6 Protocol layer information .....	8
B.6.1 Protocol identification .....	8
B.6.2 IUT information .....	8
B.6.2.1 Implicit send events .....	8
B.6.2.2 Core INAP Parameter values .....	9
<b>Annex C (normative): Protocol Conformance Test Report (PCTR) proforma for SRF .....</b>	<b>11</b>
C.1 Identification summary .....	11
C.1.1 Protocol conformance test report.....	11
C.1.2 IUT identification .....	11
C.1.3 Testing environment .....	11
C.1.4 Limits and reservation .....	12
C.1.5 Comments .....	12
C.2 IUT conformance status .....	12
C.3 Static conformance summary .....	12
C.4 Dynamic conformance summary.....	13
C.5 Static conformance review report .....	13
C.6 Test campaign report.....	14
C.7 Observations.....	15
History .....	16

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document is part 4, sub-part 3 of a multi-part EN covering the Intelligent Network Application Protocol (INAP) Capability Set 2 (CS2), as identified below:

- Part 1: "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for Service Switching Function (SSF)";
- Part 4: "Abstract Test Suite (ATS) specification and Partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma for Service Switching Function (SSF)";**
  - Sub-part 1: "Basic capability set of CS-1 including CS-2 complements";
  - Sub-part 2: "Call Party Handling (CPH)";
  - Sub-part 3: "Specialized Resource Functions (SRF)";**
- Part 5: "Distributed Functional Plane (DFP) [ITU-T Recommendation Q.1224 [10] (1997) modified]".

<b>National transposition dates</b>	
Date of adoption of this EN:	28 April 2000
Date of latest announcement of this EN (doa):	31 July 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2001
Date of withdrawal of any conflicting National Standard (dow):	31 January 2001

---

# 1 Scope

The present document provides the Abstract Test Suite (ATS) for testing of the Service Switching Function (SSF) and the Specialized Resource Function (SRF) of the core Intelligent Network Application Protocol (INAP) of Intelligent Network (IN) according to EN 301 140-1 [1].

In this part 4-3, the SRF is covered.

Annex A provides the Tree and Tabular Combined Notation (TTCN).

Annex B provides the Partial Protocol Implementation eXtra Information for Testing (PIXIT) Proforma.

Annex C provides the Protocol Conformance Test Report (PCTR) Proforma.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ETSI EN 301 140-1: "Intelligent Network (IN); Intelligent Network Application Protocol (INAP); Capability Set 2 (CS2); Part 1: Protocol specification".
- [2] ETSI EN 301 140-4-1: "Intelligent Network (IN); Intelligent Network Application Protocol (INAP); Capability Set 2 (CS2); Part 4: Abstract Test Suite (ATS) specification and Partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma for Service Switching Function (SSF); Sub-part 1: Basic capability set of CS-1 including CS-2 complements".
- [3] ETSI EN 301 140-2: "Intelligent Network (IN); Intelligent Network Application Protocol (INAP); Capability Set 2 (CS2); Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
- [4] ISO/IEC 9646-6: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 6: Protocol profile test specification".
- [5] ISO/IEC 9646-3: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The Tree and Tabular Combined Notation (TTCN)".

---

## Annex A (normative): TTCN of the ATS for INAP CS2 CPH

Refer to EN 301 140-4-1 [2] clauses 1 to 7 for the methodology to obtain the TTCN, as well as the ATS convention, etc.

This ATS has been produced using the Tree and Tabular Combined Notation (TTCN) according to ISO/IEC 9646-3 [5].

The ATS was developed on a separate TTCN software tool and therefore the TTCN tables are not completely referenced in the table of contents. The ATS itself contains a test suite overview part which provides additional information and references.

---

### A1 The TTCN Graphical form (TTCN.GR)

The TTCN.GR representation of this ATS is contained in an Adobe Portable Document Format™ file (SFR\_cs2\_v5.PDF contained in archive en\_3011400403v010103p0.ZIP) which accompanies the present document.

---

### A2 The TTCN Machine Processable form (TTCN.MP)

The TTCN.MP representation corresponding to this ATS is contained in an ASCII file (SFR\_cs2\_v5.MP contained in archive en\_3011400403v010103p0.ZIP) which accompanies the present document.

## Annex B (normative): Partial PIXIT proforma for SRF

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the PIXIT proforma in this annex so that it can be used for its intended purposes and may further publish the completed PIXIT.

The PIXIT proforma is based on ISO/IEC 9646-6. Any additional information needed can be found in this international standard document.

### B.1 Identification summary

**Table B.1**

PIXIT number:	
Test laboratory name:	
Date of issue:	
Issued to:	

### B.2 ATS summary

**Table B.2**

Protocol specification:	EN 301 140-1
Protocol to be tested:	
ATS specification:	EN 301 140-4-3
Abstract test method:	Remote test method, embedded variant

### B.3 Test laboratory

**Table B.3**

Test laboratory identification:	
Test laboratory manager:	
Means of testing:	
SAP address:	

### B.4 Client identification

**Table B.4**

Client identification:	
Client test manager:	
Test facilities required:	

## B.5 SUT

Table B.5

Name:	
Version:	
SCS number:	
Machine configuration:	
Operating system identification:	
IUT identification:	
PICS reference for IUT:	
Limitations of the SUT:	
Environmental conditions:	

## B.6 Protocol layer information

### B.6.1 Protocol identification

Table B.6

Name:	EN 301 140-1
Version:	
PICS references:	EN 301 140-2

### B.6.2 IUT information

#### B.6.2.1 Implicit send events

Table B.7: Implicit send events

Item	PIXIT (See note)	Related implicit send message (PDU)	Invocation description
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			

NOTE: The PIXIT names for the implicit send events in this table are the same as those of the test steps in which the implicit send events are used.



## B.6.2.2 Core INAP Parameter values

Table B.8: Parameter values

Item	Parameter	Parameter type	Explanation/Format	Value
	PIX_AChBillingChargingCharacteristics	AChBillingChargingCharacteristics	"xx"H	
	PIX_AlertingPattern	AlertingPattern	"xxx"H	
	PIX_AlertingPattern_ICA	AlertingPattern	"xxx"H	
	PIX_APTYAbandonCause	Cause	"xx"H	
	PIX_APTYDiscCause	Cause	"xx"H	
	PIX_AssistingSSPIRoutingAddress	AssistingSSPIRoutingAddress	"xxxx"H	
	PIX_BPTyBusy_UDUBCause	Cause	"xx"H	
	PIX_BPTyNoAnswerCause	Cause	"xx"H	
	PIX_CalledPartyNumber1_CON	CalledPartyNumber	LegId 2 "xxxx"H	
	PIX_CalledPartyNumber2_CON	CalledPartyNumber	LegId 3 "xxxx"H	
	PIX_CalledPartyNumber3_CON	CalledPartyNumber	LegId 4 "xxxx"H	
	PIX_CalledPartyNumber4_CON	CalledPartyNumber	LegId 5 "xxxx"H	
	PIX_CalledPartyNumber5_CON	CalledPartyNumber	LegId 6 "xxxx"H	
	PIX_CalledPartyNumber6_CON	CalledPartyNumber	LegId 7 "xxxx"H	
	PIX_CalledPartyNumber7_CON	CalledPartyNumber	LegId 8 "xxxx"H	
	PIX_CalledPartyNumber8_CON	CalledPartyNumber	LegId 9 "xxxx"H	
	PIX_CalledPartyNumberInvalid_CON	CalledPartyNumber	"xxxx"H	
	PIX_CalledPartyNumber1_ICA	CalledPartyNumber	LegId 2 "xxxx"H	
	PIX_CalledPartyNumber2_ICA	CalledPartyNumber	LegId 3 "xxxx"H	
	PIX_CalledPartyNumber3_ICA	CalledPartyNumber	LegId 4 "xxxx"H	
	PIX_CalledPartyNumber4_ICA	CalledPartyNumber	LegId 5 "xxxx"H	
	PIX_CalledPartyNumber5_ICA	CalledPartyNumber	LegId 6 "xxxx"H	
	PIX_CalledPartyNumber6_ICA	CalledPartyNumber	LegId 7 "xxxx"H	
	PIX_CalledPartyNumber7_ICA	CalledPartyNumber	LegId 8 "xxxx"H	
	PIX_CalledPartyNumber1_SetupInd	CalledPartyNumber	"xxxx"H	
	PIX_CalledPartyNumber2_SetupInd	CalledPartyNumber	"xxxx"H	
	PIX_CallingPartyNumber1	CallingPartyNumber	"xxxx"H	
	PIX_CallingPartyNumber2	CallingPartyNumber	"xxxx"H	
	PIX_CallingPartysCategory_CON	CallingPartysCategory	"xx"H	
	PIX_CallingPartysCategory_SetupInd	CallingPartysCategory	"xx"H	
	PIX_DateAndTime	DateAndTime	YYMMDDHHMMSS	
	PIX_Duration	Duration	Seconds	
	PIX_EventTypeCharging1	EventTypeCharging		
	PIX_EventTypeCharging2	EventTypeCharging		
	PIX_FCIBillingChargingCharacteristics	FCIBillingChargingCharacteristics		
	PIX_InbandInfo_message	InbandInfo	InformationToSend	
	PIX_Interval	Integer	Seconds	
	PIX_IPRoutingAddress	IPRoutingAddress	"xxx"H	
	PIX_LocationNumber	LocationNumber	"xxx"H	
	PIX_MaximumNumberOfCounters	MaximumNumberOfCounters	"xx"H	
	PIX_NumberOfCalls	Integer	xx	
	PIX_OriginalCalledPartyNumber	CalledPartyNumber	"xxxx"H	
	PIX_RedirectingPartyNumber	CalledPartyNumber	"xxxx"H	
	PIX_RedirectionInformation	RedirectionInformation	"xx"H	
	PIX_ReleaseCause	Cause	"xx"H	
	PIX_RouteSelectFailure1Cause	Cause	"xx"H	
	PIX_RouteSelectFailure2Cause	Cause	"xx"H	
	PIX_ScflD	ScflD	"xxxx"H	
	PIX_ServiceInteractionIndicators	ServiceInteractionIndicators	"xx"H	
	PIX_ServiceKey1	ServiceKey	"xx"H	
	PIX_ServiceKey2	ServiceKey	"xx"H	
	PIX_SFBillingChargingCharacteristics	SFBillingChargingCharacteristics	"xxxx"H	
	PIX_StartTime	DateAndTime	YYMMDDHHMMSS	
	PIX_StopTime	DateAndTime	YYMMDDHHMMSS	

Item	Parameter	Parameter type	Explanation/Format	Value
	PIX_ElementaryMessageID	integer	xxx	
	PIX_CorrelationId	correlationID	"xxx"H	
	PIX_UiScriptID1	integer	xxx	
	PIX_UiScriptID2	integer	xxx	
	PIX_UiScriptIDInvalid	integer	xxx	
	PIX_UiScriptResult	UiScriptResult	"xxxx"H	
	PIX_UiScriptSpecificInfo	UiScriptSpecificInfo	"xxxx"H	

## Annex C (normative): Protocol Conformance Test Report (PCTR) proforma for SRF

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the PCTR proforma in this annex so that it can be used for its intended purposes and may further publish the completed PCTR.

The PCTR Proforma is based on ISO/IEC 9646-6. Any additional information needed can be found in the present document.

### C.1 Identification summary

#### C.1.1 Protocol conformance test report

**Table C.1**

PCTR number:	
PCTR date:	
Corresponding SCTR number:	
Corresponding SCTR date:	
Test laboratory identification:	
Test laboratory manager:	
Signature:	

#### C.1.2 IUT identification

**Table C.2**

Name:	
Version:	
Protocol specification:	
PICS:	
Previous PCTR if any:	

#### C.1.3 Testing environment

**Table C.3**

PIXIT number:	
ATS specification:	
Abstract test method:	
Means of testing identification:	
Date of testing:	
Conformance log reference(s):	
Retention date for log reference(s):	

### C.1.4 Limits and reservation

Additional information relevant to the technical contents or further use of the test report, or the rights and obligations of the test laboratory and the client, may be given here. Such information may include restriction on the publication of the report.

.....  
.....  
.....

### C.1.5 Comments

Additional comments may be given by either the client or the test laboratory on any of the contents of the PCTR, for example, to note disagreement between the two parties.

.....  
.....  
.....  
.....

---

## C.2 IUT conformance status

This IUT has or has not been shown by conformance assessment to be non-conforming to the specified protocol specification.

Strike the appropriate words in this sentence. If the PICS for this IUT is consistent with the static conformance requirements as specified in clause C.3 in this report and there are no "FAIL" verdicts to be recorded in clause C.6 strike the words "has or". otherwise strike the words "or has not".

---

## C.3 Static conformance summary

The PICS for this IUT is or is not consistent with the static conformance requirements in the specified protocol.

Strike the appropriate words in this sentence.

---

## C.4 Dynamic conformance summary

The test campaign did or did not reveal errors in the IUT.

Strike the appropriate words in this sentence. If there are no "FAIL" verdicts to be recorded in clause C.6 of this report strike the words "did or" otherwise strike the words "or did not".

Summary of the results of groups of test:

.....

.....

.....

.....

.....

---

## C.5 Static conformance review report

If clause C.3 indicates non-conformance, this subclause itemizes the mismatches between the PICS and the static conformance requirements of the specified protocol specification.

.....

.....

.....

.....

.....

.....

.....

## C.6 Test campaign report

Table C.4

ATS reference	Selected	Run	Verdict	Observations (see note)
CR				
IN2_A_BASIC_CR_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_CR_CA_02	Yes/No	Yes/No		
IN2_A_BASIC_CR_BI_01	Yes/No	Yes/No		
DF				
IN2_A_BASIC_DF_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_DF_BO_01	Yes/No	Yes/No		
DFW				
IN2_A_BASIC_DFW_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_DFW_BO_01	Yes/No	Yes/No		
PA				
IN2_A_BASIC_PA_BV_01	Yes/No	Yes/No		
IN2_A_BASIC_PA_BV_02	Yes/No	Yes/No		
IN2_A_BASIC_PA_BV_03	Yes/No	Yes/No		
PC				
IN2_A_BASIC_PC_BV_01	Yes/No	Yes/No		
IN2_A_BASIC_PC_BV_02	Yes/No	Yes/No		
IN2_A_BASIC_PC_BI_01	Yes/No	Yes/No		
PR				
IN2_A_BASIC_PR_BV_01	Yes/No	Yes/No		
IN2_A_BASIC_PR_BV_02	Yes/No	Yes/No		
IN2_A_BASIC_PR_BO_01	Yes/No	Yes/No		
SC				
IN2_A_BASIC_SC_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_SC_BO_01	Yes/No	Yes/No		
IN2_A_BASIC_SC_BI_01	Yes/No	Yes/No		
SE				
IN2_A_BASIC_SE_CA_01	Yes/No	Yes/No		
SI				
IN2_A_BASIC_SI_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_SI_CA_02	Yes/No	Yes/No		
IN2_A_BASIC_SI_BO_01	Yes/No	Yes/No		
IN2_A_BASIC_SI_BI_01	Yes/No	Yes/No		
SR				
IN2_A_BASIC_SR_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_SR_CA_02	Yes/No	Yes/No		
IN2_A_BASIC_SR_BO_01	Yes/No	Yes/No		
IN2_A_BASIC_SR_BI_01	Yes/No	Yes/No		
EC				
IN2_A_BASIC_EC_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_EC_BV_01	Yes/No	Yes/No		
IN2_A_BASIC_EC_BI_01	Yes/No	Yes/No		
AR				
IN2_A_BASIC_AR_CA_01	Yes/No	Yes/No		
IN2_A_BASIC_AR_BV_01	Yes/No	Yes/No		

---

## C.7 Observations

Additional information relevant to the technical content of the PCTR are given here.

.....

.....

.....

.....

.....

## History

<b>Document history</b>				
V1.1.2	June 1999	Public Enquiry	PE 9947:	1999-06-23 to 1999-11-19
V1.1.3	February 2000	Vote	V 200017:	2000-02-28 to 2000-04-28
V1.1.3	May 2000	Publication		