

ETSI TS 128 753 V14.1.0 (2017-07)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Subscription Management (SuM)
Network Resource Model (NRM)
Integration Reference Point (IRP);
Solution Set (SS) definitions
(3GPP TS 28.753 version 14.1.0 Release 14)**



Reference

RTS/TSGS-0528753ve10

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSI/DeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions and abbreviations.....	6
3.1 Definitions	6
3.2 Abbreviations	6
4 Solution Set Definitions	6
Annex A (normative): XML Definitions	7
A.0 General	7
A.1 Architectural features	7
A.1.0 Introduction	7
A.1.1 Syntax for Distinguished Names	7
A.2 Mapping	7
A.2.1 General mapping.....	7
A.2.2 Information Object Class (IOC) mapping.....	7
A.3 Solution Set definitions	8
A.3.1 XML definition structure.....	8
A.3.2 Graphical Representation	8
A.3.3 XML schema "sumNrm.xsd"	9
Annex B (informative): Change history	29
History	30

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

TS 32.140: Subscription Management (SuM) requirements.

TS 32.141: Subscription Management (SuM) architecture.

TS 28.751: Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements.

TS 28.752: Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS).

TS 28.753: Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): Solution Set (SS) definitions.

Subscription Management (SuM) is a feature that permits Service Providers, Value Added Service Providers and Mobile Operators to provision services for a specific subscriber. The feature is necessary to allow Service Providers and Operators to provision, control, monitor, and bill the configuration of services that they offer to their subscribers. SuM focuses on the OAM processes to manage subscription information. The overall SuM requirements and architecture are detailed in 3GPP TS 32.140 [2] and 3GPP TS 32.141 [3].

1 Scope

The present document is part of an Integration Reference Point (IRP) named Subscription Management (SuM) Network Resource Model (NRM) IRP, through which an IRPAgent can communicate configuration management information to one or several IRPManagers concerning SuM resources. The SuM NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the Solution Sets for the SuM NRM IRP.

This specification is related to 3GPP TS 28.752 V14.0.X [5].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 32.150: "Telecommunication management; Integration Reference Point (IRP) Concept and definitions".
- [2] 3GPP TS 32.140: "Telecommunication management; Subscription Management (SuM) requirements".
- [3] 3GPP TS 32.141: "Telecommunication management; Subscription Management (SuM) architecture".
- [4] 3GPP TS 28.751: "Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements".
- [5] 3GPP TS 28.752: "Telecommunication management; Subscription Management Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- [6] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [7] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [8] 3GPP TS 32.616: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Solution Set (SS) definitions".
- [9] 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects".
- [10] W3C REC-xml11-20060816: "Extensible Markup Language (XML) 1.1 (Second Edition)".
- [11] W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures.
- [12] W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes.
- [13] W3C REC-xml-names-20060816: "Namespaces in XML 1.1 (Second Edition)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions in 3GPP TS 32.101 [6], TS 32.102 [7], TS 32.140 [2], TS 32.141 [3], TS 28.751 [4] and TS 28.752 [5] apply.

3.2 Abbreviations

For the purposes of the present document, the abbreviations in 3GPP TS 32.101 [6], TS 32.102 [7], TS 32.140 [2], TS 32.141 [3], TS 28.751 [4] and TS 28.752 [5] apply.

4 Solution Set Definitions

This specification defines the following 3GPP SuM NRM IRP Solution Set Definitions:

- 3GPP SuM NRM IRP XML Definitions (Annex A)

CORBA Solution Set is not supported.

Annex A (normative): XML Definitions

A.0 General

This annex contains the XML Definitions for the SuM NRM IRP as it applies to Itf-N, in accordance with SuM NRM IRP Information Service (TS 28.752 [5]).

The XML file formats are based on XML [10], XML Schema [11] [12] and XML Namespace [13] standards.

A.1 Architectural features

A.1.0 Introduction

The overall architectural feature of Subscription Management (SuM) NRM is specified in 3GPP TS 28.752 [5]. This clause specifies features that are specific to the Schema definitions.

A.1.1 Syntax for Distinguished Names

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [9].

A.2 Mapping

A.2.1 General mapping

An IOC maps to an XML element of the same name as the IOC's name in the IS. An IOC attribute maps to a sub-element of the corresponding IOC's XML element, and the name of this sub-element is the same as the attribute's name in the IS.

A.2.2 Information Object Class (IOC) mapping

The mapping is not present in the current version of this specification.

A.3 Solution Set definitions

A.3.1 XML definition structure

The overall description of the file format of configuration data XML files is provided by 3GPP TS 32.616 [8].

Annex A.3.3 of the present document defines the NRM-specific XML schema `sumNrm.xsd` for the Subscription Management IRP NRM defined in 3GPP TS 28.752 [5].

XML schema `sumNrm.xsd` explicitly declares NRM-specific XML element types for the related NRM.

The definition of those NRM-specific XML element types complies with the generic mapping rules defined in 3GPP TS 32.616 [8].

A.3.2 Graphical Representation

The graphical representation is not present in the current version of this specification.

A.3.3 XML schema "sumNrm.xsd"

```

<?xml version="1.1" encoding="UTF-8"?>

<!--
 3GPP TS 28.753 SuM Network Resource Model IRP
 SuM NRM-specific XML schema
 sumNrm.xsd
-->

<schema
  targetNamespace=
"http://www.3gpp.org/ftp/specs/archive/28_series/28.753#sumNrm"
  elementFormDefault="qualified"
  xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:sn=
"http://www.3gpp.org/ftp/specs/archive/28_series/28.753#sumNrm"
  xmlns:xn=
"http://www.3gpp.org/ftp/specs/archive/28_series/28.623#genericNrm"
>

  <import
    namespace=
"http://www.3gpp.org/ftp/specs/archive/28_series/28.753#genericNrm"
  />

  <!-- SuM Network Resources IRP NRM class associated XML elements -->

  <element
    name="SubscriptionFunction"
    substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass"
  >
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="userLabel"/>
                  <element name="vnfParametersList" type="xn:vnfParametersListType" minOccurs="0"/>
                  <element name="theUser" type="xn:dnList"/>
                  <element name="theSubscriberProfile" type="xn:dnList"/>
                </all>
              </complexType>
            </element>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="SuMSubscriberProfile" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">
              <complexType>
                <all>
                  <element name="suMSubscriberProfileInfo"/>
                  <element name="theUser" type="xn:dnList"/>
                  <element name="theSubscribedService" type="xn:dnList"/>
                  <element name="theMobileUserData" type="xn:dnList"/>
                </all>
              </complexType>
            </element>
          </sequence>
        </extension>
      </complexContent>
    </complexType>
  </element>
  <element name="MobileUserData" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
      <complexContent>
        <extension base="xn:NrmClass">
          <sequence>
            <element name="attributes" minOccurs="0">

```

```

    <complexType>
      <all>
        <element name="theServiceProfile" type="xn:dnList" />
        <element name="imsi" type="string" />
        <element name="mSISDN" type="string" />
        <element name="multinumberingMSISDNs" type="sn:multinumberingMSISDNList" />
        <element name="IMEISV" type="string" minOccurs="0" />
      </all>
    </complexType>
  </element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element name="SuMUser" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theMobileUserData" type="xn:dnList" />
                <element name="theSubscriber" type="xn:dnList" minOccurs="0" />
                <element name="theCredentials" type="xn:dnList" />
                <element name="theServiceProfile" type="xn:dnList" />
                <element name="theIdentity" type="xn:dnList" minOccurs="0" />
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

<element name="SuMCredentials" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="thePublicId" type="xn:dnList" />
                <element name="theServiceProfile" type="xn:dnList" />
                <element name="imsPrivateUserIdentity" type="string" />
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

<element name="SuMService" type="xn:NrmClass" abstract="true"
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass"/>

<element
  name="CSService"
  substitutionGroup="sn:SuMService"
  >
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theContract" minOccurs="0" />
                <element name="networkAccessMode" />
                <element name="basicMSISDNIndicator" minOccurs="0" />
                <element name="mSISDNAlertIndicator" minOccurs="0" />
                <element name="subscriptionRestriction" minOccurs="0" />
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

```

```

<element name="rSZILists" minOccurs="0"/>
<element name="LSAIdentity" minOccurs="0"/>
<element name="LSAPriority" minOccurs="0"/>
<element name="LSAPreferentialAccessIndicator" minOccurs="0"/>
<element name="LSAActiveModeSupportIndicator" minOccurs="0"/>
<element name="LSAOnlyAccessIndicator" minOccurs="0"/>
<element name="LSAActiveModeIndicator" minOccurs="0"/>
<element name="vPLMNIdentifier" minOccurs="0"/>
<element name="accessRestrictionData" minOccurs="0"/>
<element name="privacyExceptionList" minOccurs="0"/>
<element name="gMLCNumbers" minOccurs="0"/>
<element name="mOLRList" minOccurs="0"/>
<element name="serviceTypes" minOccurs="0"/>
<element name="mobileStationCategory" minOccurs="0"/>
<element name="LMUIdentifier" minOccurs="0"/>
<element name="subscriberStatus" minOccurs="0"/>
<element name="gsmSCAddresslistForODB"/>
<element name="provisionOfBearerService"/>
<element name="provisionOfTeleservice"/>
<element name="bcAllocation" minOccurs="0"/>
<element name="barringOfOutgoingCalls" minOccurs="0"/>
<element name="barringOfIncomingCalls" minOccurs="0"/>
<element name="barringOfRoaming" minOccurs="0"/>
<element name="barringOfPremiumRateCalls" minOccurs="0"/>
<element
  name="barringOfSupplementaryServiceManagement"
  minOccurs="0"
/>
<element
  name="barringOfRegistrationOfCallForwarding"
  minOccurs="0"
/>
<element
  name="barringOfInvocationOfCallTransfer"
  minOccurs="0"
/>
<element
  name="operatorDeterminedBarringPLMNspecificData"
  minOccurs="0"
/>
<element name="vGCSGroupMembershipList" minOccurs="0"/>
<element name="vBSGroupMembershipList" minOccurs="0"/>
<element
  name="broadcastCallInitiationAllowedList"
  minOccurs="0"
/>
<element
  name="originatingCAMELSubscriptionInformationOCSI"
  minOccurs="0"
/>
<element
  name="terminatingCAMELSubscriptionInformationTCSI"
  minOccurs="0"
/>
<element
  name="vMSCTerminatingCAMELSubscriptionInformationVTCSI"
  minOccurs="0"
/>
<element
  name="locationInformationSubscriberStateInformation"
  minOccurs="0"
/>
<element
  name="uSSDCAMELSubscriptionInformationUCSI"
  minOccurs="0"
/>
<element name="sSInvocationNotificationSSCSI" minOccurs="0"/>
<element
  name="translationInformationFlagTIFCSI"
  minOccurs="0"
/>
<element
  name="dialledServiceCAMELSubscriptionInformationDCSI"
  minOccurs="0"
/>
<element
  name="uSSDGeneralCAMELServiceInformationUGCSI"
  minOccurs="0"

```

```

    />
    <element
      name="shortMessageServiceCAMELSubscriptionInformationMOSMSCSI"
      minOccurs="0"
    />
    <element
      name="shortMessageServiceCAMELSubscriptionInformationMTSMSCSI"
      minOccurs="0"
    />
    <element
      name="mTSMSCSIVLRNegotiatedCAMELCapabilityHandling"
      minOccurs="0"
    />
    <element name="gsmSCFAddressforCSI" minOccurs="0"/>
    <element name="iSTAlertTimer" minOccurs="0"/>
    <element name="cSAllocationRetentionpriority" minOccurs="0"/>
    <element name="iCSIndicator" minOccurs="0"/>
    <element name="theCSSupplServiceForCS" type="xn:dnList"/>
  </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>
<element name="SuMCSSupplService"
  substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="sS-Code"/>
                <element name="provisioningState"/>
                <element name="activationState"/>
                <element name="registrationState" minOccurs="0"/>
                <element name="overrideCategory" minOccurs="0"/>
                <element name="cLIRestrictionOption" minOccurs="0"/>
                <element name="forwarded-toNumber" minOccurs="0"/>
                <element name="forwarded-toSubaddress" minOccurs="0"/>
                <element name="noReplyConditionTimer" minOccurs="0"/>
                <element name="maximumEntitledPriority" minOccurs="0"/>
                <element name="defaultPriority" minOccurs="0"/>
                <element name="nbrUser" minOccurs="0"/>
                <element name="nbrSB" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

<element
  name="GPRSService"
  substitutionGroup="sn:SuMService"
>
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theContract" minOccurs="0"/>
                <element name="networkAccessMode" minOccurs="0"/>
                <element name="basicMSISDNIndicator" minOccurs="0"/>
                <element name="mSISDNAlertIndicator" minOccurs="0"/>
                <element name="rSZIlists" minOccurs="0"/>
                <element name="LSAIdentity" minOccurs="0"/>
                <element name="LSAPriority" minOccurs="0"/>
                <element name="LSAPreferentialAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeSupportIndicator" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

```

```

<element name="lSAOnlyAccessIndicator" minOccurs="0"/>
<element name="lSAActiveModeIndicator" minOccurs="0"/>
<element name="vPLMNIdentifier" minOccurs="0"/>
<element name="accessRestrictionData" minOccurs="0"/>
<element name="privacyExceptionList" minOccurs="0"/>
<element name="gMLCNumbers" minOccurs="0"/>
<element name="mOLRList" minOccurs="0"/>
<element name="serviceTypes" minOccurs="0"/>
<element name="gGSNNumber" minOccurs="0"/>
<element name="provisionofTeleservice" minOccurs="0"/>
<element name="subscriberStatus" minOccurs="0"/>
<element name="transferofSMoption" minOccurs="0"/>
<element
  name="barringofPacketOrientedServices"
  minOccurs="0"
/>
<element name="pDPType" minOccurs="0"/>
<element name="pDPAddress" minOccurs="0"/>
<element name="accessPointName" minOccurs="0"/>
<element name="vPLMNAddressAllowed" minOccurs="0"/>
<element name="qualityofServiceSubscribed" minOccurs="0"/>
<element
  name="pDPContextChargingCharacteristics"
  minOccurs="0"
/>
<element
  name="gPRSCAMELSubscriptionInformationGPRSCSI"
  minOccurs="0"
/>
<element
  name="mOShortMessageServiceCAMELSubscriptionInformationMOSMSCSI"
  minOccurs="0"
/>
<element
  name="mTShortMessageServiceCAMELSubscriptionInformationMTSMSCSI"
  minOccurs="0"
/>
<element
  name="mOSMSCSISGSNNegotiatedCAMELCapabilityHandling"
  minOccurs="0"
/>
<element
  name="mTSMSCSISGSNNegotiatedCAMELCapabilityHandling"
  minOccurs="0"
/>
<element
  name="mobilityManagementforGPRSeventnotificationMGCSI"
  minOccurs="0"
/>
<element
  name="mGCSINegotiatedCAMELCapabilityHandling"
  minOccurs="0"
/>
<element name="gsmSCFaddressforCSI" minOccurs="0"/>
<element
  name="subscribedChargingCharacteristics"
  minOccurs="0"
/>
<element name="closedSubscriberGroupInformation" minOccurs="0"/>
<element name="gSMSCFaddresslistForODB" minOccurs="0"/>
<element name="barringOfOutgoingCalls" minOccurs="0"/>
<element name="barringOfRoaming" minOccurs="0"/>
<element name="operatorDeterminedBarringPLMNspecificData" minOccurs="0"/>
<element name="STNSR" minOccurs="0"/>
<element name="iCSIndicator" minOccurs="0"/>
<element
  name="listofauthorizedvisitednetworkidentifiers"
  minOccurs="0"
/>
<element name="wLANUERemoteIPAddress" minOccurs="0"/>
<element name="staticWLANUERemoteIPAddressList" minOccurs="0"/>
<element name="w-APNBarringTypeList" minOccurs="0"/>
<element name="w-APNChargingDataList" minOccurs="0"/>
<element name="accessDependenceFlag" minOccurs="0"/>
<element name="chargingCharacteristics" minOccurs="0"/>
<element name="primaryOCSCChargingFunctionName" minOccurs="0"/>
<element
  name="secondaryOCSCChargingFunctionName"

```

```

        minOccurs="0"
      />
    <element
      name="primaryChargingCollectionFunctionName"
      minOccurs="0"
    />
    <element
      name="secondaryChargingCollectionFunctionName"
      minOccurs="0"
    />
    <element name="w-APNIdentifierList" minOccurs="0"/>
    <element name="maxNumberAccessesList" minOccurs="0"/>
    <element name="subscribed3GPPWLANQoSProfile" minOccurs="0"/>
    <element name="maxSubscribedBandwidth" minOccurs="0"/>
    <element name="theGPRSSupplServiceForGPRS" type="xn:dnList"/>
  </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element name="SuMGPRSSupplService"
  substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="sS-Code" minOccurs="0"/>
                <element name="provisioningState" minOccurs="0"/>
                <element name="activationState" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

<element name="EPSService" substitutionGroup="sn:SuMService">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theContract" minOccurs="0"/>
                <element name="accessPointName" minOccurs="0"/>
                <element name="accessRestrictionData" minOccurs="0"/>
                <element name="aPNAMBR" minOccurs="0"/>
                <element name="barringOfPacketOrientedServices" minOccurs="0"/>
                <element name="contextIdentifier" minOccurs="0"/>
                <element name="operatorDeterminedBarringPLMNsSpecificData" minOccurs="0"/>
                <element name="pDNAddress" minOccurs="0"/>
                <element name="rSZILists" minOccurs="0"/>
                <element name="sTNSR" minOccurs="0"/>
                <element name="subscribedChargingCharacteristics" minOccurs="0"/>
                <element name="subscriberStatus" minOccurs="0"/>
                <element name="networkAccessMode" minOccurs="0"/>
                <element name="barringOfOutgoingCalls" minOccurs="0"/>
                <element name="barringOfRoaming" minOccurs="0"/>
                <element name="privacyExceptionList" minOccurs="0"/>
                <element name="gMLCNumbers" minOccurs="0"/>
                <element name="mOLRList" minOccurs="0"/>
                <element name="serviceTypes" minOccurs="0"/>
                <element name="iCSIndicator" minOccurs="0"/>
                <element name="aPNOIReplacement" minOccurs="0"/>
                <element name="subscribedUEAMBR" minOccurs="0"/>
                <element name="aPNConfigurationProfile" minOccurs="0"/>
                <element name="rFSP" minOccurs="0"/>
                <element name="vPLMNAddressAllowed-EPS" minOccurs="0"/>
                <element name="pDNGWIdentity" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

```

```

    <element name="ePSPDNConnectedChargingCharacteristics" minOccurs="0"/>
    <element name="pDNGWAllocationType" minOccurs="0"/>
    <element name="aPNLevelAPNOIReplacement" minOccurs="0"/>
    <element name="closedSubscriberUserGroupInformation" minOccurs="0"/>
    <element name="listofAuthorizedvisitednetworkidentifiers" minOccurs="0"/>
    <element name="staticWLANUERemoteIPAddressList" minOccurs="0"/>
    <element name="w-APONBarringTypeList" minOccurs="0"/>
    <element name="w-APNChargingDataList" minOccurs="0"/>
    <element name="wLANUERemoteIPAddress" minOccurs="0"/>
    <element name="accessDependenceFlag" minOccurs="0"/>
    <element name="chargingCharacteristics" minOccurs="0"/>
    <element name="primaryOCSCChargingFunctionName" minOccurs="0"/>
    <element name="secondaryOCSCChargingFunctionName" minOccurs="0"/>
    <element name="primaryChargingCollectionFunctionName" minOccurs="0"/>
    <element name="secondaryChargingCollectionFunctionName" minOccurs="0"/>
    <element name="w-APNIdentifierList" minOccurs="0"/>
    <element name="maxNumberAccessesList" minOccurs="0"/>
    <element name="maxSubscribedBandwidth" minOccurs="0"/>
    <element name="subscribed3GPPWLANQoSProfile" minOccurs="0"/>
    <element name="permanentUserIdentity" minOccurs="0"/>
    <element name="mIPSubscriberProfile" minOccurs="0"/>
  </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element
  name="IMSService"
  substitutionGroup="sn:SuMService"
  >
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theContract" minOccurs="0"/>
                <element
                  name="listofauthorizedvisitednetworkidentifiers"/>
                <element name="registrationStatus"/>
                <element name="sCSCFName" minOccurs="0"/>
                <element name="diameterClientAddressofSCSCF" minOccurs="0"/>
                <element name="theServerCapabilities" type="xn:dn" minOccurs="0"/>
                <element
                  name="subscribedMediaProfileIdentifier"
                  minOccurs="0"
                />
                <element name="initialFilterCriteriaList" minOccurs="0">
          </sequence>
        </complexType>
      </element>
      <element name="applicationServerInformation" minOccurs="0"/>
      <element name="serviceIndicationList" minOccurs="0">
    </complexType>
  </sequence>
  <complexType>
    <complexContent>
      <sequence>
        <element name="serviceIndication" minOccurs="1" maxOccurs="unbounded"/>
      </sequence>
    </complexType>
  </element>

  <element
    name="primaryEventChargingFunctionName"
    minOccurs="0"
  />
  <element
    name="secondaryEventChargingFunctionName"
    minOccurs="0"
  />
  <element name="primaryChargingCollectionFunctionName"/>
  <element
    name="secondaryChargingCollectionFunctionName"

```



```

        minOccurs="0"
      />
    <element name="gsmSCFAddressforIMCSI" minOccurs="0"/>
    <element name="oIMCSI" minOccurs="0"/>
    <element name="vTIMCSI" minOccurs="0"/>
    <element name="dIMCS" minOccurs="0"/>
    <element name="gAAServiceType" minOccurs="0"/>
    <element name="gAAServiceIdentifier" minOccurs="0"/>
    <element name="gBAUserSecuritySettings" minOccurs="0"/>
    <element name="userSecuritySetting" minOccurs="0"/>
    <element name="userPublicIdentity" minOccurs="0"/>
    <element name="gAAAuthorizationflag" minOccurs="0"/>
    <element name="keyLifetime" minOccurs="0"/>
    <element name="uICCSecurityType" minOccurs="0"/>
    <element name="nAFGroupIdentity" minOccurs="0"/>
  </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element name="SuMSubscribedService"
  substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass" type="xn:NrmClass"
  abstract="true"/>

<element
  name="CSSubscribedService"
  substitutionGroup="sn:SuMSubscribedService"
>
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theService" minOccurs="0"/>
                <element name="theOffer" minOccurs="0"/>
                <element name="networkAccessMode"/>
                <element name="basicMSISDNIndicator" minOccurs="0"/>
                <element name="mSISDNAlertIndicator" minOccurs="0"/>
                <element name="subscriptionRestriction" minOccurs="0"/>
                <element name="rSZIlists" minOccurs="0"/>
                <element name="LSAIdentity" minOccurs="0"/>
                <element name="LSAPriority" minOccurs="0"/>
                <element name="LSAPreferentialAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeSupportIndicator" minOccurs="0"/>
                <element name="LSAOnlyAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeIndicator" minOccurs="0"/>
                <element name="vPLMNIdentifier" minOccurs="0"/>
                <element name="accessRestrictionData" minOccurs="0"/>
                <element name="privacyExceptionList" minOccurs="0"/>
                <element name="gMLCNumbers" minOccurs="0"/>
                <element name="mOLRList" minOccurs="0"/>
                <element name="serviceTypes" minOccurs="0"/>
                <element name="mobileStationCategory" minOccurs="0"/>
                <element name="lMUIIdentifier" minOccurs="0"/>
                <element name="subscriberStatus" minOccurs="0"/>
                <element name="gsmSCFAddresslistForODB"/>
                <element name="provisionOfBearerService"/>
                <element name="provisionOfTeleservice"/>
                <element name="bCAllocation" minOccurs="0"/>
                <element name="barringOfOutgoingCalls" minOccurs="0"/>
                <element name="barringOfIncomingCalls" minOccurs="0"/>
                <element name="barringOfRoaming" minOccurs="0"/>
                <element name="barringOfPremiumRateCalls" minOccurs="0"/>
                <element
                  name="barringOfSupplementaryServiceManagement"
                  minOccurs="0"
                />
              </all>
            </complexType>
          </element>
          <element
            name="barringOfRegistrationOfCallForwarding"
            minOccurs="0"
          />
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

```

```

        name="barringOfInvocationOfCallTransfer"
        minOccurs="0"
    />
    <element
        name="operatorDeterminedBarringPLMNSpecificData"
        minOccurs="0"
    />
    <element name="vGCSGroupMembershipList" minOccurs="0"/>
    <element name="vBSGroupMembershipList" minOccurs="0"/>
    <element
        name="broadcastCallInitiationAllowedList"
        minOccurs="0"
    />
    <element
        name="originatingCAMELSubscriptionInformationOCSI"
        minOccurs="0"
    />
    <element
        name="terminatingCAMELSubscriptionInformationTCSI"
        minOccurs="0"
    />
    <element
        name="vMSCTerminatingCAMELSubscriptionInformationVTCSI"
        minOccurs="0"
    />
    <element
        name="locationInformationSubscriberStateInformation"
        minOccurs="0"
    />
    <element
        name="uSSDCAMELSubscriptionInformationUCSI"
        minOccurs="0"
    />
    <element name="sSInvocationNotificationSSCSI" minOccurs="0"/>
    <element
        name="translationInformationFlagTIFCSI"
        minOccurs="0"
    />
    <element
        name="dialledServiceCAMELSubscriptionInformationDCSI"
        minOccurs="0"
    />
    <element
        name="uSSDGeneralCAMELServiceInformationUGCSI"
        minOccurs="0"
    />
    <element
        name="shortMessageServiceCAMELSubscriptionInformationMOSMSCSI"
        minOccurs="0"
    />
    <element
        name="shortMessageServiceCAMELSubscriptionInformationMTSMSCSI"
        minOccurs="0"
    />
    <element
        name="mTSMSCSIVLRNegotiatedCAMELCapabilityHandling"
        minOccurs="0"
    />
    <element name="gsmSCFAddressforCSI" minOccurs="0"/>
    <element name="iSTAlertTimer" minOccurs="0"/>
    <element name="cSAllocationRetentionpriority" minOccurs="0"/>
    <element name="iCSIndicator" minOccurs="0"/>
    <element name="theCSSupplServiceForCSSS" type="xn:dNList"/>
    </all>
    </complexType>
    </element>
    </sequence>
    </extension>
    </complexContent>
    </complexType>
</element>

<element
    name="GPRSSubscribedService"
    substitutionGroup="sn:SuMSubscribedService"
>
    <complexType>
        <complexContent>

```

```

<extension base="xn:NrmClass">
  <sequence>
    <element name="attributes" minOccurs="0">
      <complexType>
        <all>
          <element name="theService" minOccurs="0"/>
          <element name="theOffer" minOccurs="0"/>
          <element name="networkAccessMode" minOccurs="0"/>
          <element name="basicMSISDNIndicator" minOccurs="0"/>
          <element name="mSISDNAlertIndicator" minOccurs="0"/>
          <element name="rSZIlists" minOccurs="0"/>
          <element name="LSAIdentity" minOccurs="0"/>
          <element name="LSAPriority" minOccurs="0"/>
          <element name="LSAPreferentialAccessIndicator" minOccurs="0"/>
          <element name="LSAActiveModeSupportIndicator" minOccurs="0"/>
          <element name="LSAOnlyAccessIndicator" minOccurs="0"/>
          <element name="LSAActiveModeIndicator" minOccurs="0"/>
          <element name="vPLMNIdentifier" minOccurs="0"/>
          <element name="accessRestrictionData" minOccurs="0"/>
          <element name="privacyExceptionList" minOccurs="0"/>
          <element name="gMLCNumbers" minOccurs="0"/>
          <element name="mOLRList" minOccurs="0"/>
          <element name="serviceTypes" minOccurs="0"/>
          <element name="gGSNNumber" minOccurs="0"/>
          <element name="provisionofTeleservice" minOccurs="0"/>
          <element name="subscriberStatus" minOccurs="0"/>
          <element name="transferofSMoption" minOccurs="0"/>
          <element
            name="barringofPacketOrientedServices"
            minOccurs="0"
          />
          <element name="pDPType" minOccurs="0"/>
          <element name="pDPAddress" minOccurs="0"/>
          <element name="accessPointName" minOccurs="0"/>
          <element name="vPLMNAddressAllowed" minOccurs="0"/>
          <element name="qualityofServiceSubscribed" minOccurs="0"/>
          <element
            name="pDPContextChargingCharacteristics"
            minOccurs="0"
          />
          <element
            name="gPRSCAMELSubscriptionInformationGPRSCSI"
            minOccurs="0"
          />
          <element
            name="mOShortMessageServiceCAMELSubscriptionInformationMOSMSCSI"
            minOccurs="0"
          />
          <element
            name="mTShortMessageServiceCAMELSubscriptionInformationMTSMSCSI"
            minOccurs="0"
          />
          <element
            name="mOSMSCSISGSNNegotiatedCAMELCapabilityHandling"
            minOccurs="0"
          />
          <element
            name="mTSMSCSISGSNNegotiatedCAMELCapabilityHandling"
            minOccurs="0"
          />
          <element
            name="mobilityManagementforGPRSeventnotificationMGCSI"
            minOccurs="0"
          />
          <element
            name="mGCSINegotiatedCAMELCapabilityHandling"
            minOccurs="0"
          />
          <element name="gsmSCFAddressforCSI" minOccurs="0"/>
          <element name="closedSubscriberGroupInformation" minOccurs="0"/>
          <element name="gSMSCFAddresslistForODB" minOccurs="0"/>
          <element name="barringOfOutgoingCalls" minOccurs="0"/>
          <element name="barringOfRoaming" minOccurs="0"/>
          <element name="operatorDeterminedBarringPLMNsSpecificData" minOccurs="0"/>
          <element name="sTNSR" minOccurs="0"/>
          <element name="iCSIndicator" minOccurs="0"/>
          <element
            name="subscribedChargingCharacteristics"

```

```

        minOccurs="0"
      />
    <element
      name="listofauthorizedvisitednetworkidentifiers"
      minOccurs="0"
    />
    <element name="wLANUERemoteIPAddress" minOccurs="0"/>
  <element name="staticwLANUERemoteIPAddressList" minOccurs="0"/>
  <element name="w-APNBarringTypeList" minOccurs="0"/>
  <element name="w-APNChargingDataList" minOccurs="0"/>
  <element name="accessDependenceFlag" minOccurs="0"/>
  <element name="chargingData" minOccurs="0"/>
  <element name="chargingCharacteristics" minOccurs="0"/>
  <element name="primaryOCSCChargingFunctionName" minOccurs="0"/>
  <element name="secondaryOCSCChargingFunctionName" minOccurs="0"/>
  <element name="w-APNIdentifierList" minOccurs="0"/>
  <element name="maxNumberAccessesList" minOccurs="0"/>
  <element name="maxSubscribedBandwidth" minOccurs="0"/>
  <element name="subscribed3GPPWLANQoSProfile" minOccurs="0"/>
  <element
    name="primaryChargingCollectionFunctionName"
    minOccurs="0"
  />
  <element
    name="secondaryChargingCollectionFunctionName"
    minOccurs="0"
  />
  <element name="theGPRSSupplServiceForGPRSSS" type="xn:dnList"/>
</all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element name="EPSSubscribedService" substitutionGroup="sn:SuMSubscribedService">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theService" minOccurs="0"/>
                <element name="theOffer" minOccurs="0"/>
                <element name="accessPointName" minOccurs="0"/>
                <element name="accessRestrictionData" minOccurs="0"/>
                <element name="aPNAMBR" minOccurs="0"/>
                <element name="barringofPacketOrientedServices" minOccurs="0"/>
                <element name="contextIdentifier" minOccurs="0"/>
                <element name="operatorDeterminedBarringPLMNspecificData" minOccurs="0"/>
                <element name="pdNAddress" minOccurs="0"/>
                <element name="rSZILlists" minOccurs="0"/>
                <element name="sTNSR" minOccurs="0"/>
                <element name="subscribedChargingCharacteristics" minOccurs="0"/>
                <element name="subscriberStatus" minOccurs="0"/>
                <element name="networkAccessMode" minOccurs="0"/>
                <element name="barringOfOutgoingCalls" minOccurs="0"/>
                <element name="barringOfRoaming" minOccurs="0"/>
                <element name="privacyExceptionList" minOccurs="0"/>
                <element name="gMLCNumbers" minOccurs="0"/>
                <element name="mOLRList" minOccurs="0"/>
                <element name="serviceTypes" minOccurs="0"/>
                <element name="iCSIndicator" minOccurs="0"/>
                <element name="aPNOIReplacement" minOccurs="0"/>
                <element name="subscribedUEAMBR" minOccurs="0"/>
                <element name="aPNConfigurationProfile" minOccurs="0"/>
                <element name="rFSP" minOccurs="0"/>
                <element name="vPLMNAddressAllowed-EPS" minOccurs="0"/>
                <element name="pdNGWIdentity" minOccurs="0"/>
                <element name="ePSPDNConnectedChargingCharacteristics" minOccurs="0"/>
                <element name="pdNGWAllocationType" minOccurs="0"/>
                <element name="aPNLevelAPNOIReplacement" minOccurs="0"/>
                <element name="closedSubscriberUserGroupInformation" minOccurs="0"/>
                <element name="listofAuthorizedvisitednetowrkidentifiers" minOccurs="0"/>
                <element name="staticwLANUERemoteIPAddressList" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

```

```

    <element name="w-APONBarringTypeList" minOccurs="0"/>
    <element name="w-APNChargingDataList" minOccurs="0"/>
    <element name="wLANUERemoteIPAddress" minOccurs="0"/>
    <element name="accessDependenceFlag" minOccurs="0"/>
    <element name="chargingCharacteristics" minOccurs="0"/>
    <element name="primaryOCSCChargingFunctionName" minOccurs="0"/>
    <element name="secondaryOCSCChargingFunctionName" minOccurs="0"/>
    <element name="primaryChargingCollectionFunctionName" minOccurs="0"/>
    <element name="secondaryChargingCollectionFunctionName" minOccurs="0"/>
    <element name="w-APNIdentifierList" minOccurs="0"/>
    <element name="maxNumberAccessesList" minOccurs="0"/>
    <element name="maxSubscribedBandwidth" minOccurs="0"/>
    <element name="subscribed3GPPWLANQoSProfile" minOccurs="0"/>
    <element name="permanentUserIdentity" minOccurs="0"/>
    <element name="mIPSubscriberProfile" minOccurs="0"/>
  </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element
  name="IMSSubscribedService"
  substitutionGroup="sn:SuMSubscribedService"
>
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theService" minOccurs="0"/>
                <element name="theOffer" minOccurs="0"/>
                <element name="listofauthorizedvisitednetworkidentifiers"/>
                <element name="registrationStatus"/>
                <element name="sCSCFName" minOccurs="0"/>
                <element name="diameterClientAddressofSCSCF" minOccurs="0"/>
                <element name="theServerCapabilities" type="xn:dn" minOccurs="0"/>
                <element
                  name="subscribedMediaProfileIdentifier"
                  minOccurs="0"
                />
                <element name="initialFilterCriteriaList" minOccurs="0">
                  <complexType>
                    <sequence>
                      <element name="initialFilterCriteria" minOccurs="1" maxOccurs="unbounded"/>
                    </sequence>
                  </complexType>
                </element>
                <element name="applicationServerInformation" minOccurs="0"/>
                <element name="serviceIndication" minOccurs="0">
                  <complexType>
                    <sequence>
                      <element name="serviceIndication" minOccurs="1" maxOccurs="unbounded"/>
                    </sequence>
                  </complexType>
                </element>
                <element
                  name="primaryEventChargingFunctionName"
                  minOccurs="0"
                />
                <element
                  name="secondaryEventChargingFunctionName"
                  minOccurs="0"
                />
                <element name="primaryChargingCollectionFunctionName"/>
                <element
                  name="secondaryChargingCollectionFunctionName"
                  minOccurs="0"
                />
                <element name="gsmSCFaddressforIMCSI" minOccurs="0"/>
                <element name="oIMCSI" minOccurs="0"/>
                <element name="vTIMCSI" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>

```

```

        <element name="DIMCS" minOccurs="0"/>
        <element name="gAAServiceType" minOccurs="0"/>
        <element name="gAAServiceIdentifier" minOccurs="0"/>
        <element name="gBAUserSecuritySettings" minOccurs="0"/>
        <element name="userSecuritySetting" minOccurs="0"/>
        <element name="userPublicIdentity" minOccurs="0"/>
        <element name="gAAAuthorizationflag" minOccurs="0"/>
        <element name="keyLifetime" minOccurs="0"/>
        <element name="uICCSecurityType" minOccurs="0"/>
        <element name="nAFGroupIdentity" minOccurs="0"/>
    </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element name="SuMServiceProfile" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass"
type="xn:NrmClass" abstract="true"/>

<element
  name="CSServiceProfile"
  substitutionGroup="sn:SuMServiceProfile"
  >
  <complexType>
    <complexContent>
      <extension base="sn:Common3GPPAccessServiceProfile">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theSpecification" minOccurs="0"/>
                <element name="basicMSISDNIndicator" minOccurs="0"/>
                <element name="mSISDNAlertIndicator" minOccurs="0"/>
                <element name="vLRNNumber" />
                <element name="mSCNumber" />
                <element name="subscriptionRestriction" minOccurs="0"/>
                <element name="mSCAreaRestrictedFlag" />
                <element name="oDBinducedBarringData" minOccurs="0"/>
                <element name="roamingRestrictionDueToUnsupportedFeature" />
                <element name="LSAIdentity" minOccurs="0"/>
                <element name="LSAPriority" minOccurs="0"/>
                <element name="LSAPreferentialAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeSupportIndicator" minOccurs="0"/>
                <element name="LSAOnlyAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeIndicator" minOccurs="0"/>
                <element name="vPLMNIdentifier" minOccurs="0"/>
                <element name="ageIndicator" minOccurs="0"/>
                <element name="lMSI" />
                <element name="mobileStationCategory" />
                <element name="LMUIIdentifier" minOccurs="0"/>
                <element name="mNRRMSC" />
                <element name="notificationToCSEFlagForODB" minOccurs="0"/>
                <element name="gsmSCFaddresslistForODB" minOccurs="0"/>
                <element name="messagesWaitingData" minOccurs="0"/>
                <element name="mobileStationNotReachableFlag" minOccurs="0"/>
                <element name="memoryCapacityExceededFlag" />
                <element name="traceReference" minOccurs="0"/>
                <element name="traceType" minOccurs="0"/>
                <element name="operationsSystemsIdentity" minOccurs="0"/>
                <element name="hLRTraceType" minOccurs="0"/>
                <element name="mAPErrorOnTrace" minOccurs="0"/>
                <element name="traceActivatedInVLR" minOccurs="0"/>
                <element name="provisionOfBearerService" />
                <element name="provisionOfTeleservice" />
                <element name="bCAllocation" minOccurs="0"/>
                <element name="checkSSIndicator" />
                <element name="mSPurgedForNonGPRSFlag" />
                <element name="barringOfIncomingCalls" minOccurs="0"/>
                <element name="barringOfPremiumRateCalls" minOccurs="0"/>
                <element
                  name="barringOfSupplementaryServiceManagement"
                  minOccurs="0"
                />
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
  <element
    name="barringOfRegistrationOfCallForwarding"
  />
</element>

```

```

    minOccurs="0"
  />
  <element
    name="barringOfInvocationOfCallTransfer"
    minOccurs="0"
  />
  <element name="vGCSGroupMembershipList" minOccurs="0"/>
  <element name="vBSGroupMembershipList" minOccurs="0"/>
  <element
    name="broadcastCallInitiationAllowedList"
    minOccurs="0"
  />
  <element
    name="originatingCAMELSubscriptionInformationOCSI"
    minOccurs="0"
  />
  <element
    name="terminatingCAMELSubscriptionInformationTCSI"
    minOccurs="0"
  />
  <element
    name="vMSCTerminatingCAMELSubscriptionInformationVTCSI"
    minOccurs="0"
  />
  <element
    name="locationInformationSubscriberStateInformation"
    minOccurs="0"
  />
  <element
    name="uSSDCAMELSubscriptionInformationUCSI"
    minOccurs="0"
  />
  <element name="sSInvocationNotificationSSCSI" minOccurs="0"/>
  <element
    name="translationInformationFlagTIFCSI"
    minOccurs="0"
  />
  <element
    name="dialledServiceCAMELSubscriptionInformationDCSI"
    minOccurs="0"
  />
  <element
    name="uSSDGeneralCAMELServiceInformationUGCSI"
    minOccurs="0"
  />
  <element
    name="oCSINegotiatedCAMELCapabilityHandling"
    minOccurs="0"
  />
  <element
    name="sSCSINegotiatedCAMELCapabilityHandling"
    minOccurs="0"
  />
  <element
    name="vTCSINegotiatedCAMELCapabilityHandling"
    minOccurs="0"
  />
  <element
    name="shortMessageServiceCAMELSubscriptionInformationMOSMSCSI"
    minOccurs="0"
  />
  <element
    name="shortMessageServiceCAMELSubscriptionInformationMTSMSCSI"
    minOccurs="0"
  />
  <element
    name="mOSMSCSIVLRNegotiatedCAMELCapabilityHandling"
    minOccurs="0"
  />
  <element
    name="mTSMSCSIVLRNegotiatedCAMELCapabilityHandling"
    minOccurs="0"
  />
  <element
    name="mCSINegotiatedCAMELCapabilityHandling"
    minOccurs="0"
  />
  <element name="vLRSupportedCAMELPhases" minOccurs="0"/>

```

```

        <element name="gsmSCFaddressforCSI" minOccurs="0"/>
        <element name="vLROfferedCAMEL4CSIs" minOccurs="0"/>
        <element name="iSTAlertTimer" minOccurs="0"/>
        <element name="cSAllocationRetentionpriority" minOccurs="0"/>
        <element name="theCSSupplServiceForCSSP" type="xn:dnList"/>
    </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element
  name="GPRSServiceProfile"
  substitutionGroup="sn:SuMServiceProfile"
  >
  <complexType>
    <complexContent>
      <extension base="sn:PSCommonServiceProfile">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theSpecification" minOccurs="0"/>
                <element name="basicMSISDNIndicator" minOccurs="0"/>
                <element name="mSISDNAlertIndicator" minOccurs="0"/>
                <element name="vLRNNumber" minOccurs="0"/>
                <element name="LSAIdentity" minOccurs="0"/>
                <element name="LSAPriority" minOccurs="0"/>
                <element name="LSAPreferentialAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeSupportIndicator" minOccurs="0"/>
                <element name="LSAOnlyAccessIndicator" minOccurs="0"/>
                <element name="LSAActiveModeIndicator" minOccurs="0"/>
                <element name="vPLMNIdentifier" minOccurs="0"/>
                <element name="ageIndicator" minOccurs="0"/>
                <element name="sGSNNumber" minOccurs="0"/>
                <element name="gGSNNumber" minOccurs="0"/>
                <element name="mNRG" minOccurs="0"/>
                <element name="provisionofTeleservice" minOccurs="0"/>
                <element name="transferofSMoption" minOccurs="0"/>
                <element name="mSpurgedforGPRSflag" minOccurs="0"/>
                <element name="pDPType" minOccurs="0"/>
                <element name="pDPAddress" minOccurs="0"/>
                <element name="vPLMNAddressAllowed" minOccurs="0"/>
                <element name="gGSNlist" minOccurs="0"/>
                <element name="qualityofServiceSubscribed" minOccurs="0"/>
                <element name="pDPContextIdentifier" minOccurs="0"/>
                <element
                  name="pDPContextChargingCharacteristics"
                  minOccurs="0"
                />
                <element
                  name="gPRSCAMELSubscriptionInformationGPRSCSI"
                  minOccurs="0"
                />
                <element
                  name="mOShortMessageServiceCAMELSubscriptionInformationMOSMSCSI"
                  minOccurs="0"
                />
                <element
                  name="mTShortMessageServiceCAMELSubscriptionInformationMTSMSCSI"
                  minOccurs="0"
                />
                <element
                  name="mOSMSCSISGSNNegotiatedCAMELCapabilityHandling"
                  minOccurs="0"
                />
                <element
                  name="mTSMSCSISGSNNegotiatedCAMELCapabilityHandling"
                  minOccurs="0"
                />
                <element
                  name="mobilityManagementforGPRSeventnotificationMGCSI"
                  minOccurs="0"
                />
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

```



```

        name="mGCSINegotiatedCAMELCapabilityHandling"
        minOccurs="0"
    />
    <element
        name="gPRSCSINegotiatedCAMELCapabilityHandling"
        minOccurs="0"
    />
    <element name="sGSNSupportedCAMELPhases" minOccurs="0"/>
    <element name="sGSNOfferedCAMEL4CSIs" minOccurs="0"/>
    <element name="gsmSCFaddressforCSI" minOccurs="0"/>
    <element name="gSMSCFaddresslistForODB" minOccurs="0"/>
    <element name="iPSMGWNumber" minOccurs="0"/>
    <element name="mNRR-SGSN" minOccurs="0"/>
    <element name="notificationToCSEFlagForODB" minOccurs="0"/>
    <element name="theGPRSSupplServiceForGPRSSP" type="xn:dnList"/>
    </all>
    </complexType>
    </element>
    </sequence>
    </extension>
    </complexContent>
    </complexType>
</element>
<element name="EPSServiceProfile" substitutionGroup="sn:SuMServiceProfile">
    <complexType>
        <complexContent>
            <extension base="sn:PSCommonServiceProfile">
                <sequence>
                    <element name="attributes" minOccurs="0">
                        <complexType>
                            <all>
                                <element name="theSpecification" minOccurs="0"/>
                                <element name="aPNAMBR" minOccurs="0"/>
                                <element name="contextIdentifier" minOccurs="0"/>
                                <element name="pDNAddress" minOccurs="0"/>
                                <element name="aPNOIReplacement" minOccurs="0"/>
                                <element name="subscribedUEAMBR" minOccurs="0"/>
                                <element name="aPNConfigurationProfile" minOccurs="0"/>
                                <element name="rFSP" minOccurs="0"/>
                                <element name="pDNGWIdentity" minOccurs="0"/>
                                <element name="ePSPDNConnectionChargingCharacteristics" minOccurs="0"/>
                                <element name="pDNGWAllocationType" minOccurs="0"/>
                                <element name="aPNLevelAPNOIReplacement" minOccurs="0"/>
                                <element name="roamingRestrictionsDueToUnsupportedFeatureMME" minOccurs="0"/>
                                <element name="roamingRestrictionsDueToUnsupportedFeatureSGSN" minOccurs="0"/>
                                <element name="mSPurgedForEPSFlag" minOccurs="0"/>
                                <element name="uRRPMME" minOccurs="0"/>
                                <element name="mMENName" minOccurs="0"/>
                                <element name="sGSNName" minOccurs="0"/>
                                <element name="iWFNumber" minOccurs="0"/>
                                <element name="sGSNAreaRestrictedFlag" minOccurs="0"/>
                                <element name="permanentUserIdentity" minOccurs="0"/>
                                <element name="vPLMNAddressAllowed-EPS" minOccurs="0"/>
                                <element name="theOptHandover3GPP2Par" type="xn:dn"/>
                                <element name="theNon3GPPAccessPar" type="xn:dn"/>
                            </all>
                        </complexType>
                    </element>
                </sequence>
            </extension>
        </complexContent>
    </complexType>
</element>
<element name="PSCommonServiceProfile" abstract="true" substitutionGroup="sn:SuMServiceProfile">
    <complexType>
        <complexContent>
            <extension base="sn:Common3GPPAccessServiceProfile">
                <sequence>
                    <element name="attributes" minOccurs="0">
                        <complexType>
                            <all>
                                <element name="roamingRestrictedintheSGSNduetounsupportedfeature" minOccurs="0"/>
                                <element name="barringofPacketOrientedServices" minOccurs="0"/>
                                <element name="traceActivatedinSGSN" minOccurs="0"/>
                                <element name="iPAddressOfTraceCollectionEntity" minOccurs="0"/>
                                <element name="accessPointName" minOccurs="0"/>
                                <element name="subscribedChargingCharacteristics" minOccurs="0"/>
                            </all>
                        </complexType>
                    </element>
                </sequence>
            </extension>
        </complexContent>
    </complexType>
</element>

```

```

        <element name="sTNSR" minOccurs="0"/>
        <element name="closedSubscriberGroupInformation" minOccurs="0"/>
        <element name="theIWANPar" type="xn:dn" minOccurs="0"/>
    </all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<element name="Common3GPPAccessServiceProfile" abstract="true"
substitutionGroup="sn:SuMServiceProfile">
    <complexType>
        <complexContent>
            <extension base="sn:SuMServiceProfile">
                <sequence>
                    <element name="attributes" minOccurs="0">
                        <complexType>
                            <all>
                                <element name="rSZILists" minOccurs="0"/>
                                <element name="accessRestrictionData" minOccurs="0" />
                                <element name="subscriberStatus" minOccurs="0"/>
                                <element name="barringOfOutgoingCalls" minOccurs="0"/>
                                <element name="barringOfRoaming" minOccurs="0"/>
                                <element name="operatorDeterminedBarringPLMNSpecificData" minOccurs="0"/>
                                <element name="traceReference2" minOccurs="0"/>
                                <element name="traceDepth" minOccurs="0"/>
                                <element name="listOfNETypestoTrace" minOccurs="0"/>
                                <element name="triggeringEvents" minOccurs="0"/>
                                <element name="listOfInterfacesToTrace" minOccurs="0"/>
                                <element name="privacyExceptionList" minOccurs="0"/>
                                <element name="gMLCNumbers" minOccurs="0"/>
                                <element name="iCSIndicator" minOccurs="0"/>
                                <element name="mOLRList" minOccurs="0"/>
                                <element name="serviceTypes" minOccurs="0"/>
                                <element name="networkAccessMode" minOccurs="0"/>
                            </all>
                        </complexType>
                    </element>
                </sequence>
            </extension>
        </complexContent>
    </complexType>
</element>

<element name="IWANParameters" substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
    <complexType>
        <complexContent>
            <extension base="xn:NrmClass">
                <sequence>
                    <element name="attributes" minOccurs="0">
                        <complexType>
                            <all>
                                <element name="w-APN" minOccurs="0"/>
                                <element name="listofauthorizedvisitednetworkidentifiers" minOccurs="0"/>
                                <element name="threeGPPAAAServerName" minOccurs="0" />
                                <element name="threeGPPAAAProxyName" minOccurs="0"/>
                                <element name="wLANUERemoteIPAddress" minOccurs="0"/>
                                <element name="statisWLANUERemoteIPAddressList" minOccurs="0"/>
                                <element name="w-APNBarringTypeList" minOccurs="0"/>
                                <element name="w-APNChargingDataList" minOccurs="0"/>
                                <element name="accessDependenceFlag" minOccurs="0"/>
                                <element name="i-WLANAccessType" minOccurs="0"/>
                                <element name="wLANIdentifierList" minOccurs="0"/>
                                <element name="maxNumberAccessesList" minOccurs="0"/>
                                <element name="maxSubscribedBandwidth" minOccurs="0"/>
                                <element name="subscribed3GPPWLANQoSProfile" minOccurs="0"/>
                                <element name="chargingChracteristics" minOccurs="0"/>
                                <element name="primaryOCSCChargingFunctionName" minOccurs="0"/>
                                <element name="secondaryOCSCChargingFunctionName" minOccurs="0"/>
                                <element name="primaryChargingCollectionFunctionName" minOccurs="0"/>
                                <element name="secondaryChargingCollectionFunctionName" minOccurs="0"/>
                                <element name="userStatus" minOccurs="0"/>
                            </all>
                        </complexType>
                    </element>
                </sequence>
            </extension>
        </complexContent>
    </complexType>
</element>

```

```

    </sequence>
  </extension>
</complexContent>
</complexType>
</element>

<element name="OptHandover3GPP2Parameters"
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="rATType" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

<element name="Non3GPPAccessParameters"
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="rATType" minOccurs="0"/>
                <element name="visitedNetworkIdentifier" minOccurs="0"/>
                <element name="mIPSubscriberProfile" minOccurs="0"/>
                <element name="permanentUserIdentity" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
</element>

<element
name="IMSServiceProfile"
substitutionGroup="sn:SuMServiceProfile"
>
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <element name="theSpecification" minOccurs="0"/>
                <element name="listofauthorizedvisitednetworkidentifiers"/>
                <element name="registrationStatus"/>
                <element name="sCSCFName" minOccurs="0"/>
                <element name="diameterClientAddressofSCSCF" minOccurs="0"/>
                <element name="theServerCapabilities" type="xn:dn" minOccurs="0"/>
                <element
name="subscribedMediaProfileIdentifier"
minOccurs="0"
/>
                <element name="initialFilterCriteriaList" minOccurs="0">
                  <complexType>
                    <sequence>
                      <element name="initialFilterCriteria" minOccurs="1" maxOccurs="unbounded"/>
                    </sequence>
                  </complexType>
                </element>
                <element name="applicationServerInformation" minOccurs="0"/>
                <element name="serviceIndicationList" minOccurs="0">
                  <complexType>

```

```

<sequence>
  <element name="serviceIndication" minOccurs="1" maxOccurs="unbounded"/>
</sequence>
</complexType>
</element>
<element
  name="primaryEventChargingFunctionName"
  minOccurs="0"
/>
<element
  name="secondaryEventChargingFunctionName"
  minOccurs="0"
/>
<element name="primaryChargingCollectionFunctionName"/>
<element
  name="secondaryChargingCollectionFunctionName"
  minOccurs="0"
/>
<element name="gsmSCFaddressforIMCSI" minOccurs="0"/>
<element name="iMSSFaddressforIMCSI" minOccurs="0"/>
<element name="oIMCSI" minOccurs="0"/>
<element name="vTIMCSI" minOccurs="0"/>
<element name="dIMCS" minOccurs="0"/>
<element name="gAAServiceType" minOccurs="0"/>
<element name="gAAServiceIdentifier" minOccurs="0"/>
<element name="gBAUserSecuritySettings" minOccurs="0"/>
<element name="userSecuritySetting" minOccurs="0"/>
<element name="userPublicIdentity" minOccurs="0"/>
<element name="gAAAuthorizationflag" minOccurs="0"/>
<element name="keyLifetime" minOccurs="0"/>
<element name="uICCSecurityType" minOccurs="0"/>
<element name="nAFGroupIdentity" minOccurs="0"/>
<element name="thePublicId" type="xn:dnList"/>
</all>
</complexType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>
</element>

<complexType name="IMSPublicIdentificationType">
  <complexContent>
    <extension base="sn:SuMIdentityType">
      <all>
        <element name="publicUserIdentity" type="string" minOccurs="0"/>
        <element name="barringIndication" type="sn:binEnum" minOccurs="0"/>
      </all>
    </extension>
  </complexContent>
</complexType>

<element name="IMSPublicIdentification" type="sn:IMSPublicIdentificationType"
substitutionGroup="sn:SuMIdentity"/>

<simpleType name="binEnum">
  <restriction base="string">
    <enumeration value="FALSE"/>
    <enumeration value="TRUE"/>
  </restriction>
</simpleType>

<simpleType name="multinumberingMSISDNIndicator">
  <restriction base="string">
    <enumeration value="BASIC"/>
    <enumeration value="ALERT"/>
  </restriction>
</simpleType>

<complexType name="multinumberingMSISDNList">
  <sequence minOccurs="0" maxOccurs="unbounded">
    <element name="mSISDN" type="string"/>
    <element name="indicator" type="sn:multinumberingMSISDNIndicator"/>
  </sequence>
</complexType>

```

```
<complexType name="ServerCapabilitiesType">
  <complexContent>
    <extension base="sn:SuMServiceParameterType">
      <all>
        <element name="serverCapabilities"/>
      </all>
    </extension>
  </complexContent>
</complexType>

<element name="ServerCapabilities" type="sn:ServerCapabilitiesType"
substitutionGroup="sn:SuMServiceParameter"/>

<complexType name="SuMIdentityType">
  <complexContent>
    <restriction base="xn:NrmClass"/>
  </complexContent>
</complexType>

<complexType name="SuMServiceParameterType">
  <complexContent>
    <restriction base="xn:NrmClass"/>
  </complexContent>
</complexType>

<element name="SuMIdentity" type="sn:SuMIdentityType"
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass" abstract="true"/>

<element name="SuMServiceParameter" type="sn:SuMServiceParameterType"
substitutionGroup="xn:SubNetworkOptionallyContainedNrmClass" abstract="true"/>

</schema>
```

Annex B (informative): Change history

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2014-06	SA#64	SP-140332	0001	-	F	Upgrade W3C XML Schema version from 1.0 to 1.1	11.1.0
		SP-140359	0002	-	F	remove the feature support statements	11.1.0
2014-09	SA#65	SP-140560	0003	-	C	Update the link from Solution Set to Information Service due to the end of Release 12	12.0.0
2015-01						Update to Rel-13(MCC)	13.0.0
2016-06	SA#72	SP-160407	0004	-	F	Update the link from IRP Solution Set to IRP Information Service	13.1.0
2017-03	SA#75	-	-	-		Promotion to Release 14 without technical change	14.0.0
2017-06	SA#76	SP-170502	0005	-	F	Update the link from IRP Solution Set to IRP Information Service	14.1.0
2017-06	SA#76	SP-170510	0006	1	B	Update the XML Schema definitions to align with IS to support Configuration Management for mobile networks that include virtualized network functions	14.1.0

History

Document history		
V14.0.0	April 2017	Publication
V14.1.0	July 2017	Publication