

# ETSI TS 132 733 V7.3.0 (2007-10)

*Technical Specification*

**Digital cellular telecommunications system (Phase 2+);  
Universal Mobile Telecommunications System (UMTS);  
Telecommunication management;  
IP Multimedia Subsystem (IMS)  
Network Resource Model (NRM)  
Integration Reference Point (IRP):  
Common Object Request Broker Architecture (CORBA)  
Solution Set (SS)  
(3GPP TS 32.733 version 7.3.0 Release 7)**



---

Reference

RTS/TSGS-0532733v730

---

Keywords

GSM, UMTS

***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
[http://portal.etsi.org/chaircor/ETSI\\_support.asp](http://portal.etsi.org/chaircor/ETSI_support.asp)

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2007.  
All rights reserved.

**DECT™, PLUGTESTS™ and UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under  
<http://webapp.etsi.org/key/queryform.asp>.

---

## Contents

Intellectual Property Rights .....	2
Foreword.....	2
Foreword.....	5
Introduction .....	5
1    Scope .....	6
2    References .....	6
3    Definitions and abbreviations.....	7
3.1    Definitions.....	7
3.2    Abbreviations .....	7
4    Architectural features .....	7
4.1    Notifications .....	7
5    Mapping .....	8
5.1    General mappings.....	8
5.2    Information Object Class (IOC) mapping .....	8
5.2.1    IOC_AsFunction.....	8
5.2.2    IOC_BgcfFunction.....	8
5.2.3    IOC_CamelImSsfAsFunction.....	8
5.2.4    IOC_CscfFunction.....	8
5.2.5    IOC_HssFunction.....	9
5.2.6    IOC_IcscfFunction.....	9
5.2.7    IOC_ImsMgwFunction.....	9
5.2.8    IOC_MgcfFunction.....	9
5.2.9    IOC_MrfcFunction.....	10
5.2.10    IOC_MrfpFunction.....	10
5.2.11    IOC_OsaScsAsFunction .....	10
5.2.12    IOC_PcscfFunction .....	10
5.2.13    IOC_ScscfFunction .....	10
5.2.14    IOC_SipAsFunction .....	10
5.2.15    IOC_SlfFunction .....	11
5.2.16    Reserved for Future Use .....	11
5.2.50    Reserved for Future Use .....	11
5.2.51    IOC_Link_As_Cscf .....	11
5.2.52    IOC_Link_As_Hss .....	11
5.2.53    IOC_Link_As_Icscf .....	11
5.2.54    IOC_Link_As_Scscf .....	11
5.2.55    IOCLink_As_Slf .....	11
5.2.56    IOC_Link_Bgcf_Bgcf .....	11
5.2.57    IOC_Link_Bgcf_Cscf .....	11
5.2.58    IOC_Link_Bgcf_Mgcf .....	11
5.2.59    IOC_Link_Bgcf_Scscf .....	11
5.2.60    IOC_Link_Cscf_Cscf .....	12
5.2.61    IOC_Link_Cscf_Hss .....	12
5.2.62    IOC_Link_Cscf_Icscf .....	12
5.2.63    IOC_Link_Cscf_Mgcf .....	12
5.2.64    IOC_Link_Cscf_Mrfc .....	12
5.2.65    IOC_Link_Cscf_Pcscf .....	12
5.2.66    IOC_Link_Cscf_Scscf .....	12
5.2.67    IOC_Link_Cscf_Slf .....	12
5.2.68    IOC_Link_Hss_Scscf .....	12
5.2.69    IOC_Link_Icscf_Slf .....	12

5.2.70	IOC_Link_ImsMgw_Mgcf .....	12
5.2.71	IOC_Link_Mgcf_Scscf.....	12
5.2.72	IOC_Link_Mrfc_Mrfp.....	12
5.2.73	IOC_Link_Mrfc_Scscf.....	13
5.2.74	IOC_Link_Scscf_Scscf .....	13
5.2.75	IOC_Link_Scscf_Slf .....	13
6	Rules for NRM extensions .....	14
6.1	Allowed extensions .....	14
6.2	Extensions not allowed.....	14
<b>Annex A (normative):</b>	<b>CORBA IDL, NRM Definitions.....</b>	<b>15</b>
A.1	IDL specification (file name "IMSNRMDefs.idl") .....	15
<b>Annex B (informative):</b>	<b>Change history .....</b>	<b>21</b>
	History .....	22

---

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

## Introduction

The present document is part of a TS-family covering the 3<sup>rd</sup> Generation Partnership Project Technical Specification Group Services and System Aspects, Telecommunication management; as identified below:

- 32.731: "IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements".
- 32.732: "IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- 32.733: "IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".**
- 32.735: "IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition".

---

## 1 Scope

The purpose of this *IMS NRM IRP: CORBA Solution Set* is to define the mapping of the IRP Information Service (see TS 32.732 [3]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

This Solution Set specification is related to 3GPP TS 32.732 V7.2.X.

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 32.732: "Telecommunication management; IP Multimedia Subsystem (IMS) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- [4] 3GPP TS 32.303: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".
- [5] 3GPP TS 32.623: "Telecommunication management; Configuration Management (CM); Generic Network Resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)".

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For terms and definitions please refer to TS 32.101 [1], TS 32.102 [2] and TS 32.732 [3].

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CORBA	Common Object Request Broker Architecture
DN	Distinguished Name
IDL	Interface Definition Language (OMG)
IOC	Information Object Class
IRP	Integration Reference Point
IS	Information Service
MGW	Media GateWay
MO	Managed Object
MOC	Managed Object Class
NRM	Network Resource Model
OMG	Object Management Group
SS	Solution Set

---

## 4 Architectural features

The overall architectural feature of IMS NRM IRP is specified in TS 32.732[3].  
This clause specifies features that are specific to the CORBA SS.

### 4.1 Notifications

Notifications are sent according to the Notification IRP: CORBA SS (see TS 32.303 [4]).

## 5 Mapping

### 5.1 General mappings

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes. The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC. When the cardinality for an association is 0..1 or 1..1 the datatype for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO. When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

### 5.2 Information Object Class (IOC) mapping

#### 5.2.1 IOC AsFunction

##### Mapping from NRM IOC AsFunction attributes to SS equivalent MOC AsFunction

Attributes of IOC AsFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
asFunctionId	asFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

#### 5.2.2 IOC BgcffFunction

##### Mapping from NRM IOC BgcffFunction attributes to SS equivalent MOC BgcffFunction

Attributes of IOC BgcffFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
bgcffFunctionId	bgcffFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

#### 5.2.3 IOC CamelImSsfAsFunction

Void.

#### 5.2.4 IOC CscfFunction

##### Mapping from NRM IOC CscfFunction attributes to SS equivalent MOC CscfFunction

Attributes of IOC CscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
cscfFunctionId	cscfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.5 IOC HssFunction

**Mapping from NRM IOC HssFunction attributes to SS equivalent MOC HssFunction**

Attributes of IOC HssFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
hssFunctionId	hssFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.6 IOC IcsccFunction

**Mapping from NRM IOC IcsccFunction attributes to SS equivalent MOC IcsccFunction**

Attributes of IOC IcsccFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
icscfFunctionId	icscfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.7 IOC ImsMgwFunction

**Mapping from NRM IOC ImsMgwFunction attributes to SS equivalent MOC ImsMgwFunction attributes**

Attributes of IOC ImsMgwFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
imsMgwFunctionId	imsMgwFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.8 IOC MgcfFunction

**Mapping from NRM IOC MgcfFunction attributes to SS equivalent MOC MgcfFunction**

Attributes of IOC MgcfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mgcfFunctionId	mgcfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.9 IOC MrfcFunction

### Mapping from NRM IOC MrfcFunction attributes to SS equivalent MOC MrfcFunction

Attributes of IOC MrfcFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mrfcFunctionId	mrfcFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.10 IOC MrfpFunction

### Mapping from NRM IOC MrfpFunction attributes to SS equivalent MOC MrfpFunction

Attributes of IOC MrfpFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
mrfpFunctionId	mrfpFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.11 IOC OsaScsAsFunction

Void.

## 5.2.12 IOC PcsccfFunction

### Mapping from NRM IOC PcsccfFunction attributes to SS equivalent MOC PcsccfFunction

Attributes of IOC PcsccfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
pcscffunctionId	pcscffunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.13 IOC ScscfFunction

### Mapping from NRM IOC ScscfFunction attributes to SS equivalent MOC ScscfFunction

Attributes of IOC ScscfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
scscffunctionId	scscffunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.14 IOC SipAsFunction

Void.

## 5.2.15 IOC\_SlfFunction

**Mapping from NRM IOC\_SlfFunction attributes to SS equivalent MOC\_SlfFunction**

Attributes of IOC_SlfFunction in TS 32.732 [3]	SS Attributes	SS Type	Qualifier
slfFunctionId	slfFunctionId	string	Read-Only, M
linkList	linkList	GenericNetworkResourcesIRPSystem::AttributeTypes::LinkListSet	Read-Only, O

## 5.2.16 Reserved for Future Use

...

## 5.2.50 Reserved for Future Use

## 5.2.51 IOC\_Link\_As\_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.52 IOC\_Link\_As\_Hss

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.53 IOC\_Link\_As\_Icscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.54 IOC\_Link\_As\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.55 IOC\_Link\_As\_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.56 IOC\_Link\_Bgcf\_Bgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.57 IOC\_Link\_Bgcf\_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.58 IOC\_Link\_Bgcf\_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

## 5.2.59 IOC\_Link\_Bgcf\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.60 IOC Link\_Cscf\_Cscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.61 IOC Link\_Cscf\_Hss

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.62 IOC Link\_Cscf\_Icscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.63 IOC Link\_Cscf\_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.64 IOC Link\_Cscf\_Mrfc

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.65 IOC Link\_Cscf\_Pcscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.66 IOC Link\_Cscf\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.67 IOC Link\_Cscf\_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.68 IOC Link\_Hss\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.69 IOC Link\_Icscf\_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.70 IOC Link\_ImsMgw\_Mgcf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.71 IOC Link\_Mgcf\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.72 IOC Link\_Mrfc\_Mrfp

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.73 IOC\_Link\_Mrfc\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.74 IOC\_Link\_Scscf\_Scscf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

### 5.2.75 IOC\_Link\_Scscf\_Slf

All attributes are inherited from Link. See mapping of attributes for Link IOC in 3GPP TS 32.623 [5].

---

## 6 Rules for NRM extensions

This clause discusses how the models and IDL definitions provided in the present document can be extended for a particular implementation and still remain compliant with 3GPP SA5's specifications.

### 6.1 Allowed extensions

Vendor-specific MOCs may be supported. The vendor-specific MOCs may support new types of attributes. The 3GPP SA5-specified notifications may be issued referring to the vendor-specific MOCs and vendor-specific attributes. New MOCs shall be distinguishable from 3GPP SA5 MOCs by name. 3GPP SA5-specified and vendor-specific attributes may be used in vendor-specific MOCs. Vendor-specific attribute names shall be distinguishable from existing attribute names.

NRM MOCs may be subclassed. Subclassed MOCs shall maintain the specified behaviour of the 3GPP SA5's superior classes. They may add vendor-specific behaviour with vendor-specific attributes. When subclassing, naming attributes cannot be changed. The subclassed MOC shall support all attributes of its superior class. Vendor-specific attributes cannot be added to 3GPP SA5 NRM MOCs without subclassing.

When subclassing, the 3GPP SA5-specified containment rules and their specified cardinality shall still be followed. As an example, ManagementNode (or its subclasses) shall be contained under SubNetwork (or its subclasses).

Managed Object Instances may be instantiated as CORBA objects. This requires that the MOCs be represented in IDL. 3GPP SA5's NRM MOCs are not currently specified in IDL, but may be specified in IDL for instantiation or subclassing purposes. However, management information models should not require that IRPManagers access the instantiated managed objects other than through supported methods in the present document.

Extension rules related to notifications (Notification categories, Event Types, Extended Event Types etc.) are for further study.

### 6.2 Extensions not allowed

The IDL specifications in the present document cannot be edited or altered. Any additional IDL specifications shall be specified in separate IDL files.

IDL interfaces (note: not MOCs) specified in the present document may not be subclassed or extended. New interfaces may be defined with vendor-specific methods.

---

## Annex A (normative): CORBA IDL, NRM Definitions

### A.1 IDL specification (file name "IMSNRMDefs.idl")

```
// File: IMSNRMDefs.idl
#ifndef _IMSNRMDefs_IDL_
#define _IMSNRMDefs_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"

#pragma prefix "3gppsa5.org"

/**
 * This module defines constants for each MO class name and
 * the attribute names for each defined MO class.
 */
module IMSNRMDefs
{
    /**
     * Definitions for MO class AsFunction
     */
    interface AsFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "AsFunction";

        // Attribute Names
        //
        const string asFunctionId = "asFunctionId";
        const string linkList = "linkList";
    };
    /**
     * Definitions for MO class SipAsFunction
     */
    interface SipAsFunction : AsFunction
    {
        const string CLASS = "SipAsFunction";

        // All Attributes inherited from AsFunction
    };
    /**
     * Definitions for MO class OsaScsAsFunction
     */
    interface OsaScsAsFunction : AsFunction
    {
        const string CLASS = "OsaScsAsFunction";

        // All Attributes inherited from AsFunction
    };
    /**
     * Definitions for MO class CamelImSsfAsFunction
     */
    interface CamelImSsfAsFunction : AsFunction
    {
        const string CLASS = "CamelImSsfAsFunction";

        // All Attributes inherited from AsFunction
    };
    /**
     * Definitions for MO class BgcfFunction
     */
    interface BgcfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "BgcfFunction";

        // Attribute Names
        //
        const string bgcfFunctionId = "bgcfFunctionId";
        const string linkList = "linkList";
    };
    /**
     * Definitions for MO class CscfFunction
     */
}
```

```

*/
interface CscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "CscfFunction";
    // Attribute Names
    //
    const string cscfFunctionId = "cscfFunctionId";
    const string linkList = "linkList";
};

/**
 * Definitions for MO class IcscfFunction
 */
interface IcscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "IcscfFunction";

    // Attribute Names
    //
    const string icscfFunctionId = "icscfFunctionId";
    const string linkList = "linkList";
};

/**
 * Definitions for MO class ImsMgwFunction
 */
interface ImsMgwFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ImsMgwFunction";

    // Attribute Names
    //
    const string imsMgwFunctionId = "imsMgwFunctionId";
    const string linkList = "linkList";
};

/**
 * Definitions for MO class MgcfFunction
 */
interface MgcfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "MgcfFunction";

    // Attribute Names
    //
    const string mgcfFunctionId = "mgcfFunctionId";
    const string linkList = "linkList";
};

/**
 * Definitions for MO class MrfcFunction
 */
interface MrfcFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "MrfcFunction";

    // Attribute Names
    //
    const string mrfcFunctionId = "mrfcFunctionId";
    const string linkList = "linkList";
};

/**
 * Definitions for MO class MrfpFunction
 */
interface MrfpFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "MrfpFunction";

    // Attribute Names
    //
    const string mrfpFunctionId = "mrfpFunctionId";
    const string linkList = "linkList";
};

/**
 * Definitions for MO class PcsccfFunction
 */
interface PcsccfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "PcsccfFunction";
    // Attribute Names
    //
    const string pcscfFunctionId = "pcscfFunctionId";
}

```

```

        const string linkList = "linkList";
    };
    /**
     * Definitions for MO class ScscfFunction
     */
    interface ScscfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "ScscfFunction";

        // Attribute Names
        //
        const string scscfFunctionId = "scscfFunctionId";
        const string linkList = "linkList";
    };
    /**
     * Definitions for MO class SlfFunction
     */
    interface SlfFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "SlfFunction";

        // Attribute Names
        //
        const string slfFunctionId = "slfFunctionId";
        const string linkList = "linkList";
    };
    /**
     * Definitions for MO class Link_As_Cscf
     */
    interface Link_As_Cscf: GenericNetworkResourcesNRMDefs::Link
    {
        const string CLASS = "Link_As_Cscf";
        // All Attributes inherited from Link
    };
    /**
     * Definitions for MO class Link_As_Scscf
     */
    interface Link_As_Scscf : GenericNetworkResourcesNRMDefs::Link
    {
        const string CLASS = "Link_As_Scscf";

        // All Attributes inherited from Link
    };
    /**
     * Definitions for MO class Link_As_Slf
     */
    interface Link_As_Slf : GenericNetworkResourcesNRMDefs::Link
    {
        const string CLASS = "Link_As_Slf";
        // All Attributes inherited from Link
    };
    /**
     * Definitions for MO class Link_Bgcf_Bgcf
     */
    interface Link_Bgcf_Bgcf : GenericNetworkResourcesNRMDefs::Link
    {
        const string CLASS = "Link_Bgcf_Bgcf";
        // All Attributes inherited from Link
    };
    /**
     * Definitions for MO class Link_Bgcf_Cscf
     */
    interface Link_Bgcf_Cscf: GenericNetworkResourcesNRMDefs::Link
    {
        const string CLASS = "Link_Bgcf_Cscf";
        // All Attributes inherited from Link
    };
    /**
     * Definitions for MO class Link_Bgcf_Mgcf
     */
    interface Link_Bgcf_Mgcf : GenericNetworkResourcesNRMDefs::Link
    {
        const string CLASS = "Link_Bgcf_Mgcf";
        // All Attributes inherited from Link
    };

```

```

};

/***
 * Definitions for MO class Link_Bgcf_Scscf
 */
interface Link_Bgcf_Scscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Bgcf_Scscf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Cscf
 */
interface Link_Cscf_Cscf: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Cscf";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Icscf
 */
interface Link_Cscf_Icscf: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Icscf";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Mgcf
 */
interface Link_Cscf_Mgcf: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Mgcf";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Mrfc
 */
interface Link_Cscf_Mrfc: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Mrfc";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Pcscf
 */
interface Link_Cscf_Pcscf: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Pcscf";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Scscf
 */
interface Link_Cscf_Scscf: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Scscf";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Slf
 */
interface Link_Cscf_Slf: GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Slf";
    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Icscf_Slf
 */
interface Link_Icscf_Slf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Icscf_Slf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_ImsMgw_Mgcf
 */

```

```

interface Link_ImsMgw_Mgcf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_ImsMgw_Mgcf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Mgcf_Scscf
*/
interface Link_Mgcf_Scscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Mgcf_Scscf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Mrfc_Mrfp
*/
interface Link_Mrfc_Mrfp : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Mrfc_Mrfp";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Mrfc_Scscf
*/
interface Link_Mrfc_Scscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Mrfc_Scscf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Scscf_Scscf
*/
interface Link_Scscf_Scscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Scscf_Scscf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Scscf_Slf
*/
interface Link_Scscf_Slf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Scscf_Slf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class HssFunction
*/
interface HssFunction : GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "HssFunction";

    // Attribute Names
    //
    const string hssFunctionId = "hssFunctionId";
    const string linkList = "linkList";
};

/***
 * Definitions for MO class Link_Hss_Scscf
*/
interface Link_Hss_Scscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Hss_Scscf";

    // All Attributes inherited from Link
};

/***
 * Definitions for MO class Link_Cscf_Hss
*/
interface Link_Cscf_Hss : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Cscf_Hss";
}

```

```
// All Attributes inherited from Link
};

< /**
 * Definitions for MO class Link_As_Hss
 */
interface Link_Hss_SipAs : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Hss_SipAs";

    // All Attributes inherited from Link
};

interface Link_Hss_OsaScsAs : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Hss_OsaScsAs";

    // All Attributes inherited from Link
};

interface Link_Hss_CamelImSsfAs : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_Hss_CamelImSsfAs";

    // All Attributes inherited from Link
};

< /**
 * Definitions for MO class Link_As_Icscf
 */
interface Link_As_Icscf : GenericNetworkResourcesNRMDefs::Link
{
    const string CLASS = "Link_As_Icscf";

    // All Attributes inherited from Link
};

};

};

#endif // _IMSNRMDEFS_IDL_
```

## Annex B (informative): Change history

---

## History

<b>Document history</b>		
V7.2.0	June 2007	Publication
V7.3.0	October 2007	Publication