

# ETSI TS 136 414 V14.0.0 (2017-04)



**LTE;  
Evolved Universal Terrestrial Radio  
Access Network (E-UTRAN);  
S1 data transport  
(3GPP TS 36.414 version 14.0.0 Release 14)**



---

Reference

RTS/TSGR-0336414ve00

---

Keywords

LTE

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Contents

|  |          |
|--|----------|
| Intellectual Property Rights .....                 | 2        |
| Foreword.....                                      | 2        |
| Modal verbs terminology.....                       | 2        |
| Foreword.....                                      | 4        |
| 1 Scope .....                                      | 5        |
| 2 References .....                                 | 5        |
| 3 Definitions, symbols and abbreviations .....     | 5        |
| 3.1 Definitions .....                              | 5        |
| 3.2 Abbreviations .....                            | 5        |
| 4 Data Link Layer .....                            | 6        |
| 5 S1 Interface user plane protocol.....            | 6        |
| 5.1 General .....                                  | 6        |
| 5.2 GTP-U .....                                    | 6        |
| 5.3 UDP/IP .....                                   | 6        |
| 5.4 Diffserv code point marking.....               | 7        |
| <b>Annex A (informative): Change History .....</b> | <b>8</b> |
| History .....                                      | 9        |

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The present document specifies the standards for user data transport protocols and related signalling protocols to establish user plane transport bearers over the S1 interface.

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 29.281: "General Packet Radio System (GPRS) Tunnelling Protocol User Plane (GTPv1-U)".
- [3] IETF RFC 768 (1980-08): "User Datagram Protocol".
- [4] IETF RFC 2474 (1998-12): "Definition of the Differentiated Services Field (DS Field) in the Ipv4 and Ipv6 Headers".
- [5] IETF RFC 2460 (1998-12): "Internet Protocol, Version 6 (IPv6) Specification".
- [6] IETF RFC 791 (1981-09): "Internet Protocol".
- [7] 3GPP TS 36.401: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Architecture description".

---

## 3 Definitions, symbols and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following terms and definitions below apply. Terms and definitions not defined below can be found in TR 21.905 [1].

**S1:** interface between an eNB and an EPC, providing an interconnection point between the EUTRAN and the EPC. It is also considered as a reference point.

**E-RAB:** as defined in TS 36.401 [7].

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

|         |                             |
|---------|-----------------------------|
| eNB     | E-UTRAN Node B              |
| EPC     | Evolved Packet Core         |
| E-RAB   | E-UTRAN Radio Access Bearer |
| E-UTRAN | Evolved UTRAN               |

|      |                            |
|------|----------------------------|
| GTP  | GPRS Tunnelling Protocol   |
| IP   | Internet Protocol          |
| TEID | Tunnel Endpoint Identifier |
| UDP  | User Datagram Protocol     |

---

## 4 Data Link Layer


Any data link protocol that fulfils the requirements toward the upper layer may be used.

---

## 5 S1 Interface user plane protocol

### 5.1 General

The transport layer for data streams over S1 is an IP based Transport. The following figure shows the transport protocol stacks over S1.



**Figure 6.1: Transport network layer for data streams over S1**

The GTP-U (TS 29.281 [2]) protocol over UDP over IP shall be supported as the transport for data streams on the S1 interface. The data link layer is as specified in clause 4.

The transport bearer is identified by the GTP-U TEID (TS 29.281 [2]) and the IP address (source TEID, destination TEID, source IP address, destination IP address).

### 5.2 GTP-U

The GTP-U (TS 29.281 [2]) protocol shall be used over the S1 interface toward the EPC.

### 5.3 UDP/IP

The path protocol used shall be UDP (IETF RFC 768 [3]).

The UDP port number for GTP-U shall be as defined in TS 29.281 [2].

The eNB and the EPC shall support fragmentation and assembly of GTP packets at the IP layer.

The eNB and the EPC shall support IPv6 (IETF RFC 2460 [5]) and/or IPv4 (IETF RFC 791 [6]).

There may be one or several IP addresses in the eNB and in the EPC. The packet processing function in the EPC shall send downstream packets of a given E-RAB to the eNB IP address (received in S1-AP) associated to that particular E-RAB. The packet processing function in the eNB shall send upstream packets of a given E-RAB to the EPC IP address (received in S1-AP) associated to that particular E-RAB.

The Transport Layer Address signalled in S1-AP messages is a bit string of

- a) 32 bits in case of IPv4 address according to IETF RFC 791 [6]; or
- b) 128 bits in case of IPv6 address according to IETF RFC 2460 [5]; or
- c) 160 bits if both IPv4 and IPv6 addresses are signalled, in which case the IPv4 address is contained in the first 32 bits.

## 5.4 Diffserv code point marking

IP Differentiated Services code point marking (IETF RFC 2474 [4]) shall be supported. The mapping between traffic categories and Diffserv code points shall be configurable by O&M based on QoS Class Identifier (QCI) Characteristics and others E-UTRAN traffic parameters. Traffic categories are implementation-specific and may be determined from the application parameters.



## Annex A (informative): Change History

| TSG #   | TSG Doc.  | CR   | Rev | Subject/Comment   | New    |
|---------|-----------|------|-----|---|--------|
| 38      |           |      |     | specification approved at TSG-RAN and placed under change control | 8.0.0  |
| 39      | RP-080078 | 0001 | 1   | Data link layer proposal  | 8.1.0  |
| 39      | RP-080078 | 0002 |     | Editorial correction on 36.414                                    | 8.1.0  |
| 40      | RP-080302 | 0003 | 1   | eGTP draft reference for S1 Data Transport                        | 8.2.0  |
| 40      | RP-080302 | 0005 |     | Define format for TLA signalled in S1AP messages                  | 8.2.0  |
| 42      | RP-080845 | 0006 |     | Correction of invalid references                                  | 8.3.0  |
| 42      | RP-080845 | 0007 |     | Correction of SAE Bearers   | 8.3.0  |
| 43      | RP-090083 | 0008 |     | Correction on GTP-U version                                       | 8.4.0  |
| 12/2009 |           |      |     | Creation of Rel-9 version based on v8.4.0                         | 9.0.0  |
| 12/2010 |           |      |     | Creation of Rel-10 version based on v 9.0.0                       | 10.0.0 |
| SP-49   | SP-100629 |      |     | Clarification on the use of References (TS 21.801 CR#0030)        | 10.0.1 |
| 52      | RP-110684 | 0009 |     | Correction of references  | 10.1.0 |
| 09/2012 |           |      |     | Update to Rel-11 version (MCC)                                    | 11.0.0 |
| 63      | RP-140297 | 0011 | 1   | The content of Transport Layer Address                            | 12.0.0 |
| 66      | RP-142093 | 0015 | 3   | The correction of Transport Layer Address                         | 12.1.0 |
| 12/2015 |           |      |     | Update to Rel-13 version (MCC)                                    | 13.0.0 |

| Change history |         |      |    |     |     |  |             |
|----------------|---------|------|----|-----|-----|--|-------------|
| Date           | Meeting | TDoc | CR | Rev | Cat | Subject/Comment                                  | New version |
| 2017-03        | SA#75   |      |    |     |     | Promotion to Release 14 without technical change | 14.0.0      |

---

# History

| <b>Document history</b> |            |             |
|-------------------------|------------|-------------|
| V14.0.0                 | April 2017 | Publication |
|                         |            |             |
|                         |            |             |
|                         |            |             |
|                         |            |             |