


**Open Service Access (OSA);  
Application Programming Interface (API);  
Test Suite Structure and Test Purposes (TSS&TP);  
Part 3: Framework;  
(Parlay 4)**

---



---

Reference

DES/TISPAN-06004-03-OSA

---

Keywords

API, OSA, TSS&amp;TP

***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
[http://portal.etsi.org/chaircor/ETSI\\_support.asp](http://portal.etsi.org/chaircor/ETSI_support.asp)

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2005.  
All rights reserved.

**DECT™, PLUGTESTS™ and UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

---

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
1 Scope .....	6
2 References .....	6
3 Definitions and abbreviations.....	6
3.1 Definitions .....	6
3.2 Abbreviations .....	7
4 Test Suite Structure (TSS) for Framework.....	7
5 Test Purposes (TP) for Framework .....	8
5.1 TP naming convention.....	8
5.2 Source of TP definition .....	8
5.3 Test strategy .....	8
5.4 TPs for the Framework.....	8
5.4.1 Framework Access Session API .....	8
5.4.1.1 Trust and Security Management (TSM).....	8
5.4.2 Framework to Application API.....	36
5.4.2.1 Service Discovery (SD).....	36
5.4.2.2 Service Agreement Management (SA).....	40
5.4.2.3 Integrity Management (IM).....	47
5.4.2.4 Event Notification (EN) .....	69
5.4.3 Framework to Enterprise OperatorAPI.....	72
5.4.3.1 Service Subscription (SS) .....	72
5.4.4 Framework to Service API .....	111
5.4.4.1 Service Registration (SR).....	111
5.4.4.2 Service Instance Lifecycle Management (SILM).....	120
5.4.4.3 Service Discovery (SD).....	121
5.4.4.4 Integrity Management (IM).....	125
5.4.4.5 Event Notification (EN) .....	139
6 Test Suite Structure (TSS) for Access Client .....	142
7 Test Purposes (TP) for Access Client.....	142
7.1 TP naming convention.....	142
7.2 Source of TP definition .....	142
7.3 Test strategy .....	143
7.4 TPs for the Framework Access Session API .....	143
7.4.1 Trust and Security Management (TSM) .....	143
8 Test Suite Structure (TSS) for Application .....	158
9 Test Purposes (TP) for Application.....	158
9.1 TP naming convention.....	158
9.2 Source of TP definition .....	158
9.3 Test strategy .....	159
9.4 TPs for the Framework to Application API.....	159
9.4.1 Service Discovery (SD) .....	159
9.4.2 Service Agreement Management (SA) .....	161
9.4.3 Integrity Management (IM) .....	167
9.4.4 Event Notification (EN) .....	182
10 Test Suite Structure (TSS) for Service .....	184
11 Test Purposes (TP) for Service.....	184
11.1 TP naming convention.....	184
11.2 Source of TP definition .....	184
11.3 Test strategy .....	185

11.4	TPs for the Framework Access Session API .....	185
11.4.1	Service Registration (SR) .....	185
11.4.2	Service Instance Lifecycle Management (SILM) .....	188
11.4.3	Service Discovery (SD) .....	189
11.4.4	Integrity Management (IM) .....	190
11.4.5	Event Notification (EN).....	204
	History .....	207

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 3 of a multi-part deliverable. Full details of the entire series can be found in part 1 [6].

To evaluate conformance of a particular implementation, it is necessary to have a set of test purposes to evaluate the dynamic behaviour of the Implementation Under Test (IUT). The specification containing those test purposes is called a Test Suite Structure and Test Purposes (TSS&TP) specification.

---

## 1 Scope

The present document provides the Test Suite Structure and Test Purposes (TSS&TP) specification for the Framework of the Application Programming Interface for Open Service Access (OSA) defined in ES 202 915-3 [1] in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-2 [4] and ETSI 300 406 [5].

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] ETSI ES 202 915-3: "Open Service Access (OSA); Application Programming Interface (API); Part 3: Framework (Parlay 4)".
- [2] ETSI ES 202 363: "Open Service Access (OSA); Application Programming Interface (API); Implementation Conformance Statement (ICS) proforma specification; (Parlay 4)".
- [3] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [4] ISO/IEC 9646-2: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract Test Suite specification".
- [5] ETSI ETS 300 406: "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [6] ETSI ES 202 388-1: "Open Service Access (OSA); Application Programming Interface (API); Test Suite Structure and Test Purposes (TSS&TP); Part 1: Overview; (Parlay 4)".

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in ES 202 915-3 [1], ISO/IEC 9646-1 [3], ISO/IEC 9646-2 [4] and the following apply:

**abstract test case:** Refer to ISO/IEC 9646-1 [3].

**Abstract Test Method (ATM):** Refer to ISO/IEC 9646-1 [3].

**Abstract Test Suite (ATS):** Refer to ISO/IEC 9646-1 [3].

**Implementation Under Test (IUT):** Refer to ISO/IEC 9646-1 [3].

**Lower Tester (LT):** Refer to ISO/IEC 9646-1 [3].

**Implementation Conformance Statement (ICS):** Refer to ISO/IEC 9646-1 [3].

**ICS proforma:** Refer to ISO/IEC 9646-1 [3].

**Implementation eXtra Information for Testing (IXIT):** Refer to ISO/IEC 9646-1 [3].

**IXIT proforma:** Refer to ISO/IEC 9646-1 [3].

**Test Purpose (TP):** Refer to ISO/IEC 9646-1 [3].

## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AS	Access Session
ATM	Abstract Test Method
ATS	Abstract Test Suite
FTA	Framework To Application
FTE	Framework To Enterprise
FTS	Framework To Service
FW	FrameWork
ICS	Implementation Conformance Statement
IUT	Implementation Under Test
IXIT	Implementation eXtra Information for Testing
LT	Lower Tester
SCF	Switching Control Function
SUT	System Under Test
TP	Test Purpose
TSM	Trust and Security Management
TSS	Test Suite Structure

## 4 Test Suite Structure (TSS) for Framework

Framework (FW)

- Framework Access Session (AS)
  - Trust and Security Management (TSM)
- Framework To Application (FTA)
  - Service discovery
  - Service agreement management
  - Integrity management
  - Event notification
- Framework To Service (FTS)
  - Service registration
  - Service instance lifecycle management
  - Service discovery
  - Integrity management
  - Event notification
- Framework To Enterprise operator (FTE)
  - Service subscription

## 5 Test Purposes (TP) for Framework

For each test requirement a TP is defined.

### 5.1 TP naming convention

TPs are numbered, starting at 01, within each group. Groups are organized according to the TSS. Additional references are added to identify the actual test suite (see table 1).

**Table 1: TP identifier naming convention scheme**

Identifier: <suite_id>_<group>_<nnn>
<suite_id> = IUT name: "FW" for FrameWork SCF
<group> = group number: two character field representing the group reference according to TSS
<nn> = sequential number: (01-99)

### 5.2 Source of TP definition

The TPs are based on ES 202 915-3 [1].

### 5.3 Test strategy

As the base standard ES 202 915-3 [1] contains no explicit requirements for testing, the TPs were generated as a result of an analysis of the base standard and the ICS specification ES 202 363 [2].

The TPs are only based on conformance requirements related to the externally observable behaviour of the IUT and are limited to conceivable situations to which a real implementation is likely to be faced (see ETS 300 406 [5]).

### 5.4 TPs for the Framework

All ICS items referred to in this clause are as specified in ES 202 363 [2] unless indicated otherwise by another numbered reference.

All parameters specified in method calls are valid unless specified.

The procedures to trigger the SCF to call methods in the application are dependant on the underlying network architecture and are out of the scope of the present document. Those method calls are preceded by the words "Triggered action".

#### 5.4.1 Framework Access Session API

##### 5.4.1.1 Trust and Security Management (TSM)

Methods/Test Nr	01	02	03	04	05	06	07	08	09
initiateAuthentication	X	X	X	X	X	X	X	X	X
requestAccess	X	X	X	X	X	X	X	X	X
selectEncryptionMethod		X	X	X	X	X	X	X	
Authenticate		X	X	X	X	X	X	X	
abortAuthentication						X			
AuthenticationSucceeded	X	X	X	X	X		X	X	
obtainInterface		X	X	X				X	X
obtainInterfaceWithCallback					X				
endAccess							X		
listInterfaces			X						
releaseInterface								X	

### Test FW\_AS\_TSM\_01

Summary: Initial Access for Trusted Parties, no authentication is needed, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.1.1.1.

Precondition: Authentication not required by IUT.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthentication()** on **IpInitial** interface.  
 Parameters: clientDomain, authType  
 Check: valid value of TpAuthDomain is returned
2. Triggered action: cause IUT to call **authenticationSucceeded()** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
 Parameters: none
3. Method call **requestAccess()** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: valid value of TpInterfaceRef is returned



## Test FW\_AS\_TSM\_02

Summary: API level authentication, FW authenticates the client only, all methods, successful, use of **listInterface** method to get the name of supported interfaces.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: API level authentication required by IUT, listInterfaces supported.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthentication** on **IpInitial interface**.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION  
Check: valid value of TpAuthDomain is returned
2. Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps  
Check: valid value of **TpEncryptionCapability** is returned
3. Triggered action: cause IUT to call authenticate method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: **accessType**, **clientAccessInterface**  
Check: valid value of **TpInterfaceRef** is returned
6. Method call **listInterfaces** on **IpAccess** interface.  
Parameters: none  
Check: valid value of **TpInterfaceNameList** is returned
7. Method call **obtainInterface** on **IpAccess** interface.  
Parameters: **interfaceName** (suggest use of P\_DISCOVERY)  
Check: valid value of **IpInterfaceRef** is returned



### Test FW\_AS\_TSM\_03

Summary: API level authentication, FW and client authenticate mutually, all methods, successful.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

- Method call **initiateAuthentication** on **IpInitial** interface.  
Parameters: `clientDomain`, `authType=P_OSA_AUTHENTICATION`  
Check: valid value of **TpAuthDomain** is returned
- Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
Parameters: `encryptionCaps`  
Check: valid value of **TpEncryptionCapability** is returned
- Triggered action: cause IUT to call **authenticate** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: `challenge`

NOTE 1: This method may be repeated with different challenges as required by the IUT.

- Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none


5. Method call **authenticate** on **IpAPILevelAuthentication** interface.  
 Parameters: challenge  
 Check: valid value of **TpOctetSet** is returned

NOTE 2: This method may be repeated with different challenges as required by the tester.

6. Method call **authenticationSucceeded** on **IpAPILevelAuthentication** interface.  
 Parameters: none  
 Check: no exception is returned.

NOTE 3: The method calls 5. and 6. may interleave between the method calls 3. and 4.

7. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: **accessType**, **clientAccessInterface**  
 Check: valid value of **TpInterfaceRef** is returned
8. Method call **obtainInterface** on **IpAccess** interface.  
 Parameters: **interfaceName** (suggest use of P\_DISCOVERY)  
 Check: valid value of **IpInterfaceRef** is returned



### Test FW\_AS\_TSM\_04

**Summary:** API level authentication, FW authenticates the client only, **unsuccessful call of requestAccess** method (preceding **authenticationSucceeded** method call).


**Reference:** ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

**Precondition:** Authentication required by IUT.

**Preamble:** Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

**Test Sequence:**

1. Method call **initiateAuthentication** on **IpInitial** interface.  
 Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION  
 Check: valid value of TpAuthDomain is returned
2. Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
 Parameters: encryptionCaps  
 Check: valid value of TpEncryptionCapability is returned
3. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: P\_ACCESS\_DENIED is returned



**Test FW\_AS\_TSM\_05**

Summary: API level authentication, FW authenticates the client only, use of **obtainInterfaceWithCallback**, successful.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthentication** on **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION  
Check: valid value of TpAuthDomain is returned
2. Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps  
Check: valid value of TpEncryptionCapability is returned
3. Triggered action: cause IUT to call **authenticate** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned.
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface
6. Method call **obtainInterfaceWithCallback** on **IpAccess** interface.  
Parameters: interfaceName (suggest use of PFAULT\_MANAGER), clientInterface  
Check: valid value of IpInterfaceRef is returned



### Test FW\_AS\_TSM\_06

**Summary:** API level authentication, FW authenticates the client only and receives **abortAuthentication**, unsuccessful.


**Reference:** ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

**Precondition:** Authentication required by IUT.

**Preamble:** Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

**Test Sequence:**

1. Method call **initiateAuthentication** on **IpInitial** interface.  
 Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION  
 Check: valid value of TpAuthDomain is returned
2. Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
 Parameters: encryptionCaps  
 Check: valid value of TpEncryptionCapability is returned
3. Triggered action: cause IUT to call **authenticate** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
 Parameters: challenge
4. Method call **abortAuthentication()** on **IpAPILevelAuthentication** interface.  
 Parameters: none  
 Check: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: P\_ACCESS\_DENIED value is returned



**Test FW\_AS\_TSM\_07**

Summary: API level authentication, FW authenticates the client only, successful, checks **endAccess** method.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthentication** on **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION  
Check: valid value of TpAuthDomain is returned
2. Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps  
Check: valid value of TpEncryptionCapability is returned
3. Triggered action: cause IUT to call **authenticate** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface  
Check: valid value of TpInterfaceRef is returned
6. Method call **endAccess** on **IpAccess** interface.  
Parameters: endAccessProperties  
Check: no exception is returned.



### Test FW\_AS\_TSM\_08

Summary: API level authentication, FW authenticates the client only, all methods, successful, use of **releaseInterface** method.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthentication** on **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION  
Check: valid value of TpAuthDomain is returned
2. Method call **selectEncryptionMethod** on **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps  
Check: valid value of TpEncryptionCapability is returned
3. Triggered action: cause IUT to call **authenticate** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface  
Check: valid value of TpInterfaceRef is returned
6. Method call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName (suggest use of P\_DISCOVERY)  
Check: valid value of IpInterfaceRef is returned
7. Method call **releaseInterface** on **IpAccess** interface.  
Parameters: interfaceName (same value as method call nr 6)  
Check: none



### Test FW\_AS\_TSM\_09

Summary: Authentication, using Underlying Distribution Technology Mechanism, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.1.1.3.

Precondition: Underlying authentication supported.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Perform underlying authentication between tester and IUT.
2. Method call **initiateAuthentication** on **IpInitial** interface.  
 Parameters: clientDomain, authType=P\_AUTHENTICATION  
 Check: valid value of TpAuthDomain is returned
3. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: valid value of TpInterfaceRef is returned
4. Method call **obtainInterface** on **IpAccess** interface.  
 Parameters: interfaceName (suggest use of P\_DISCOVERY)  
 Check: valid value of IpInterfaceRef is returned



### Test FW\_AS\_TSM\_10

Summary: Initial Access for Trusted Parties, no authentication is needed, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.1.1.1.

Precondition: Authentication not required by IUT.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthenticationWithVersion()** on **IpInitial** interface.  
 Parameters: clientDomain, authType, frameworkVersion  
 Check: valid value of TpAuthDomain is returned
2. Triggered action: cause IUT to call **authenticationSucceeded()** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
 Parameters: none
3. Method call **requestAccess()** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: valid value of TpInterfaceRef is returned



**Test FW\_AS\_TSM\_11**

Summary: API level authentication, FW authenticates the client only, all methods, successful, use of **listInterface** method to get the name of supported interfaces.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: API level authentication required by IUT, listInterfaces supported.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthenticationWithVersion** on **IpInitial interface**.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
Check: valid value of TpAuthDomain is returned
2. Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList  
Check: valid value of **TpAuthMechanism** is returned
3. Triggered action: cause IUT to call **challenge** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: **accessType**, **clientAccessInterface**  
Check: valid value of **TpInterfaceRef** is returned
6. Method call **obtainInterface** on **IpAccess** interface.  
Parameters: **interfaceName** (suggest use of P\_DISCOVERY)  
Check: valid value of **IpInterfaceRef** is returned



### Test FW\_AS\_TSM\_12

**Summary:** API level authentication, FW authenticates the client only, all methods, successful, use of **listInterface** method to get the name of supported interfaces.

**Reference:** ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

**Precondition:** API level authentication required by IUT, listInterfaces supported.

**Preamble:** Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

**Test Sequence:**

1. Method call **initiateAuthenticationWithVersion** on **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
Check: valid value of TpAuthDomain is returned
2. Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList  
Check: valid value of TpAuthMechanism is returned
3. Triggered action: cause IUT to call **challenge** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

**NOTE 1:** This method may be repeated with different challenges as required by the IUT.


4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **challenge** method on **IpAPILevelAuthentication** interface.  
Parameters: challenge  
Check: valid value of TpOctetSet is returned.

NOTE 2: This method may be repeated with different challenges as required by the tester.

6. Method call **authenticationSucceeded** method on **IpAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned.

NOTE 3: The method calls 5. and 6. may interleave between the method calls 3. and 4.

7. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: **accessType**, **clientAccessInterface**  
Check: valid value of **TpInterfaceRef** is returned
8. Method call **obtainInterface** on **IpAccess** interface.  
Parameters: **interfaceName** (suggest use of P\_DISCOVERY)  
Check: valid value of **IpInterfaceRef** is returned



### Test FW\_AS\_TSM\_13

**Summary:** API level authentication, FW authenticates the client only, **unsuccessful call of requestAccess** method (preceding **authenticationSucceeded** method call).

**Reference:** ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

**Precondition:** Authentication required by IUT.

**Preamble:** Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

**Test Sequence:**

- Method call **initiateAuthenticationWithVersion** on **IpInitial** interface.


Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
Check: valid value of TpAuthDomain is returned

- Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.

Parameters: authMechanismList  
Check: valid value of **TpAuthMechanism** is returned

- Method call **requestAccess** on **IpAPILevelAuthentication** interface.

Parameters: accessType, clientAccessInterface  
Check: P\_ACCESS\_DENIED is returned



**Test FW\_AS\_TSM\_14**

Summary: API level authentication, FW authenticates the client only, use of **obtainInterfaceWithCallback**, successful.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthenticationWithVersion** on **IpInitial interface**.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
Check: valid value of TpAuthDomain is returned
2. Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList  
Check: valid value of **TpAuthMechanism** is returned
3. Triggered action: cause IUT to call **challenge** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface
6. Method call **obtainInterfaceWithCallback** on **IpAccess** interface.  
Parameters: interfaceName (suggest use of PFAULT\_MANAGER), clientInterface  
Check: valid value of IpInterfaceRef is returned



### Test FW\_AS\_TSM\_15

**Summary:** API level authentication, FW authenticates the client only and receives **abortAuthentication**, unsuccessful.


**Reference:** ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

**Precondition:** Authentication required by IUT.

**Preamble:** Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

**Test Sequence:**

1. Method call **initiateAuthenticationWithVersion** on **IpInitial** interface.  
 Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
 Check: valid value of TpAuthDomain is returned
2. Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.  
 Parameters: authMechanismList  
 Check: valid value of **TpAuthMechanism** is returned
3. Triggered action: cause IUT to call **challenge** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
 Parameters: challenge
4. Method call **abortAuthentication()** on **IpAPILevelAuthentication** interface.  
 Parameters: none  
 Check: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: P\_ACCESS\_DENIED value is returned



**Test FW\_AS\_TSM\_16**

Summary: API level authentication, FW authenticates the client only, successful, checks **terminateAccess** method.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthenticationWithVersion** on **IpInitial interface**.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
Check: valid value of TpAuthDomain is returned
2. Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList  
Check: valid value of **TpAuthMechanism** is returned
3. Triggered action: cause IUT to call **challenge** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface  
Check: valid value of TpInterfaceRef is returned
6. Method call **terminateAccess** on **IpAccess** interface.  
Parameters: terminationText, digitalSignature  
Check: no exception is returned.



**Test FW\_AS\_TSM\_17**

Summary: API level authentication, FW authenticates the client only, all methods, successful, use of **relinquishInterface** method.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Precondition: Authentication required by IUT.


Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Method call **initiateAuthenticationWithVersion** on **IpInitial interface**.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
Check: valid value of TpAuthDomain is returned
2. Method call **selectAuthenticationMechanism** on **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList  
Check: valid value of **TpAuthMechanism** is returned
3. Triggered action: cause IUT to call **challenge** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: challenge

NOTE: This method may be repeated with different challenges as required by the IUT.

4. Triggered action: cause IUT to call **authenticationSucceeded** method on the tester's (Application) **IpClientAPILevelAuthentication** interface.  
Parameters: none
5. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface  
Check: valid value of TpInterfaceRef is returned
6. Method call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName (suggest use of P\_DISCOVERY)  
Check: valid value of IpInterfaceRef is returned
7. Method call **relinquishInterface** on **IpAccess** interface.  
Parameters: interfaceName (same value as method call nr 6), terminationText, digitalSignature  
Check: none



### Test FW\_AS\_TSM\_18

Summary: Authentication, using Underlying Distribution Technology Mechanism, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.1.1.3.

Precondition: Underlying authentication supported.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Perform underlying authentication between tester and IUT.
1. Method call **initiateAuthenticationWithVersion** on **IpInitial interface**.  
 Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion  
 Check: valid value of TpAuthDomain is returned
3. Method call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface  
 Check: valid value of TpInterfaceRef is returned
4. Method call **obtainInterface** on **IpAccess** interface.  
 Parameters: interfaceName (suggest use of P\_DISCOVERY)  
 Check: valid value of IpInterfaceRef is returned



## 5.4.2 Framework to Application API

### 5.4.2.1 Service Discovery (SD)


#### Test FW\_FA\_SD\_01

Summary: IpServiceDiscovery all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:

1. Method call **listServicesTypes()**  
 Parameters: none  
 Check: valid value of TpServiceNameList is returned
2. Method call **describeServiceType()**  
 Parameters: serviceTypeName from the list returned in 1.  
 Check: valid value of TpServiceTypeDescription is returned
3. Method call **discoverService()**  
 Parameters: serviceTypeName from the list returned in 1., valid desiredPropertyList, valid max  
 Check: valid value of TpServiceList is returned




### Test FW\_FA\_SD\_02

Summary: **IpServiceDiscovery** describeServiceType, P\_ILLEGAL\_SERVICE\_TYPE.

Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:

- Method call **describeServiceType()**  
 Parameters: serviceTypeName malformed  
 Check: P\_ILLEGAL\_SERVICE\_TYPE is returned.




### Test FW\_FA\_SD\_03

Summary: **IpServiceDiscovery** describeServiceType, P\_UNKNOWN\_SERVICE\_TYPE.

Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:

- Method call **listServiceTypes()**  
 Parameters: none  
 Check: valid value of TpServiceNameList is returned
- Method call **describeServiceType()**  
 Parameters: serviceTypeName well formed but not returned in 1.  
 Check: P\_UNKNOWN\_SERVICE\_TYPE is returned.



### Test FW\_FA\_SD\_04

Summary: **IpServiceDiscovery** discoverService, P\_ILLEGAL\_SERVICE\_TYPE.


Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:

- Method call **discoverService()**

Parameters: serviceTypeName malformed

Check: P\_ILLEGAL\_SERVICE\_TYPE or P\_UNKNOWN\_SERVICE\_TYPE is returned.



### Test FW\_FA\_SD\_05

Summary: **IpServiceDiscovery** discoverService, P\_UNKNOWN\_SERVICE\_TYPE.

Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:

- Method call **listServicesTypes()**


Parameters: none

Check: valid value of TpServiceNameList is returned

- Method call **discoverService()**

Parameters: serviceTypeName well formed but not returned in 1.

Check: P\_UNKNOWN\_SERVICE\_TYPE is returned.




### Test FW\_FA\_SD\_06

Summary: **IpServiceDiscovery** discoverService, P\_INVALID\_PROPERTY.

Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:

1. Method call **listServicesTypes()**  
 Parameters: none  
 Check: valid value of TpServiceNameList is returned
2. Method call **discoverService()**  
 Parameters: serviceTypeName from the list returned in 1., invalid desiredPropertyList, valid max  
 Check: P\_INVALID\_PROPERTY is returned.



### Test FW\_FA\_SD\_07


Summary: **IpServiceDiscovery** listSubscribedService.

Reference: ES 202 915-3 [1], clause 7.3.1.

Precondition: listSubscribedServices supported.

Test Sequence:

1. Method call **listSubscribedServices()**  
 Parameters: none  
 Check: valid value of TpServiceList is returned



### 5.4.2.2 Service Agreement Management (SA)


#### Test FW\_FA\_SA\_01

Summary: **IpServiceAgreementManagement**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Method call **selectService()**  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Method call **initiateSignServiceAgreement()**  
Parameters: serviceToken returned in 1.  
Check: no exception is returned
3. Triggered action: cause IUT to call **signServiceAgreement ()** method on the tester's (Application) **IpAppServiceAgreementManagement** interface.  
Parameters: serviceToken.
4. Method call **signServiceAgreement()**  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm  
Check: valid value of TpSignatureAndServiceMgr is returned
5. Method call **terminateServiceAgreement()**  
Parameters: serviceToken returned in 1., terminationText, digitalSignature  
Check: no exception is returned




### Test FW\_FA\_SA\_02

Summary: **IpServiceAgreementManagement**, selectService, P\_INVALID\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

- Method call **selectService()**  
 Parameters: invalid serviceID  
 Check: P\_INVALID\_SERVICE\_ID is returned.




### Test FW\_FA\_SA\_03

Summary: **IpServiceAgreementManagement**, initiateSignServiceAgreement, P\_INVALID\_SERVICE\_TOKEN.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

- Method call **initiateSignServiceAgreement()**  
 Parameters: invalid serviceToken  
 Check: P\_INVALID\_SERVICE\_TOKEN is returned.




**Test FW\_FA\_SA\_04**

Summary: **IpServiceAgreementManagement**, signServiceAgreement, P\_INVALID\_SERVICE\_TOKEN.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Method call **selectService()**  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Method call **initiateSignServiceAgreement()**  
Parameters: serviceToken returned in step 1.  
Check: no exception is returned
3. Triggered action: cause IUT to call **signServiceAgreement()** method on the tester's (Application) **IpAppServiceAgreementManagement** interface.  
Parameters: serviceToken.
4. Method call **signServiceAgreement()**  
Parameters: invalid serviceToken, valid agreementText, valid signingAlgorithm  
Check: P\_INVALID\_SERVICE\_TOKEN is returned.




### Test FW\_FA\_SA\_05

Summary: **IpServiceAgreementManagement**, signServiceAgreement, P\_INVALID\_AGREEMENT\_TEXT.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Method call **selectService()**  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Method call **initiateSignServiceAgreement()**  
Parameters: TpServiceToken returned in step 1.  
Check: No exception is returned
3. Triggered action: cause IUT to call **signServiceAgreement()** method on the tester's (Application) **IpAppServiceAgreementManagement** interface.  
Parameters: serviceToken
4. Method call **signServiceAgreement()**  
Parameters: serviceToken, invalid agreementText, signingAlgorithm  
Check: P\_INVALID\_AGREEMENT\_TEXT is returned.




**Test FW\_FA\_SA\_06**

Summary: **IpServiceAgreementManagement**, signServiceAgreement, P\_INVALID\_SIGNING\_ALGORITHM.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Method call **selectService()**  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Method call **initiateSignServiceAgreement()**  
Parameters: serviceToken returned in step 1.  
Check: No exception is returned
3. Triggered action: cause IUT to call **signServiceAgreement ()** method on the tester's (Application) **IpAppServiceAgreementManagement** interface.  
Parameters: serviceToken
4. Method call **signServiceAgreement()**  
Parameters: serviceToken, agreementText, invalid signingAlgorithm  
Check: P\_INVALID\_SIGNING\_ALGORITHM is returned.




### Test FW\_FA\_SA\_07

Summary: **IpServiceAgreementManagement**, terminateServiceAgreement, P\_INVALID\_SERVICE\_TOKEN.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Method call **selectService()**  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Method call **initiateSignServiceAgreement()**  
Parameters: serviceToken returned in 1.  
Check: no exception is returned
3. Triggered action: cause IUT to call **signServiceAgreement()** method on the tester's (Application) **IpAppServiceAgreementManagement** interface.  
Parameters: serviceToken.
4. Method call **signServiceAgreement()**  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm  
Check: valid value of TpSignatureAndServiceMgr is returned
5. Method call **terminateServiceAgreement()**  
Parameters: invalid serviceToken, terminationText, digitalSignature  
Check: P\_INVALID\_SERVICE\_TOKEN is returned.




### Test FW\_FA\_SA\_08

Summary: **IpServiceAgreementManagement**, terminateServiceAgreement, P\_INVALID\_SIGNATURE.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Method call **selectService()**  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Method call **initiateSignServiceAgreement()**  
Parameters: serviceToken returned in 1.  
Check: no exception is returned
3. Triggered action: cause IUT to call **signServiceAgreement()** method on the tester's (Application) **IpAppServiceAgreementManagement** interface.  
Parameters: serviceToken.
4. Method call **signServiceAgreement()**  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm  
Check: valid value of TpSignatureAndServiceMgr is returned
5. Method call **terminateServiceAgreement()**  
Parameters: serviceToken returned in 1., terminationText, invalid digitalSignature  
Check: P\_INVALID\_SIGNATURE is returned.



### 5.4.2.3 Integrity Management (IM)

#### Test FW\_FA\_IM\_01

Summary: **IpHeartBeatMgmt**, all methods, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpHeartBeatMgmt** supported.

Preamble: The calling application must have a callback interface and a reference to this interface.

Test Sequence:

1. Method call **enableHeartBeat()**  
 Parameters: interval, appInterface  
 Check: no exception is returned.
2. Triggered action: cause IUT to regularly call pulse() method on the tester's (Application) **IpAppHeartBeat** interface.  
 Parameters: none  
 Check: check that the pulse() method is invoked at the requested interval.
3. Method call **disableHeartBeat()**  
 Parameters: none  
 Check: no exception. Verify that no pulse() is received anymore by the expiry of the interval timer.



### Test FW\_FA\_IM\_02

Summary: **IpHeartBeatMgmt**, all methods, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpHeartBeatMgmt**, changeInterval supported.

Preamble: The calling application must have a callback interface and a reference to this interface.

Test Sequence:

1. Method call **enableHeartBeat()**  
Parameters: interval, applInterface  
Check: no exception is returned.
2. Triggered action: cause IUT to call pulse() method regularly on the tester's (Application) **IpAppHeartBeat** interface.  
Parameters: none  
Check: check that the pulse() method is invoked at the requested interval.
3. Method call **changeInterval()**  
Parameters: interval  
Check: no exception is returned.
4. Triggered action: cause IUT to call pulse() method regularly on the tester's (Application) **IpAppHeartBeat** interface.  
Parameters: none  
Check: the pulse() method is invoked at the new requested interval.
5. Method call **disableHeartBeat()**  
Parameters: none  
Check: no exception. Verify that no pulse() is received anymore by the expiry of the interval timer.



### Test FW\_FA\_IM\_03

Summary: **IpHeartBeat**, all methods, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpHeartBeat is supported.

Preamble: The calling application must have a callback interface and a reference to this interface.

Test Sequence:

1. Triggered action: cause IUT to call **enableAppHeartBeat()** method on the tester's (Application) **IpAppHeartBeatMgmt** interface.  
Parameters: interval, fwInterface  
Check: no exception
2. Method call **pulse()**  
Parameters: none  
Check: no exception



### Test FW\_FA\_IM\_04

Summary: **IpFaultManager** activityTestReq, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, activityTestReq supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **activityTestReq()**  
Parameters: activityTestId, svcID  
Check: no exception is returned
2. Triggered action: cause IUT to call **activityTestRes()** method on the tester's (Application) IpAppFaultManager interface.  
Parameters: activityTestId, activityTestResult



### Test FW\_FA\_IM\_05


Summary: **IpFaultManager** activityTestReq on Framework, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, activityTestReq supported.

Test Sequence:

1. Method call **activityTestReq()**  
Parameters: **activityTestID**, svcID with emptystring value  
Check: no exception is returned
2. Triggered action: cause IUT to call **activityTestRes()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: activityTestID, activityTestResult



### Test FW\_FA\_IM\_06

Summary: **IpFaultManager** activityTestReq , P\_INVALID\_SERVICE\_ID exception.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, activityTestReq supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **activityTestReq()**  
Parameters: activityTestID, invalid svcID  
Check: P\_INVALID\_SERVICE\_ID is returned.



### Test FW\_FA\_IM\_07

Summary: **IpFaultManager** generateFaultStatisticsRecordReq, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpFaultManager**, **generateFaultStatisticsRecordReq ()** supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **generateFaultStatisticsRecordReq ()**  
Parameters: faultStatsReqID, timePeriod, serviceIDs  
Check: no exception is returned
2. Triggered action: cause IUT to call **generateFaultStatisticsRecordRes ()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: faultStatsReqID, faultStatistics, ServiceIDs



### Test FW\_FA\_IM\_08


Summary: **IpFaultManager** generateFaultStatisticsRecordReqon Framework, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpFaultManager**, **generateFaultStatisticsRecordReq ()** supported.

Test Sequence:

1. Method call **generateFaultStatisticsRecordReq ()**  
Parameters: faultStatsReqID, timePeriod, serviceIDs with emptystring value  
Check: no exception is returned
2. Triggered action: cause IUT to call **generateFaultStatisticsRecordRes ()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: faultStatsReqID, faultStatistics, ServiceIDs



### **Test FW\_FA\_IM\_09**

**Summary:** `IpFaultManager` `generateFaultStatisticsRecordReq`, `P_INVALID_SERVICE_ID` exception.


**Reference:** ES 202 915-3 [1], clause 7.3.3.

**Precondition:** `IpFaultManager`, `generateFaultStatisticsRecordReq()` supported.

**Preamble:** The application (Tester) must have subscribed to at least one service instance.

**Test Sequence:**

- Method call `generateFaultStatisticsRecordReq()`  
Parameters: `faultStatsReqID`, `timePeriod`, invalid `serviceIDs`  
Check: `P_INVALID_SERVICE_ID` is returned.



### Test FW\_FA\_IM\_10

Summary: **IpFaultManager** svcUnavailableInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, **svcUnavailableInd()** supported.


Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

- Method call **svcUnavailableInd()**

Parameters: serviceID

Check: no exception is returned



### Test FW\_FA\_IM\_11

Summary: **IpFaultManager** svcUnavailableInd, P\_INVALID\_SERVICE\_ID exception.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, **svcUnavailableInd()** supported.


Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

- Method call **svcUnavailableInd()**

Parameters: invalid serviceID

Check: P\_INVALID\_SERVICE\_ID is returned.



### Test FW\_FA\_IM\_12


Summary: **IpFaultManager** appActivityTestRes, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, **appActivityTestRes()** supported.

Test Sequence:

1. Triggered action: cause IUT to call **appActivityTestReq()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: activityTestID
2. Method call **appActivityTestRes()**  
Parameters: activityTestID, activityTestResult  
Check: no exception is returned



### Test FW\_FA\_IM\_13


Summary: **IpFaultManager** appActivityTestRes, P\_INVALID\_ACTIVITY\_TEST\_ID Exception.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpFaultManager, **appActivityTestRes()** supported.

Test Sequence:

1. Triggered action: cause IUT to call **appActivityTestReq()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: activityTestID
2. Method call **appActivityTestRes()**  
Parameters: invalid activityTestID, activityTestResult  
Check: P\_INVALID\_ACTIVITY\_TEST\_ID is returned.



#### Test FW\_FA\_IM\_14


Summary: **IpFaultManager** **appActivityTestErr**, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpFaultManager**, **appActivityTestRes()** supported.

Test Sequence:

1. Triggered action: cause IUT to call **appActivityTestReq()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: activityTestID
2. Method call **appActivityTestErr()**  
Parameters: activityTestID  
Check: no exception is returned



### Test FW\_FA\_IM\_15


Summary: **IpFaultManager** appActivityTestErr, P\_INVALID\_ACTIVITY\_TEST\_ID exception.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpFaultManager**, **appActivityTestRes()** supported.

Test Sequence:

1. Triggered action: cause IUT to call **appActivityTestReq()** method on the tester's (Application) **IpAppFaultManager** interface.  
Parameters: activityTestID
2. Method call **appActivityTestErr()**  
Parameters: invalid activityTestID  
Check: P\_INVALID\_ACTIVITY\_TEST\_ID is returned.



### Test FW\_FA\_IM\_16

Summary: **IpFaultManager** appAvailStatusInd, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpFaultManager**, **appAvailStatusInd ()** supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **appAvailStatusInd ()**  
Parameters: reason  
Check: no exception is returned



### Test FW\_FA\_IM\_17

Summary: **IpLoadManager** createLoadLevelNotification and destroyLoadLevelNotification methods, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpLoadManager**, createLoadLevelNotification and destroyLoadLevelNotification supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: serviceIDs  
Check: no exception is returned
2. Triggered action: cause IUT to call **loadLevelNotification()** method on the tester's (Application) **IpAppLoadManager** interface.  
Parameters: loadStatistics
3. Method call **destroyLoadLevelNotification()**  
Parameters: serviceIDs  
Check: no exception is returned



### Test FW\_FA\_IM\_18

Summary: **IpLoadManager** All methods, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, notifications with suspendNotification and resumeNotification supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: serviceIDs  
Check: no exception is returned
2. Method call **suspendNotification()**  
Parameters: serviceIDs  
Check: no exception is returned, no load level notifications received until resumeNotification() is called.
3. Method call **resumeNotification()**  
Parameters: serviceIDs  
Check: no exception is returned
4. Method call **destroyLoadLevelNotification()**  
Parameters: serviceIDs  
Check: no exception is returned



### Test FW\_FA\_IM\_19

Summary: **IpLoadManager** All methods on Framework, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, notifications with suspendNotification and resumeNotification supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned
2. Method call **suspendNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned, no load level notifications received until resumeNotification() is called.
3. Method call **resumeNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned
4. Method call **destroyLoadLevelNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned



**Test FW\_FA\_IM\_20**

Summary: **IpLoadManager** createLoadLevelNotification, P\_INVALID\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, createLoadLevelNotification supported.


Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**

Parameters: invalid serviceIDs

Check: P\_INVALID\_SERVICE\_ID is returned.



### Test FW\_FA\_IM\_21

Summary: **IpLoadManager** suspendNotification, P\_INVALID\_SERVICE\_ID.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, notifications with suspendNotification supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned
2. Method call **suspendNotification ()**  
Parameters: invalid serviceIDs  
Check: P\_INVALID\_SERVICE\_ID is returned.



**Test FW\_FA\_IM\_22**

Summary: **IpLoadManager** resumeNotification, P\_INVALID\_SERVICE\_ID.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, notifications with suspendNotification and resumeNotification supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned
2. Method call **suspendNotification ()**  
Parameters: serviceIDs is null  
Check: no exception is returned
3. Method call **resumeNotification ()**  
Parameters: invalid serviceIDs  
Check: P\_INVALID\_SERVICE\_ID is returned.



### Test FW\_FA\_IM\_23

Summary: **IpLoadManager** destroyLoadLevelNotification, P\_INVALID\_SERVICE\_ID.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, notifications supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: serviceIDs is null  
Check: no exception is returned
2. Method call **destroyLoadLevelNotification ()**  
Parameters: invalid serviceIDs  
Check: P\_INVALID\_SERVICE\_ID is returned.



### Test FW\_FA\_IM\_24

Summary: **IpLoadManager** reportLoad, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, reportLoad supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **reportLoad ()**  
Parameters: loadLevel  
Check: no exception is returned



### Test FW\_FA\_IM\_25

Summary: **IpLoadManager** queryLoadStatsReq, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpLoadManager**, queryLoadStatsReq supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **queryLoadStatsReq()**  
Parameters: loadStatsReqID, serviceIDs, timeInterval  
Check: no exception is returned
2. Triggered action: cause IUT to call **queryLoadStatsRes ()** method on the tester's (Application) **IpAppLoadManager** interface.  
Parameters: loadStatsReqID, loadStatistics



### Test FW\_FA\_IM\_26

Summary: **IpLoadManager** queryLoadStatsReq on Framework, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpLoadManager**, queryLoadStatsReq supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **queryLoadStatsReq()**  
Parameters: loadStatsReqID, serviceIDs as null, timeInterval  
Check: no exception is returned
2. Triggered action: cause IUT to call **queryLoadStatsRes ()** method on the tester's (Application) **IpAppLoadManager** interface.  
Parameters: loadStatsReqID, loadStatistics



### Test FW\_FA\_IM\_27

Summary: **IpLoadManager** queryLoadStatsReq, P\_INVALID\_SERVICE\_ID.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpLoadManager**, queryLoadStatsReq supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Method call **queryLoadStatsReq()**  
Parameters: loadStatsReqID, invalid serviceIDs, timeInterval  
Check: P\_INVALID\_SERVICE\_ID is returned.



### Test FW\_FA\_IM\_28

Summary: **IpLoadManager** queryAppLoaStatsdRes, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpLoadManager, queryAppLoadStatsRes supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Triggered action: cause IUT to call **queryAppLoadStatsReq ()** method on the tester's (Application) **IpAppLoadManager** interface.  
Parameters: loadStatsReqID, timeInterval
2. Method call **queryAppLoadStatsRes ()**  
Parameters: loadStatsReqID, loadStatistics  
Check: no exception is returned



### Test FW\_FA\_IM\_29

Summary: **IpLoadManager** queryAppLoadStatsErr, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: **IpLoadManager**, queryAppLoadStatsRes supported.

Preamble: The application (Tester) must have subscribed to at least one service instance.

Test Sequence:

1. Triggered action: cause IUT to call **queryAppLoadStatsReq()** method on the tester's (Application) **IpAppLoadManager** interface.  
Parameters: loadStatsReqID, timeInterval
2. Method call **queryAppLoadStatsErr()**  
Parameters: loadStatsReqID, loadStatisticsError  
Check: no exception is returned



**Test FW\_FA\_IM\_30**


Summary: IpOAM, systemDateTimeQuery, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpOAM supported.

Test Sequence:

- Method call **systemDateTimeQuery()**  
 Parameters: clientDateAndTime  
 Check: valid value of TpDateAndTime is returned

**Test FW\_FA\_IM\_31**


Summary: IpOAM, systemDateTimeQuery, P\_INVALID\_TIME\_AND\_DATE\_FORMAT exception.

Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpOAM supported.

Test Sequence:

- Method call **systemDateTimeQuery()**  
 Parameters: invalid clientDateAndTime  
 Check: P\_INVALID\_TIME\_AND\_DATE\_FORMAT is returned.



#### 5.4.2.4 Event Notification (EN)

##### Test FW\_FA\_EN\_01


Summary: **IpEventNotification**, create and destroy methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.4.

Precondition: **IpEventNotification** supported.

Test Sequence:

1. Method call **createNotification()**  
Parameters: eventCriteria  
Check: valid value of TpAssignmentID is returned
2. Triggered action: cause IUT to call **reportNotification()** method on the tester's (Application) **IpAppEventNotification** interface.  
Parameters: eventInfo, assignmentID
3. Method call **destroyNotification()**  
Parameters: assignmentID give in 1.  
Check: no exception is returned



### Test FW\_FA\_EN\_02


Summary: **IpEventNotification**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.4.

Precondition: **IpEventNotification** supported.

Test Sequence:

1. Method call **createNotification()**  
Parameters: eventCriteria  
Check: valid value of TpAssignmentID is returned
2. Triggered action: cause IUT to call **reportNotification()** method on the tester's (Application) **IpAppEventNotification** interface.  
Parameters: eventInfo, assignmentID
3. Triggered action: cause IUT to call **notificationTerminated()** method on the tester's (Application) **IpSvcEventNotification** interface.  
Parameters: none
4. Method call **destroyNotification()**  
Parameters: assignmentID give in 1.  
Check: no exception is returned



### Test FW\_FA\_EN\_03


Summary: **IpEventNotification**, createNotification, P\_INVALID\_CRITERIA.

Reference: ES 202 915-3 [1], clause 7.3.4.

Precondition: IpEventNotification supported.

Test Sequence:

- Method call **createNotification()**  
 Parameters: invalid eventCriteria  
 Check: P\_INVALID\_CRITERIA or P\_INVALID\_EVENT\_TYPE is returned.



### Test FW\_FA\_EN\_04


Summary: **IpEventNotification**, destroyNotification, P\_INVALID\_ASSIGNMENT\_ID.

Reference: ES 202 915-3 [1], clause 7.3.4.

Precondition: IpEventNotification supported.

Test Sequence:

- Method call **createNotification()**  
 Parameters: eventCriteria  
 Check: valid value of TpAssignmentID is returned
- Method call **destroyNotification()**  
 Parameters: invalid assignmentID  
 Check: P\_INVALID\_ASSIGNMENT\_ID is returned.



### 5.4.3 Framework to Enterprise OperatorAPI

#### 5.4.3.1 Service Subscription (SS)


##### Test FW\_FO\_SS\_01

Summary: **IpClientAppManagement**, all methods, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **addSAGMembers()**  
Parameters: sagID, clientAppIDs  
Check: no exception is returned
4. Method call **modifyClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
5. Method call **modifySAG()**  
Parameters: sag  
Check: no exception is returned
6. Method call **deleteClientApp()**  
Parameters: clientAppID  
Check: no exception is returned
7. Method call **removeSAGMembers()**  
Parameters: sagID, clientAppIDList  
Check: no exception is returned
8. Method call **deleteSAG()**  
Parameters: sagID  
Check: no exception is returned




### Test FW\_FO\_SS\_02

Summary: **IpClientAppManagement**, createClientApp, P\_INVALID\_CLIENT\_APP\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
 Parameters: invalid clientAppDescription  
 Check: P\_INVALID\_CLIENT\_APP\_ID is returned.




### Test FW\_FO\_SS\_03

Summary: **IpClientAppManagement**, createSAG, P\_INVALID\_SAG\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
 Parameters: clientAppDescription  
 Check: no exception is returned
2. Method call **createSAG()**  
 Parameters: invalid sag, clientAppIDs  
 Check: P\_INVALID\_SAG\_ID is returned.




#### Test FW\_FO\_SS\_04

Summary: **IpClientAppManagement**, `createSAG`, `P_INVALID_CLIENT_APP_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call `createClientApp()`  
Parameters: `clientAppDescription`  
Check: no exception is returned
- Method call `createSAG()`  
Parameters: `sag, clientAppIDs` with one or more invalid clientAppID  
Check: `P_INVALID_CLIENT_APP_ID` is returned.




### Test FW\_FO\_SS\_05

Summary: **IpClientAppManagement**, addSAGMembers, P\_INVALID\_SAG\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **addSAGMembers ()**  
Parameters: invalid sagID, clientAppIDs  
Check: P\_INVALID\_SAG\_ID is returned.



### Test FW\_FO\_SS\_06

Summary: **IpClientAppManagement**, addSAGMembers, P\_INVALID\_CLIENT\_APP\_ID.


Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned

3. Method call **addSAGMembers()**

Parameters: sagID, clientAppIDs with one or more invalid clientAppID  
 Check: P\_INVALID\_CLIENT\_APP\_ID is returned.



### Test FW\_FO\_SS\_07

Summary: **IpClientAppManagement**, `modifyClientApp`, `P_INVALID_CLIENT_APP_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.


Test Sequence:

1. Method call **createClientApp()**

Parameters: clientAppDescription  
 Check: no exception is returned

2. Method call **modifyClientApp()**

Parameters: invalid clientAppDescription  
 Check: `P_INVALID_CLIENT_APP_ID` is returned.




### Test FW\_FO\_SS\_08

Summary: **IpClientAppManagement**, `modifySAG`, `P_INVALID_SAG_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **modifySAG()**  
Parameters: invalid sag  
Check: `P_INVALID_SAG_ID` is returned.




#### Test FW\_FO\_SS\_09

Summary: **IpClientAppManagement**, `deleteClientApp`, `P_INVALID_CLIENT_APP_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **createClientApp()**  
Parameters: `clientAppDescription`  
Check: no exception is returned
- Method call **deleteClientApp ()**  
Parameters: invalid `clientAppID`  
Check: `P_INVALID_CLIENT_APP_ID` is returned.




### Test FW\_FO\_SS\_10

Summary: **IpClientAppManagement**, removeSAGMembers, **P\_INVALID\_SAG\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
- Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
- Method call **addSAGMembers()**  
Parameters: sagID, clientAppIDs  
Check: no exception is returned
- Method call **removeSAGMembers ()**  
Parameters: invalid sagID, clientAppIDList  
Check: **P\_INVALID\_SAG\_ID** is returned.




### Test FW\_FO\_SS\_11

Summary: **IpClientAppManagement**, **removeSAGMembers**, **P\_INVALID\_CLIENT\_APP\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **addSAGMembers()**  
Parameters: sagID, clientAppIDs  
Check: no exception is returned
4. Method call **removeSAGMembers ()**  
Parameters: sagID, clientAppIDList with one or more invalid clientAppID  
Check: **P\_INVALID\_CLIENT\_APP\_ID** is returned.




### Test FW\_FO\_SS\_12

Summary: **IpClientAppManagement**, deleteSAG, **P\_INVALID\_SAG\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **deleteSAG ()**  
Parameters: invalid sagID  
Check: **P\_INVALID\_SAG\_ID** is returned.



#### Test FW\_FO\_SS\_41

Summary: **IpClientAppManagement**, requestConflictInfo, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **createClientApp()**  
Parameters: clientAppDescription with parameters incompatible with other Client App in same SAG.  
Check: no exception is returned
3. Method call **createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
4. Method call **addSAGMembers()**  
Parameters: sagID, clientAppIDs including ID for ClientApp describe in 1.  
Check: no exception is returned
5. Method call **addSAGMembers()**  
Parameters: sagID, clientAppIDs including ID for ClientApp describe in 1. and in 2.  
Check: P\_INVALID\_ADDITION\_TO\_SAG is returned
6. Method call **requestConflictInfo ()**  
Parameters: None  
Check: valid TpAddSagMembersConflictList is returned


**Test FW\_FO\_SS\_13**

Summary: **IpClientAppInfoQuery**, all methods, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **listClientApps()**  
Parameters: None  
Check: valid TpClientAppIDList is returned including ClientAppID from 1.
3. Method call **describeClientApp()**  
Parameters: clientAppID from 1.  
Check: valid TpClientAppDescription is returned
4. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
5. Method call **describeSAG()**  
Parameters: sagID given in 4.  
Check: TpSagDescription is returned
6. Method call **listSAGs()**  
Parameters: None  
Check: valid TpSagIDList is returned including sag given in 4.
7. Method call **IpClientAppManagement.addSAGMembers()**  
Parameters: sagID given in 4, clientAppIDs  
Check: no exception is returned
8. Method call **listSAGMembers()**  
Parameters: sagID given in 4  
Check: valid TpClientAppIDList is returned included clientAppIDs given in 7.
9. Method call **listClientAppMembership()**  
Parameters: clientAppID given in 1.  
Check: valid TpSagIDList




### Test FW\_FO\_SS\_14

Summary: **IpClientAppInfoQuery**, **describeClientApp**, **P\_INVALID\_CLIENT\_APP\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **describeClientApp ()**  
Parameters: invalid clientAppID  
Check: **P\_INVALID\_CLIENT\_APP\_ID** is returned.




### Test FW\_FO\_SS\_15

Summary: **IpClientAppInfoQuery**, **describeSAG**, **P\_INVALID\_SAG\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **describeSAG()**  
Parameters: invalid sagID  
Check: **P\_INVALID\_SAG\_ID** is returned.



#### Test FW\_FO\_SS\_16

Summary: **IpClientAppInfoQuery**, listSAGMembers, P\_INVALID\_SAG\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
2. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
3. Method call **IpClientAppManagement.addSAGMembers()**  
Parameters: sagID given in 4, clientAppIDs  
Check: no exception is returned
4. Method call **listSAGMembers()**  
Parameters: invalid sagID  
Check: P\_INVALID\_SAG\_ID is returned.




### Test FW\_FO\_SS\_17

Summary:      **IpClientAppInfoQuery**, `listClientAppMembership`, `P_INVALID_CLIENT_APP_ID`.

Reference:     ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpClientAppManagement.createClientApp()**  
Parameters:    `clientAppDescription`  
Check:          no exception is returned
2. Method call **IpClientAppManagement.createSAG()**  
Parameters:    `sag, clientAppIDs`  
Check:          no exception is returned
3. Method call **IpClientAppManagement.addSAGMembers()**  
Parameters:    `sagID given in 4, clientAppIDs`  
Check:          no exception is returned
4. Method call **listClientAppMembership()**  
Parameters:    `invalid clientAppID`  
Check:          `P_INVALID_CLIENT_APP_ID` is returned.




### Test FW\_FO\_SS\_18

Summary: **IpServiceContractManagement**, all methods, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
- Method call **modifyServiceContract()**  
Parameters: serviceContract given in 1.  
Check: no exception is returned
- Method call **deleteServiceContract()**  
Parameters: serviceContractID given in 1.  
Check: no exception is returned




#### Test FW\_FO\_SS\_19

Summary: **IpServiceContractManagement**, `createServiceContract`, `P_INVALID_SERVICE_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **createServiceContract ()**  
 Parameters: `serviceContractDescription` with invalid ID  
 Check: `P_INVALID_SERVICE_ID` is returned.



### Test FW\_FO\_SS\_20

Summary: **IpServiceContractManagement**, createServiceContract, P\_INVALID\_SERVICE\_CONTRACT\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createServiceContract ()**

Parameters: invalid serviceContractDescription

Check: P\_INVALID\_SERVICE\_CONTRACT\_ID is returned.



### Test FW\_FO\_SS\_21

Summary: **IpServiceContractManagement**, modifyServiceContract, P\_INVALID\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createServiceContract()**


Parameters: serviceContractDescription

Check: valid TpServiceContractID is returned

2. Method call **modifyServiceContract ()**

Parameters: serviceContract with invalid service ID

Check: P\_INVALID\_SERVICE\_ID is returned.




### Test FW\_FO\_SS\_22

Summary: **IpServiceContractManagement**, **modifyServiceContract**, **P\_INVALID\_SERVICE\_CONTRACT\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **modifyServiceContract ()**  
Parameters: invalid serviceContract  
Check: P\_INVALID\_SERVICE\_CONTRACT\_ID is returned.




### Test FW\_FO\_SS\_23

Summary: **IpServiceContractManagement**, deleteServiceContract, P\_INVALID\_SERVICE\_CONTRACT\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **deleteServiceContract ()**  
 Parameters: invalid serviceContractID  
 Check: P\_INVALID\_SERVICE\_CONTRACT\_ID is returned.



#### Test FW\_FO\_SS\_24


Summary: **IpServiceProfileManagement**, all methods, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid TpServiceProfileID is returned
3. Method call **modifyServiceProfile()**  
Parameters: serviceProfile given in 1.  
Check: no exception is returned
4. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
5. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
6. Method call **assign()**  
Parameters: sagID given in 3., serviceProfileID given in 1.  
Check: no exception is returned
7. Method call **desassign()**  
Parameters: sagID given in 3., serviceProfileID given in 1.  
Check: no exception is returned

8. Method call **deleteServiceProfile()**  
 Parameters: serviceProfileID given in 1.  
 Check: no exception is returned




### Test FW\_FO\_SS\_25

Summary: **IpServiceProfileManagement.createServiceProfile**, `P_INVALID_SERVICE_PROFILE_ID`.  
 Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **IpServiceContractManagement.createServiceContract()**  
 Parameters: serviceContractDescription  
 Check: valid `TpServiceContractID` is returned
- Method call **createServiceProfile ()**  
 Parameters: invalid serviceProfileDescription  
 Check: `P_INVALID_SERVICE_PROFILE_ID` is returned.




### Test FW\_FO\_SS\_26

Summary: **IpServiceProfileManagement**, `modifyServiceProfile`, `P_INVALID_SERVICE_PROFILE_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: `serviceContractDescription`  
Check: valid `TpServiceContractID` is returned
2. Method call **createServiceProfile()**  
Parameters: `serviceProfileDescription`  
Check: valid `TpServiceProfileID` is returned
3. Method call **modifyServiceProfile ()**  
Parameters: invalid `serviceProfile`  
Check: `P_INVALID_SERVICE_PROFILE_ID` is returned.




### Test FW\_FO\_SS\_27

Summary: **IpServiceProfileManagement**, deleteServiceProfile, P\_INVALID\_SERVICE\_PROFILE\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid TpServiceProfileID is returned
3. Method call **deleteServiceProfile ()**  
Parameters: invalid serviceProfile  
Check: P\_INVALID\_SERVICE\_PROFILE\_ID is returned.




### Test FW\_FO\_SS\_28

Summary: **IpServiceProfileManagement**, assign, `P_INVALID_SAG_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid `TpServiceContractID` is returned
2. Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid `TpServiceProfileID` is returned
3. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
4. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
5. Method call **assign ()**  
Parameters: invalid sagID, serviceProfileID given in 1.  
Check: `P_INVALID_SAG_ID` is returned.




### Test FW\_FO\_SS\_29

Summary: **IpServiceProfileManagement**, **assign**, **P\_INVALID\_SERVICE\_PROFILE\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid **TpServiceContractID** is returned
2. Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid **TpServiceProfileID** is returned
3. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
4. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
5. Method call **assign()**  
Parameters: sagID given in 3., invalid serviceProfileID  
Check: **P\_INVALID\_SERVICE\_PROFILE\_ID** is returned.




### Test FW\_FO\_SS\_30

Summary: **IpServiceProfileManagement**, deassign, **P\_INVALID\_SAG\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid **TpServiceContractID** is returned
- Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid **TpServiceProfileID** is returned
- Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
- Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
- Method call **assign()**  
Parameters: sagID given in 3., serviceProfileID given in 1.  
Check: no exception is returned
- Method call **deassign ()**  
Parameters: invalid sagID, serviceProfileID  
Check: **P\_INVALID\_SAG\_ID** is returned.



### Test FW\_FO\_SS\_31

Summary: **IpServiceProfileManagement**, deassign, **P\_INVALID\_SERVICE\_PROFILE\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.


Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid TpServiceProfileID is returned
3. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
4. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
5. Method call **assign()**  
Parameters: sagID given in 3., serviceProfileID given in 1.  
Check: no exception is returned

6. Method call **deassign()**

Parameters: sagID, invalid serviceProfileID

Check: P\_INVALID\_SERVICE\_PROFILE\_ID is returned.



### Test FW\_FO\_SS\_42

Summary: **IpServiceProfileManagement**, requestConflictInfo, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
- Method call **createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: valid TpServiceProfileID is returned
- Method call **createServiceProfile()**  
Parameters: serviceProfileDescription different than previous one  
Check: valid TpServiceProfileID is returned
- Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned

5. Method call **IpClientAppManagement.createClientApp()**  
 Parameters: clientAppDescription with parameters incompatible with other Client App in same SAG.  
 Check: no exception is returned
6. Method call **IpClientAppManagement.createSAG()**  
 Parameters: sag, clientAppIDs  
 Check: no exception is returned
7. Method call **assign()**  
 Parameters: sagID given in 4., serviceProfileID given in 2.  
 Check: no exception is returned
8. Method call **assign()**  
 Parameters: sagID given in 5., serviceProfileID given in 3.  
 Check: P\_INVALID\_SAG\_TO\_SERVICE\_PROFILE\_ASSIGNMENT is returned
9. Method call **requestConflictInfo ()**  
 Parameters: None  
 Check: valid TpAddSagMembersConflictList is returned


### Test FW\_FO\_SS\_32

Summary: **IpServiceContractInfoQuery**, all methods, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
 Parameters: serviceContractDescription  
 Check: valid TpServiceContractID is returned
2. Method call **describeServiceContract()**  
 Parameters: serviceContractID given in 1.  
 Check: valid TpServiceContractDescription is returned
3. Method call **listServiceContracts()**  
 Parameters: None  
 Check: valid TpServiceContractIDList is returned
4. Method call **IpServiceProfileManagement.createServiceProfile()**  
 Parameters: serviceProfileDescription  
 Check: valid TpServiceProfileID is returned
5. Method call **listServiceProfiles()**  
 Parameters: serviceContractID given in 1.  
 Check: valid TpServiceProfileIDList is returned




### Test FW\_FO\_SS\_33

Summary: **IpServiceContractInfoQuery**, **describeServiceContract**, P\_INVALID\_SERVICE\_CONTRACT\_ID.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **describeServiceContract()**  
Parameters: invalid serviceContractID  
Check: P\_INVALID\_SERVICE\_CONTRACT\_ID is returned.



#### Test FW\_FO\_SS\_34

Summary: **IpServiceContractInfoQuery**, `listServiceProfiles`, `P_INVALID_SERVICE_CONTRACT_ID`.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: `serviceContractDescription`  
Check: valid `TpServiceContractID` is returned
2. Method call **IpServiceProfileManagement.createServiceProfile()**  
Parameters: `serviceProfileDescription`  
Check: valid `TpServiceProfilID` is returned
3. Method call **listServiceProfiles ()**  
Parameters: invalid `serviceContractID`  
Check: `P_INVALID_SERVICE_CONTRACT_ID` is returned.



### Test FW\_FO\_SS\_35

Summary: **IpServiceProfileInfoQuery**, all methods, successful.

Reference: ES 202 915-3 [1], clause 8.3.1.


Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **IpServiceProfileManagement.createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: validTpServiceProfilID is returned
3. Method call **listServiceProfiles()**  
Parameters: None  
Check: valid TpServiceProfilIDList is returned including serviceProfileDescription given in 1.
4. Method call **describeServiceProfile()**  
Parameters: serviceProfileID given in 1.  
Check: valid TpServiceProfilDescription is returned.
5. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
6. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
7. Method call **IpServiceProfileManagement.assign()**  
Parameters: sagID given in 6., serviceProfileID given in 1.  
Check: no exception is returned

8. Method call **listAssignedMembers()**

Parameters: serviceProfileID given in 1.

Check: valid TpSagIDList is returned including sagID given in 6



### Test FW\_FO\_SS\_36

Summary: **IpServiceProfileInfoQuery**, **describeServiceProfile**, **P\_INVALID\_SERVICE\_PROFILE\_ID**.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

- Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
- Method call **IpServiceProfileManagement.createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: validTpServiceProfilID is returned
- Method call **describeServiceProfile ()**  
Parameters: invalid serviceProfileID  
Check: P\_INVALID\_SERVICE\_PROFILE\_ID is returned.




### Test FW\_FO\_SS\_37

Summary:      **IpServiceProfileInfoQuery**, listAssignedMembers, P\_INVALID\_SERVICE\_PROFILE\_ID.

Reference:     ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **IpServiceContractManagement.createServiceContract()**  
Parameters: serviceContractDescription  
Check: valid TpServiceContractID is returned
2. Method call **IpServiceProfileManagement.createServiceProfile()**  
Parameters: serviceProfileDescription  
Check: validTpServiceProfileID is returned
3. Method call **IpClientAppManagement.createClientApp()**  
Parameters: clientAppDescription  
Check: no exception is returned
4. Method call **IpClientAppManagement.createSAG()**  
Parameters: sag, clientAppIDs  
Check: no exception is returned
5. Method call **IpServiceProfileManagement.assign()**  
Parameters: sagID given in 4., serviceProfileID given in 1.  
Check: no exception is returned
6. Method call **listAssignedMembers ()**  
Parameters: invalid serviceProfileID  
Check: P\_INVALID\_SERVICE\_PROFILE\_ID is returned.



### Test FW\_FO\_SS\_38


Summary: **IpEntOpAccountManagement**, modifyEntOpAccount and deleteEntOpAccount, successful.

Preamble: The calling application must have a valid reference of an EntOpAccount interface.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **modifyEntOpAccount ()**  
Parameters: enterpriseOperatorProperties  
Check: no exception is returned
2. Method call **deleteEntOpAccount ()**  
Parameters: None  
Check: no exception is returned



#### **Test FW\_FO\_SS\_39**


**Summary:** **IpEntOpAccountManagement**, `modifyEntOpAccount`, `P_INVALID_PROPERTY`.

**Preamble:** The calling application must have a valid reference of an EntOpAccount interface.

**Reference:** ES 202 915-3 [1], clause 8.3.1.

**Test Sequence:**

- Method call **modifyEntOpAccount ()**  
 Parameters: enterpriseOperatorProperties with invalid properties  
 Check: `P_INVALID_PROPERTY` is returned.



**Test FW\_FO\_SS\_40**


Summary: **IpEntOpAccountInfoQuery**, `describeEntOpAccount`, successful.

Preamble: The calling application must have a valid reference of an EntOpAccount interface.

Reference: ES 202 915-3 [1], clause 8.3.1.

Test Sequence:

1. Method call **describeEntOpAccount ()**  
 Parameters: None  
 Check: valid TpEntOp is returned


**5.4.4 Framework to Service API****5.4.4.1 Service Registration (SR)****Test FW\_FS\_SR\_01**

Summary: **IpFwServiceRegistration**, `registerService` and `unregisterService` methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

1. Method call **registerService()**  
 Parameters: serviceTypeName, servicePropertyList  
 Check: valid value of TpServiceID is returned
2. Method call **unregisterService()**  
 Parameters: serviceID given in 1.  
 Check: no exception is returned



### Test FW\_FS\_SR\_02


Summary: **IpFwServiceRegistration**, `describeService` method, successful.

Reference: ES 202 915-3 [1], clause 9.3.1.

Preamble: The service has been previously registered (with the `registerService` method).

Test Sequence:

- Method call **describeService()**  
 Parameters: serviceID as returned by the `registerService` method  
 Check: valid value of TpServiceDescription is returned



### Test FW\_FS\_SR\_03

Summary: **IpFwServiceRegistration**, announceServiceAvailability and unannounceService methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.1.

Preamble: The service has been previously registered (with the registerService method).

Test Sequence:

1. Method call **announceServiceAvailability()**  
 Parameters: serviceID as returned by the registerService method,  
               serviceInstanceLifeCycleManagerRef  
 Check: no exception is returned.
2. Method call **unannounceService()**  
 Parameters: serviceID as returned by the registerService method,  
 Check: no exception is returned.




### Test FW\_FS\_SR\_04

Summary: **IpFwServiceRegistration**, registerService methods, P\_ILLEGAL\_SERVICE\_TYPE.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

- Method call **registerService()**  
 Parameters: serviceTypeName malformed, servicePropertyList  
 Check: P\_ILLEGAL\_SERVICE\_TYPE or P\_UNKNOWN\_SERVICE\_TYPE is returned.




### Test FW\_FS\_SR\_05

Summary: **IpFwServiceRegistration**, registerService methods, P\_PROPERTY\_TYPE\_MISMATCH.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

- Method call **registerService()**  
 Parameters: serviceTypeName, servicePropertyList with a type of a property values not the same as the declared service type.  
 Check: P\_PROPERTY\_TYPE\_MISMATCH is returned.




### Test FW\_FS\_SR\_06

Summary: **IpFwServiceRegistration**, registerService methods, P\_MISSING\_MANDATORY\_PROPERTY.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

1. Method call **registerService()**  
 Parameters: serviceTypeName, servicePropertyList with a mandatory property missing.  
 Check: P\_MISSING\_MANDATORY\_PROPERTY is returned.




### Test FW\_FS\_SR\_07

Summary: **IpFwServiceRegistration**, registerService methods, P\_DUPLICATE\_PROPERTY\_NAME.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

1. Method call **registerService()**  
 Parameters: serviceTypeName, servicePropertyList including two properties with the same property name.  
 Check: P\_DUPLICATE\_PROPERTY\_NAME is returned.



### Test FW\_FS\_SR\_08

Summary: **IpFwServiceRegistration**, registerService and unregisterService methods, P\_ILLEGAL\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 9.3.1.


Test Sequence:

- Method call **registerService()**

Parameters: serviceTypeName, servicePropertyList  
Check: valid value of TpServiceID is returned

- Method call **unregisterService()**

Parameters: serviceID not built according to the rules for service identifiers.  
Check: P\_ILLEGAL\_SERVICE\_ID or P\_UNKNOWN\_SERVICE\_ID is returned.



### Test FW\_FS\_SR\_09

Summary: **IpFwServiceRegistration**, describeService method, P\_ILLEGAL\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 9.3.1.


Preamble: The service has been previously registered (with the registerService method).

Test Sequence:

- Method call **describeService()**

Parameters: serviceID not built according to the rules for service identifiers.

Check: P\_ILLEGAL\_SERVICE\_ID or P\_UNKNOWN\_SERVICE\_ID is returned.



### Test FW\_FS\_SR\_10

Summary: **IpFwServiceRegistration**, announceServiceAvailability methods, P\_ILLEGAL\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 9.3.1.


Test Sequence:

- Method call **registerService()**

Parameters: serviceTypeName, servicePropertyList  
Check: valid value of TpServiceID is returned

- Method call **announceServiceAvailability()**

Parameters: serviceID not built according to the rules for service identifiers.  
Check: P\_ILLEGAL\_SERVICE\_ID or P\_UNKNOWN\_SERVICE\_ID is returned.



### Test FW\_FS\_SR\_11


Summary: **IpFwServiceRegistration**, unannounceService method, P\_ILLEGAL\_SERVICE\_ID.

Reference: ES 202 915-3 [1], clause 9.3.1.

Preamble: The service has been previously registered (with the registerService method).

Test Sequence:

1. Method call **announceServiceAvailability()**  
 Parameters: serviceID as returned by the registerService method,  
               serviceInstanceLifeCycleManagerRef  
 Check: no exception is returned.
2. Method call **unannounceService()**  
 Parameters: serviceID not built according to the rules for service identifiers.  
 Check: P\_ILLEGAL\_SERVICE\_ID or P\_UNKNOWN\_SERVICE\_ID is returned.



### 5.4.4.2 Service Instance Lifecycle Management (SILM)


#### Test FW\_FS\_SILM\_01

Summary: **IpServiceInstanceLifecycleManager**, **createServiceManager** and **destroyServiceManager** methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.2.

Test Sequence:

1. Triggered action: cause IUT to call **createServiceManager()** method on the tester's (Service) **IpServiceInstanceLifecycleManager** interface.  
 Parameters: application, serviceProperties, serviceInstanceID  
 Check: valid value of IpServiceRef is returned
2. Triggered action: cause IUT to call **destroyServiceManager()** method on the tester's (Service) **IpServiceInstanceLifecycleManager** interface.  
 Parameters: serviceInstanceID (same value as used in 1.).  
 Check: no exception is returned



### 5.4.4.3 Service Discovery (SD)


#### Test FW\_FS\_SD\_01

Summary: **IpFwServiceDiscovery**, all methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

1. Method call **listServicesTypes()**  
 Parameters: none  
 Check: valid value of TpServiceNameList is returned
2. Method call **describeServiceType()**  
 Parameters: serviceTypeName from the list returned in 1.  
 Check: valid value of TpServiceTypeDescription is returned
3. Method call **discoverService()**  
 Parameters: serviceTypeName from the list returned in 1., valid desiredPropertyList, valid max  
 Check: valid value of TpServiceList is returned




### Test FW\_FS\_SD\_02

Summary: **IpFwServiceDiscovery**, `describeServiceType`, `P_ILLEGAL_SERVICE_TYPE`.

Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

- Method call **describeServiceType()**  
 Parameters: serviceTypeName malformed  
 Check: `P_ILLEGAL_SERVICE_TYPE` or `P_UNKNOWN_SERVICE_TYPE` is returned.




### Test FW\_FS\_SD\_03

Summary: **IpFwServiceDiscovery**, `describeServiceType`, `P_UNKNOWN_SERVICE_TYPE`.

Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

- Method call **listServicesTypes()**  
 Parameters: none  
 Check: valid value of `TpServiceNameList` is returned
- Method call **describeServiceType()**  
 Parameters: serviceTypeName well formed but not returned in 1.  
 Check: `P_UNKNOWN_SERVICE_TYPE` is returned.



### Test FW\_FS\_SD\_04

Summary: **IpFwServiceDiscovery**, discoverService, P\_ILLEGAL\_SERVICE\_TYPE.


Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

- Method call **discoverService()**

Parameters: serviceTypeName malformed

Check: P\_ILLEGAL\_SERVICE\_TYPE or P\_UNKNOWN\_SERVICE\_TYPE is returned.



### Test FW\_FS\_SD\_05

Summary: **IpFwServiceDiscovery**, discoverService, P\_UNKNOWN\_SERVICE\_TYPE.

Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

- Method call **listServiceTypes()**


Parameters: none

Check: valid value of TpServiceNameList is returned

- Method call **discoverService()**

Parameters: serviceTypeName well formed but not returned in 1.

Check: P\_UNKNOWN\_SERVICE\_TYPE is returned.




### Test FW\_FS\_SD\_06

Summary: **IpFwServiceDiscovery**, discoverService, P\_INVALID\_PROPERTY.

Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

1. Method call **listServicesTypes()**  
Parameters: none  
Check: valid value of TpServiceNameList is returned
2. Method call **discoverService()**  
Parameters: serviceTypeName from the list returned in 1., invalid desiredPropertyList, valid max  
Check: P\_INVALID\_PROPERTY is returned.



### Test FW\_FS\_SD\_07

Summary: **IpFwServiceDiscovery**, listRegisteredServices, successful.

Reference: ES 202 915-3 [1], clause 9.3.3.

Precondition: listRegisteredServices supported.

Test Sequence:

1. Method call **listRegisteredServices()**  
Parameters: none  
Check: valid value of TpServiceList is returned



#### 5.4.4.4 Integrity Management (IM)

##### Test FW\_FS\_IM\_01

Summary: **IpFwHeartBeatMgmt**, all methods, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwHeartBeatMgt** supported.

Preamble: The calling service must have a callback interface and a reference to this interface.

Test Sequence:

1. Method call **enableHeartBeat()**  
Parameters: interval, svcInterface  
Check: no exception is returned.
2. Triggered action: cause IUT to regularly call **pulse()** method on the tester's (Service) **IpSvcHeartBeat** interface.  
Parameters: none  
Check: no exception is returned. Check also that the pulse() method is invoked at the requested interval.
3. Method call **disableHeartBeat()**  
Parameters: none  
Check: no exception. Verify that no **pulse()** is received anymore by the expiry of the interval timer.



## Test FW\_FS\_IM\_02

Summary: **IpFwHeartBeatMgmt**, all methods, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwHeartBeatMgmt**, changeInterval supported.

Preamble: The calling service must have a callback interface and a reference to this interface.

Test Sequence:

1. Method call **enableHeartBeat()**  
Parameters: interval, svcInterface  
Check: no exception is returned.
2. Triggered action: cause IUT to call **pulse()** method regularly on the tester's (Service) **IpSvcHeartBeat** interface.  
Parameters: none  
Check: check that the pulse() method is invoked at the requested interval.
3. Method call **changeInterval()**  
Parameters: interval  
Check: no exception is returned.
4. Triggered action: cause IUT to call **pulse()** method regularly on the tester's (Service) **IpSvcHeartBeat** interface.  
Parameters: none  
Check: the pulse() method is invoked at the new requested interval.
5. Method call **disableHeartBeat()**  
Parameters: none  
Check: no exception Verify that no **pulse()** is received anymore by the expiry of the interval timer.



### Test FW\_FS\_IM\_03

Summary: **IpFwHeartBeat**, all methods, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwHeartBeat** is supported.

Preamble: The calling service must have a callback interface and a reference to this interface.

Test Sequence:

1. Triggered action: cause IUT to call **enableSvcHeartBeat ()** method on the tester's (Service) **IpSvHeartBeatMgmt** interface.  
Parameters: interval, fwInterface  
Check: no exception
2. Method call **pulse()**  
Parameters: none  
Check: no exception



### Test FW\_FS\_IM\_04

Summary: **IpFwFaultManager**, activityTestReq, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwFaultManager**, activityTestReq supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Method call **activityTestReq()**  
Parameters: activityTestID, testSubject  
Check: no exception is returned
2. Triggered action: cause IUT to call **activityTestRes ()** method on the tester's (Service) **IpSvFaultManager** interface.  
Parameters: activityTestID, activityTestResult



### Test FW\_FS\_IM\_05

Summary: **IpFwFaultManager**, generateFaultStatisticsRecordReq, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, generateFaultStatisticsRecordReq supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Method call **generateFaultStatisticsRecordReq ()**  
Parameters: faultStatsReqID, timePeriod, recordSubject  
Check: no exception is returned
2. Triggered action: cause IUT to call **generateFaultStatisticsRecordRes ()** method on the tester's (Service) **IpSvcFaultManager** interface.  
Parameters: faultStatsReqID, faultStatistics, recordSubject



### Test FW\_FS\_IM\_06

Summary: **IpFwFaultManager**, generateFaultStatisticsRecordReq, unsuccessful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, and generateFaultStatisticsRecordErr supported  
FW configured to respond with generateFaultStatisticsRecordErr (undefined or unavailable).

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Method call **generateFaultStatisticsRecordReq ()**  
Parameters: faultStatsReqID, timePeriod, recordSubject  
Check: no exception is returned
2. Triggered action: cause IUT to call **generateFaultStatisticsRecordErr ()** method on the tester's (Service) **IpSvcFaultManager** interface.  
Parameters: faultStatsReqID, faultStatisticsError, recordSubject



### Test FW\_FS\_IM\_07

Summary: **IpFwFaultManager**, svcAvailStatusInd, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, svcAvailStatusInd supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

- Method call **svcAvailStatusInd ()**  
 Parameters: reason  
 Check: no exception is returned



### Test FW\_FS\_IM\_08

Summary: **IpFwFaultManager**, svcActivityTestRes, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, svcActivityTestRes supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Triggered action: cause IUT to call **svcActivityTestReq()** method on the tester's (Service) **IpSvcFaultManager** interface.  
Parameters: activityTestID
2. Method call **svcActivityTestRes()**  
Parameters: activityTestID, activityTestResult  
Check: no exception is returned



### Test FW\_FS\_IM\_09

Summary: **IpFwFaultManager**, svcActivityTestRes, P\_INVALID\_ACTIVITY\_TEST\_ID.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, svcActivityTestRes supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Triggered action: cause IUT to call **svcActivityTestReq()** method on the tester's (Service) **IpSvcFaultManager** interface.  
Parameters: activityTestID
2. Method call **svcActivityTestRes()**  
Parameters: invalid activityTestID, activityTestResult  
Check: P\_INVALID\_ACTIVITY\_TEST\_ID is returned.



### Test FW\_FS\_IM\_10

Summary: **IpFwFaultManager**, `svcActivityTestErr`, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwFaultManager**, `svcActivityTestRes` supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Triggered action: cause IUT to call **svcActivityTestReq()** method on the tester's (Service) **IpSvcFaultManager** interface.  
Parameters: `activityTestID`
2. Method call **svcActivityTestErr()**  
Parameters: `activityTestID`  
Check: no exception is returned



### Test FW\_FS\_IM\_11

Summary: **IpFwFaultManager**, svcActivityTestErr, P\_INVALID\_ACTIVITY\_TEST\_ID.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, svcActivityTestRes supported.

Preamble: There must be at least one service registered with the Framework.

Test Sequence:

1. Triggered action: cause IUT to call **svcActivityTestReq()** method on the tester's (Service) **IpSvcFaultManager** interface.  
Parameters: activityTestID
2. Method call **svcActivityTestErr()**  
Parameters: invalid activityTestID  
Check: P\_INVALID\_ACTIVITY\_TEST\_ID is returned.



### Test FW\_FS\_IM\_12

Summary: **IpFwFaultManager**, appUnavailableInd, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwFaultManager, appUnavailableInd supported.

Preamble: There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

Test Sequence:

1. Method call **appUnavailableInd()**  
Parameters: none  
Check: no exception is returned



### Test FW\_FS\_IM\_13

Summary: **IpFwFaultManager**, `createLoadLevelNotification` and `destroyLoadLevelNotification` methods, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwLoadManager**, `createLoadLevelNotification` and `destroyLoadLevelNotification` notifications supported.

Preamble: There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: notificationSubject  
Check: no exception is returned
2. Triggered action: cause IUT to call **loadLevelNotification()** method on the tester's (Application) **IpSvcLoadManager** interface.  
Parameters: loadStatistics
3. Method call **destroyLoadLevelNotification()**  
Parameters: notificationSubject  
Check: no exception is returned



### Test FW\_FS\_IM\_14

Summary: **IpFwLoadManager**, all methods, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpFwLoadManager**, notifications with suspendNotification and resumeNotification supported.

Preamble: There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: notificationSubject  
Check: no exception is returned
2. Method call **suspendNotification()**  
Parameters: notificationSubject  
Check: no exception is returned, no load level notifications received until resumeNotification() is called.
3. Method call **resumeNotification()**  
Parameters: notificationSubject  
Check: no exception is returned
4. Method call **destroyLoadLevelNotification()**  
Parameters: notificationSubject  
Check: no exception is returned



### Test FW\_FS\_IM\_15

Summary: **IpFwLoadManager**, reportLoad, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwLoadManager, reportLoad supported.

Preamble: There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

Test Sequence:

- Method call **reportLoad ()**

Parameters: loadLevel

Check: no exception is returned



### Test FW\_FS\_IM\_16

Summary: **IpFwLoadManager**, queryLoadStatsReq, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwLoadManager, queryLoadStatsReq supported.

Preamble: There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

Test Sequence:


- Method call **queryLoadStatsReq()**

Parameters: loadStatsReqID, querySubject, timeInterval

Check: no exception is returned

- Triggered action: cause IUT to call **queryLoadStatsRes ()** method on the tester's (Service) **IpSvcLoadManager** interface.

Parameters: loadStatsReqID, loadStatistics



### Test FW\_FS\_IM\_17

**Summary:** **IpFwLoadManager**, `querySvcLoadStatsRes`, successful.


**Reference:** ES 202 915-3 [1], clause 9.3.4.

**Precondition:** IpFwLoadManager, `querySvcLoadStatsRes` supported.

**Preamble:** There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

**Test Sequence:**

1. Triggered action: cause IUT to call `querySvcLoadStatsReq ()` method on the tester's (Service) **IpSvcLoadManager** interface.  
 Parameters: loadStatsReqID, timeInterval  
 Check: no exception is returned.
2. Method call `querySvcLoadStatsRes ()`  
 Parameters: loadStatsReqID, loadStatistics



### Test FW\_FS\_IM\_18

Summary: **IpFwLoadManager**, querySvcLoadStatsErr, successful.


Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwLoadManager, querySvcLoadStatsRes supported.

Preamble: There must be at least one service registered with the Framework, and one application which has requested an instance of that service.

Test Sequence:

1. Triggered action: cause IUT to call **querySvcLoadStatsReq ()** method on the tester's (Service) **IpSvcLoadManager** interface.  
 Parameters: loadStatsReqID, timeInterval  
 Check: no exception is returned.
2. Method call **querySvcLoadStatsErr ()**  
 Parameters: loadStatsReqID, loadStatisticsError  
 Check: no exception is returned



### Test FW\_FS\_IM\_19


Summary: **IpFwOAM**, systemDateQuery, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwOAM supported.

Test Sequence:

1. Method call **systemDateQuery()**  
 Parameters: clientDateAndTime  
 Check: valid value of TpDateAndTime is returned



### Test FW\_FS\_IM\_20

Summary: IpFwOAM, systemDateTimeQuery, P\_INVALID\_TIME\_AND\_DATE\_FORMAT.

Reference: ES 202 915-3 [1], clause 9.3.4.


Precondition: IpFwOAM supported.

Test Sequence:

- Method call **systemDateTimeQuery()**

Parameters: invalid clientDateAndTime

Check: P\_INVALID\_TIME\_AND\_DATE\_FORMAT is returned.



### 5.4.4.5 Event Notification (EN)

#### Test FW\_FS\_EN\_01


Summary: **IpFwEventNotification**, createNotification and destroyNotification methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.5.

Precondition: **IpFwEventNotification** supported.

Test Sequence:

1. Method call **createNotification()**  
Parameters: eventCriteria  
Check: valid value of TpAssignmentID is returned
2. Triggered action: cause IUT to call **reportNotification()** method on the tester's (Service) **IpSvcEventNotification** interface.  
Parameters: eventInfo, assignmentID
3. Method call **destroyNotification()**  
Parameters: assignmentID give in 1.  
Check: no exception is returned



### Test FW\_FS\_EN\_02


Summary: **IpFwEventNotification**, **createNotification** and **destroyNotification** methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.5.

Precondition: **IpFwEventNotification** supported.

Test Sequence:

1. Method call **createNotification()**  
Parameters: eventCriteria  
Check: valid value of TpAssignmentID is returned
2. Triggered action: cause IUT to call **reportNotification()** method on the tester's (Service) **IpSvcEventNotification** interface.  
Parameters: eventInfo, assignmentID
3. Triggered action: cause IUT to call **notificationTerminated()** method on the tester's (Service) **IpSvcEventNotification** interface.  
Parameters: none.
4. Method call **destroyNotification()**  
Parameters: assignmentID give in 1.  
Check: no exception is returned



### Test FW\_FS\_EN\_03


Summary: **IpFwEventNotification**, `createNotification`, `P_INVALID_CRITERIA`.

Reference: ES 202 915-3 [1], clause 9.3.5.

Precondition: `IpFwEventNotification` supported.

Test Sequence:

- Method call **`createNotification()`**  
 Parameters: invalid eventCriteria  
 Check: `P_INVALID_CRITERIA` or `P_INVALID_EVENT_TYPE`, is returned.



### Test FW\_FS\_EN\_04


Summary: **IpFwEventNotification**, `destroyNotification`, `P_INVALID_ASSIGNMENT_ID`.

Reference: ES 202 915-3 [1], clause 9.3.5.

Precondition: `IpFwEventNotification` supported.

Test Sequence:

- Method call **`createNotification()`**  
 Parameters: eventCriteria  
 Check: valid value of TpAssignmentID is returned
- Method call **`destroyNotification()`**  
 Parameters: invalid assignmentID  
 Check: `P_INVALID_ASSIGNMENT_ID`, is returned.



## 6 Test Suite Structure (TSS) for Access Client

Framework (FW)

- Framework Access Session (AS)
  - Trust and Security Management (TSM)
- Framework To Application (FTA)
  - Service discovery
  - Service agreement management
  - Integrity management
  - Event notification
- Framework To Service (FTS)
  - Service registration
  - Service instance lifecycle management
  - Service discovery
  - Integrity management
  - Event notification
- Framework To Enterprise operator (FTE)
  - Service subscription

---

## 7 Test Purposes (TP) for Access Client

For each test requirement a TP is defined.

### 7.1 TP naming convention

TPs are numbered, starting at 01, within each group. Groups are organized according to the TSS. Additional references are added to identify the actual test suite (see table 2).

**Table 2: TP identifier naming convention scheme**

Identifier: <suite_id>_<group>_<nnn>
<suite_id> = IUT name: "FW" for FrameWork SCF
<group> = group number: two character field representing the group reference according to TSS
<nn> = sequential number: (01-99)

### 7.2 Source of TP definition

The TPs are based on ES 202 915-3 [1].

## 7.3 Test strategy

As the base standard ES 202 915-3 [1] contains no explicit requirements for testing, the TPs were generated as a result of an analysis of the base standard and the ICS specification ES 202 363 [2].

The TPs are only based on conformance requirements related to the externally observable behaviour of the IUT and are limited to conceivable situations to which a real implementation is likely to be faced (see ETS 300 406 [5]).

## 7.4 TPs for the Framework Access Session API

All ICS items referred to in this clause are as specified in ES 202 363 [2] unless indicated otherwise by another numbered reference.

All parameters specified in method calls are valid unless specified.

The procedures to trigger the SCF to call methods in the framework are dependant on the SUT and are out of the scope of the present document. Those method calls are preceded by the words "Triggered action".

### 7.4.1 Trust and Security Management (TSM)

#### Test FW\_AS\_TSM\_C01

Summary: Initial Access for Trusted Parties, no authentication is needed, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.3.1.1.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

Test Sequence:

1. Triggered action: cause IUT to call **initiateAuthentication()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION
2. Method call **authenticationSucceeded()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned
3. Triggered action: cause IUT to call **requestAccess()** method on the tester's (Framework) **IpAPILevelAuthentication** interface  
Parameters: accessType, clientAccessInterface
4. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName  
(IUT may call **obtainInterfaceWithCallback** instead)

The client may invoke **selectEncryptionMethod()** on the tester's (Framework) **IpAPILevelAuthentication** interface at any time following the invocation of **initiateAuthentication()**.



### Test FW\_AS\_TSM\_C02


**Summary:** API level authentication, FW authenticates the client only, all methods, successful.

**Reference:** ES 202 915-3 [1], clause 6.3.1.1.

**Preamble:** Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

**Test Sequence:**

1. Triggered action: cause IUT to call **initiateAuthentication()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: `clientDomain, authType=P_OSA_AUTHENTICATION`
2. Triggered action: cause IUT to call **selectEncryptionMethod()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: `encryptionCaps`
3. Method call **authenticate()** on **IpClientAPILevelAuthentication** interface.  
Parameters: `challenge`  
Check: valid value of `TpOctetSet` is returned
4. Method call **authenticationSucceeded()** on **IpClientAPILevelAuthentication** interface.  
Parameters: `none`  
Check: no exception is returned
5. Triggered action: cause IUT to call **requestAccess()** method on the tester's (Framework) **IpAPILevelAuthentication** interface  
Parameters: `accessType, clientAccessInterface`
6. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
Parameters: `interfaceName`  
(IUT may call **obtainInterfaceWithCallback** instead)



### Test FW\_AS\_TSM\_C03

**Summary:** API level authentication, FW and client authenticate mutually, all methods, successful.

**Reference:** ES 202 915-3 [1], clause 6.3.1.1.

**Preamble:** Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

**Test Sequence:**


1. Triggered action: cause IUT to call **initiateAuthentication()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION
2. Triggered action: cause IUT to call **selectEncryptionMethod()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps
3. Method call **authenticate()** on **IpClientAPILevelAuthentication** interface.  
Parameters: challenge  
Check: valid value of TpOctetSet is returned
4. Method call **authenticationSucceeded()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned
5. Triggered action: cause IUT to call **authenticate()** on **IpAPILevelAuthentication** interface.  
Framework returns valid value of TpOctetSet
6. Triggered action: cause IUT to call **authenticationSucceeded()** on **IpAPILevelAuthentication** interface

NOTE 1: Methods 5 and 6 may be invoked in this order, but interleaved before, during or after methods 3 or 4.

7. Triggered action: cause IUT to call **requestAccess()** method on the tester's (Framework) **IpAPILevelAuthentication** interface  
Parameters: accessType, clientAccessInterface

NOTE 2: This method may be invoked any time following the IUT's calling of **authenticationSucceeded()** on the **IpClientAPILevelAuthentication** interface.

8. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
 Parameters: interfaceName  
 (IUT may call **obtainInterfaceWithCallback** instead)



#### Test FW\_AS\_TSM\_C04

Summary: Authentication, using Underlying Distribution Technology Mechanism, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.1.1.3.

Precondition: Underlying authentication supported.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Perform underlying authentication between tester and IUT.
2. Triggered action: cause IUT to call **initiateAuthentication** on **IpInitial** interface.  
 Parameters: clientDomain, authType=P\_Authentication
3. Triggered action: cause IUT to call **requestAccess** on **IpAPILevelAuthentication** interface.  
 Parameters: accessType, clientAccessInterface
4. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
 Parameters: interfaceName  
 (IUT may call **obtainInterfaceWithCallback** instead)



### Test FW\_AS\_TSM\_C05


Summary: API level authentication, client authenticates the FW, FW aborts authentication.

Reference: ES 202 915-3 [1], clause 6.3.1.1.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

Test Sequence:

1. Triggered action: cause IUT to call **initiateAuthentication ()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION
2. Triggered action: cause IUT to call **selectEncryptionMethod ()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps
3. Triggered action: cause IUT to call **authenticate ()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: encryptionCaps
4. Method call **abortAuthentication()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned



**Test FW\_AS\_TSM\_C06**


Summary: **IpClientAccess**, terminateAccess, successful.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement, and an access session has been established between the Framework and the Client.

Test Sequence:

1. Method call **terminateAccess** on **IpClientAccess** interface.  
Parameters: terminationText, signingAlgorithm, digitalSignature  
Check: no exception is returned.



### Test FW\_AS\_TSM\_C07


Summary: **IpClientAccess**, terminateAccess, P\_INVALID\_SIGNING\_ALGORITHM.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Preamble: Registration of the IUT (Application) to the tester (framework) by an off-line service agreement, and an access session has been established between the Framework and the Client.

Test Sequence:

1. Method call **terminateAccess** on **IpClientAccess** interface.  
 Parameters: terminationText, invalid signingAlgorithm, digitalSignature  
 Check: P\_INVALID\_SIGNING\_ALGORITHM is returned.



### Test FW\_AS\_TSM\_C08


Summary: **IpClientAccess**, terminateAccess, P\_INVALID\_SIGNATURE.

Reference: ES 202 915-3 [1], clauses 6.1.1.2 and 6.1.1.4.

Preamble: Registration of the IUT (Application) to the tester (framework) by an off-line service agreement, and an access session has been established between the Framework and the Client.

Test Sequence:

1. Method call **terminateAccess** on **IpClientAccess** interface.  
 Parameters: terminationText, signingAlgorithm, invalid digitalSignature  
 Check: P\_INVALID\_SIGNATURE is returned.



### Test FW\_AS\_TSM\_C09

Summary: Initial Access for Trusted Parties, no authentication is needed, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.3.1.1.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

Test Sequence:

1. Triggered action: cause IUT to call **initiateAuthenticationWithVersion()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion
2. Method call **authenticationSucceeded()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned
3. Triggered action: cause IUT to call **requestAccess()** method on the tester's (Framework) **IpAPILevelAuthentication** interface  
Parameters: accessType, clientAccessInterface
4. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName  
(IUT may call **obtainInterfaceWithCallback** instead)

The client may invoke **selectEncryptionMethod()** on the tester's (Framework) **IpAPILevelAuthentication** interface at any time following the invocation of **initiateAuthentication()**.



### Test FW\_AS\_TSM\_C10


Summary: API level authentication, FW authenticates the client only, all methods, successful.

Reference: ES 202 915-3 [1], clause 6.3.1.1.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

Test Sequence:

1. Triggered action: cause IUT to call **initiateAuthenticationWithVersion()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion
2. Triggered action: cause IUT to call **selectAuthenticationMechanism()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList
3. Method call **challenge()** on **IpClientAPILevelAuthentication** interface.  
Parameters: challenge  
Check: valid value of TpOctetSet is returned
4. Method call **authenticationSucceeded()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned
5. Triggered action: cause IUT to call **requestAccess()** method on the tester's (Framework) **IpAPILevelAuthentication** interface  
Parameters: accessType, clientAccessInterface
6. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName  
(IUT may call **obtainInterfaceWithCallback** instead)



### Test FW\_AS\_TSM\_C11

Summary: API level authentication, FW and client authenticate mutually, all methods, successful.

Reference: ES 202 915-3 [1], clause 6.3.1.1.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

Test Sequence:


1. Triggered action: cause IUT to call **initiateAuthenticationWithVersion()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion
2. Triggered action: cause IUT to call **selectAuthenticationMechanism()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList
3. Method call **challenge()** on **IpClientAPILevelAuthentication** interface.  
Parameters: challenge  
Check: valid value of TpOctetSet is returned
4. Method call **authenticationSucceeded()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned
5. Triggered action: cause IUT to call challenge() on IpAPILevelAuthentication interface.  
Framework returns valid value of TpOctetSet
6. Triggered action: cause IUT to call authenticationSucceeded() on IpAPILevelAuthentication interface

NOTE 1: Methods 5 and 6 may be invoked in this order, but interleaved before, during or after methods 3 or 4.

7. Triggered action: cause IUT to call **requestAccess()** method on the tester's (Framework) **IpAPILevelAuthentication** interface  
Parameters: accessType, clientAccessInterface

NOTE 2: This method may be invoked any time following the IUT's calling of authenticationSucceeded() on the **IpClientAPILevelAuthentication** interface.

8. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName  
(IUT may call **obtainInterfaceWithCallback** instead)



### Test FW\_AS\_TSM\_C12

Summary: Authentication, using Underlying Distribution Technology Mechanism, all methods, successful.


Reference: ES 202 915-3 [1], clause 6.1.1.3.

Precondition: Underlying authentication supported.

Preamble: Registration of the tester (Application) to the IUT (framework) by an off-line service agreement.

Test Sequence:

1. Perform underlying authentication between tester and IUT.
2. Triggered action: cause IUT to call **initiateAuthenticationWithVersion** on **IpInitial** interface.  
Parameters: clientDomain, authType=P\_AUTHENTICATION, frameworkVersion
3. Triggered action: cause IUT to call **requestAccess** on **IpAPILevelAuthentication** interface.  
Parameters: accessType, clientAccessInterface
4. Triggered action: cause IUT to call **obtainInterface** on **IpAccess** interface.  
Parameters: interfaceName  
(IUT may call **obtainInterfaceWithCallback** instead)



### Test FW\_AS\_TSM\_C13


Summary: API level authentication, client authenticates the FW, FW aborts authentication.

Reference: ES 202 915-3 [1], clause 6.3.1.1.

Preamble: Registration of the IUT (Application) to the tester (Framework) by an off-line service agreement.

Test Sequence:

1. Triggered action: cause IUT to call **initiateAuthenticationWithVersion()** method on the tester's (Framework) **IpInitial** interface.  
Parameters: clientDomain, authType=P\_OSA\_AUTHENTICATION, frameworkVersion
2. Triggered action: cause IUT to call **selectAuthenticationMechanism()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: authMechanismList
3. Triggered action: cause IUT to call **challenge()** method on the tester's (Framework) **IpAPILevelAuthentication** interface.  
Parameters: challenge
4. Method call **abortAuthentication()** on **IpClientAPILevelAuthentication** interface.  
Parameters: none  
Check: no exception is returned



## 8 Test Suite Structure (TSS) for Application

Framework (FW)

- Framework Access Session (AS)
  - Trust and Security Management (TSM)
- Framework To Application (FTA)
  - Service discovery
  - Service agreement management
  - Integrity management
  - Event notification
- Framework To Service (FTS)
  - Service registration
  - Service instance lifecycle management
  - Service discovery
  - Integrity management
  - Event notification
- Framework To Enterprise operator (FTE)
  - Service subscription

---

## 9 Test Purposes (TP) for Application

For each test requirement a TP is defined.

### 9.1 TP naming convention

TPs are numbered, starting at 01, within each group. Groups are organized according to the TSS. Additional references are added to identify the actual test suite (see table 3).

**Table 3: TP identifier naming convention scheme**

Identifier: <suite_id>_<group>_<nnn>
<suite_id> = IUT name: "FW" for FrameWork SCF
<group> = group number: two character field representing the group reference according to TSS
<nn> = sequential number: (01-99)

### 9.2 Source of TP definition

The TPs are based on ES 202 915-3 [1].

## 9.3 Test strategy

As the base standard ES 202 915-3 [1] contains no explicit requirements for testing, the TPs were generated as a result of an analysis of the base standard and the ICS specification ES 202 363 [2].

The TPs are only based on conformance requirements related to the externally observable behaviour of the IUT and are limited to conceivable situations to which a real implementation is likely to be faced (see ETS 300 406 [5]).

## 9.4 TPs for the Framework to Application API

All ICS items referred to in this clause are as specified in ES 202 363 [2] unless indicated otherwise by another numbered reference.

All parameters specified in method calls are valid unless specified.

The procedures to trigger the application to call methods in the framework are dependant on the SUT and are out of the scope of the present document. Those method calls are preceded by the words "Triggered action".

### 9.4.1 Service Discovery (SD)

#### Test FW\_FA\_SD\_A01

Summary: **IpServiceDiscovery**, discoverService, successful.

Reference: ES 202 915-3 [1], clause 7.3.1.

Test Sequence:


1. Triggered action: cause IUT to call **listServicesTypes ()** method on the tester's (Framework) **IpServiceDiscovery** interface  
Parameters: none

NOTE 1: This method need not be invoked by the application for this test to succeed.

2. Triggered action: cause IUT to call **describeServiceType ()** method on the tester's (Framework) **IpServiceDiscovery** interface  
Parameters: serviceTypeName from the list returned in 1.

NOTE 2: This method need not be invoked by the application for this test to succeed.

3. Triggered action: cause IUT to call **discoverService ()** method on the tester's (Framework) **IpServiceDiscovery** interface  
Parameters: serviceTypeName from the list returned in 1., valid desiredPropertyList, valid max



### Test FW\_FA\_SD\_A02

Summary: **IpServiceDiscovery**, `listSubscribedService`, successful.

Reference: ES 202 915-3 [1], clause 7.3.1.

Precondition: `listSubscribedServices` supported.

Test Sequence:

1. Triggered action: cause IUT to call `listSubscribedServices()` method on the tester's (Framework) **IpServiceDiscovery** interface  
Parameters: none



## 9.4.2 Service Agreement Management (SA)


### Test FW\_FA\_SA\_A01

Summary: **IpAppServiceAgreementManagement**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Triggered action: cause IUT to call **selectService()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceID
2. Triggered action: cause IUT to call **initiateSignServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1.
3. Method call **signServiceAgreement()**  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm  
Check: valid value of TpOctetSet is returned
4. Triggered action: cause IUT to call **signServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm
5. Method call **terminateServiceAgreement()**  
Parameters: serviceToken returned in 1., terminationText, digitalSignature  
Check: no exception is returned




### Test FW\_FA\_SA\_A02

Summary: **IpAppServiceAgreementManagement**, `signServiceAgreement`, `P_INVALID AGREEMENT TEXT`.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Triggered action: cause IUT to call `selectService()` method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: `serviceID`  
Check: valid value of `TpServiceToken` is returned
2. Triggered action: cause IUT to call `initiateSignServiceAgreement ()` method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: `serviceToken` returned in 1.  
Check: no exception is returned.
3. Method call `signServiceAgreement()`  
Parameters: `serviceToken` returned in 1., invalid `agreementText`, `signingAlgorithm`  
Check: `P_INVALID AGREEMENT TEXT` is returned.




### Test FW\_FA\_SA\_A03

Summary: **IpAppServiceAgreementManagement**, signServiceAgreement, P\_INVALID\_SERVICE\_TOKEN.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Triggered action: cause IUT to call **selectService()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceID  
Check: valid value of TpServiceToken is returned
2. Triggered action: cause IUT to call **initiateSignServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1.  
Check: no exception is returned.
3. Method call **signServiceAgreement()**  
Parameters: invalid serviceToken, agreementText, signingAlgorithm  
Check: P\_INVALID\_SERVICE\_TOKEN is returned.




#### Test FW\_FA\_SA\_A04

Summary: **IpAppServiceAgreementManagement**, signServiceAgreement,  
P\_INVALID\_SIGNING\_ALGORITHM.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Triggered action: cause IUT to call **selectService()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceID
2. Triggered action: cause IUT to call **initiateSignServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1.
3. Method call **signServiceAgreement()**  
Parameters: serviceToken, agreementText, invalid signingAlgorithm  
Check: P\_INVALID\_SIGNING\_ALGORITHM is returned.




### Test FW\_FA\_SA\_A05

Summary: **IpAppServiceAgreementManagement**, terminateServiceAgreement, P\_INVALID\_SIGNATURE.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Triggered action: cause IUT to call **selectService()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceID
2. Triggered action: cause IUT to call **initiateSignServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1.
3. Method call **signServiceAgreement()**  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm  
Check: valid value of TpOctetSet is returned
4. Triggered action: cause IUT to call **signServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm
5. Method call **terminateServiceAgreement()**  
Parameters: serviceToken returned in 1., terminationText, invalid digitalSignature  
Check: P\_INVALID\_SIGNATURE is returned.




### Test FW\_FA\_SA\_A06

Summary: **IpAppServiceAgreementManagement**, terminateServiceAgreement, P\_INVALID\_SERVICE\_TOKEN.

Reference: ES 202 915-3 [1], clause 7.3.2.

Test Sequence:

1. Triggered action: cause IUT to call **selectService()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceID
2. Triggered action: cause IUT to call **initiateSignServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1.
3. Method call **signServiceAgreement()**  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm  
Check: valid value of TpOctetSet is returned
4. Triggered action: cause IUT to call **signServiceAgreement ()** method on the tester's (Framework) **IpServiceAgreementManagement** interface.  
Parameters: serviceToken returned in 1., agreementText, signingAlgorithm
5. Method call **terminateServiceAgreement()**  
Parameters: invalid serviceToken, terminationText, digitalSignature  
Check: P\_INVALID\_SERVICE\_TOKEN is returned.



### 9.4.3 Integrity Management (IM)


#### Test FW\_FA\_IM\_A01

Summary: **IpAppHeartBeatMgmt**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **enableAppHeartBeat()**  
Parameters: interval, fwInterface  
Check: no exception is returned.
- Triggered action: cause IUT to regularly call **pulse()** method on the tester's (Framework) **IpHeartBeat** interface.  
Parameters: none  
Check: Check that the **pulse()** method is invoked at the requested interval.
- Method call **disableHeartBeat()**  
Parameters: none  
Check: no exception. Verify that no pulse() is received anymore by the expiry of the interval timer.




### Test FW\_FA\_IM\_A02

Summary: **IpAppHeartBeatMgmt**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **enableAppHeartBeat()**  
Parameters: interval, fwInterface  
Check: no exception is returned.
- Triggered action: cause IUT to call **pulse()** method regularly on the tester's (Application) **IpHeartBeat** interface.  
Parameters: none  
Check: Check that the **pulse()** method is invoked at the requested interval.
- Method call **changeInterval()**  
Parameters: interval  
Check: no exception is returned.
- Triggered action: cause IUT to call **pulse()** method regularly on the tester's (Application) **IpHeartBeat** interface.  
Parameters: none  
Check: the **pulse()** method is invoked at the new requested interval.
- Method call **disableHeartBeat()**  
Parameters: none  
Check: no exception. Verify that no pulse() is received anymore by the expiry of the interval timer.



### Test FW\_FA\_IM\_A03

Summary: **IpAppHeartBeat**, all methods, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpHeartBeat is supported.

Preamble: The calling application must have a callback interface and a reference to this interface.

Test Sequence:

1. Triggered action: cause IUT to call `enableHeartBeat()` method on the tester's (Application) **IpHeartBeatMgmt** interface.  
Parameters: interval, appInterface
2. Method call `pulse()`  
Parameters: none  
Check: no exception



#### Test FW\_FA\_IM\_A04


Summary: **IpAppFaultManager**, activityTestRes, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Preamble: The IUT (application) must have subscribed to at least one service.

Test Sequence:

1. Triggered action: cause IUT to call **activityTestReq()** method on the tester's (Framework) **IpFaultManager** interface.  
Parameters: activityTestID, svcID
2. Method call **activityTestRes ()**  
Parameters: activityTestID, activityTestResult  
Check: no exception is returned




### Test FW\_FA\_IM\_A05

Summary: **IpAppFaultManager**, activityTestErr, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Triggered action: cause IUT to call **activityTestReq()** method on the tester's (Framework) **IpFaultManager** interface.  
Parameters: activityTestID, svcID
2. Method call **activityTestErr()**  
Parameters: activityTestID  
Check: no exception is returned




### Test FW\_FA\_IM\_A06

Summary: **IpAppFaultManager**, generateFaultStatisticsRecordRes, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Triggered action: cause IUT to call **generateFaultStatisticsRecordReq()** method on the tester's (Framework) **IpFaultManager** interface.  
Parameters: faultStatsReqID, timePeriod, serviceIDs
2. Method call **generateFaultStatisticsRecordRes()**  
Parameters: faultStatsReqID, faultStatistics, ServiceIDs  
Check: no exception is returned




#### Test FW\_FA\_IM\_A07

Summary: **IpAppFaultManager**, `generateFaultStatisticsRecordErr`, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Triggered action: cause IUT to call `generateFaultStatisticsRecordReq()` method on the tester's (Framework) `IpFaultManager` interface.  
Parameters: faultStatsReqID, timePeriod, serviceIDs
2. Method call `generateFaultStatisticsRecordErr()`  
Parameters: faultStatsReqID, faultStatisticsError, ServiceIDs  
Check: no exception is returned




### Test FW\_FA\_IM\_A08

Summary: **IpAppFaultManager**, generateFaultStatisticsRecordReq, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **generateFaultStatisticsRecordReq ()**  
Parameters: faultStatsReqID, timePeriod  
Check: no exception is returned
2. Triggered action: cause IUT to call **generateFaultStatisticsRecordRes ()** method on the tester's (Framework) **IpFaultManager** interface.  
Parameters: faultStatsReqID, faultStatistics




### Test FW\_FA\_IM\_A09

Summary: **IpAppFaultManager**, svcAvailStatusInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **svcAvailStatusInd ()**  
Parameters: serviceID, reason  
Check: no exception is returned




#### Test FW\_FA\_IM\_A10

Summary: **IpAppFaultManager**, appActivityTestReq, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **appActivityTestReq()**  
Parameters: activityTestID  
Check: no exception is returned
- Triggered action: cause IUT to call **appActivityTestRes()** method on the tester's (Framework) **IpFaultManager** interface.  
Parameters: activityTestID, activityTestResult




#### Test FW\_FA\_IM\_A11

Summary: **IpAppFaultManager**, appUnavailableInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **appUnavailableInd()**  
Parameters: serviceID  
Check: no exception is returned




### Test FW\_FA\_IM\_A12

Summary: `IpAppFaultManager`, fwUnavailableInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **fwUnavailableInd()**  
 Parameters: reason  
 Check: no exception is returned




**Test FW\_FA\_IM\_A13**

Summary: **IpAppFaultManager**, fwFaultReportInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **fwFaultReportInd()**  
 Parameters: fault  
 Check: no exception is returned, client application no longer use the Framework.


**Test FW\_FA\_IM\_A14**

Summary: **IpAppFaultManager**, fwFaultReportInd and fwFaultRecoveryInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **fwFaultReportInd()**  
 Parameters: fault  
 Check: no exception is returned, client application no longer use the Framework.
2. Method call **fwFaultRecoveryInd()**  
 Parameters: fault  
 Check: no exception is returned, client application resume using the Framework.



#### Test FW\_FA\_IM\_A15


Summary: **IpAppOAM**, systemDateTimeQuery, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: **IpAppFwOAM** supported.

Test Sequence:

- Method call **systemDateTimeQuery()**  
 Parameters: clientDateAndTime  
 Check: valid value of TpDateAndTime is returned




**Test FW\_FA\_IM\_A16**

Summary: **IpAppLoadManager** All methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
Parameters: none  
Check: no exception is returned
2. Triggered action: cause IUT to call **reportLoad()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: loadLevel
3. Method call **suspendNotification()**  
Parameters: none  
Check: no exception is returned, no load level notifications received until resumeNotification() is called.
4. Method call **resumeNotification()**  
Parameters: none  
Check: no exception is returned
5. Triggered action: cause IUT to call **reportLoad()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: loadLevel
6. Method call **destroyLoadLevelNotification()**  
Parameters: none  
Check: no exception is returned




### Test FW\_FA\_IM\_A17

Summary: **IpAppLoadManager**, queryLoadStatsReq, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Triggered action: cause IUT to call **queryLoadStatsReq()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: loadStatsReqID, querySubject, timeInterval
2. Method call **queryLoadStatsRes ()**  
Parameters: loadStatsReqID, loadStatistics  
Check: no exception is returned




### Test FW\_FA\_IM\_A18

Summary: **IpAppLoadManager**, queryStatsLoadReq, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Triggered action: cause IUT to call **queryLoadStatsReq()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: loadStatsReqID, querySubject, timeInterval
2. Method call **queryLoadStatsErr()**  
Parameters: loadStatsReqID, loadStatisticsError  
Check: no exception is returned




#### Test FW\_FA\_IM\_A19

Summary: **IpAppLoadManager**, `queryLoadStatsReq`, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

- Method call **queryAppLoadStatsReq()**  
Parameters: loadStatsReqID, timeInterval  
Check: no exception is returned
- Triggered action: cause IUT to call **queryAppLoadStatsRes()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: loadStatsReqID, loadStatistics




**Test FW\_FA\_IM\_A20**

Summary: **IpAppLoadManager**, LoadLevelNotification, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Triggered action: cause IUT to call **createLoadLevelNotification()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: serviceIDs
2. Method call **LoadLevelNotification ()**  
Parameters: loadStatistics  
Check: no exception is returned
3. Triggered action: cause IUT to call **destroyLoadLevelNotification()** method on the tester's (Service) **IpLoadManager** interface.  
Parameters: serviceIDs



#### 9.4.4 Event Notification (EN)


##### Test FW\_FA\_EN\_A01

Summary: **IpAppEventNotification**, reportNotification method, successful.

Reference: ES 202 915-3 [1], clause 7.3.4.

Test Sequence:

1. Triggered action: cause IUT to call **createNotification ()** method on the tester's (Framework) **IpEventNotification** interface.  
Parameters: eventCriteria
2. Method call **reportNotification()**  
Parameters: eventInfo, assignmentID  
Check: no exception is returned
3. Triggered action: cause IUT to call **destroyNotification ()** method on the tester's (Framework) **IpEventNotification** interface.  
Parameters: assignmentID given in 1.



### Test FW\_FA\_EN\_A02


Summary: **IpEventNotification**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.4.

Precondition: **IpEventNotification** supported.

Test Sequence:

1. Triggered action: cause IUT to call **createNotification ()** method on the tester's (Framework) **IpEventNotification** interface.  
Parameters: eventCriteria
2. Method call **reportNotification()**  
Parameters: eventInfo, assignmentID  
Check: no exception is returned
3. Method call **notificationTerminated()**  
Parameters: none.  
Check: no exception is returned
4. Triggered action: cause IUT to call **destroyNotification ()** method on the tester's (Framework) **IpEventNotification** interface.  
Parameters: assignmentID given in 1.



---

## 10 Test Suite Structure (TSS) for Service

Framework (FW)

- Framework Access Session (AS)
  - Trust and Security Management (TSM)
- Framework To Application (FTA)
  - Service discovery
  - Service agreement management
  - Integrity management
  - Event notification
- Framework To Service (FTS)
  - Service registration
  - Service instance lifecycle management
  - Service discovery
  - Integrity management
  - Event notification
- Framework To Enterprise operator (FTE)
  - Service subscription

---

## 11 Test Purposes (TP) for Service

For each test requirement a TP is defined.

### 11.1 TP naming convention

TPs are numbered, starting at 01, within each group. Groups are organized according to the TSS. Additional references are added to identify the actual test suite (see table 4).

**Table 4: TP identifier naming convention scheme**

Identifier: <suite_id>_<group>_<nnn>
<suite_id> = IUT name: "FW" for FrameWork SCF
<group> = group number: two character field representing the group reference according to TSS
<nn> = sequential number: (01-99)

### 11.2 Source of TP definition

The TPs are based on ES 202 915-3 [1].

## 11.3 Test strategy

As the base standard ES 202 915-3 [1] contains no explicit requirements for testing, the TPs were generated as a result of an analysis of the base standard and the ICS specification ES 202 363 [2].

The TPs are only based on conformance requirements related to the externally observable behaviour of the IUT and are limited to conceivable situations to which a real implementation is likely to be faced (see ETS 300 406 [5]).

## 11.4 TPs for the Framework Access Session API

All ICS items referred to in this clause are as specified in ES 202 363 [2] unless indicated otherwise by another numbered reference.

All parameters specified in method calls are valid unless specified.

The procedures to trigger the SCF to call methods in the framework are dependant on the SUT and are out of the scope of the present document. Those method calls are preceded by the words "Triggered action".

### 11.4.1 Service Registration (SR)


#### Test FW\_FS\_SR\_S01

Summary: **IpFwServiceRegistration**, registerService and unregisterService methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

1. Triggered action: cause IUT to call **registerService ()** method on the tester's (Framework) **IpFwServiceRegistration** interface.  
Parameters: serviceTypeName, servicePropertyList
2. Triggered action: cause IUT to call **unregisterService ()** method on the tester's (Framework) **IpFwServiceRegistration** interface.  
Parameters: serviceID




### Test FW\_FS\_SR\_S02

Summary: **IpFwServiceRegistration**, describeService method, successful.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

1. Triggered action: cause IUT to call **describeService()** method on the tester's (Framework) **IpFwServiceRegistration** interface.  
Parameters: serviceID as returned by the registerService method




### Test FW\_FS\_SR\_S03

Summary: **IpFwServiceRegistration**, announceServiceAvailability and unannounceService methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.1.

Test Sequence:

1. Triggered action: cause IUT to call **announceServiceAvailability()** method on the tester's (Framework) **IpFwServiceRegistration** interface.  
Parameters: serviceID as returned by the registerService method,  
serviceInstanceLifeCycleManagerRef
2. Triggered action: cause IUT to call **unannounceService()** method on the tester's (Framework) **IpFwServiceRegistration** interface.  
Parameters: serviceID as returned by the registerService method



## 11.4.2 Service Instance Lifecycle Management (SILM)

### Test FW\_FS\_SILM\_S01


Summary: **IpServiceInstanceLifecycleManager**, `createServiceManager` and `destroyServiceManager` methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.2.

Preamble: The service has been previously registered and announced (with the `registerService` and `announceServiceAvailability` methods).

Test Sequence:

1. Method call **`createServiceManager()`**  
 Parameters: application, serviceProperties, serviceInstanceID  
 Check: valid value of `IpServiceRef` is returned
2. Method call **`destroyServiceManager()`**  
 Parameters: serviceInstanceID (same value as used in 1.).  
 Check: no exception is returned



### Test FW\_FS\_SILM\_S02


Summary: **IpServiceInstanceLifecycleManager**, `createServiceManager` method, `P_INVALID_PROPERTY`.

Reference: ES 202 915-3 [1], clause 9.3.2.

Preamble: The service has been previously registered and announced (with the `registerService` and `announceServiceAvailability` methods).

Test Sequence:

1. Method call **`createServiceManager()`**  
 Parameters: application, invalid serviceProperties, serviceInstanceID  
 Check: `P_INVALID_PROPERTY` is returned.



### 11.4.3 Service Discovery (SD)

#### Test FW\_FS\_SD\_S01

Summary: **IpFwServiceDiscovery** all methods, successful.

Reference: ES 202 915-3 [1], clause 9.3.3.

Test Sequence:

1. Triggered action: cause IUT to call **listServicesTypes()** method on the tester's (Framework) **IpFwServiceDiscovery** interface.  
Parameters: none
2. Triggered action: cause IUT to call **listRegisteredServices()** method on the tester's (Framework) **IpFwServiceDiscovery** interface.  
Parameters: none


NOTE 1: This method need not be invoked by the application for this test to succeed.

3. Triggered action: cause IUT to call **describeServiceType()** method on the tester's (Framework) **IpFwServiceDiscovery** interface.  
Parameters: serviceTypeName

NOTE 2: This method need not be invoked by the application for this test to succeed.

4. Triggered action: cause IUT to call **discoverService()** method on the tester's (Framework) **IpFwServiceDiscovery** interface.  
Parameters: serviceTypeName, desiredPropertyList, max

NOTE 3: This method need not be invoked by the application for this test to succeed.



#### 11.4.4 Integrity Management (IM)

##### Test FW\_FS\_IM\_S01

Summary: **IpSvcHeartBeatMgmt**, enableSvcHeartBeat and disableHeartBeat methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.


Test Sequence:

1. Method call **enableSvcHeartBeat()**  
Parameters: interval, fwInterface  
Check: no exception is returned.
2. Triggered action: cause IUT to regularly call **pulse()** method on the tester's (Framework) **IpFwHeartBeat** interface.  
Parameters: none  
Check: Check that the **pulse()** method is invoked at the requested interval.

3. Method call **disableHeartBeat()**

Parameters: none

Check: no exception. Verify that no pulse() is received anymore by the expiry of the interval timer.




### Test FW\_FS\_IM\_S02

Summary: **IpSvcHeartBeatMgmt**, all methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **enableSvcHeartBeat()**  
Parameters: interval, fwInterface  
Check: no exception is returned.
- Triggered action: cause IUT to call **pulse()** method regularly on the tester's (Framework) **IpFwHeartBeat** interface.  
Parameters: none  
Check: Check that the **pulse()** method is invoked at the requested interval.
- Method call **changeInterval()**  
Parameters: interval  
Check: no exception is returned.
- Triggered action: cause IUT to call **pulse()** method regularly on the tester's (Framework) **IpFwHeartBeat** interface.  
Parameters: none  
Check: the **pulse()** method is invoked at the new requested interval.
- Method call **disableHeartBeat()**  
Parameters: none  
Check: no exception. Verify that no pulse() is received anymore by the expiry of the interval timer.



### Test FW\_FS\_IM\_S03

Summary: **IpSvcHeartBeat**, pulse, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Precondition: IpHeartBeat is supported.

Preamble: The calling service must have a callback interface and a reference to this interface.

Test Sequence:

1. Triggered action: cause IUT to call `enableHeartBeat()` method on the tester's (Framework) **IpFwHeartBeatMgmt** interface.  
Parameters: interval, svcInterface
2. Method call `pulse()`  
Parameters: none  
Check: no exception



#### Test FW\_FS\_IM\_S04


Summary: `IpSvcFaultManager`, `activityTestRes`, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Preamble: The IUT (Service) must have subscribed to at least one service.

Test Sequence:

1. Triggered action: cause IUT to call `activityTestReq()` method on the tester's (Framework) `IpFwFaultManager` interface.  
Parameters: `activityTestId`, `svcID`
2. Method call `activityTestRes()`  
Parameters: `activityTestId`, `activityTestResult`  
Check: no exception is returned




### Test FW\_FS\_IM\_S05

Summary: **IpSvcFaultManager**, activityTestErr, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Triggered action: cause IUT to call **activityTestReq()** method on the tester's (Framework) **IpFwFaultManager** interface.  
Parameters: activityTestID, svcID
2. Method call **activityTestErr()**  
Parameters: activityTestID  
Check: no exception is returned




### Test FW\_FS\_IM\_S06

Summary: **IpSvcFaultManager**, generateFaultStatisticsRecordRes, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Triggered action: cause IUT to call **generateFaultStatisticsRecordReq()** method on the tester's (Framework) **IpFwFaultManager** interface.  
Parameters: faultStatsReqID, timePeriod, serviceIDs
2. Method call **generateFaultStatisticsRecordRes()**  
Parameters: faultStatsReqID, faultStatistics, ServiceIDs  
Check: no exception is returned




### Test FW\_FS\_IM\_S07

Summary: **IpSvcFaultManager**, `generateFaultStatisticsRecordErr`, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Triggered action: cause IUT to call `generateFaultStatisticsRecordReq()` method on the tester's (Framework) **IpFwFaultManager** interface.  
Parameters: timePeriod, serviceIDs
2. Method call `generateFaultStatisticsRecordErr()`  
Parameters: faultStatsReqID, faultStatisticsError, ServiceIDs  
Check: no exception is returned




### Test FW\_FS\_IM\_S08

Summary: **IpSvcFaultManager**, generateFaultStatisticsRecordReq, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **generateFaultStatisticsRecordReq()**  
Parameters: faultStatsReqID, timePeriod  
Check: no exception is returned
2. Triggered action: cause IUT to call **generateFaultStatisticsRecordRes()** method on the tester's (Framework) **IpFwFaultManager** interface.  
Parameters: faultStatsReqID, faultStatistics




### Test FW\_FS\_IM\_S09

Summary: **IpSvcFaultManager**, svcUnavailableInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **svcUnavailableInd()**  
Parameters: serviceID, reason  
Check: no exception is returned




### Test FW\_FS\_IM\_S10

Summary: **IpSvcFaultManager**, svcActivityTestReq, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **svcActivityTestReq ()**  
Parameters: activityTestID  
Check: no exception is returned
2. Triggered action: cause IUT to call **svcActivityTestRes ()** method on the tester's (Framework) **IpFwFaultManager** interface.  
Parameters: activityTestID, activityTestResult




### Test FW\_FS\_IM\_S11

Summary: **IpSvcFaultManager**, svcUnavailableInd, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **svcUnavailableInd()**  
Parameters: serviceID  
Check: no exception is returned



### Test FW\_FS\_IM\_S12

Summary: **IpSvcFaultManager**, fwUnavailableInd, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **fwUnavailableInd()**

Parameters: reason

Check: no exception is returned



### Test FW\_FS\_IM\_S13

Summary: **IpSvcFaultManager**, fwFaultReportInd, successful.


Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

- Method call **fwFaultReportInd()**

Parameters: fault

Check: no exception is returned, client service no longer use the Framework.




### Test FW\_FS\_IM\_S14

Summary: **IpSvcFaultManager**, fwFaultReportInd and fwFaultRecoveryInd methods, successful.

Reference: ES 202 915-3 [1], clause 7.3.3.

Test Sequence:

1. Method call **fwFaultReportInd()**  
Parameters: fault  
Check: no exception is returned, client service no longer use the Framework.
2. Method call **fwFaultRecoveryInd()**  
Parameters: fault  
Check: no exception is returned, client service resume using the Framework.



### Test FW\_FS\_IM\_S15


Summary: **IpSvcOAM**, systemDateTimeQuery, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Precondition: IpFwOAM supported.

Test Sequence:

1. Method call **systemDateTimeQuery()**  
Parameters: clientDateAndTime  
Check: valid value of TpDateAndTime is returned




### Test FW\_FS\_IM\_S16

Summary:      **IpSvcLoadManager**, all methods, successful.

Reference:     ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Method call **createLoadLevelNotification()**  
 Parameters:    none  
 Check:          no exception is returned
2. Triggered action: cause IUT to call **reportLoad()** method on the tester's (Service) **IpFwLoadManager** interface.  
 Parameters:    loadLevel
3. Method call **suspendNotification()**  
 Parameters:    none  
 Check:          no exception is returned, no load level notifications received until resumeNotification() is called.
4. Method call **resumeNotification()**  
 Parameters:    none  
 Check:          no exception is returned
5. Triggered action: cause IUT to call **reportLoad()** method on the tester's (Service) **IpFwLoadManager** interface.  
 Parameters:    loadLevel
6. Method call **destroyLoadLevelNotification()**  
 Parameters:    none  
 Check:          no exception is returned




### Test FW\_FS\_IM\_S17

Summary: **IpSvcLoadManager**, queryLoad Stats Res, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Triggered action: cause IUT to call `queryLoadStatsReq()` method on the tester's (Service) **IpFwLoadManager** interface.  
Parameters: loadStatsReqID, querySubject, timeInterval
2. Method call `queryLoadStatsRes ()`  
Parameters: loadStatsReqID, loadStatistics  
Check: no exception is returned




### Test FW\_FS\_IM\_S18

Summary: **IpSvcLoadManager**, queryLoadStatsErr, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Triggered action: cause IUT to call **queryLoadStatsReq()** method on the tester's (Service) **IpFwLoadManager** interface.  
Parameters: loadStatsReqID, querySubject, timeInterval
2. Method call **queryLoadStatsErr()**  
Parameters: loadStatsReqID, loadStatisticsError  
Check: no exception is returned




### Test FW\_FS\_IM\_S19

Summary: **IpSvcLoadManager**, querySvcLoadStatsReq, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Method call **querySvcLoadStatsReq()**  
Parameters: loadStatsReqID, timeInterval  
Check: no exception is returned
2. Triggered action: cause IUT to call **querySvcLoadStatsRes()** method on the tester's (Service) **IpFwLoadManager** interface.  
Parameters: loadStatsReqID, loadStatistics




### Test FW\_FS\_IM\_S20

Summary: **IpSvcLoadManager**, LoadLevelNotification, successful.

Reference: ES 202 915-3 [1], clause 9.3.4.

Test Sequence:

1. Triggered action: cause IUT to call **createLoadLevelNotification()** method on the tester's (Service) **IpFwLoadManager** interface.  
Parameters: serviceIDs
2. Method call **LoadLevelNotification()**  
Parameters: loadStatistics  
Check: no exception is returned
3. Triggered action: cause IUT to call **destroyLoadLevelNotification()** method on the tester's (Service) **IpFwLoadManager** interface.  
Parameters: serviceIDs



## 11.4.5 Event Notification (EN)

### Test FW\_FS\_EN\_S01


Summary: **IpSvcEventNotification**, reportNotification method, successful.

Reference: ES 202 915-3 [1], clause 9.3.5.

Precondition: IpSvcEventNotification supported.

Test Sequence:

1. Triggered action: cause IUT to call **createNotification()** method on the tester's (Framework) **IpFwEventNotification** interface.  
Parameters: eventCriteria
2. Method call **reportNotification ()**  
Parameters: eventInfo, assignmentID  
Check: no exception is returned
3. Triggered action: cause IUT to call **destroyNotification()** method on the tester's (Framework) **IpFwEventNotification** interface.  
Parameters: assignmentID.



### Test FW\_FS\_EN\_S02


**Summary:** **IpSvcEventNotification**, **reportNotification** and **notificationTerminated** methods, successful.

**Reference:** ES 202 915-3 [1], clause 9.3.5.

**Precondition:** **IpSvcEventNotification** supported.

**Test Sequence:**

1. Triggered action: cause IUT to call **createNotification()** method on the tester's (Framework) **IpFwEventNotification** interface.  
Parameters: eventCriteria
2. Method call **reportNotification ()**  
Parameters: eventInfo, assignmentID  
Check: no exception is returned
3. Method call **notificationTerminated()**  
Parameters: none  
Check: no exception is returned
4. Triggered action: cause IUT to call **destroyNotification()** method on the tester's (Framework) **IpFwEventNotification** interface.  
Parameters: assignmentID.



---

## History

<b>Document history</b>			
V1.1.1	January 2005	Membership Approval Procedure	MV 20050311: 2005-01-11 to 2005-03-11