

# ETSI TS 121 202 V8.6.0 (2026-02)



## TECHNICAL SPECIFICATION

**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
Technical Specifications and Technical Reports relating to the  
Common IP Multimedia Subsystem (IMS)  
(3GPP TS 21.202 version 8.6.0 Release 8)**



---

**Reference**

RTS/TSGS-0021202v860

---

**Keywords**

GSM,LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	4
1 Scope .....	5
2 References .....	5
3 Definitions, symbols and abbreviations .....	5
3.1 Definitions .....	5
3.2 Symbols.....	5
3.3 Abbreviations .....	5
4 General .....	5
5 Specifications and Reports .....	6
<b>Annex A (informative): Core IMS Specifications transferred from ETSI TISPAN to 3GPP .....</b>	<b>11</b>
<b>Annex B (informative): void .....</b>	<b>13</b>
<b>Annex C (informative): void .....</b>	<b>13</b>
<b>Annex D (informative): void .....</b>	<b>13</b>
<b>Annex E (informative): void .....</b>	<b>13</b>
<b>Annex F (informative): void .....</b>	<b>13</b>
<b>Annex G (informative): void .....</b>	<b>13</b>
<b>Annex H (informative): void .....</b>	<b>13</b>
<b>Annex I (informative): void .....</b>	<b>13</b>
<b>Annex J (informative): void .....</b>	<b>13</b>
<b>Annex K (informative): void .....</b>	<b>13</b>
<b>Annex L (informative): void .....</b>	<b>13</b>
<b>Annex M (informative): IMS related Specifications and Reports in 3GPP2 .....</b>	<b>14</b>
<b>Annex N (informative): Change history .....</b>	<b>16</b>
History .....	17

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The present document identifies the 3GPP Technical Specifications and Technical Reports specifically relating to the IP Multimedia Subsystem (IMS), and which are common to all systems based on IMS.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

[2] 3GPP TR 21.900: "Technical specification group working methods"

---

# 3 Definitions, symbols and abbreviations

## 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [1] apply.

## 3.2 Symbols

(None)

## 3.3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

NGN	Next Generation Network
R1	Release 1
R2	Release 2
TISPAN	Telecommunications and Internet converged Services and Protocols for Advanced Networks

---

# 4 General

The numbering scheme for specifications is described in 3GPP TR 21.900 [2].

---

## 5 Specifications and Reports

NOTE 1: The "for publication?" column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.

NOTE 2: "Type" indicates Technical Specification (TS) or Technical Report (TR).

The table below contains all Common IMS specs pertaining to Release 8, not including those created to replicate existing frozen publications in the ETSI Technical Committee TISPAN Next Generation Network (NGN) Release 2 document set. These latter were created as ready-frozen Release 8 specs. Refer to annex A for their origin and future evolution. The new IMS specifications developed by 3GPP from Rel-8 onwards automatically fall under the Common IMS umbrella and hence are not listed in the table in annex A.

Type	Number	Title	Group	For publication?
TS	21.111	USIM and IC card requirements	C6	Yes
TR	21.905	Vocabulary for 3GPP Specifications	SP	Yes
TS	22.030	Man-Machine Interface (MMI) of the User Equipment (UE)	S1	Yes
TS	22.041	Operator Determined Barring (ODB)	S1	Yes
TS	22.071	Location Services (LCS); Service description; Stage 1	S1	Yes
TS	22.101	Service aspects; Service principles	S1	Yes
TS	22.105	Services and service capabilities	S1	Yes
TS	22.115	Service aspects; Charging and billing	S1	Yes
TS	22.127	Service requirement for the Open Services Access (OSA); Stage 1	S1	Yes
TS	22.140	Multimedia Messaging Service (MMS); Stage 1	S1	Yes
TS	22.141	Presence service; Stage 1	S1	Yes
TS	22.153	Multimedia priority service	S1	Yes
TS	22.173	IP Multimedia Core Network Subsystem (IMS) Multimedia Telephony Service and supplementary services; Stage 1	S1	Yes
TS	22.174	Push Service; Service aspects; Stage 1	S1	Yes
TS	22.182	Customized Alerting Tones (CAT) requirements; Stage 1	S1	Yes
TS	22.228	Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1	S1	Yes
TS	22.250	IP Multimedia Subsystem (IMS) Group Management; Stage 1	S1	Yes
TS	22.279	Combined Circuit Switched (CS) and IP Multimedia Subsystem (IMS) sessions; Stage 1	S1	Yes
TS	22.340	IP Multimedia Subsystem (IMS) messaging; Stage 1	S1	Yes
TS	22.401	TISPAN; Videotelephony over NGN Service Description	S1	Yes
TR	22.979	Feasibility study on combined Circuit Switched (CS) calls and IP Multimedia Subsystem (IMS) sessions	S1	Yes
TS	23.141	Presence service; Architecture and functional description	S2	Yes
TS	23.167	IP Multimedia Subsystem (IMS) emergency sessions	S2	Yes
TS	23.204	Support of Short Message Service (SMS) over generic 3GPP Internet Protocol (IP) access; Stage 2	S2	Yes
TS	23.218	IP Multimedia (IM) session handling; IM call model; Stage 2	C1	Yes
TS	23.228	IP Multimedia Subsystem (IMS); Stage 2	S2	Yes
TS	23.333	Multimedia Resource Function Controller (MRFC) - Multimedia Resource Function Processor (MRFP) Mp interface: Procedures descriptions	C4	Yes
TS	23.506	TISPAN; IP Multimedia Subsystem (IMS); Stage 2 description [3GPP TS 23.228 Release 7, modified]	S2	Yes
TS	23.507	TISPAN; Voice Call Continuity (VCC); Stage 2 [3GPP TS 23.206 Release 7, modified]	S2	Yes
TS	23.508	TISPAN; Presence Service; Architecture and functional description [Endorsement of 3GPP TS 23.141 and OMA-AD-Presence_SIMPLE-V1_0]	S2	Yes
TS	23.509	TISPAN; NGN Architecture to support emergency communication from citizen to authority [Endorsed document 3GPP TS 23.167, Release 7]	S2	Yes
TS	23.511	TISPAN; XML Document Management; Architecture and functional description [OMA-AD-XDM-V1_0-20051006-C modified]	S2	Yes
TS	23.517	TISPAN; IP Multimedia Subsystem (IMS); Functional architecture	S2	Yes
TS	23.521	Telecommunications and Internet converged Services and Protocols for Advanced Networks (TISPAN); Support of Short Message Service (SMS) over NGN IMS subsystem; Stage 2; [Endorsement of 3GPP TS 23.204 Release 7]	S2	Yes
TS	23.611	TISPAN; XML Document Management; Architecture and functional description [OMA-AD-XDM-V1_0-20051006-C modified]	S2	Yes
TS	24.141	Presence service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3	C1	Yes
TS	24.147	Conferencing using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3	C1	Yes
TS	24.173	IMS Multimedia telephony communication service and supplementary services; Stage 3	C1	Yes

Type	Number	Title	Group	For publication?
TS	24.182	IP Multimedia Subsystem (IMS) Customized Alerting Tones (CAT); Protocol specification	C1	Yes
TS	24.229	IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3	C1	Yes
TS	24.238	Session Initiation Protocol (SIP) based user configuration; Stage 3	C1	Yes
TS	24.239	Flexible Alerting (FA) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.247	Messaging service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3	C1	Yes
TS	24.341	Support of SMS over IP networks; Stage 3	C1	Yes
TS	24.406	TISPAN; PSTN/ISDN simulation services; Message Waiting Indication (MWI); Protocol specification	C1	Yes
TS	24.407	TISPAN; PSTN/ISDN simulation services; Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR); Protocol specification	C1	Yes
TS	24.410	TISPAN; NGN Signalling Control Protocol; Communication HOLD (HOLD) PSTN/ISDN simulation services; Protocol specification	C1	Yes
TS	24.411	TISPAN; PSTN/ISDN simulation services: Anonymous Communication Rejection (ACR) and Communication Barring (CB); Protocol specification	C1	Yes
TS	24.423	TISPAN; PSTN/ISDN simulation services; Extensible Markup Language (XML) Configuration Access Protocol (XCAP) over the Ut interface for Manipulating NGN PSTN/ISDN Simulation Services	C1	Yes
TS	24.430	TISPAN; Presence Service Capability; Protocol Specification [3GPP TS 24.141 V7.0.0, modified and OMA-TS-Presence_SIMPLE-V1_0, modified]	C1	Yes
TS	24.441	TISPAN; Messaging service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3: Protocol specifications [Endorsement of 3GPP TS 24.247 Release 6]	C1	Yes
TS	24.447	TISPAN; NGN IMS Supplementary Services; Advice Of Charge (AOC)	C1	Yes
TS	24.451	TISPAN; Support of SMS and MMS over NGN IMS subsystem; Stage 3 [Endorsement of 3GPP TS 24.341 Release 7]	C1	Yes
TS	24.454	TISPAN; PSTN/ISDN simulation services; Protocol specification Closed User Group (CUG)	C1	Yes
TS	24.503	TISPAN; IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3 [3GPP TS 24.229 (Release 7), modified]	C1	Yes
TS	24.504	TISPAN; PSTN/ISDN simulation services: Communication Diversion (CDIV); Protocol specification	C1	Yes
TS	24.505	TISPAN; PSTN/ISDN simulation services: Conference (CONF); Protocol specification	C1	Yes
TS	24.508	PSTN/ISDN simulation services Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR); Protocol specification	C1	Yes
TS	24.516	TISPAN; PSTN/ISDN simulation services; Malicious Communication Identification (MCID); Protocol specification	C1	Yes
TS	24.528	TISPAN; Common Basic Communication procedures; Protocol specification	C1	Yes
TS	24.529	TISPAN; PSTN/ISDN simulation services: Explicit Communication Transfer (ECT); Protocol specification	C1	Yes
TS	24.604	Communication Diversion (CDIV) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.605	Conference (CONF) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.606	Message Waiting Indication (MWI) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.607	Originating Identification Presentation (OIP) and Originating Identification Restriction (OIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.608	Terminating Identification Presentation (TIP) and Terminating Identification Restriction (TIR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes

Type	Number	Title	Group	For publication?
TS	24.610	Communication HOLD (HOLD) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.611	Anonymous Communication Rejection (ACR) and Communication Barring (CB) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.615	Communication Waiting (CW) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol Specification	C1	Yes
TS	24.616	Malicious Communication Identification (MCID) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.628	Common Basic Communication procedures using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.629	Explicit Communication Transfer (ECT) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.642	Completion of Communications to Busy Subscriber (CCBS) and Completion of Communications by No Reply (CCNR) using IP Multimedia (IM) Core Network (CN) subsystem; Protocol specification	C1	Yes
TS	24.647	Advice Of Charge (AOC) using IP Multimedia (IM) Core Network (CN) subsystem	C1	Yes
TS	24.654	Closed User Group (CUG) using IP Multimedia (IM) Core Network (CN) subsystem, Protocol Specification	C1	Yes
TR	24.930	Signalling flows for the session setup in the IP Multimedia core network Subsystem (IMS) based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3	C1	Yes
TS	29.162	Interworking between the IM CN subsystem and IP networks	C3	Yes
TS	29.163	Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks	C3	Yes
TS	29.165	Inter-IMS Network to Network Interface (NNI)	C3	Yes
TS	29.212	Policy and Charging Control (PCC) over Gx/Sd reference point	C3	Yes
TS	29.213	Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping	C3	Yes
TS	29.214	Policy and charging control over Rx reference point	C3	Yes
TS	29.215	Policy and Charging Control (PCC) over S9 reference point; Stage 3	C3	Yes
TS	29.228	IP Multimedia (IM) Subsystem Cx and Dx Interfaces; Signalling flows and message contents	C4	Yes
TS	29.229	Cx and Dx interfaces based on the Diameter protocol; Protocol details	C4	Yes
TS	29.232	Media Gateway Controller (MGC) - Media Gateway (MGW) interface; Stage 3	C4	Yes
TS	29.292	Interworking between the IP Multimedia (IM) Core Network (CN) subsystem (IMS) and MSC Server for IMS Centralized Services (ICS)	C3	Yes
TS	29.311	Service level interworking for Messaging Services	C3	Yes
TS	29.328	IP Multimedia (IM) Subsystem Sh interface; Signalling flows and message contents	C4	Yes
TS	29.329	Sh interface based on the Diameter protocol; Protocol details	C4	Yes
TS	29.333	Multimedia Resource Function Controller (MRFC) - Multimedia Resource Function Processor (MRFP) Mp interface; Stage 3	C4	Yes
TS	29.412	TISPAN; Interworking; Trunking Gateway Control Procedures for interworking between NGN and external CS networks	C3	Yes
TS	29.421	TISPAN; NGN Release 1; Endorsement of 3GPP TS 29.162 Interworking between IM CN Sub-system and IP networks	C3	Yes
TS	29.424	TISPAN; H.248 Profile for controlling Trunking Media Gateways; Protocol specification	C4	Yes
TS	29.433	TISPAN; IP Multimedia; Diameter based protocol for the interfaces between the Call Session Control Function and the User Profile Server Function/Subscription Locator Function; Signalling flows and protocol details [3GPP TS 29.228 and 29.229 modified]	C4	Yes
TS	29.458	TISPAN; SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification	C3	Yes
TS	29.527	TISPAN; Endorsement of the SIP-ISUP Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks [3GPP TS 29.163 (Release 7), modified]	C3	Yes

Type	Number	Title	Group	For publication?
TS	29.658	SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification	C3	Yes
TS	31.101	UICC-terminal interface; Physical and logical characteristics	C6	Yes
TS	31.103	Characteristics of the IP Multimedia Services Identity Module (ISIM) application	C6	Yes
TS	31.115	Remote APDU Structure for (U)SIM Toolkit applications	C6	Yes
TS	31.116	Remote APDU Structure for (U)SIM Toolkit applications	C6	Yes
TS	31.133	IP Multimedia Services Identity Module (ISIM) Application Programming Interface (API); ISIM API for Java Card™	C6	Yes
TS	32.240	Telecommunication management; Charging management; Charging architecture and principles	S5	Yes
TS	32.260	Telecommunication management; Charging management; IP Multimedia Subsystem (IMS) charging	S5	Yes
TS	32.275	Telecommunication management; Charging management; MultiMedia Telephony (MMTel) charging	S5	Yes
TS	32.295	Telecommunication management; Charging management; Charging Data Record (CDR) transfer	S5	Yes
TS	32.297	Telecommunication management; Charging management; Charging Data Record (CDR) file format and transfer	S5	Yes
TS	32.298	Telecommunication management; Charging management; Charging Data Record (CDR) parameter description	S5	Yes
TS	32.299	Telecommunication management; Charging management; Diameter charging applications	S5	Yes
TS	33.141	Presence service; Security	S3	Yes
TS	33.203	3G security; Access security for IP-based services	S3	Yes
TS	33.210	3G security; Network Domain Security (NDS); IP network layer security	S3	Yes
TS	34.229-1	Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 1: Protocol conformance specification	R5	Yes
TS	34.229-2	Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) specification	R5	Yes
TS	34.229-3	Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); User Equipment (UE) conformance specification; Part 3: Abstract test suite (ATS)	R5	Yes

## Annex A (informative): Core IMS Specifications transferred from ETSI TISPAN to 3GPP

The information in the present annex originally appeared on the 3GPP web site at <http://www.3gpp.org/Fixed-network-core-IMS-mapping> and is reproduced here for the sake of comprehensibility of the relationship between NGN Releases 1 and 2 and the corresponding 3GPP TSs.

The table below shows the ETSI publications relating to core functions of the IP Multimedia Subsystem (IMS) used by the Next Generation Network standardized within ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN).

Because of different working methods between TISPAN and 3GPP, NGN Release 1 (R1) and Release 2 (R2) publications are transferred under separate 3GPP TS numbers.

EXAMPLE: 3GPP TS 23.404 (NGN Release 1) in 3GPP Release 7 becomes  
3GPP TS 23.504 (NGN Release 2) in 3GPP Release 8.

Where further development is envisaged within the Rel-8 timeframe, a further number, 2x.6xx, has been allocated.

EXAMPLE: 3GPP TS 24.504 (NGN Release 2) in 3GPP Release 8 becomes  
3GPP TS 24.604 (beyond NGN Release 2) in 3GPP Release 8 (and beyond).  
TS 24.504 will not be continued in 3GPP Release 9 ff.

In general, TISPAN documents were transferred in an already-frozen state, and only essential maintenance is envisaged on the 3GPP 2x.4xx and 2x.5xx TSs.

TISPAN doc	topic	TISPAN	R1 frz	R2 frz	remarks	3GPP		3GPP		3GPP		WG
		WG	v (Note 2)	v (Note 2)		Rel-7 frz	v (Note 9)	Rel-8 frz	v (Note 9)	Rel-8 cont	v (Note 9)	
ETSI TS 181 001	videotelephony	1	1.1.1			22.401	1.1.2	Note 1				S1
ETSI TS 181 002	PSTN/ISDN simulation	1	1.2.8	2.2.4		22.273	2.0.0	Note 8		22.173	Note 8	S1
ETSI TS 181 005	Services, capabilities	1	1.1.1	2.4.1						22.101/22.228	Note 10	S1
ETSI ES 282 007	IMS architecture	2	1.1.1	2.0.0		23.417	1.1.2	23.517	2.0.1	Note 11		S2
ETSI TS 182 006	modified 23.228	2	1.1.1	2.0.3		23.406	1.1.2	23.506	2.0.4	23.228	Note 7	S2
ETSI TS 182 007	VCC	2		0.3.2				23.507	1.0.0	23.206	Note 7	S2
ETSI TS 182 008	presence	2	1.1.1			23.508	1.1.2	Note 1		23.141	Note 7	S2
ETSI TS 182 009	emergency comms	2	1.1.1			23.509	1.1.2	Note 1		23.167	Note 7	S2
ETSI TS 182 011	XML doc mgt	2	1.1.1			23.511	1.1.2	Note 1		23.611	1.1.3	S2
ETSI TS 182 021	SMS over IMS	2		0.0.7				23.521	1.0.0	23.204	Note 7	S2
ETSI TS 183 004	CDIV	3	1.5.0	2.4.0		24.404	1.5.1	24.504	2.4.1	24.604	2.4.2	C1
ETSI TS 183 005	CONF	3	1.1.3	2.5.0		24.405	1.1.4	24.505	2.5.1	24.605	2.5.2	C1
ETSI TS 183 006	MWI	3	1.2.1			24.406	1.2.2	Note 1		24.606	1.2.3	C1
ETSI TS 183 007	OIP / OIR	3	1.3.0			24.407	1.3.1	Note 1		24.607	1.3.2	C1

ETSI TS 183 008	TIP / TIR	3	1.5.0	2.7.0		24.408	1.5.1	24.508	2.7.1	24.608	2.7.2	C1
ETSI TS 183 010	HOLD	3	1.2.2			24.410	1.2.3	Note 1		24.610	1.2.4	C1
ETSI TS 183 011	ACR / CB	3	1.3.0			24.411	1.3.1	Note 1		24.611	1.3.2	C1
ETSI TS 183 015	CW	3		1.0.1						24.615	0.0.0	C1
ETSI TS 183 016	MCID	3	1.2.1	2.5.0		24.416	1.2.2	24.516	2.5.1	24.616	2.5.2	C1
ETSI TS 183 021	endorse 29.162	3	1.1.1		Note 3	29.421	1.1.2	Note 1		29.162	Note 7	C3
ETSI TS 183 023	XCAP	3	1.4.0			24.423	1.4.1	Note 1		24.623	1.4.2	C1
ETSI TS 183 028	basic comm	3	1.6.0	2.4.0		24.428	1.6.1	24.528	2.4.1	24.628	2.4.2	C1
ETSI TS 183 029	ECT	3	1.3.2	2.5.0		24.429	1.3.3	24.529	2.5.1	24.629	2.5.2	C1
ETSI TS 183 033	endorse 29.228/229	3	1.2.0			29.433	1.2.1	Note 1		29.228/229	Note 7	C4
ETSI TS 183 041	endorse 24.247	3	1.1.1			24.441	1.1.2	Note 1		24.247	Note 7	C1
ETSI TS 183 042	CCBS/CCNR	3		0.0.18						24.642	0.0.0	C1
ETSI TS 183 047	AOC	3		2.1.1				24.447	2.1.2	24.647	2.1.3	C1
ETSI TS 183 051	endorse 24.341	3		2.1.0				24.451	2.1.1	24.341	Note 7	C1
ETSI TS 183 054	CUG	3		2.1.0				24.454	2.1.1	24.654	2.1.2	C1
ETSI TS 183 058	SIP tariff transfer	3		2.0.0				29.458	2.0.1	29.658	2.0.2	C3
ETSI ES 283 003	endorse 24.229	3	1.8.0	2.5.1	Note 5	24.403	1.8.1	24.503	2.5.2	24.229	Note 7	C1
ETSI ES 283 012	trunking gateway	3	1.1.1			29.412	1.1.2	Note 1		29.612	1.1.3	C3
ETSI ES 283 024	Trunking MGW	3	1.1.4			29.424	1.1.5	Note 1		29.624	1.1.6	C3
ETSI ES 283 027	endorse 29.163	3	1.4.0	2.4.0		29.427	1.4.1	29.527	2.4.1	29.163	Note 7	C3
ETSI ES 283 030	endorse 24.141	3	1.1.1			24.430	1.1.2	Note 1		24.141	Note 7	C1

Light green: need new spec to continue work within Rel-8 time frame?

Salmon: conversion done, 3GPP spec available

Yellow: conversion proposed (3GPP number not yet allocated)

Note 1:	If no R2, use R1; no separate 3GPP Spec number required. First instance transferred to 3GPP is 2x.4aa where aa is the same as the last two digits of the TISPAN parent publication. Where no R2 exists, R1 document is transferred to Rel-7, and is immediately approved and frozen. Version 7.0.0 is then immediately upgraded to Rel-8 (v8.0.0) unchanged. All transferred specs with one exception: see note 5) are immediately frozen after transfer, at both Rel-7 and Rel-8. (A few do not exist at Rel-7.)
Note 2:	Version in Italics = TISPAN not yet available for txfer (ie being processed towards ETSI publication at a higher version).
Note 3:	May be unnecessary to transfer this spec, since already superseded by 29.162. Nevertheless, CT3 decided to transfer to be on the safe side.
Note 4:	(deleted)
Note 5:	Not yet frozen at R2. therefore too early to create "post R2" 3GPP version; further development to take place within 24.503.
Note 6:	3GPP version numbers take over where TISPAN left off. Thus they do not necessarily abide by the rules of 21.900. The version number in each 3GPP Release is stepped up one "editorial" place from the TISPAN version number used as the basis.
Note 7:	For TISPAN endorsements, continuing development will take place within the original endorsed spec, so no new 2x.6xx spec is needed.
Note 8:	TS 181 002 not frozen at R2, so work continues in 22.173 (Rel-8).
Note 9:	The versions shown are for the first instance of the 3GPP spec concerned. Obviously these will be raised to v7.0.0 / 8.0.0 as soon as they are approved. There is no intention to maintain this page to show the most current version.
Note 10:	Some elements of original TISPAN document to be transferred, others to remain.

---

Annex B (informative):  
void

Annex C (informative):  
void

Annex D (informative):  
void

Annex E (informative):  
void

Annex F (informative):  
void

Annex G (informative):  
void

Annex H (informative):  
void

Annex I (informative):  
void

Annex J (informative):  
void

Annex K (informative):  
void

Annex L (informative):  
void

## Annex M (informative): IMS related Specifications and Reports in 3GPP2

The table below shows the 3GPP2 publications relating to core functions of the IP Multimedia Subsystem (IMS) used by the 3GPP2. Also shown in the table is the mapping between the replaced 3GPP2 MMD specifications and the corresponding 3GPP IMS specifications which replace them and the final revision of the document that was published by 3GPP2.

3GPP2 Document Number and Revision	3GPP2 Document Title	3GPP Rel-8 TS/TR	3GPP WG
X.S0013-000-B v1.0	Overview	TS 23.002 TS 23.228	S2
X.S0013-002-B v1.0	IP Multimedia Subsystem – Stage 2	TS 23.228 TS 23.002	S2 S2
X.S0013-003-B v1.0	IP Multimedia Session Handling; IP Multimedia Call Model – Stage 2	TS 23.218	C1
X.S0013-004-B v1.0	IP Multimedia Call Control Protocol Based on SIP and SDP - Stage 3	TS 24.229	C1
X.S0013-005-B v1.0	IP Multimedia Subsystem Cx Interface Signaling flows and Message Contents	TS 29.228	C4
X.S0013-006-B v1.0	Cx Interface Based on the Diameter Protocol; Protocol Details	TS 29.229	C4
X.S0013-007-A v1.0	IP Multimedia Subsystem - Charging Architecture	TS 32.240 TS 32.260	S5 S5
X.S0013-008-A v1.0	IP Multimedia Subsystem - Offline Accounting Information Flows and Protocol	TS 32.260 TS 32.299	S5 S5
X.S0013-009-0 v1.0	IMS/MMD Call Flow Examples	TR 24.930	C1
X.S0013-010-B v1.0	IP Multimedia Subsystem Sh interface; Signaling flows and message contents – Stage 2	TS 29.328	C4
X.S0013-011-B v1.0	Sh Interface based on Diameter Protocols Protocol Details – Stage 3	TS 29.329	C4
X.S0013-012-0 v1.0	Service Based Bearer Control – Stage 2	TS 23.203	S2
X.S0013-013-0 v1.0	Service Based Bearer Control – Tx Interface Stage 3	TS 29.213 TS 29.214	C3 C3
X.S0013-014-0 v1.0	Service Based Bearer Control – Ty Interface Stage 3	TS 29.212 TS 29.215	C3 C3
X.S0013-016-0 v1.0	Messaging Service Using the IP Multimedia Subsystem	TS 24.247	C1
X.S0027-000-A v1.0	Presence Overview	No 3GPP equivalent	
X.S0027-001-0 v1.0	Presence Service: Architecture and Functional Description	TS 23.141	S2
X.S0027-002-0 v1.0	Presence Security	TS 33.141	S3
X.S0027-003-0 v1.0	Presence Stage 3	TS 24.141	C1
X.S0027-004-0 v1.0	Network Presence	No 3GPP equivalent	
X.S0029-0 v1.0	Conferencing Using the IP Multimedia (IM) Core Network (CN) Subsystem	TS 24.147	C1
X.S0049-0 v1.0	All-IP Network Emergency Call Support	TS 23.167 TS 24.229	S2 C1
X.S0055-0 v1.0	MMD Supplementary Services	TS 24.173 TS 24.182 TS 24.238 TS 24.239	C1 C1 C1 C1

		TS 24.604	C1
		TS 24.605	C1
		TS 24.606	C1
		TS 24.607	C1
		TS 24.608	C1
		TS 24.610	C1
		TS 24.611	C1
		TS 24.615	C1
		TS 24.628	C1
		TS 24.629	C1
S.S0086-B v2.0	IMS Security Framework	TS 33.203	S3
		TS 33.210	S3
S.R0058	IP Multimedia Domain – System Requirements	TS 22.228	S1
S.R0062	Presence for Wireless Systems – Stage 1 Requirements	TS 22.141	S1
S.R0125	VoIP Supplementary Services Feature Description	TS 22.173	S1
X.R0052-0	All-IP System – MMD Roaming Technical Report	No 3GPP equivalent	
X.S0042	Voice Call Continuity between IMS and Circuit Switched Systems	TS 23.206	S2
		TS 24.206	C1
C.S0069	ISIM Application on UICC for cdma2000 Spread Spectrun Systems	TS 31.103	C6

## Annex N (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
2008-05					First draft based on SA1 request to SP-38, refined at SP-39. Spec list based on Specification Manager's whim.		0.0.0
2008-12					Update based on continuing evolution of Release 8 specs	0.0.0	0.1.0
2008-12	SP-42	SP-080724			Incorporation of comments from TSG CT: removal of §5.1 (substituted by two examples in annex A); indication in list of specs of those which do not progress beyond NGN R2 applicability.	0.1.0	0.2.0
2009-01					Update to specs list table resulting from further feedback; Correction to URL of TISPAN spec mapping following revamp of 3GPP web site	0.2.0	0.3.0
2009-03	CP-43	CP-090103			Presentation for information	0.3.0	1.0.0
2009-03	SP-43	SP-090035			Presentation to TSG for approval	1.0.0	1.1.0
2009-03	SP-43				Approved	1.1.0	8.0.0
2009-05	SP-44	SP-090463	2	2	Annex mapping 3GPP2 specs to 3GPP common IMS specs	8.0.0	8.1.0
		SP-090464	3		Revise scope		
2009-06	SP-46	SP-090695	4	1	Correction to list of specifications	8.1.0	8.2.0
2010-03	SP-47	SP-100012	5		Update list of specs	8.2.0	8.3.0
2011-06	SP-52	SP-110298	9		Correction to list of specifications	8.3.0	8.4.0
2012-03	SP-55	SP-120114	12	1	Changes to list of Specs: common IMS	8.4.0	8.5.0

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2025-12	SA#110	SP-251596	0020	1	F	Correction of the IMS specifications list	8.6.0

---

## History

<b>Version</b>	<b>Date</b>	<b>Status</b>
V8.0.0	March 2009	Publication
V8.1.0	June 2009	Publication
V8.2.0	January 2010	Publication
V8.3.0	April 2010	Publication
V8.4.0	July 2011	Publication
V8.5.0	March 2012	Publication
V8.6.0	February 2026	Publication