ETSI TS 126 307 V16.0.0 (2020-08)



Universal Mobile Telecommunications System (UMTS); LTE;

Presentation layer for 3GPP services (3GPP TS 26.307 version 16.0.0 Release 16)



Reference RTS/TSGS-0426307vg00 Keywords LTE,UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020. All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M[™] logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp.

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intell	ectual Property Rights	2
Legal	Notice	2
·	al verbs terminology	
	word	
rolev	v01u	4
1	Scope	5
2	References	5
3	Definitions and abbreviations	6
3.1	Definitions	
3.2	Abbreviations	6
4	Required Mark-up Support	7
4.1	Introduction	
4.2	Markup	
4.3	Style	
4.3.1	Introduction	7
4.3.2	Basic Graphic	7
4.3.3	Device Adaptation, Layout and Processing	7
4.3.4	Advanced Graphic	7
4.4	Scripting	8
5	API Support	8
6	Service-Specific Aspects	8
6.1	Introduction	
6.2	DASH	8
Anne	ex A (informative): Change history	9
Histo		10

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

[19]

The present document specifies an HTML5 profile as a common presentation layer for 3GPP services.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1]	W3C Recommendation 28 October 2014, HTML5: "A vocabulary and associated APIs for HTML and XHTML", http://www.w3.org/TR/html5/ .
[2]	3GPP TS 26.234: "Transparent end-to-end Packet-switched Streaming Service (PSS); Protocols and codecs".
[3]	3GPP TS 26.346: "Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs".
[4]	3GPP TS 26.247: "Transparent end-to-end Packet-switched Streaming Service (PSS); Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)".
[5]	3GPP TS 26.140: "Multimedia Messaging Service (MMS); Media formats and codecs".
[6]	3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
[7]	W3C Recommendation 03 February 2015: "Server-Sent Events", http://www.w3.org/TR/eventsource/ .
[8]	W3C Candidate Recommendation 20 September 2012: "The WebSocket API", http://www.w3.org/TR/websockets/ .
[9]	W3C Recommendation 07 June 2011: "Cascading Style Sheets Level 2 Revision 1 (CSS 2.1)".
[10]	W3C Working Draft, 26 November 2013: "CSS Transforms Module Level 1".
[11]	W3C Working Draft, 19 November 2013: "CSS Transitions".
[12]	W3C Recommendation, 07 June 2011: "CSS Color Module Level 3".
[13]	Standard ECMA-262, 5.1 Edition / June 2011: "ECMAScript Language Specification".
[14]	W3C Candidate Recommendation, 7 July 2015: "CSS Basic User Interface Module Level 3 (CSS3 UI)".
[15]	W3C Candidate Recommendation, 17 April 2012: "CSS Image Values and Replaced Content Module Level 3".
[16]	W3C Candidate Recommendation, 9 September 2014: "CSS Backgrounds and Borders Module Level 3".
[17]	W3C Recommendation, 19 June 2012: "Media Queries".
[18]	W3C Working draft, 19 February 2013: "CSS Animations".

W3C Last Call Working draft, 14 May 2015: "CSS Flexible Box Layout Module".

[20]	W3C Editor's Draft 20 March 2015: "ISO BMFF Byte Stream Format".
[21]	W3c Recommendation 24 October 2013: "Geolocation API Specification".
[22]	W3C Candidate Recommendation 21 August 2014: "HTML Canvas 2D Context", http://www.w3.org/TR/2dcontext/ .
[23]	W3C Working Draft 30 January 2014: "XMLHttpRequest Level 1", http://www.w3.org/TR/XMLHttpRequest/ .
[24]	W3C Candidate Recommendation 31 March 2015: "Media Source Extensions", http://www.w3.org/TR/media-source/ .
[25]	$ISO\ BMFF\ Byte\ Stream\ Format, \underline{http://www.w3.org/2013/12/byte-stream-format-registry/isobmff-\underline{byte-stream-format.html}$
[26]	W3C Working Draft 27 October 2015: "Encrypted Media Extensions", http://www.w3.org/TR/encrypted-media/
[27]	W3C Candidate Recommendation, 11 December 2014: "Web Cryptography API", http://www.w3.org/TR/WebCryptoAPI/ .
[28]	IETF RFC 6455: "The WebSocket Protocol", December 2011.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [6] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [6].

Application: an interactive service authored using the set of languages defined by the present document.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [6] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [6].

API Application Programming Interface

CSS Cascading Style Sheet

DASH Dynamic and Adaptive Streaming over HTTP

EME Encrypted Media Extensions
HTML5 Hyper-Text Mark-up Language 5
ISO BMFF ISO Base Media File Format

MBMS Multimedia Broadcast/Multicast Service

MMS Multimedia Messaging Service
MPD Media Presentation Description
MSE Media Source Extensions

PSS Packet-switched Streaming Service

SSE Server-Sent Events

XML EXtensible Markup Language

4 Required Mark-up Support

4.1 Introduction

The present document defines a 3GPP HTML5 profile for use in 3GPP services, such as PSS [2], MBMS [3] and MMS [5]. In this clause, the set of required mark-up and APIs for the 3GPP HTML5 profile is defined.

The present document defines requirements and recommendations for Applications and UEs conforming to the 3GPP HTML5 Profile.

4.2 Markup

The HTML5 [1] specification defines conformance requirements for user-agents and documents:

- Applications shall comply with conformance requirements for documents in [1].
- UEs shall comply with conformance requirements for user agents as defined in [1].

4.3 Style

4.3.1 Introduction

Support for CSS as a whole is not required by HTML5, even though some features are defined in terms of specific CSS requirements. This clause defines requirements for CSS and other style and/or graphic related technologies.

4.3.2 Basic Graphic

- UEs shall support CSS 2.1 [9].
- UEs shall support CSS Color Module Level 3 [12].
- UEs shall support CSS Image Values and Replaced Content Module Level 3 [15].
- UEs shall support CSS Backgrounds and Borders [16].
- UEs should support CSS Basic User Interface [14].

4.3.3 Device Adaptation, Layout and Processing

- UEs should support CSS Media Queries [17].
- UEs should support CSS Flexible Box Layout [19].

4.3.4 Advanced Graphic

- UEs shall support the CSS Transforms [10].
- UEs shall support CSS Transitions [11].
- UEs shall support CSS Animations [18].

4.4 Scripting

Scripts are small programs that can be embedded into applications. While defining features that rely on scripting, HTML5 does not mandate support for scripting for all user-agents. Furthermore, scripting is defined using a syntax that in most cases is independent from the underlying scripting language. For such reasons, the present document has additional requirements as defined in this clause.

- UEs shall support scripting as defined in [1].
- UEs shall support ECMA scripting language [13].

5 API Support

A number of specifications from W3C or other organizations define APIs that provide additional functionalities to applications. This clause lists the specifications that SHALL and SHOULD be supported by a UE.

- UEs shall support the Forms API [1].
- UEs shall support the Canvas API [22].
- UEs shall support the XMLHttpRequest API [23].
- UEs shall support the Media Source Extensions [24].
- UEs shall support the ISO BMFF Byte Stream Format [25] with the MIME type and subtypes audio/mp4 and video/mp4.
- UEs should support the GeoLocation API [21].
- UEs should support the Encrypted Media Extensions [26].
- UEs should support the Web Socket API [8] with the protocol defined in RFC 6455 [28].
- UEs should support the Server-Sent Events API [7].
- UEs should support the WebCrypto API [27].

6 Service-Specific Aspects

6.1 Introduction

Additional requirements and usage restrictions are necessary depending on the service type that uses the 3GPP HTML5 profile. In this clause, these aspects are addressed.

6.2 DASH

When an HTML5 presentation uses DASH [4] for media streaming, then the HTML5 presentation may reference one or more DASH presentations through a reference to the MPD either as a source of an HTML5 media element or as a reference from one of the referenced resources.

The user agent should support DASH MPD as a supported MIME type for its source elements and attributes, in which case the DASH playback is done by the user agent.

Annex A (informative): Change history

	Change history						
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
09-2015	SA#69	SP-150446			Presented to TSG SA #69 (for information)		1.0.0
12-2015	SA#70	SP-150654			Presented to TSG SA #70 (for approval)	1.0.0	2.0.0
12-2015	SA#70				Approved at TSG SA #70	2.0.0	13.0.0

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2017-03	75					Version for Release 14	14.0.0
2018-06	80					Version for Release 15	15.0.0
2020-07	-	-	-	-	-	Update to Rel-16 version (MCC)	16.0.0

History

Document history					
V16.0.0	August 2020	Publication			