

ETSI TS 132 763 V9.4.0 (2010-10)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Evolved Universal Terrestrial Radio Access Network (E-UTRAN)
Network Resource Model (NRM) Integration Reference Point (IRP):
Common Object Request Broker Architecture (CORBA)
Solution Set (SS)
(3GPP TS 32.763 version 9.4.0 Release 9)**



Reference

RTS/TSGS-0532763v940

Keywords

GSM, LTE, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered
for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions, symbols and abbreviations	5
3.1 Abbreviations	5
4 Architectural Features	6
4.1 General	6
5 Mapping	6
5.1 General	6
5.2 Information Object Class (IOC) mapping	6
5.2.1 IOC ENBFunction	6
5.2.2 IOC EUTRANGenericCell.....	7
5.2.3 IOC ExternalEUTRANGenericCell	8
5.2.4. IOC EUTRANCellFDD	8
5.2.5. IOC ExternalEUTRANCellFDD	8
5.2.6. IOC EUTRANRelation	9
5.2.7. IOC Link_ENB_ENB	10
5.2.8. IOC Cdma2000Relation	10
5.2.9. Void	10
5.2.10. IOC SectorEquipmentFunction.....	11
5.2.11. IOC ExternalENBFunction.....	11
5.2.12. IOC EUTRANCellTDD	11
5.2.13. IOC ExternalEUTRANCellTDD.....	11
6 Rules for management information model extensions	12
Annex A (normative): CORBA IDL, NRM definitions	13
Annex B (informative): Change history	17
History	18

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

TS 32.761	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements
TS 32.762	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)
TS 32.763	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)
TS 32.765	Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition

1 Scope

The present document is part of an Integration Reference Point (IRP) named E-UTRAN Network Resource Model (NRM) IRP, through which an **IRPAGent** can communicate configuration management information to one or several **IRPManagers** concerning E-UTRAN resources. The E-UTRAN NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the E-UTRAN Network Resources IRP: CORBA Solution Set, which defines the mapping of the IRP information model (see TS 32.762 [2]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

This Solution Set is related to 3GPP TS 32.762 v9.4.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 21.905: 'Vocabulary for 3GPP Specifications'.
- [2] 3GPP TS 32.762: " Telecommunications management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- [3] 3GPP TS 32.643: 'Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)'.
- [4] 3GPP TS 32.153: 'Telecommunication management; Integration Reference Point (IRP) technology specific templates, rules and guidelines'.

3 Definitions, symbols and abbreviations

3.1 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

CORBA	Common Object Request Broker Architecture
DN	Distinguished Name
IS	Information Service
IDL	Interface Definition Language (OMG)
IOC	Information Object Class
IRP	Integration Reference Point

MO	Managed Object
MOC	Managed Object Class
NRM	Network Resource Model
OMG	Object Management Group
SS	Solution Set

4 Architectural Features

4.1 General

The overall architectural feature of 32.763 is specified in 3GPP TS 32.762 [2]. This clause specifies features that are specific to the CORBA SS.

5 Mapping

5.1 General

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes. The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC. When the cardinality for an association is 0..1 or 1..1 the datatype for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO. When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

5.2 Information Object Class (IOC) mapping

5.2.1 IOC ENBFunction

Attribute of IOC ENBFunction in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
id	id	string	M	M	-
x2BlackList	x2BlackList	GenericNetworkResourcesIRPSys::AttributeTypes::MOReferenceSet	CM	M	M
x2WhiteList	x2WhiteList	GenericNetworkResourcesIRPSys::AttributeTypes::MOReferenceSet	CM	M	M
x2HOBlackList	x2HOBlackList	GenericNetworkResourcesIRPSys::AttributeTypes::MOReferenceSet	CM	M	M
x2IpAddressList	x2IpAddressList	genericEUTRANRMA::AttributeTypes::ipAddressListType	O	M	-

Note: For all conditional qualifiers, see attribute constraints in 32.762 [2]

5.2.2 IOC EUtranGenericCell

Attribute of IOC EUtranGenericCell in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
id	id	string	M	M	-
cellIdentity	cellIdentity	long	M	M	M
cellSize	cellSize	genericEUTRANNRMAtributeTypes::cellSizeEnumType	M	M	M
plmnIdList	plmnIdList Note: the first plmnId in the SS attribute plmnIdList is the primary PLMN id	genericEUTRANNRMAtributeTypes::plmnIdListType	M	M	M
tac	tac	long	M	M	M
pci	pci	short	M	M	CM
pciList	pciList	genericEUTRANNRMAtributeTypes::pciListType	CM	M	M
maximumTransmissionPower	maximumTransmissionPower	short	M	M	CM
referenceSignalPower	referenceSignalPower	short	M	M	M
pb	pb	short	M	M	M
partOfSectorPower	partOfSectorPower	short	CM	M	M
relatedTmaList	relatedTmaList	GenericNetworkResourcesIRPSysystem::AttributeTypes::MOREferenceSet	CO	M	-
relatedAntennaList	relatedAntennaList	GenericNetworkResourcesIRPSysystem::AttributeTypes::MOREferenceSet	CO	M	-
relatedSector	relatedSector	GenericNetworkResourcesIRPSysystem::AttributeTypes::MOREference	CM	M	-
operationalState	operationalState	StateManagementIRPOptConstDefs::OperationalStateTypeOpt	O	M	-
administrativeState	administrativeState	StateManagementIRPOptConstDefs::AdministrativeStateTypeOpt	O	M	M
availabilityStatus	availabilityStatus	StateManagementIRPOptConstDefs::AvailabilityStatusTypeOpt	O	M	-

Note: For all conditional qualifiers, see attribute constraints in 32.762 [2]

5.2.3 IOC ExternalEUtranGenericCell

Attribute of IOC ExternalEUtranGenericCell in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
id	id	string	M	M	-
pci	pci	short	M	M	M
plmnIdList	plmnIdList Note: the first plmnId in the SS attribute plmnIdList is the primary PLMN id	genericEUTRANNRMAtributeTypes::plmnIdListType	M	M	M
cellIdentity	cellIdentity	long	M	M	M

5.2.4 IOC EUtranCellFDD

Attribute of IOC EUtranCellFDD in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
earfcnDl	earfcnDl	short	M	M	M
earfcnUl	earfcnUl	short	M	M	M

5.2.5 IOC ExternalEUtranCellFDD

Attribute of IOC ExternalEUtranCellFDD in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
earfcnDl	earfcnDl	short	M	M	M
earfcnUl	earfcnUl	short	M	M	M

5.2.6 IOC EUtranRelation

Attribute of IOC EUtranRelation in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
id	id	string	M	M	-
tCI	tCI	long	O	M	M
isRemoveAllowed	isRemoveAllowed	boolean	CM	M	M
isHOAllowed	isHOAllowed	boolean	CM	M	M
adjacentCell	adjacentCell	GenericNetworkResourcesIRPSys::AttributeTypes::MORReference	M	M	M
isICICInformationSendAllowed	isICICInformationSendAllowed	boolean	CM	M	M
isLBAllowed	isLBAllowed	boolean	CM	M	M
NOTE: For all conditional qualifiers, see attribute constraints in 32.762 [2]					

5.2.7 IOC Link_ENB_ENB

Attribute of IOC Link_ENB_ENB in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier

5.2.8 IOC Cdma2000Relation

Attribute of IOC Cdma2000Relation in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
id	id	string	M	M	-
adjacentSector	adjacentSector	GenericNetworkResourcesIRPSystem::AttributeTypes::MOResource	M	M	-

5.2.9 Void

5.2.10 IOC SectorEquipmentFunction

Attribute of IOC SectorEquipmentFunction in 3GPP TS 32.762 [2]		SS Attribute		SS Type		Support Qualifier	Read Qualifier	Write Qualifier
id	id		string			M	M	-
fqBand	fqBand		short			M	M	-
confOutputPower	confOutputPower		short			M	M	M
relatedTmaList	relatedTmaList		GenericNetworkResourcesIRPSystem::AttributeTypes::MOResourceSet			M	M	-
relatedAntennaList	relatedAntennaList		GenericNetworkResourcesIRPSystem::AttributeTypes::MOResourceSet			M	M	-
relatedEUtranCellList	relatedEUtranCellList		GenericNetworkResourcesIRPSystem::AttributeTypes::MOResourceSet			CM	M	-

5.2.11 IOC ExternalENBFunction

Attribute of IOC ExternalENBFunction in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
id	id	string	M	M	-

5.2.12 IOC EUtranCellTDD

Attribute of IOC EUtranCellTDD in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
earfcn	earfcn	short	M	M	M
sfAssignment	sfAssignment	short	M	M	M
specialSfPatterns	specialSfPatterns	short	M	M	M

5.2.13 IOC ExternalEUtranCellTDD

Attribute of IOC ExternalEUtranCellTDD in 3GPP TS 32.762 [2]	SS Attribute	SS Type	Support Qualifier	Read Qualifier	Write Qualifier
earfcn	earfcn	short	M	M	M

6 Rules for management information model extensions

For rules on how the models and IDL definitions provided in the present document can be extended for a particular implementation while still remaining compliant with 3GPP SA5's specifications, see annex B of TS 32.153 [4].

Annex A (normative): CORBA IDL, NRM definitions

```

//File:EUtranNetworkResourcesNRMDefs.idl
#ifndef _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
#define _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#include "EPCResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
/**
 * This module defines constants for each MO class name and
 * the attribute names for each defined MO class.
 */
module EUtranNetworkResourcesNRMDefs
{

/*
 * Definitions for MO class ENBFunction
 */
interface ENBFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ENBFunction";
    // Attribute Names
    //
    const string id= "id";
    const string x2BlackList= "x2BlackList";
    const string x2WhiteList= "x2WhiteList";
    const string x2HOBlackList= "x2HOBlackList";
    const string x2IpAddressList= "x2IpAddressList";
};

/*
 * Definitions for MO class EUtranGenericCell
 */
interface EUtranGenericCell: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "EUtranGenericCell";
    // Attribute Names
    //
    const string id = "id";
    const string cellIdentity = "cellIdentity";
    const string cellSize = "cellSize";
    const string plmnIdList = "plmnIdList";
    const string tac = "tac";
    const string pci = "pci";
    const string pciList = "pciList";
    const string operationalState = "operationalState";
    const string administrativeState = "administrativeState";
    const string availabilityStatus = "availabilityStatus";
    const string maximumTransmissionPower = "maximumTransmissionPower";
    const string referenceSignalPower = "referenceSignalPower";
    const string pb = "pb";
    const string partOfSectorPower = "partOfSectorPower";
    const string relatedTmaList = "relatedTmaList";
    const string relatedAntennaList = "relatedAntennaList";
    const string relatedSector = "relatedSector";
};

/*
 * Definitions for MO class ExternalEUtranGenericCell
 */
interface ExternalEUtranGenericCell: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ExternalEUtranGenericCell";
    // Attribute Names
    //
    const string id= "id";
    const string pci= "pci";
    const string plmnIdList = "plmnIdList";
}

```

```

        const string cellIdentity = "cellIdentity";
    };

/*
 * Definitions for MO class EUtranCellFDD
 */
interface EUtranCellFDD: EUtranGenericCell
{
    const string CLASS = "EUtranCellFDD";
    // Attribute Names
    //
    const string earfcnDl = "earfcnDl";
    const string earfcnUl = "earfcnUl";
};

/*
 * Definitions for MO class ExternalEUtranCellFDD
 */
interface ExternalEUtranCellFDD: ExternalEUtranGenericCell
{
    const string CLASS = "ExternalEUtranCellFDD";
    // Attribute Names
    //
    const string earfcnDl = "earfcnDl";
    const string earfcnUl = "earfcnUl";
};

/*
 * Definitions for MO class EUtranCellTDD
 */
interface EUtranCellTDD: EUtranGenericCell
{
    const string CLASS = "EUtranCellTDD";
    // Attribute Names
    //
    const string earfcn = "earfcn";
    const string sfAssignment = "sfAssignment";
    const string specialSfPatterns = "specialSfPatterns";
};

/*
 * Definitions for MO class ExternalEUtranCellTDD
 */
interface ExternalEUtranCellTDD: ExternalEUtranGenericCell
{
    const string CLASS = "ExternalEUtranCellTDD";
    // Attribute Names
    //
    const string earfcn = "earfcn";
};

/*
 * Definitions for MO class EUtranRelation
 */
interface EUtranRelation: GenericNetworkResourcesNRMDefs::Top
{
    const string CLASS = "EUtranRelation";
    // Attribute Names
    //
    const string id= "id";
    const string tCI = "tCI";
    const string isRemoveAllowed = "isRemoveAllowed";
    const string isHOAllowed = "isHOAllowed";
    const string adjacentCell = "adjacentCell";
    const string isICICInformationSendAllowed = "isICICInformationSendAllowed";
    const string isLBAfforded = "isLBAllowed";
};

/*
 * Definitions for MO class Link_ENB_ENB
 */
interface Link_ENB_ENB: GenericNetworkResourcesNRMDefs::Link

```

```

{
    const string CLASS = "Link_ENB_ENB";
    // Attribute Names
    //

};

/*
 * Definitions for MO class Cdma2000Relation
 */
interface Cdma2000Relation:GenericNetworkResourcesNRMDefs::Top
{
    const string CLASS = "Cdma2000Relation";
    // Attribute Names
    //
    const string id= "id";
    const string adjacentSector = "adjacentSector";

};

/*
 * Definitions for MO class ExternalENBFunction
 */
interface ExternalENBFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ExternalENBFunction";
    // Attribute Names
    //
    const string id = "id";

};

/*
 * Definitions for MO class SectorEquipmentFunction
 */
interface SectorEquipmentFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "SectorEquipmentFunction";
    // Attribute Names
    //
    const string id= "id";
    const string fqBand= "fqBand";
    const string confOutputPower= "confOutputPower";
    const string relatedTmaList = "relatedTmaList";
    const string relatedAntennaList = "relatedAntennaList";
    const string relatedEUtranCellList = "relatedEUtranCellList";    };

};

module genericEUTRANNRMAttributeTypes
{
    enum cellSizeEnumType
    {
        verysmall,
        small,
        medium,
        large
    };

    struct PlmnIdType
    {
        short mcc;
        short mnc;
    };
    const short PLMNID_LIST_LENGTH = 6;
    typedef sequence<PlmnIdType > plmnIdListType;

    const short NO_OF_PCIS = 504;
}

```

```
typedef sequence<short,NO_OF_PCIS> pciListType;
typedef sequence<string> ipAddressListType;
};

#endif // _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
```

Annex B (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
Mar 2009	SP-43	SP-090075	--	--	Presentation to SA for information and approval	1.0.0	8.0.0
Jun 2009	SP-44	SP-090408	001	--	Add the missing cellSize attribute in EUTRANGenericCell - align with 36.423	8.0.0	8.1.0
Jun 2009	SP-44	SP-090408	003	--	Add the missing downlink power related attributes for EUTRAN Cell - align with 36.213 and 36.331	8.0.0	8.1.0
Jun 2009	SP-44	SP-090408	004	--	Add ICIC management attribute in EUtranRelation	8.1.0	9.0.0
Jun 2009	SP-44	SP-090290	002	--	Add the missing downlink power related attributes for EUTRAN Cell - align with 36.213 and 36.331	8.1.0	9.0.0
Sep 2009	SP-45	SP-090542	006	-	Align with the IS in 32.762 - Add and remove attributes for IOC Relations	9.0.0	9.1.0
Sep 2009	SP-45	SP-090542	009	-	Add missing attribute "id" and remove old "<Classname>Id" attributes.	9.0.0	9.1.0
Sep 2009	SP-45	SP-090542	010	-	Align with the IS in 32.762 - Add ExternalENBFunction	9.0.0	9.1.0
Sep 2009	SP-45	SP-090542	011	-	Add plmnIdList to ExternalEutranGenericCell	9.0.0	9.1.0
Dec 2009	SP-46	SP-090719	013	-	Remove the mapping of IOC EP_RP_EPS – Align with 32.762	9.1.0	9.2.0
Dec 2009	SP-46	SP-090719	014	-	Add attributes to EUtranCellTDD and ExternalEUtranCellTDD	9.1.0	9.2.0
Dec 2009	SP-46	SP-090719	015	-	Indicate primary PLMN id in plmnIdList attribute	9.1.0	9.2.0
Dec 2009	SP-46	SP-090721	016	-	Add load balancing control	9.1.0	9.2.0
Dec 2009	--	--	--	--	Editorial correction (removal of change bars)	9.2.0	9.2.1
Mar 2010	SP-47	SP-100037	024	-	Align inheritance with IS	9.2.1	9.3.0
Mar 2010	SP-47	SP-100035	019	-	Make the tCI attribute of EUtranRelation IOC optional.	9.2.1	9.3.0
Sep 2010	SP-49	SP-100487	026	--	Align with IS - Remove cellType	9.3.0	9.4.0
Sep 2010	SP-49	SP-100488	027	--	Align with IS - Add attributes for association roles for Radio Equipment view	9.3.0	9.4.0

History

Document history		
V9.2.1	January 2010	Publication
V9.3.0	April 2010	Publication
V9.4.0	October 2010	Publication