

ETSI TS 132 763 V9.5.0 (2014-01)



**Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
LTE;
Telecommunication management;
Evolved Universal Terrestrial Radio
Access Network (E-UTRAN) Network Resource Model (NRM)
Integration Reference Point (IRP): Common Object Request
Broker Architecture (CORBA) Solution Set (SS)
(3GPP TS 32.763 version 9.5.0 Release 9)**



Reference

RTS/TSGS-0532763v950

Keywords

GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Contents

| | |
|--|-----------|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Foreword..... | 4 |
| Introduction | 4 |
| 1 Scope | 5 |
| 2 References | 5 |
| 3 Definitions, symbols and abbreviations | 5 |
| 3.1 Abbreviations | 5 |
| 4 Architectural Features | 6 |
| 4.1 General | 6 |
| 5 Mapping | 6 |
| 5.1 General | 6 |
| 5.2 Information Object Class (IOC) mapping | 6 |
| 5.2.1 IOC ENBFunction | 6 |
| 5.2.2 IOC EUTRANGenericCell..... | 7 |
| 5.2.3 IOC ExternalEUTRANGenericCell | 7 |
| 5.2.4. IOC EUTRANCellFDD | 7 |
| 5.2.5. IOC ExternalEUTRANCellFDD | 8 |
| 5.2.6. IOC EUTRANRelation | 8 |
| 5.2.7. IOC Link_ENB_ENB | 8 |
| 5.2.8. IOC Cdma2000Relation | 8 |
| 5.2.9. Void | 8 |
| 5.2.10. IOC SectorEquipmentFunction..... | 8 |
| 5.2.11. IOC ExternalENBFunction..... | 9 |
| 5.2.12. IOC EUTRANCellTDD | 9 |
| 5.2.13. IOC ExternalEUTRANCellTDD..... | 9 |
| 6 Rules for management information model extensions | 10 |
| Annex A (normative): CORBA IDL, NRM definitions | 11 |
| Annex B (informative): Change history | 15 |
| History | 16 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

| | |
|------------------|---|
| TS 32.761 | Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements |
| TS 32.762 | Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) |
| TS 32.763 | Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) |
| TS 32.765 | Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition |

1 Scope

The present document is part of an Integration Reference Point (IRP) named E-UTRAN Network Resource Model (NRM) IRP, through which an **IRPAGent** can communicate configuration management information to one or several **IRPManagers** concerning E-UTRAN resources. The E-UTRAN NRM IRP comprises a set of specifications defining Requirements, a protocol neutral Information Service and one or more Solution Set(s).

The present document specifies the E-UTRAN Network Resources IRP: CORBA Solution Set, which defines the mapping of the IRP information model (see TS 32.762 [2]) to the protocol specific details necessary for implementation of this IRP in a CORBA/IDL environment.

This Solution Set is related to 3GPP TS 32.762 v9. 5.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 21.905: 'Vocabulary for 3GPP Specifications'.
- [2] 3GPP TS 32.762: " Telecommunications management; Evolved Universal Terrestrial Radio Access Network (E-UTRAN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS)".
- [3] 3GPP TS 32.643: 'Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS)'.
- [4] 3GPP TS 32.153: 'Telecommunication management; Integration Reference Point (IRP) technology specific templates, rules and guidelines'.

3 Definitions, symbols and abbreviations

3.1 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

| | |
|-------|---|
| CORBA | Common Object Request Broker Architecture |
| DN | Distinguished Name |
| IS | Information Service |
| IDL | Interface Definition Language (OMG) |
| IOC | Information Object Class |
| IRP | Integration Reference Point |

| | |
|-----|-------------------------|
| MO | Managed Object |
| MOC | Managed Object Class |
| NRM | Network Resource Model |
| OMG | Object Management Group |
| SS | Solution Set |

4 Architectural Features

4.1 General

The overall architectural feature of 32.763 is specified in 3GPP TS 32.762 [2]. This clause specifies features that are specific to the CORBA SS.

5 Mapping

5.1 General

Attributes modelling associations as defined in the NRM (here also called "reference attributes") are in this SS mapped to attributes. The names of the reference attributes in the NRM are mapped to the corresponding attribute names in the MOC. When the cardinality for an association is 0..1 or 1..1 the datatype for the reference attribute is defined as an MOReference. The value of an MO reference contains the distinguished name of the associated MO. When the cardinality for an association allows more than one referred MO, the reference attribute will be of type MOReferenceSet, which contains a sequence of MO references.

5.2 Information Object Class (IOC) mapping

5.2.1 IOC ENBFunction

| Attribute of IOC ENBFunction in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|-----------------|--|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| x2BlackList | x2BlackList | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReferenceSet | CM | M | M |
| x2WhiteList | x2WhiteList | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReferenceSet | CM | M | M |
| x2HOBlackList | x2HOBlackList | GenericNetworkResourcesIRPSystem::AttributeTypes::MOReferenceSet | CM | M | M |
| x2IpAddressList | x2IpAddressList | genericEUTRANRMAtributeTypes::ipAddressListType | O | M | - |

Note: For all conditional qualifiers, see attribute constraints in 32.762 [2]

5.2.2 IOC EUtranGenericCell

| Attribute of IOC EUtranGenericCell in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier |
|--|--|---|-------------------|----------------|
| id | id | string | M | M |
| cellIdentity | cellIdentity | long | M | M |
| cellSize | cellSize | genericEUTRANNRMAtributeTypes::cellSizeEnumType | M | M |
| plmnIdList | plmnIdList Note: the first plmnId in the SS attribute plmnIdList is the primary PLMN id | genericEUTRANNRMAtributeTypes::plmnIdListType | M | M |
| tac | tac | long | M | M |
| pci | pci | short | M | M |
| pciList | pciList | genericEUTRANNRMAtributeTypes::pciListType | CM | M |
| maximumTransmissionPower | maximumTransmissionPower | short | M | M |
| referenceSignalPower | referenceSignalPower | short | M | M |
| pb | pb | short | M | M |
| partOfSectorPower | partOfSectorPower | short | CM | M |
| relatedTmaList | relatedTmaList | GenericNetworkResourcesIRPSysystem::AttributeTypes::MOResourceSet | CO | M |
| relatedAntennaList | relatedAntennaList | GenericNetworkResourcesIRPSysystem::AttributeTypes::MOResourceSet | CO | M |
| relatedSector | relatedSector | GenericNetworkResourcesIRPSysystem::AttributeTypes::MOResource | CM | M |
| operationalState | operationalState | StateManagementIRPOptConstDefs::OperationalStateTypeOpt | O | M |
| administrativeState | administrativeState | StateManagementIRPOptConstDefs::AdministrativeStateTypeOpt | O | M |
| availabilityStatus | availabilityStatus | StateManagementIRPOptConstDefs::AvailabilityStatusTypeOpt | O | M |

Note: For all conditional qualifiers, see attribute constraints in 32.762 [2]

5.2.3 IOC ExternalEUtranGenericCell

| Attribute of IOC ExternalEUtranGenericCell in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--|---|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| pci | pci | short | M | M | M |
| plmnIdList | plmnIdList Note: the first plmnId in the SS attribute plmnIdList is the primary PLMN id | genericEUTRANNRMAtributeTypes::plmnIdListType | M | M | M |
| cellIdentity | cellIdentity | long | M | M | M |

5.2.4. IOC EUtranCellFDD

| Attribute of IOC EUtranCellFDD in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--------------|---------|-------------------|----------------|-----------------|
| earfcnDl | earfcnDl | short | M | M | M |
| earfcnUl | earfcnUl | short | M | M | M |

5.2.5 IOC ExternalEUtranCellFDD

| Attribute of IOC ExternalEUtranCellFDD in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|--|--------------|---------|-------------------|----------------|-----------------|
| earfcnDl | earfcndl | short | M | M | M |
| earfcnUl | earfcnul | short | M | M | M |

5.2.6 IOC EUtranRelation

| Attribute of IOC EUtranRelation in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier |
|---|------------------------------|---|-------------------|
| id | id | string | M |
| tCI | tCI | long | O |
| isRemoveAllowed | isRemoveAllowed | boolean | CM |
| isHOAllowed | isHOAllowed | boolean | CM |
| adjacentCell | adjacentCell | GenericNetworkResourcesIRPSys::AttributeTypes::MOResource | M |
| isICICInformationSendAllowed | isICICInformationSendAllowed | boolean | CM |
| isLBAllowed | isLBAllowed | boolean | CM |

NOTE: For all conditional qualifiers, see attribute constraints in 32.762 [2]

5.2.7 IOC Link_ENB_ENB

| Attribute of IOC Link_ENB_ENB in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|---|--------------|---------|-------------------|----------------|-----------------|
| | | | | | |

5.2.8 IOC Cdma2000Relation

| Attribute of IOC Cdma2000Relation in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|---|----------------|---|-------------------|----------------|-----------------|
| id | id | string | M | M | - |
| adjacentSector | adjacentSector | GenericNetworkResourcesIRPSys::AttributeTypes::MOResource | M | M | - |

5.2.9 Void

5.2.10 IOC SectorEquipmentFunction

| Attribute of IOC SectorEquipmentFunction in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | W Qu |
|--|-----------------------|--|-------------------|----------------|------|
| id | id | string | M | M | |
| fqBand | fqBand | short | M | M | |
| confOutputPower | confOutputPower | short | M | M | |
| relatedTmaList | relatedTmaList | GenericNetworkResourcesIRPSys::AttributeTypes::MOResourceSet | M | M | - |
| relatedAntennaList | relatedAntennaList | GenericNetworkResourcesIRPSys::AttributeTypes::MOResourceSet | M | M | - |
| relatedEUtranCellList | relatedEUtranCellList | GenericNetworkResourcesIRPSys::AttributeTypes::MOResourceSet | CM | M | - |

5.2.11 IOC ExternalENBFunction

| Attribute of IOC ExternalENBFunction in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|---|-----------------|------------|----------------------|-------------------|--------------------|
| id | id | string | M | M | - |

5.2.12. IOC EUtranCellTDD

| Attribute of IOC EUtranCellTDD in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|---|-------------------|---------|-------------------|----------------|-----------------|
| earfcn | earfcn | short | M | M | M |
| sfAssignment | sfAssignment | short | M | M | M |
| specialSfPatterns | specialSfPatterns | short | M | M | M |

5.2.13 IOC ExternalEUtranCellTDD

| Attribute of IOC ExternalEUtranCellTDD in 3GPP TS 32.762 [2] | SS Attribute | SS Type | Support Qualifier | Read Qualifier | Write Qualifier |
|---|-----------------|------------|----------------------|-------------------|--------------------|
| earfcn | earfcn | short | M | M | M |

6 Rules for management information model extensions

For rules on how the models and IDL definitions provided in the present document can be extended for a particular implementation while still remaining compliant with 3GPP SA5's specifications, see annex B of TS 32.153 [4].

Annex A (normative): CORBA IDL, NRM definitions

```

//File:EUtranNetworkResourcesNRMDefs.idl
#ifndef _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
#define _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
#include "GenericNetworkResourcesNRMDefs.idl"
#include "EPCResourcesNRMDefs.idl"
#pragma prefix "3gppsa5.org"
/**
 * This module defines constants for each MO class name and
 * the attribute names for each defined MO class.
 */
module EUtranNetworkResourcesNRMDefs
{

    /**
     * Definitions for MO class ENBFunction
     */
    interface ENBFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "ENBFunction";
        // Attribute Names
        //
        const string id= "id";
        const string x2BlackList= "x2BlackList";
        const string x2WhiteList= "x2WhiteList";
        const string x2HOBlackList= "x2HOBlackList";
        const string x2IpAddressList= "x2IpAddressList";
    };

    /**
     * Definitions for MO class EUtranGenericCell
     */
    interface EUtranGenericCell: GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "EUtranGenericCell";
        // Attribute Names
        //
        const string id = "id";
        const string cellIdentity = "cellIdentity";
        const string cellSize = "cellSize";
        const string plmnIdList = "plmnIdList";
        const string tac = "tac";
        const string pci = "pci";
        const string pciList = "pciList";
        const string operationalState = "operationalState";
        const string administrativeState = "administrativeState";
        const string availabilityStatus = "availabilityStatus";
        const string maximumTransmissionPower = "maximumTransmissionPower";
        const string referenceSignalPower = "referenceSignalPower";
        const string pb = "pb";
        const string partOfSectorPower = "partOfSectorPower";
        const string relatedTmaList = "relatedTmaList";
        const string relatedAntennaList = "relatedAntennaList";
        const string relatedSector = "relatedSector";
    };

    /**
     * Definitions for MO class ExternalEUtranGenericCell
     */
    interface ExternalEUtranGenericCell: GenericNetworkResourcesNRMDefs::ManagedFunction
    {
        const string CLASS = "ExternalEUtranGenericCell";
        // Attribute Names
        //
        const string id= "id";
        const string pci= "pci";
        const string plmnIdList = "plmnIdList";
    };
}

```

```

        const string cellIdentity = "cellIdentity";
    };

/*
 * Definitions for MO class EUtranCellFDD
 */
interface EUtranCellFDD: EUtranGenericCell
{
    const string CLASS = "EUtranCellFDD";
    // Attribute Names
    //
    const string earfcnDl = "earfcnDl";
    const string earfcnUl = "earfcnUl";
};

/*
 * Definitions for MO class ExternalEUtranCellFDD
 */
interface ExternalEUtranCellFDD: ExternalEUtranGenericCell
{
    const string CLASS = "ExternalEUtranCellFDD";
    // Attribute Names
    //
    const string earfcnDl = "earfcnDl";
    const string earfcnUl = "earfcnUl";
};

/*
 * Definitions for MO class EUtranCellTDD
 */
interface EUtranCellTDD: EUtranGenericCell
{
    const string CLASS = "EUtranCellTDD";
    // Attribute Names
    //
    const string earfcn = "earfcn";
    const string sfAssignment = "sfAssignment";
    const string specialSfPatterns = "specialSfPatterns";
};

/*
 * Definitions for MO class ExternalEUtranCellTDD
 */
interface ExternalEUtranCellTDD: ExternalEUtranGenericCell
{
    const string CLASS = "ExternalEUtranCellTDD";
    // Attribute Names
    //
    const string earfcn = "earfcn";
};

/*
 * Definitions for MO class EUtranRelation
 */
interface EUtranRelation: GenericNetworkResourcesNRMDefs::Top
{
    const string CLASS = "EUtranRelation";
    // Attribute Names
    //
    const string id= "id";
    const string tCI = "tCI";
    const string isRemoveAllowed = "isRemoveAllowed";
    const string isHOAllowed = "isHOAllowed";
    const string adjacentCell = "adjacentCell";
    const string isICICInformationSendAllowed = "isICICInformationSendAllowed";
    const string isLBAfforded = "isLBAllowed";
};

/*
 * Definitions for MO class Link_ENB_ENB
 */
interface Link_ENB_ENB: GenericNetworkResourcesNRMDefs::Link

```

```

{
    const string CLASS = "Link_ENB_ENB";
    // Attribute Names
    //
}

/*
 * Definitions for MO class Cdma2000Relation
 */
interface Cdma2000Relation:GenericNetworkResourcesNRMDefs::Top
{
    const string CLASS = "Cdma2000Relation";
    // Attribute Names
    //
    const string id= "id";
    const string adjacentSector = "adjacentSector";

};

/*
 * Definitions for MO class ExternalENBFunction
 */
interface ExternalENBFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "ExternalENBFunction";
    // Attribute Names
    //
    const string id = "id";

};

/*
 * Definitions for MO class SectorEquipmentFunction
 */
interface SectorEquipmentFunction: GenericNetworkResourcesNRMDefs::ManagedFunction
{
    const string CLASS = "SectorEquipmentFunction";
    // Attribute Names
    //
    const string id= "id";
    const string fqBand= "fqBand";
    const string confOutputPower= "confOutputPower";
    const string relatedTmaList = "relatedTmaList";
    const string relatedAntennaList = "relatedAntennaList";
    const string relatedEUtranCellList = "relatedEUtranCellList";    };

};

module genericEUTRANNRMAttributeTypes
{
    enum cellSizeEnumType
    {
        verysmall,
        small,
        medium,
        large
    };

    struct PlmnIdType
    {
        short mcc;
        short mnc;
    };
    const short PLMNID_LIST_LENGTH = 6;
    typedef sequence<PlmnIdType > plmnIdListType;

    const short NO_OF_PCIS = 504;
}

```

```
typedef sequence<short,NO_OF_PCIS> pciListType;
typedef sequence<string> ipAddressListType;
};

#endif // _EUTRANNETWORKRESOURCESNRMDEFS_IDL_
```

Annex B (informative): Change history

| Change history | | | | | | | |
|----------------|-------|-----------|-----|-----|--|-------|-------|
| Date | TSG # | TSG Doc. | CR | Rev | Subject/Comment | Old | New |
| Mar 2009 | SP-43 | SP-090075 | -- | -- | Presentation to SA for information and approval | 1.0.0 | 8.0.0 |
| Jun 2009 | SP-44 | SP-090408 | 001 | -- | Add the missing cellSize attribute in EUTRANGenericCell - align with 36.423 | 8.0.0 | 8.1.0 |
| Jun 2009 | SP-44 | SP-090408 | 003 | -- | Add the missing downlink power related attributes for EUTRAN Cell - align with 36.213 and 36.331 | 8.0.0 | 8.1.0 |
| Jun 2009 | SP-44 | SP-090408 | 004 | -- | Add ICIC management attribute in EUtranRelation | 8.1.0 | 9.0.0 |
| Jun 2009 | SP-44 | SP-090290 | 002 | -- | Add the missing downlink power related attributes for EUTRAN Cell - align with 36.213 and 36.331 | 8.1.0 | 9.0.0 |
| Sep 2009 | SP-45 | SP-090542 | 006 | - | Align with the IS in 32.762 - Add and remove attributes for IOC Relations | 9.0.0 | 9.1.0 |
| Sep 2009 | SP-45 | SP-090542 | 009 | - | Add missing attribute "id" and remove old "<Classname>Id" attributes. | 9.0.0 | 9.1.0 |
| Sep 2009 | SP-45 | SP-090542 | 010 | - | Align with the IS in 32.762 - Add ExternalENBFunction | 9.0.0 | 9.1.0 |
| Sep 2009 | SP-45 | SP-090542 | 011 | - | Add plmnIdList to ExternalEutranGenericCell | 9.0.0 | 9.1.0 |
| Dec 2009 | SP-46 | SP-090719 | 013 | - | Remove the mapping of IOC EP_RP_EPS – Align with 32.762 | 9.1.0 | 9.2.0 |
| Dec 2009 | SP-46 | SP-090719 | 014 | - | Add attributes to EUtranCellTDD and ExternalEUtranCellTDD | 9.1.0 | 9.2.0 |
| Dec 2009 | SP-46 | SP-090719 | 015 | - | Indicate primary PLMN id in plmnIdList attribute | 9.1.0 | 9.2.0 |
| Dec 2009 | SP-46 | SP-090721 | 016 | - | Add load balancing control | 9.1.0 | 9.2.0 |
| Dec 2009 | -- | -- | -- | -- | Editorial correction (removal of change bars) | 9.2.0 | 9.2.1 |
| Mar 2010 | SP-47 | SP-100037 | 024 | - | Align inheritance with IS | 9.2.1 | 9.3.0 |
| Mar 2010 | SP-47 | SP-100035 | 019 | - | Make the tCI attribute of EUtranRelation IOC optional. | 9.2.1 | 9.3.0 |
| Sep 2010 | SP-49 | SP-100487 | 026 | -- | Align with IS - Remove cellType | 9.3.0 | 9.4.0 |
| Sep 2010 | SP-49 | SP-100488 | 027 | -- | Align with IS - Add attributes for association roles for Radio Equipment view | 9.3.0 | 9.4.0 |
| Dec 2013 | SP-62 | SP-130612 | 029 | 1 | add new member in blacklist | 9.4.0 | 9.5.0 |

History

| Document history | | |
|-------------------------|--------------|-------------|
| V9.2.1 | January 2010 | Publication |
| V9.3.0 | April 2010 | Publication |
| V9.4.0 | October 2010 | Publication |
| V9.5.0 | January 2014 | Publication |
| | | |