

Draft **ETSI EN 302 500-2** V1.1.1 (2006-05)

Candidate Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD) using
Ultra WideBand(UWB) technology;
Location Tracking equipment operating in
the frequency range from 6 GHz to 9 GHz;
Part 2: Harmonized EN covering essential requirements
of article 3.2 of the R&TTE Directive**



Reference

DEN/ERM-TG31C-004-2

Keywords

radio, SRD, UWB, regulation, testing**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2006.
All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members.
TIPHONTM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	4
Foreword.....	4
1 Scope	5
2 References	5
3 Definitions, symbols and abbreviations	6
3.1 Definitions	6
3.2 Symbols.....	6
3.3 Abbreviations	6
4 Technical requirements specifications	6
4.1 Environmental profile.....	6
4.2 Conformance requirements	6
4.2.1 Transmitter requirements	6
4.2.1.1 Maximum mean equivalent isotropic radiated power density	6
4.2.1.2 Frequency of highest emission.....	6
4.2.1.3 Maximum peak equivalent isotropic radiated power density	6
4.2.1.4 Minimum Pulse Repetition Frequency (PRF)	6
4.2.1.5 Receiver spurious emissions	6
4.3 Design requirements.....	7
5 Testing for compliance with technical requirements.....	7
5.1 Environmental conditions for testing	7
5.2 Essential radio test suites.....	7
5.2.1 Transmitter test suites	7
5.2.1.1 Maximum mean e.i.r.p. density.....	7
5.2.1.2 Frequency of highest emission.....	7
5.2.1.3 Maximum peak e.i.r.p. density	7
5.2.1.4 Minimum Pulse Repetition Frequency (PRF)	7
5.3 Receiver test suites	7
5.3.1 Receiver spurious emissions	7
5.4 Interpretation of measurement results	7
Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT).....	8
Annex B (informative): The EN title in the official languages	10
Annex C (informative): Bibliography.....	11
History	12

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document is part 2 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra WideBand (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz, as identified below:

Part 1: "Technical characteristics and test methods";

Part 2: "Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive".

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [3] as amended laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

Technical specifications relevant to Directive 1999/5/EC are given in annex A.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

1 Scope

The present document specifies the requirements for Ultra Wide Band Location Tracking equipment operating in all or part of the frequency range from 6 GHz to 9 GHz.

It covers ultra-wideband location tracking tags which are attached to people or objects and are tracked using a fixed infrastructure. Equipment covered by the present document is fitted with an integral or dedicated antenna. Equipment covered by the present document shall not be used aboard an aircraft, aboard a ship, or at a fixed outdoor location.

The present document applies for indoor applications only

The present document is intended to cover the provisions of Article 3.2 of Directive 1999/5/EC [1] (R&TTE Directive), which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] ETSI EN 302 500-1 (V1.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra-WideBand technology, Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz; Part 1: Technical characteristics and test methods".
- [3] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [4] ETSI TR 100 028 (all parts - V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [5] Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to electromagnetic compatibility (EMC Directive).

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [1] and EN 302 500-1 [2] apply.

3.2 Symbols

For the purposes of the present document, the symbols given in EN 302 500-1 [2] apply.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in EN 302 500-1 [2] apply.

4 Technical requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the provider. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.2 Conformance requirements

4.2.1 Transmitter requirements

4.2.1.1 Maximum mean equivalent isotropic radiated power density

The maximum mean equivalent isotropic radiated power density shall not exceed the limits specified in clause 8.1.3 of EN 302 500-1 [2].

4.2.1.2 Frequency of highest emission

The frequency of highest emission shall not lie outside the limits specified in clause 8.2.3 of EN 302 500-1 [2].

4.2.1.3 Maximum peak equivalent isotropic radiated power density

The maximum peak equivalent isotropic radiated power density shall not exceed the limits specified in clause 8.3.3 of EN 302 500-1 [2].

4.2.1.4 Minimum Pulse Repetition Frequency (PRF)

The Pulse Repetition Frequency shall not exceed the limits specified in clause 8.4.3 of the EN 302 500-1 [2].

4.2.1.5 Receiver spurious emissions

The receiver spurious emissions as defined in EN 302 500-1 [2], clause 9.1.1, shall not exceed the limit specified in EN 302 500-1 [2], clause 9.1.4.

4.3 Design requirements

The equipment shall comply with the additional design requirements as defined in annex C of EN 302 500-1 [2].

5 Testing for compliance with technical requirements

5.1 Environmental conditions for testing

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile.

Where technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions (within the boundary limits of the declared operational environmental profile) to give confidence of compliance for the affected technical requirements.

5.2 Essential radio test suites

5.2.1 Transmitter test suites

5.2.1.1 Maximum mean e.i.r.p. density

The test defined in clause 8.2.1 of EN 302 500-1 [2] shall be carried out.

5.2.1.2 Frequency of highest emission

The test defined in clause 8.2.2 of EN 302 500-1 [2] shall be carried out.

5.2.1.3 Maximum peak e.i.r.p. density

The test defined in clause 8.3.2 of EN 302 500-1 [2] shall be carried out.

5.2.1.4 Minimum Pulse Repetition Frequency (PRF)

The declaration of clause 8.4.2 of EN 302 500-1 [2] shall be made.

5.3 Receiver test suites

5.3.1 Receiver spurious emissions

The test defined in clauses 9.1.2 and 9.1.3 of EN 302 500-1 [2], shall be carried out.

5.4 Interpretation of measurement results

Clause 7 of EN 302 500-1 [2] shall apply.

Annex A (normative): HS Requirements & conformance Test specifications Table (HS-RTT)

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the HS-RTSS proforma in this annex so that it can be used for its intended purposes and may further publish the completed HS-RTSS

The HS Requirements & conformance Test specifications Table (HS-RTT) in table A1 below serves a number of purposes, as follows:

- it provides a statement of all the essential requirements in words and by cross reference to a specific clause in the present document or to a specific clause in a specific referenced document;
- it provides a statement of all the test procedure corresponding to those essential requirements by cross reference to specific clause(s) in the present document or to a specific clause(s) in specific referenced document(s);
- it qualifies each requirement to be either:
 - Unconditional - meaning that the requirement applies in all circumstances, or
 - Conditional - meaning that the requirement is dependent on the supplier having chosen to support optional functionality defined within the schedule;
- in the case of Conditional requirements, it associates the requirement with the particular optional service or functionality;
- it qualifies each test procedure to be either:
 - Essential: meaning that it is included with the Essential Radio Test Suite and therefore the requirement shall be demonstrated to be met in accordance with the referenced procedures;
 - Other: meaning that the test procedure is illustrative but other means of demonstrating compliance with the requirement are permitted;
- when the schedule is completed in respect of a particular equipment including the testing outcomes, including a completed version of table A1 it provides a means to assert the 'presumption of conformity' with the HS.

Table A.1: HS Requirements and conformance Test specifications Table (HS-RTT)

Harmonized Standard EN 302 500-2							
The following technical requirements and test specifications are relevant to the presumption of conformity under Article 3.2 of the R&TTE Directive							
Technical Requirement reference			Technical Conditionality		Test Specification		
No	Description	Reference: Clause No	U/C	Condition	E/O	Reference: Clause No	Observations
1	Maximum mean e.i.r.p. density	4.2.1.1	U		E	5.2.1.1	
2	Frequency of highest emission	4.2.1.2	U		E	5.2.1.2	
3	Maximum peak e.i.r.p. density	4.2.1.3	U		E	5.2.1.3	
4	Pulse repetition frequency	4.2.1.4	U		X	5.2.1.4	
5	Receiver spurious emissions	5.3.1	U		E	5.3.1	
6	Design requirements	4.3	U		E	-	

Key to columns:**Essential Requirement:**

No	Table entry number
Description	A textual reference to the Essential Requirement
Reference: Clause Number	Identification of clause(s) defining the essential requirement in the present document unless another document is referenced explicitly

Conditionality:

U/C	Indicates whether the requirement is to be <i>unconditionally</i> applicable (U) or is <i>conditional</i> upon the suppliers claimed functionality of the equipment (C)
Condition	Explains the conditions when the requirement shall or shall not be applicable for a requirement which is classified 'conditional'

Test Specification:

E/O	Indicates whether the test specification forms part of the <i>Essential Radio Test Suite</i> (E) or whether it is one of the <i>Other Test Suite</i> (O)
------------	--

NOTE: All tests whether 'E' or 'O' are relevant to essential requirements. Tests designated 'E' collectively make up the Essential Radio Test Suite; those designated 'O' make up the Other Test Suite. For those requirements for which no test specification applies are designated 'X'. All tests classified 'E' shall be performed as specified with satisfactory outcomes in order to allow a presumption of conformity. Requirements associated with tests classified 'O' or 'X' must be complied with although the requirement shall be complied with as demonstrated by an equivalent test or by assertion by the supplier and asserted to be complied with to allow presumption of conformity

Reference:

Clause Number: Identification of clause(s) defining the test specification in the present document unless another document is referenced explicitly. Where no test is specified (that is, where the previous field is 'X') this field remains blank.

Observations: Remains blank in the HS but is available for use for users of the standard to record the outcome of tests against each requirement.

Annex B (informative): The EN title in the official languages

Language	EN title
Czech	
Danish	
Dutch	
English	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using; Ultra Wide Band technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive
Estonian	
Finnish	
French	
German	Elektromagnetische Verträglichkeit und Funkspektrumangelegenheiten (ERM); Funkanlagen geringer Reichweite (SRD) für Ultra Wide Band Technologie, Lokalisierungsanwendungen im Frequenzbereich von 6 GHz bis 9 GHz; Teil 2: Harmonisierte Europäische Norm (EN) mit wesentlichen Anforderungen nach R&TTE-Richtlinie Artikel 3.2.
Greek	
Hungarian	
Icelandic	
Italian	
Latvian	
Lithuanian	
Maltese	
Norwegian	
Polish	
Portuguese	
Slovak	
Slovenian	
Spanish	
Swedish	

Annex C (informative): Bibliography

ECC Decision of 24 March 2006 on the harmonized conditions for devices using Ultra-Wideband (UWB) technology in Bands below 10.6 GHz.

ETSI TR 102-495-3: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra Wide Band Sensor technology (UWB); Location Tracking applications; System Reference Document".

History

Document history			
V1.1.1	May 2006	Public Enquiry	PE 20060922: 2006-05-24 to 2006-09-22