

Draft **ETSI EN 303 213-3** V2.0.1 (2020-03)



EUROPEAN STANDARD

**Advanced Surface Movement Guidance and
Control System (A-SMGCS);
Part 3: Community Specification
for a deployed cooperative sensor including its interfaces**

Reference

REN/ERM-TGAERO-37-3

Keywords

aeronautical, air traffic management,
interoperability

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Requirements for implementing cooperative sensors for A-SMGCS Systems	10
4.1 Design Requirements for cooperative sensors for A-SMGCS Systems	10
4.1.1 Operating principles of the cooperative sensor	10
4.1.2 Certification	10
4.1.3 Software and Hardware Design	10
4.1.4 Capacity	10
4.1.5 Void	11
4.1.6 System coverage	11
4.1.7 Identification.....	11
4.1.8 Surveillance data output.....	11
4.1.9 Update Rate	11
4.1.10 Integrity	11
4.1.11 Expandability.....	11
4.1.12 ASTERIX Interface	11
4.1.13 Mode S target processing.....	11
4.1.14 Mode S Interrogation.....	12
4.1.15 Reference transponders.....	12
4.1.16 Target Report Initiation Time	12
4.1.17 Probability of Target Report	12
4.1.18 Probability of False Identification	12
4.1.19 Switchover Time.....	12
4.1.20 Latency	12
4.2 Acceptance testing requirements for cooperative sensors for A-SMGCS Systems.....	12
4.2.1 Surveillance Element tests	12
4.2.2 Basic tests	12
4.2.3 Performance tests.....	12
4.3 Maintenance Requirements for cooperative sensors for A-SMGCS Systems	13
4.3.1 Continuity of Service.....	13
4.3.2 Service Life.....	13
4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems	13
4.5 Environmental Requirements for cooperative sensors for A-SMGCS Systems.....	13
4.5.1 Temperature and Humidity tolerance	13
4.5.2 Electromagnetic Interference and Susceptibility	13
5 Testing.....	13
5.1 Surveillance Element tests.....	13
5.2 Basic tests.....	14
5.3 Performance tests	14
Annex A (normative): Regulation EU 2018/1139 Essential Requirements mapping and Checklist	15
A.1 Correspondence between the present document and the Essential Requirements of Annex VIII of Regulation EU 2018/1139	15

A.2	Mapping of requirements for a deployed cooperative sensor including its interfaces to the relevant Essential Requirements of Annex VIII, chapter 3 of Regulation EU 2018/1139.....	17
Annex B (informative):	SES Interoperability Regulation Essential Requirements mapping and Checklist	25
B.0	Introduction	25
B.1	Correspondence between the present document and the Essential Requirements of the Interoperability Regulation as amended by Regulation EC 1070/2009	25
B.2	Interoperability Regulation Annex II Essential Requirements; Part A: General requirements.....	30
B.3	Interoperability Regulation, Annex II Essential Requirements, Part B: Specific requirements.....	35
B.3.1	Systems and procedures for airspace management.....	35
B.3.2	Systems and procedures for air traffic flow management	36
B.3.3	Systems and procedures for air traffic services	36
B.3.3.1	Flight data processing systems.....	36
B.3.3.2	Surveillance data processing systems	37
B.3.3.3	HMI systems	38
B.3.4	Communications systems and procedures for ground-to-ground, air-to-ground and air-to-air communications	39
B.3.5	Navigation systems and procedures	39
B.3.6	Surveillance systems and procedures	40
B.3.7	Systems and procedures for aeronautical information services	42
B.3.8	Systems and procedures for the use of meteorological information.....	42
Annex C (informative):	Bibliography.....	44
Annex D (informative):	Change History	45
History		46

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The presumption of conformity which is linked to the full application of ETSI EN 303 213 (parts 1 to 4, 7 and 8) can only be claimed after ETSI EN 303 213 (parts 1 to 4, 7 and 8) have been listed in the Official Journal of the European Union as Community Specification.

General requirements for presumption of conformity to Regulation (EU) No 2018/1139 [i.5] are given in the normative annexes of the present document.

NOTE: Other requirements and other EU Regulations and/or Directives may be applicable to the product(s) falling within the scope of the present document.

The present document is part 3 of a multi-part deliverable covering Advanced Surface Movement Guidance and Control System (A-SMGCS), as identified below:

- Part 1: "Community Specification for A-SMGCS surveillance service including external interfaces";
- Part 2: "Community Specification for A-SMGCS airport safety support service";
- Part 3: "Community Specification for a deployed cooperative sensor including its interfaces";**
- Part 4: "Community Specification for a deployed non-cooperative sensor including its interfaces";
- Part 5: "Harmonised Standard for access to radio spectrum for Multilateration (MLAT) equipment";
- Part 6: "Harmonised Standard for access to radio spectrum for deployed surface movement radar sensors";
- Part 7: "Community Specification for A-SMGCS routing service";
- Part 8: "Community Specification for A-SMGCS guidance service".

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document is applicable to Advanced Surface Movement Guidance and Control System (A-SMGCS) Surveillance Service. This system provides enhanced surveillance functionalities, as well as a display to controllers with accurate and unambiguous identity and position information on the entire manoeuvring and movement area of aerodromes.

The present document provides a European Standard for manufacturers, Air Navigation Service Providers and/or Airport Operators, who have to demonstrate and declare compliance of their systems and constituents to the Essential Requirements (ERs) of Annex VIII of Regulation (EU) No 2018/1139 [i.1].

NOTE 1: The ERs in Annex VIII of Regulation (EU) No 2018/1139 [i.5] covered by the present document are outlined in Table A.1.

NOTE 2: Although the ERs of the SES Interoperability Regulation [i.1] have been repealed with effect from 11 September 2018 [i.5], a mapping of the requirements for a deployed cooperative sensor including its interfaces to this same regulation [i.1] is provided in Annex B.

Any software elements related to the software assurance level of an A-SMGCS are out of scope of the present document. As such the ERs of Regulation EU 2018/1139 [i.5] are not considered for software elements within the present document.

The present document does not give presumption of conformity related to the maintenance requirements, constraints, procedure level, effect of harmful interference and civil/military coordination.

NOTE 3: For these ERs, the Air Navigation Service Provider will need to provide supplementary compliance within their Interoperability Technical Files.

The present document does not give presumption of conformity to any current interoperability Implementing Rules (IRs).

NOTE 4: Currently there are no relevant Implementing Rules for A-SMGCS.

Requirements in the present document which refer to "should" statements or recommendations in the normatively referenced material (clause 2.1) are only to be interpreted as fully normative ("shall") for the purpose of compliance with the present document if they are unambiguously referred to from the present document.

The reference to particular requirements is done either by citing the unambiguous requirement number or range of numbers (e.g. "[REQ 30.] to [REQ 35.]") or, if no requirement numbers are available, by indicating the paragraph and clause of the reference material where the requirement can be found.

NOTE 5: Other requirements and other EU Regulations and/or Directives may be applicable to the product(s) falling within the scope of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] EUROCAE ED-117A (September 2016): "Minimum Operational Performance Specification for Mode S Multilateration Systems for use in Advanced Surface Movement Guidance and Control Systems (A-SMGCS)".
- [2] EUROCAE ED-87D (June 2019): "Minimum Aviation System Performance Standard (MASPS) for Advanced Surface Movement Guidance and Control Systems (A-SMGCS)".
- [3] Void.
- [4] ETSI EN 300 019-1-3 (V2.4.1) (04-2014): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-3: Classification of environmental conditions; Stationary use at weatherprotected locations".
- [5] ETSI EN 300 019-1-4 (V2.2.1) (04-2014): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-4: Classification of environmental conditions; Stationary use at non-weatherprotected locations".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Regulation (EC) No 552/2004 of the European Parliament and of the Council of 10 March 2004 on the interoperability of the European Air Traffic Management network (interoperability Regulation), OJ L 96, 31.03.2004, p. 26 as amended by Regulation (EC) No 1070/2009, OJ L 300, 14.11.2009, p. 34.
- [i.2] ICAO Document 9830, AN/452: "Advanced Surface Movement Guidance and Control Systems (A-SMGCS) Manual", First Edition, 2004.
- [i.3] EUROCONTROL-SPEC-171: "EUROCONTROL Specification for Advanced-Surfaced Movement Guidance and Control System (A-SMGCS) Services" (Edition 1, March 2018).
- [i.4] Regulation (EC) No 1070/2009 of the European Parliament and of the Council of 21 October 2009 amending Regulations (EC) No 549/2004, (EC) No 550/2004, (EC) No 551/2004 and (EC) No 552/2004 in order to improve the performance and sustainability of the European aviation system, OJ L 300, 14.11.2009.
- [i.5] Regulation (EU) No 2018/1139 of the European Parliament and of the Council of 4 July 2018 on common rules in the field of civil aviation and establishing a European Union Aviation Safety Agency, and amending Regulations (EC) No 2111/2005, (EC) No 1008/2008, (EU) No 996/2010, (EU) No 376/2014 and Directives 2014/30/EU and 2014/53/EU of the European Parliament and of the Council, and repealing Regulations (EC) No 552/2004 and (EC) No 216/2008 of the European Parliament and of the Council and Council Regulation (EEC) No 3922/91.

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in chapter 1.4.1 of ED-117A [1], clause 1.7 of EUROCONTROL Specification for A-SMGCS Services [i.3] and the following apply:

Advanced Surface Movement Guidance and Control System (A-SMGCS): system providing as a minimum Surveillance and which can include Airport Safety Support, Routing and Guidance to aircraft and vehicles in order to maintain the airport throughput under all local weather conditions whilst maintaining the required level of safety

NOTE: This definition is derived from EUROCAE ED-87D [2].

aerodrome: defined area (including any buildings, installations and equipment) intended to be used either wholly or in part for arrival, departure and surface movement of aircraft

NOTE: This definition is derived from the ICAO Document 9830 [i.2].

apron: defined area on an aerodrome, intended to accommodate aircraft for purposes of loading or unloading passengers, mail or cargo, fuelling, parking or maintenance

NOTE 1: This definition is derived from the ICAO Document 9830 [i.2].

NOTE 2: De-icing platforms, including remote de-icing areas, are considered as apron areas.

availability: probability that the system will operate satisfactorily at a given point in time when used under stated conditions in an ideal support environment

NOTE: This definition is derived from EUROCAE ED-87D [2].

classification: function which groups targets into various types (e.g. large, medium, small)

constituents: tangible objects such as hardware and intangible objects such as software upon which the interoperability of the EATMN depends

manoeuvring area: part of an aerodrome to be used for take-off, landing and taxiing of aircraft, excluding aprons

NOTE: This definition is derived from the ICAO Document 9830 [i.2].

movement area: part of an aerodrome to be used for take-off, landing and taxiing of aircraft, consisting of the manoeuvring area and apron(s)

NOTE: This definition is derived from the ICAO Document 9830 [i.2].

procedure: standard method for either the technical or operational use of the system, in the context of agreed and validated concepts of operation requiring uniform implementation throughout the EATMN

system: aggregation of airborne and ground based constituents, as well as space-based equipment, that provides support for air navigation services for all phases of flight

target: vehicle or aircraft equipped with a Mode S, Mode A/C transponder or non-transponder device, which has been turned on and is functioning in compliance with its minimum operational performance specification

NOTE 1: Aircraft and vehicles are collectively referred to as mobiles.

NOTE 2: This definition is derived from EUROCAE ED-117A [1].

test targets: form of either fixed reflectors or active devices transponders, mounted at fixed positions or moving (with a known reference position) within the coverage volume

update: renewal of target reports relating to all targets under surveillance

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-SMGCS	Advanced Surface Movement Guidance and Control System
ASTERIX	All-purpose Structured EUROCONTROL Surveillance Information Exchange
ATM	Air Traffic Management
ATS	Air Traffic Service
EATMN	European Air Traffic Management Network
EC	European Communities
EN	European Norm - (standard)
ER	Essential Requirement
EUROCAE	EUROpean Organization for Civil Aviation Equipment
EUROCONTROL	EUROpean Organization for the safety of air navigation
HMI	Human Machine Interface
ICAO	International Civil Aviation Organization
MASPS	Minimum Aviation Systems Performance Specification
MLAT	MuLtilATeration
SES	Single European Sky
TMA	Terminal Manoeuvring Area
SMGCS	Surface Movement Guidance and Control System
ORQ	Optional ReQuirement

4 Requirements for implementing cooperative sensors for A-SMGCS Systems

4.1 Design Requirements for cooperative sensors for A-SMGCS Systems

4.1.1 Operating principles of the cooperative sensor

The operating principles of the cooperative sensor are defined in ED-117A [1], chapter 1.6.2. The cooperative sensor shall receive Mode S messages as defined in ED-117A [1], chapter 2.4.1 [REQ 5.].

4.1.2 Certification

The cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 2.3, [REQ 1.] and chapter 2.8.1 [REQ 24.].

4.1.3 Software and Hardware Design

The Software and the design of the cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 2.1 [REQ 1.], [REQ 2.], [REQ 3.], [REQ 4.] and chapter 2.8 [REQ 22.], [REQ 23.], [REQ 25.] and [REQ 26.] and chapter 2.9. All MLAT electrical equipment shall operate from standard mains voltage and frequency at the Aerodrome as defined in ED-117A [1], chapter 2.8 [REC 17].

4.1.4 Capacity

The capacity of the cooperative sensor shall comply with the requirements as defined in ED-117A [1] chapter 3.3.12 [REQ 66.], [REQ 67.] and [REQ 68.].

4.1.5 Void

4.1.6 System coverage

The system coverage of the cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 3.1.1 [REQ 27.] and chapter 3.3.2 [REQ 56.].

4.1.7 Identification

The identification within the cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 3.3.6 [REQ 60.], chapter 3.3.7 [REQ 61.], chapter 3.3.8 [REQ 62.] and ED-87D [2] chapter 2.1.2.3.

4.1.8 Surveillance data output

The surveillance data output of the cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 2.4.2 [REQ 6.] and [REQ 7], chapter 3.1.6 [REQ 44.], [REQ 45.], [REQ 46.], chapter 3.1.6.1 [REQ 48.], chapter 3.1.6.2 [REQ 50.], chapter 3.1.6.3 [REQ 51.] and [REQ 52.] and ED-87D [2] chapter 2.1.2.3. As defined in ED-117A [1], chapter 3.1.6, the MLAT System shall output MLAT Target Reports in accordance with ASTERIX Category 10 to support legacy systems.

4.1.9 Update Rate

The Target Report Update Rate of the cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 3.1.6.3 [REQ 51.] and chapter 3.3.3 [REQ 57.].

4.1.10 Integrity

The Integrity of the cooperative sensor shall comply with the requirements as defined in ED-117A [1], chapter 2.7 [REQ 21.].

As defined in ED-117A [1], chapter 2.7 [REC 13.], mechanisms shall be put into place to inform the users of areas where performance has been reduced in a way that may affect the operation.

As defined in ED-117A [1], chapter 2.7 [REC 14.], sensor cases and antennas shall be mounted on a suitable building, mast or tower.

As defined in ED-117A [1], chapter 2.7 [REC 15.], the stability of the installation site shall ensure system performance requirements under all specified operating weather conditions, in particular the specified operating wind speed and ice loading.

4.1.11 Expandability

The cooperative sensor shall be expandable as defined in ED-117A [1], chapter 2.9.5 [REC 19.].

4.1.12 ASTERIX Interface

The cooperative sensor shall provide an ASTERIX Interface as defined in ED-117A [1], chapter 3.1.6 [REQ 45.], [REQ 46.], [REQ 47.].

4.1.13 Mode S target processing

The cooperative sensor shall be capable to process Mode S target positions as defined in ED-117A [1], chapter 3.1.1 [REQ 27.] and process duplicate aircraft addresses according to chapter 3.1.2 [REQ 28.] and [REQ 29.].

The mode S target processing shall meet the requirements for reported position accuracy as defined in ED-117A [1], chapter 3.3.9 [REQ 63.] and for gaps as defined in ED-117A [1] in chapter 3.3.10 [REQ 64.].

4.1.14 Mode S Interrogation

The cooperative sensor shall be capable of interrogating mode S transponders as defined in ED-117A [1], chapter 3.1.3 [REQ 31.] to [REQ 38.].

4.1.15 Reference transponders

Any test and reference transponders of the multilateration system shall perform as defined in ED-117A [1], chapter 3.1.4 [REQ 39.] and [REQ 40.].

4.1.16 Target Report Initiation Time

The cooperative sensor shall have a target report initiation time as defined in ED-117A [1], chapter 3.3.11 [REQ 65.].

4.1.17 Probability of Target Report

The cooperative sensor shall have a probability of target report as defined in ED-117A [1], chapter 3.3.4 [REQ 58.] and a Probability of False Detection requirement as defined in ED-117A [1], chapter 3.3.5 [REQ 59.].

4.1.18 Probability of False Identification

The cooperative sensor shall comply with the Probability of False Identification requirement as defined in ED-117A [1], chapter 3.3.7 [REQ 61.].

4.1.19 Switchover Time

For redundant systems the Switchover time shall comply with the requirement as defined in ED-117A [1], chapter 3.3.15 [ORQ 15.].

4.1.20 Latency

The constituent latency shall meet the values specified in ED-117A [1], chapter 3.3.13 [REQ 69.] when operating in data driven output mode.

4.2 Acceptance testing requirements for cooperative sensors for A-SMGCS Systems

4.2.1 Surveillance Element tests

The cooperative sensor shall perform the surveillance element tests as defined in ED-87D [2], chapter 5.3.1.

4.2.2 Basic tests

The cooperative sensor shall perform the basic conformity tests as defined in ED-117A [1], chapter 5.3.

4.2.3 Performance tests

The cooperative sensor shall perform the performance tests as defined in ED-117A [1], chapters 5.4 and 5.5.

4.3 Maintenance Requirements for cooperative sensors for A-SMGCS Systems

4.3.1 Continuity of Service

The cooperative sensor shall comply with the Continuity of Service requirement as defined in ED-117A [1], chapters 2.6.2, 2.6.3 and 2.6.4 [REQ 17.] and 2.6.5 [REQ 19.] and 2.6.6 [REQ 20.].

4.3.2 Service Life

The cooperative sensor shall comply with the Service life requirement as defined in ED-117A [1], chapter 2.6.4, [REQ 18.].

4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems

To ensure seamless operation, the constituent shall share and provide its information via the interfaces as defined in ED-117A [1], chapters 3.1.6 [REQ 44.], [REQ 45.], [REC 20.], [REQ 46.], chapter 3.1.6.1 [REQ 48.], chapter 3.1.6.2 [REQ 50.], chapter 3.1.6.3 [REQ 51.] and [REQ 52.] and ED-87D [2], chapter 2.1.2.3

For interoperability of the multilateration sensor with an A-SMGCS the constituent shall report integrity information as defined in ED-87D [2], chapter 3.7.2.1, second and third paraphrase.

The constituent shall provide time synchronisation as defined in ED-87D [2], chapter 3.7.4. and ED-117A [1], chapter 2.4.3 [REQ 8.], and 3.3.14, [REQ 70.] and [REQ 71.].

4.5 Environmental Requirements for cooperative sensors for A-SMGCS Systems

4.5.1 Temperature and Humidity tolerance

The multilateration system ground station equipment shall be suitable for operation in partly temperature controlled locations, under the temperature and humidity conditions defined within ETSI EN 300 019 1-3, class 3.2 [4].

The multilateration system ground station equipment installed at outdoor locations shall be suitable for operation in non-weather protected environments, under the conditions defined within ETSI EN 300 019 1-4, class 4.1 [5].

The multilateration system central processing equipment shall be suitable for operation in temperature controlled locations, under the temperature and humidity conditions defined within ETSI EN 300 019 1-3, class 3.6 [4].

4.5.2 Electromagnetic Interference and Susceptibility

The cooperative sensor shall comply with the Electromagnetic Interference and Susceptibility requirement as defined in ED-117A [1], chapter 2.3, [REQ 2.], [REQ 3.] and [REQ 4.].

5 Testing

5.1 Surveillance Element tests

The cooperative sensor shall perform the surveillance element tests as defined in ED-87D [2], chapter 5.3.1.

5.2 Basic tests

The cooperative sensor shall perform the basic conformity tests as defined in ED-117A [1], chapter 5.3.

5.3 Performance tests

The cooperative sensor shall perform the performance tests as defined in ED-117A [1], chapters 5.4 and 5.5.

Annex A (normative): Regulation EU 2018/1139 Essential Requirements mapping and Checklist

A.1 Correspondence between the present document and the Essential Requirements of Annex VIII of Regulation EU 2018/1139

This clause provides a relationship between the present document and the Essential Requirements of Annex VIII of Regulation (EU) 2018/1139 [i.5].

The A-SMGCS cooperative sensor constituent shall comply with the Essential Requirements of Regulation EU 2018/1139 [i.5] as defined and described in the traceability matrixes of this clause (Table A.1 and Table A.2 below).

NOTE: Whenever "n/a" is used, that means that a given ER and/or an associated "keyword" is not applicable for presumption of conformity.

Table A.1: Traceability from the Essential Requirements of Annex VIII, of Regulation EU 2018/1139 [i.5] to clauses of the present document

Essential requirements (ERs) of EU 2018/1139 Regulation	Clause(s) of the present document	Qualifying remarks/Notes
ER 1 Use of the airspace	The present document does not give presumption of conformity	
ER 2 Services	The present document does not give presumption of conformity	
ER 3 Systems and Constituents		
ER 3.1 Fit for purpose	4.1.1 Operating principles of the cooperative sensor 4.1.2 Certification 4.1.4 Capacity 4.1.6 System coverage 4.1.7 Identification 4.3.1 Continuity of Service 4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems	
ER 3.2 Integrity and safety related performance and reliability	4.1.10 Integrity 4.1.19 Switchover Time 4.1.20 Latency 4.3.1 Continuity of Service 4.3.2 Service Life	

Essential requirements (ERs) of EU 2018/1139 Regulation	Clause(s) of the present document	Qualifying remarks/Notes
ER 3.3 Seamless operation	4.1.1 Operating principles of the cooperative sensor 4.1.2 Certification 4.1.3 Software and Hardware Design 4.1.4 Capacity 4.1.6 System coverage 4.1.7 Identification 4.1.8 Surveillance data output 4.1.9 Update Rate 4.1.10 Integrity 4.1.11 Expandability 4.1.12 ASTERIX Interface 4.1.13 Mode S target processing 4.1.14 Mode S Interrogation 4.1.15 Reference transponders 4.1.16 Target Report Initiation Time 4.1.17 Probability of Target Report 4.1.18 Probability of False Identification 4.1.19 Switchover Time 4.1.20 Latency 4.2.1 Surveillance Element tests 4.2.2 Basic tests 4.2.3 Performance tests 4.3.1 Continuity of Service 4.3.2 Service Life 4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems 4.5.1 Temperature and Humidity tolerance 4.5.2 Electromagnetic Interference and Susceptibility 5.1 Surveillance Element tests 5.2 Basic tests 5.3 Performance tests	
ER 3.4 Support for new concepts of operation	n/a	
ER 3.5 Civil-military coordination	n/a	
ER 3.6 Design requirements	4.1.8 Surveillance data output 4.3.2 Service Life 4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems 4.5.1 Temperature and Humidity tolerance 4.5.2 Electromagnetic Interference and Susceptibility	
ER 3.7 Continuity of service	4.3.1 Continuity of Service 4.3.2 Service Life 4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems	
ER 4 Qualification of Air Traffic Controllers	The present document does not give presumption of conformity	
ER 5 Service providers and training organisations	The present document does not give presumption of conformity	
ER 6 Aeromedical examiners and aeromedical centres	The present document does not give presumption of conformity	

Table A.2: Traceability from clauses of the present document to the Essential Requirements of Annex VIII, chapter 3, of Regulation EU 2018/1139 [i.5]

Clause(s) of the present document	(Essential) Requirements (ERs) of EU 2018/1139, Annex VIII	Qualifying remarks/Notes
4.1.1 Operating principles of the cooperative sensor	ER 3.1, ER 3.3	
4.1.2 Certification	ER 3.1, ER 3.3	
4.1.3 Software and Hardware Design	ER 3.3	
4.1.4 Capacity	ER 3.1, ER 3.3	
4.1.6 System coverage	ER 3.1, ER 3.3	
4.1.7 Identification	ER 3.1, ER 3.3	
4.1.8 Surveillance data output	ER 3.1, ER 3.3, ER 3.6	
4.1.9 Update Rate	ER 3.3	
4.1.10 Integrity	ER 3.2, ER 3.3	
4.1.11 Expandability	ER 3.3	
4.1.12 ASTERIX Interface	ER 3.3	
4.1.13 Mode S target processing	ER 3.3	
4.1.14 Mode S Interrogation	ER 3.3	
4.1.15 Reference transponders	ER 3.3	
4.1.16 Target Report Initiation Time	ER 3.3	
4.1.17 Probability of Target Report	ER 3.3	
4.1.18 Probability of False Identification	ER 3.3	
4.1.19 Switchover Time	ER 3.1, ER 3.2, ER 3.3	
4.1.20 Latency	ER 3.1, ER 3.2, ER 3.3	
4.2.1 Surveillance Element tests	ER 3.3	
4.2.2 Basic tests	ER 3.3	
4.2.3 Performance tests	ER 3.3	
4.3.1 Continuity of Service	ER 3.1, ER 3.2, ER 3.3, ER 3.7	
4.3.2 Service Life	ER 3.2, ER 3.3, ER 3.6, ER 3.7	
4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems	ER 3.1, ER 3.3, ER 3.6, ER 3.7	
4.5.1 Temperature and Humidity tolerance	ER 3.3, ER 3.6	
4.5.2 Electromagnetic Interference and Susceptibility	ER 3.3, ER 3.6	
5.1 Surveillance Element tests	ER 3.3	
5.2 Basic tests	ER 3.3	
5.3 Performance tests	ER 3.3	

A.2 Mapping of requirements for a deployed cooperative sensor including its interfaces to the relevant Essential Requirements of Annex VIII, chapter 3 of Regulation EU 2018/1139

The purpose of the present clause is to provide a comprehensive traceability of evidence on constituents and system levels against clauses of the general Essential Requirements (ERs) of regulation EU 2018/1139 [i.5].

These keywords mainly address the phases of design, build, operation and maintenance of systems and constituents as well as specifically required qualities or attributes as defined in the ER of regulation EU 2018/1139 [i.5].

The A-SMGCS cooperative sensor constituent shall comply with the Essential Requirements of regulation EU 2018/1139 [i.5] as defined and described in Table A.3 to Table A.9.

NOTE: Table A.3 to Table A.9 are related only to those Essential Requirements covered by the present document as outlined in Table A.1 above.

Table A.3: Annex VIII Clause 3.1 Essential Requirement

1	ER 3.1 Fit for purpose		
	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.1, first paragraph, that: <i>"ATM/ANS systems and ATM/ANS constituents providing related information to and from the aircraft and on the ground shall be properly designed, produced, installed, maintained, protected against unauthorised interference and operated to ensure that they are fit for their intended purpose"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
1.1	properly designed	ED-117A [1], chapter 1.6.2, ED-117A [1], chapter 2.3 [REQ 2.], [REQ 3.] and [REQ 4.], ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 3.1.1 [REQ 27.] ED-117A [1], chapter 3.3.2 [REQ 56.] ED-117A [1], chapter 3.3.6 [REQ 60.] ED-117A [1], chapter 3.3.7 [REQ 61.] ED-117A [1], chapter 3.3.8 [REQ 62.] ED-87D [2], chapter 2.1.2.3 ED-117A [1], chapter 3.1.6 [REQ 44.] [REQ 45.], [REC 20.], [REQ 46.], [REQ 47.] ED-117A [1], chapter 3.1.6.1 [REQ 48.] ED-117A [1], chapter 3.1.6.2 [REQ 50.] ED-117A [1], chapter 3.1.6.3 [REQ 51.] and [REQ 52.] ED-87D [2], chapter 2.1.2.3	Evidence for system level conformity is out of scope of the present document
1.2	produced	No presumption of conformity is given by the present document	Evidence for system level conformity is out of scope of the present document
1.3	installed	ED-117A [1], chapter 2.6.4 [REQ 17.]	Evidence for system level conformity is out of scope of the present document
1.4	maintained	ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter 2.6.4, [REQ 17.] and [REQ 18.] ED-117A [1], chapter 2.6.5, [REQ 19.] ED-117A [1], chapter 2.6.6, [REQ 20.]	Evidence for system level conformity is out of scope of the present document
1.5	protected against unauthorised interference	No presumption of conformity is given by the present document	Evidence for system level conformity is out of scope of the present document
1.6	operated	No presumption of conformity is given by the present document	Evidence for system level conformity is out of scope of the present document

Table A.4: Annex VIII Clause 3.2 Essential Requirement

2	ER 3.2 Integrity and safety-related performance and reliability Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.2, first paragraph, that: <i>"The integrity and safety-related performance of systems and constituents whether on aircraft, on the ground or in space, shall be fit for their intended purpose. They shall meet the required level of operational performance for all their foreseeable operating conditions and for their whole operational life"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
2	All regulatory text	ED-117A [1], chapter 3.3.15 [ORQ 15.] ED-117A [1], chapter 3.3.13 [REQ 69.] ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter 2.6.4, [REQ 17.] and [REQ 18.] ED-117A [1], chapter 2.6.5, [REQ 19.] ED-117A [1], chapter 2.6.6, [REQ 20.] ED-117A [1], chapter 2.7. [REQ 21.] [REC 13.], [REC 14.] and [REC 15.]	Evidence for system level conformity is out of scope of the present document

Table A.5: Annex VIII Clause 3.2 Essential Requirement

3	ER 3.3 Seamless operation		
	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.2, second paragraph, that: "ATM/ANS systems and ATM/ANS constituents shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to ensure the seamless operation of the European air traffic management network (EATMN) at all times and for all phases of flight. Seamless operation can be expressed, in particular, in terms of information-sharing, including the relevant operational status information, common understanding of information, comparable processing performances and the associated procedures enabling common operational performances agreed for the whole or parts of the EATMN".		
	Keywords	Evidence on constituent level	Evidence on system level
3.1	designed	ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.3 [REQ 2.], [REQ 3.] and [REQ 4.] ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 2.8 [REQ 22.], [REQ 23.], [REQ 25.], [REQ 26.], [REC 17.] ED-117A [1], chapter 2.9.5 [REC 19.] ED-117A [1], chapter 3.1.1 [REQ 27.] ED-117A [1], chapter 3.1.3 [REQ 31.] to [REQ 38.] ED-117A [1], chapter 3.1.4 [REQ 39.] and [REQ 40.] ED-117A [1], chapter 3.1.2 [REQ 28.] and [REQ 29.] ED-117A [1], chapter 3.3.2 [REQ 56.] ED-117A [1], chapter 3.3.4 [REQ 58.] ED-117A [1], chapter 3.3.5 [REQ 59.] ED-117A [1], chapter 3.3.6 [REQ 60.] ED-117A [1], chapter 3.3.7 [REQ 61.] ED-117A [1], chapter 3.3.8 [REQ 62.] ED-117A [1], chapter 3.3.9 [REQ 63.], ED-117A [1], chapter 3.3.10 [REQ 64.] ED-117A [1], chapter 3.3.11 [REQ 65.] ED-117A [1], chapter 3.3.12 [REQ 66.], [REQ 67.] and [REQ 68.] ED-117A [1], chapter 3.3.13 [REQ 69.] ED-117A [1], chapter 3.3.15 [ORQ 15.] ETSI EN 300 019 1-3, class 3.2 [4] ETSI EN 300 019 1-4, class 4.1 [5] ETSI EN 300 019 1-3, class 3.6 [4] ED-87D [2], chapter 2.1.2.3	Evidence for system level conformity is out of scope of the present document
3.2	built	ED-117A [1], chapter 1.6.2, ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 5.3 ED-117A [1], chapters 5.4 and 5.5 ED-87D [2], chapter 5.3.1	Evidence for system level conformity is out of scope of the present document
3.3	maintained	ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter 2.6.4, [REQ 17.] and [REQ 18.] ED-117A [1], chapter 2.6.5, [REQ 19.] ED-117A [1], chapter 2.6.6, [REQ 20.]	Evidence for system level conformity is out of scope of the present document
3.4	operated	ED-117A [1], chapter 1.6.2, ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 2.7. [REQ 21.], [REC 13.], [REC 14.] and [REC 15.]	Evidence for system level conformity is out of scope of the present document

3	ER 3.3 Seamless operation		
	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.2, second paragraph, that: <i>"ATM/ANS systems and ATM/ANS constituents shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to ensure the seamless operation of the European air traffic management network (EATMN) at all times and for all phases of flight. Seamless operation can be expressed, in particular, in terms of information-sharing, including the relevant operational status information, common understanding of information, comparable processing performances and the associated procedures enabling common operational performances agreed for the whole or parts of the EATMN"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
3.5	information sharing	ED-117A [1], chapter 2.4.2 [REQ 6.] and [REQ 7] ED-117A [1], chapter 2.4.3 [REQ 8.] ED-117A [1], chapter 3.1.6 [REQ 44.], [REQ 45.], [REC 20.], [REQ 46.], [REQ 47.] ED-117A [1], chapter 3.1.6.1 [REQ 48.] ED-117A [1], chapter 3.1.6.2 [REQ 50.] ED-117A [1], chapter 3.1.6.3 [REQ 51.] and [REQ 52.] and ED-87D [2], chapter 2.1.2.3, ED-117A [1], chapter 3.3.3. [REQ 57.] ED-117A [1], chapter 3.3.14, [REQ 70.] and [REQ 71.] ED-87D [2], chapter 3.7.2.1, second and third paraphrase ED-87D [2], chapter 3.7.4	Evidence for system level conformity is out of scope of the present document

Table A.6: Annex VIII Clause 3.2 Essential Requirement

4	ER 3.4 Support for new concepts of operation		
	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.2, third paragraph that: <i>"The EATMN, its systems and their constituents shall support, on a coordinated basis, new agreed and validated concepts of operation that improve the quality, sustainability and effectiveness of air navigation services, in particular in terms of safety and capacity"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
4.1	Validated concepts of operation - quality	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
4.2	Validated concepts of operation - sustainability	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
4.3	Validated concepts of operation - effectiveness	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
4.4	Validated concepts of operation - safety	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
4.5	Validated concepts of operation - capacity	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document

Table A.7: Annex VIII Clause 3.2 Essential Requirement

5	ER 3.5 Civil-military coordination		
	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.2, fourth and fifth paragraph that: <i>"The EATMN, its systems and their constituents shall support the progressive implementation of civil/military coordination, to the extent necessary for effective airspace and air traffic flow management, and the safe and efficient use of airspace by all users, through the application of the concept of the flexible use of airspace. To achieve those objectives, the EATMN, its systems and their constituents shall support the timely sharing of correct and consistent information covering all phases of flight, between civil and military parties, without prejudice to security or defence policy interests, including requirements on confidentiality"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
5.1	Flexible use of airspace	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
5.2	Timely sharing	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
5.3	No prejudice to security or defence policy interests, including requirements on confidentiality	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document

Table A.8: Annex VIII Clause 3.3 Essential Requirement

ER 3.6 Design requirements			
6	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.3 that: <i>"Systems and constituents shall be designed to meet applicable safety and security requirements. Systems and constituents, considered collectively, separately and in relation to each other, shall be designed in such a way that an inverse relationship exists between the probability that any failure can result in a total system failure and the severity of its effect on the safety of services. Systems and constituents, considered individually and in combination with each other, shall be designed taking into account limitations related to human capabilities and performance. Systems and constituents shall be designed in a manner that protects them and the data they convey from harmful interactions with internal and external elements. Information needed for production, installation, operation and maintenance of the systems and constituents as well as information concerning unsafe conditions shall be provided to personnel in a clear, consistent and unambiguous manner"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
6.1	safety and security requirements	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
6.2	failure resistance and safety of service	ETSI EN 300 019 1-3, class 3.2 [4] ETSI EN 300 019 1-4, class 4.1 [5] ETSI EN 300 019 1-3, class 3.6 [4] ED-117A [1], chapter 2.3 [REQ 2.], [REQ 3.] and [REQ 4.]	Evidence for system level conformity is out of scope of the present document
6.3	usability (take into account limitations related to human capabilities and performance)	ED-117A [1], chapter 2.4.2 ED-117A [1], chapter 2.4.3 [REQ 8.] ED-117A [1], chapter 2.6 ED-117A [1], chapter 3.3.14, [REQ 70.] and [REQ 71.] ED-87D [2], chapter 3.7.4	Evidence for system level conformity is out of scope of the present document
6.4	robustness (protected from harmful interactions)	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
6.5	documented (clear, consistent and unambiguous provision of information)	The present document does not give presumption of conformity.	Evidence for system level conformity is out of scope of the present document

Table A.9: Annex VIII Clause 3.4 Essential Requirement

ER 3.7 Continuity of service			
7	Regulation (EU) 2018/1139 [i.5] requires in Annex VIII, chapter 3.4 that: " <i>Safety levels of systems and constituents shall be maintained during service and any modifications to service</i> ".		
	Keywords	Evidence on constituent level	Evidence on system level
7	All regulatory text	ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter and 2.6.4 [REQ 17.] ED-117A [1], chapter 2.6.5 [REQ 19.] ED-117A [1], chapter 2.6.4, [REQ 18.] ED-117A [1], chapter 2.6.6 [REQ 20.] ED-87D [2], chapter 3.7.2.1	Evidence for system level conformity is out of scope of the present document

Annex B (informative): SES Interoperability Regulation Essential Requirements mapping and Checklist

B.0 Introduction

This Annex is structured as follows:

Clause B.1 provides a relationship between the present document and the Essential Requirements of the Single European Sky Interoperability Regulation [i.1] as amended by Regulation (EC) 1070/2009 [i.4].

Clause B.2 and clause B.3 provide a comprehensive traceability of evidence on constituents and system levels against clauses of the general Essential Requirements (ERs) of the Interoperability Regulation [i.1] as amended by Regulation (EC) 1070/2009 [i.4] analysing keywords of these same essential requirements. These keywords mainly address the phases of design, build, operation and maintenance of systems and constituents as well as specifically required qualities or attributes as defined in the ERs of the Interoperability Regulation [i.1].

NOTE: Whenever "n/a" is used, that means that a given ER and/or an associated "keyword" is not applicable for presumption of conformity.

B.1 Correspondence between the present document and the Essential Requirements of the Interoperability Regulation as amended by Regulation EC 1070/2009

Table B.1: Traceability from the Interoperability Regulation [i.1] to clauses of the present document

Essential requirements (ERs) of SES Interoperability Regulation, Annex II, Part A	Clause(s) of the present document	Qualifying remarks/Notes
ER A.1 Seamless operation	4.1.1 Operating principles of the cooperative sensor 4.1.2 Certification 4.1.3 Software and Hardware Design 4.1.4 Capacity 4.1.6 System coverage 4.1.7 Identification 4.1.8 Surveillance data output 4.1.9 Update Rate 4.1.10 Integrity 4.1.11 Expandability 4.1.12 ASTERIX Interface 4.1.13 Mode S target processing 4.1.14 Mode S Interrogation 4.1.15 Reference transponders 4.1.16 Target Report Initiation Time 4.1.17 Probability of Target Report 4.1.18 Probability of False Identification 4.1.19 Switchover Time 4.1.20 Latency 4.2.1 Surveillance Element tests 4.2.2 Basic tests 4.2.3 Performance tests 4.3.1 Continuity of Service 4.3.2 Service Life	-

Essential requirements (ERs) of SES Interoperability Regulation, Annex II, Part A	Clause(s) of the present document	Qualifying remarks/Notes
	4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems 4.5.1 Temperature and Humidity tolerance 4.5.2 Electromagnetic Interference and Susceptibility 5.1 Surveillance Element tests 5.2 Basic tests 5.3 Performance tests	
ER A.2 Support for new concepts of operation	Operation is only applicable at the system level	
ER A.3 Safety.	The present document does not give presumption of conformity	-
ER A.4 Civil-military coordination	The present document does not give presumption of conformity	
ER A.5 Environmental constraints	4.5.1 Temperature and Humidity tolerance 4.5.2 Electromagnetic Interference and Susceptibility	Depending on the installation site (indoor or outdoor) of the constituent, different requirements within the referenced clauses apply
ER A.6 Principles governing the logical architecture of systems	4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems	-
ER A.7 Principles governing the construction of systems	4.1.19 Switchover Time 4.1.20 Latency 4.3.1 Continuity of Service 4.3.2 Service Life	Switchover Time applies for constituents with redundant setup
ER 1.1 Seamless operation of airspace management	n/a	
ER 2.1 Seamless operation of air traffic flow management	n/a	
ER 3.1.1 Seamless operation of flight data processing	n/a	
ER 3.1.2 Support for new concepts of operation for flight data processing	n/a	
ER 3.2.1 Seamless operation surveillance data processing systems	n/a	
ER 3.2.2 Support for new concepts of operation for surveillance data processing systems	n/a	
ER 3.3.1 Seamless operation of HMI systems	n/a	
ER 3.3.2 Support for new concepts of operation for HMI systems	n/a	
ER 4.1 Seamless operation of Communications systems and procedures for ground-to-ground, air-to-ground and air-to-air communications	n/a	
ER 4.2 Support for new concepts of operation for Communications systems and procedures for ground-to-ground, air-to-ground and air-to-air communications	n/a	
ER 5.1 Seamless operation of Navigation systems and procedures	n/a	

Essential requirements (ERs) of SES Interoperability Regulation, Annex II, Part A	Clause(s) of the present document	Qualifying remarks/Notes
ER 6.1 Seamless operation of Surveillance systems and procedures	4.1.1 Operating principles of the cooperative sensor 4.1.2 Certification 4.1.3 Software and Hardware Design 4.1.4 Capacity 4.1.6 System coverage 4.1.7 Identification 4.1.8 Surveillance data output 4.1.9 Update Rate 4.1.10 Integrity 4.1.11 Expandability 4.1.12 ASTERIX Interface 4.1.13 Mode S target processing 4.1.14 Mode S Interrogation 4.1.15 Reference transponders 4.1.16 Target Report Initiation Time 4.1.17 Probability of Target Report 4.1.18 Probability of False Identification 4.1.19 Switchover Time 4.1.20 Latency 4.2.1 Surveillance Element tests 4.2.2 Basic tests 4.2.3 Performance tests 4.3.1 Continuity of Service 4.3.2 Service Life 4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems 4.5.1 Temperature and Humidity tolerance 4.5.2 Electromagnetic Interference and Susceptibility 5.1 Surveillance Element tests 5.2 Basic tests 5.3 Performance tests	
ER 7.1 Seamless operation of Systems and procedures for aeronautical information services	n/a	
ER 7.2 Support for new concepts of operation for systems and procedures for aeronautical information services	n/a	
ER 8.1 Seamless operation of systems and procedures for the use of meteorological information	n/a	
ER 8.2 Support for new concepts of operation for systems and procedures for the use of meteorological information	n/a	

Table B.2: Traceability from clauses of the present document to the Interoperability Regulation [i.1]

Clause(s) of the present document	(Essential) Requirements (ERs) of SES Interoperability Regulation (as amended), Annex II, Parts A and B	Qualifying remarks/Notes
4.1.1 Operating principles of the cooperative sensor	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.2 Certification	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.3 Software and Hardware Design	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.4 Capacity	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.6 System coverage	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.7 Identification	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.8 Surveillance data output	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.9 Update Rate	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.10 Integrity	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.11 Expandability	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.12 ASTERIX Interface	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.13 Mode S target processing	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.14 Mode S Interrogation	ER A.1 Seamless operation ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.15 Reference transponders	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.16 Target Report Initiation Time	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.17 Probability of Target Report	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.18 Probability of False Identification	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.19 Switchover Time	ER A.1 Seamless operation. ER A.7 Principles governing the construction of systems ER B.6 Seamless operation of Surveillance systems and procedures	
4.1.20 Latency	ER A.1 Seamless operation. ER A.7 Principles governing the construction of systems ER B.6 Seamless operation of Surveillance systems and procedures	

Clause(s) of the present document	(Essential) Requirements (ERs) of SES Interoperability Regulation (as amended), Annex II, Parts A and B	Qualifying remarks/Notes
4.2.1 Surveillance Element tests	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.2.2 Basic tests	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	
4.2.3 Performance tests	ER A.1 Seamless operation ER B.6 Seamless operation of Surveillance systems and procedures	
4.3.1 Continuity of Service	ER A.1 Seamless operation ER A.7 Principles governing the construction of systems ER B.6 Seamless operation of Surveillance systems and procedures	
4.3.2 Service Life	ER A.1 Seamless operation ER A.7 Principles governing the construction of systems ER B.6 Seamless operation of Surveillance systems and procedures	
4.4 Requirements for operation of cooperative sensors for A-SMGCS Systems	ER A.1 Seamless operation. ER A.6 Principles governing the logical architecture of systems ER B.6 Seamless operation of Surveillance systems and procedures	
4.5.1 Temperature and Humidity tolerance	ER A.1 Seamless operation. ER A.5 Environmental constraints. ER B.6 Seamless operation of Surveillance systems and procedures	
4.5.2 Electromagnetic Interference and Susceptibility	ER A.1 Seamless operation ER A.5 Environmental constraints ER B.6 Seamless operation of Surveillance systems and procedures	
5.1 Surveillance Element tests	ER A.1 Seamless operation ER B.6 Seamless operation of Surveillance systems and procedures	
5.2 Basic tests	ER A.1 Seamless operation ER B.6 Seamless operation of Surveillance systems and procedures	
5.3 Performance tests	ER A.1 Seamless operation. ER B.6 Seamless operation of Surveillance systems and procedures	

B.2 Interoperability Regulation Annex II Essential Requirements; Part A: General requirements

Table B.3

1	ER 1 seamless operation Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Air traffic management systems and their constituents shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to ensure the seamless operation of the EATMN at all times and for all phases of flight. Seamless operation can be expressed, in particular, in terms of information sharing, including the relevant operational status information, common understanding of information, comparable processing performances and the associated procedures enabling common operational performances agreed for the whole or parts of the EATMN"</i> .		
1.1	Keywords Designed	Evidence on constituent level ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.3 [REQ 2.], [REQ 3.] and [REQ 4.] ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 2.8 [REQ 22.], [REQ 23.], [REQ 25.], [REQ 26.] and [REC 17.] ED-117A [1], chapter 2.9.5 [REC 19.] ED-117A [1], chapter 3.1.1 [REQ 27.] ED-117A [1], chapter 3.1.3 [REQ 31.] to [REQ 38.] ED-117A [1], chapter 3.1.4 [REQ 39.] and [REQ 40.] ED-117A [1], chapter 3.1.2 [REQ 28.] and [REQ 29.] ED-117A [1], chapter 3.3.2 [REQ 56.] ED-117A [1], chapter 3.3.4 [REQ 58.] ED-117A [1], chapter 3.3.5 [REQ 59.] ED-117A [1], chapter 3.3.6 [REQ 60.] ED-117A [1], chapter 3.3.7 [REQ 61.] ED-117A [1], chapter 3.3.8 [REQ 62.] ED-117A [1], chapter 3.3.9 [REQ 63.] ED-117A [1], chapter 3.3.10 [REQ 64.] ED-117A [1], chapter 3.3.11 [REQ 65.] ED-117A [1], chapter 3.3.12 [REQ 66.], [REQ 67.] and [REQ 68.] ED-117A [1], chapter 3.3.13 [REQ 69.] ED-117A [1], chapter 3.3.15 [ORQ 15.] ETSI EN 300 019 1-3, class 3.2 [4] ETSI EN 300 019 1-4, class 4.1 [5] ETSI EN 300 019 1-3, class 3.6 [4] ED-87D [2], chapter 2.1.2.3	Evidence on system level Evidence for system level conformity is out of scope of the present document

1	ER 1 seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Air traffic management systems and their constituents shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to ensure the seamless operation of the EATMN at all times and for all phases of flight. Seamless operation can be expressed, in particular, in terms of information sharing, including the relevant operational status information, common understanding of information, comparable processing performances and the associated procedures enabling common operational performances agreed for the whole or parts of the EATMN"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
1.2	Built	ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 5.3 ED-117A [1], chapters 5.4 and 5.5 ED-87D [2], chapter 5.3.1	Evidence for system level conformity is out of scope of the present document
1.3	Maintained	ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter 2.6.4, [REQ 17.] and [REQ 18.] ED-117A [1], chapter 2.6.5, [REQ 19.] ED-117A [1], chapter 2.6.6, [REQ 20.]	Evidence for system level conformity is out of scope of the present document
1.4	Operated	ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 2.7. [REQ 21.], [REC 13.], [REC 14.] and [REC 15.]	Evidence for system level conformity is out of scope of the present document
1.5	Information Sharing	ED-117A [1], chapter 2.4.2 [REQ 6.] and [REQ 7] ED-117A [1], chapter 2.4.3 [REQ 8.] ED-117A [1], chapter 3.1.6 [REQ 44.], [REQ 45.], [REC 20.], [REQ 46.] and [REQ 47.] ED-117A [1], chapter 3.1.6.1 [REQ 48.] ED-117A [1], chapter 3.1.6.2 [REQ 50.] ED-117A [1], chapter 3.1.6.3 [REQ 51.] and [REQ 52.] and ED-87D [2], chapter 2.1.2.3 ED-117A [1], chapter 3.3.3. [REQ 57.] ED-117A [1], chapter 3.3.14, [REQ 70.] and [REQ 71.] ED-87D [2], chapter 3.7.2.1, second and third paraphrase ED-87D [2], chapter 3.7.4	Evidence for system level conformity is out of scope of the present document

Table B.4

2	ER 2 Support for new concepts of operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"The EATMN, its systems and their constituents shall support, on a coordinated basis, new agreed and validated concepts of operation that improve the quality, sustainability and effectiveness of air navigation services, in particular in terms of safety and capacity. The potential of new concepts, such as collaborative decision-making, increasing automation and alternative methods of delegation of separation responsibility, shall be examined taking due account of technological developments and of their safe implementation, following validation"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
2.1	Validated concepts of operation - safety	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
2.2	Validated concepts of operation - capacity	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document
2.3	Validated concepts of operation - quality	Operation is only applicable at the system level	Evidence for system level conformity is out of scope of the present document

Table B.5

3	ER 3 Safety			
	<p>Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: "Systems and operations of the EATMN shall achieve agreed high levels of safety. Agreed safety management and reporting methodologies shall be established to achieve this. <i>In respect of appropriate ground-based systems, or parts thereof, these high levels of safety shall be enhanced by safety nets which shall be subject to agreed common performance characteristics.</i> <i>A harmonized set of safety requirements for the design, implementation, maintenance and operation of systems and their constituents, both for normal and degraded modes of operation, shall be defined with a view to achieving the agreed safety levels, for all phases of flight and for the entire EATMN.</i> <i>Systems shall be designed, built, maintained and operated, using the appropriate and validated procedures, in such a way that the tasks assigned to the control staff are compatible with human capabilities, in both the normal and degraded modes of operation, and are consistent with required safety levels.</i> <i>Systems shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to be free from harmful interference in their normal operational environment".</i></p>			
	Keywords	Evidence on constituent level	Evidence on system level	Evidence at procedure level
3.1	Design	The present document does not give presumption of conformity	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
3.2	Implementation	The present document does not give presumption of conformity	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
3.3	Maintenance	The present document does not give presumption of conformity	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
3.4	Operation	Operation is only applicable at the system level	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
3.5	Human capabilities	n/a	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
3.6	Harmful interference	The present document does not give presumption of conformity	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document

Table B.6

4	ER 4 Civil-military coordination		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"The EATMN, its systems and their constituents shall support the progressive implementation of civil/military coordination, to the extent necessary for effective airspace and air traffic flow management, and the safe and efficient use of airspace by all users, through the application of the concept of the flexible use of airspace. To achieve these objectives, the EATMN, its systems and their constituents shall support the timely sharing of correct and consistent information covering all phases of flight, between civil and military parties. Account should be taken of national security requirements"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
4.1	Flexible use of airspace	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
4.2	Timely sharing	n/a	Evidence for system level conformity is out of scope of the present document
4.3	National security requirements	n/a	Evidence for system level conformity is out of scope of the present document

Table B.7

5	ER 5 Environmental constraints			
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Systems and operations of the EATMN shall take into account the need to minimize environmental impact in accordance with Community legislation"</i> .			
	Keywords	Evidence on constituent level	Evidence on system level	Evidence at procedure level
5.1	Minimize environmental impact - ATS	ETSI EN 300 019 1-3, class 3.2 [4] ETSI EN 300 019 1-4, class 4.1 [5] ETSI EN 300 019 1-3, class 3.6 [4] ED-117A [1], chapter 2.3 [REQ 2.], [REQ 3.] and [REQ 4.]	n/a	Evidence for system level conformity is out of scope of the present document
5.2	Minimize environmental impact - materials	The present document does not give presumption of conformity	n/a	Evidence for system level conformity is out of scope of the present document

Table B.8

6	ER 6 Principles governing the logical architecture of systems		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Systems shall be designed and progressively integrated with the objective of achieving a coherent and increasingly harmonized, evolutionary and validated logical architecture within the EATMN"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
6.1	Designed and progressively integrated	ED-117A [1], chapter 2.4.2 ED-117A [1], chapter 2.4.3 [REQ 8.] ED-117A [1], chapter 2.6 ED-117A [1], chapter 3.3.14, [REQ 70.] and [REQ 71.], ED-87D [2], chapter 3.7.4	Evidence for system level conformity is out of scope of the present document

Table B.9

7	ER 7 Principles governing the construction of systems		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Systems shall be designed, built and maintained on the grounds of sound engineering principles, in particular those relating to modularity, enabling interchangeability of constituents, high availability, and redundancy and fault tolerance of critical constituents."</i>		
	Keywords	Evidence on constituent level	Evidence on system level
7.1	Modularity, interchangeability	The present document does not give presumption of conformity	Evidence for system level conformity is out of scope of the present document
7.2	High availability, Redundancy and fault tolerance	ED-117A [1], chapter 3.3.15 [ORQ 15.] ED-117A [1], chapter 3.3.13 [REQ 69.] ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter 2.6.4, [REQ 17.] and [REQ 18.], ED-117A [1], chapter 2.6.5, [REQ 19.] ED-117A [1], chapter 2.6.6, [REQ 20.]	Evidence for system level conformity is out of scope of the present document

B.3 Interoperability Regulation, Annex II Essential Requirements, Part B: Specific requirements

B.3.1 Systems and procedures for airspace management

Table B.10

1.1	ER 1.1 Seamless operation			
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Information relating to pre-tactical and tactical aspects of airspace availability shall be provided to all interested parties in a correct and timely way so as to ensure an efficient allocation and use of airspace by all airspace users. This should take into account national security requirements"</i> .			
	Keywords	Evidence on constituent level	Evidence on system level	Evidence at procedure level
1.1.1	Pre-tactical aspects of airspace availability	n/a	n/a	n/a
1.1.2	Tactical aspects of airspace availability	n/a	n/a	n/a
1.1.3	Correct and timely way	n/a	n/a	n/a
1.1.4	National security requirements	n/a	n/a	n/a

NOTE: Requirements for systems and procedures for airspace management are not applicable for deployed cooperative sensors in A-SMGCS and are not covered by the present document.

B.3.2 Systems and procedures for air traffic flow management

Table B.11

2.1	ER 2.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: " <i>Systems and procedures for air traffic flow management shall support the sharing of correct, coherent and relevant strategic, pre-tactical and tactical, as applicable, flight information covering all phases of flight and offer dialogue capabilities with a view to achieving optimized use of airspace</i> ".		
	Keywords	Evidence on constituent level	Evidence on system level
2.1.1	Strategic	n/a	n/a
2.1.2	Pre-tactical	n/a	n/a
2.1.3	Tactical	n/a	n/a

B.3.3 Systems and procedures for air traffic services

B.3.3.1 Flight data processing systems

Table B.12

3.1.1	ER 3.1.1 Seamless operation	
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: " <i>Flight data processing systems shall be interoperable in terms of the timely sharing of correct and consistent information, and a common operational understanding of that information, in order to ensure a coherent and consistent planning process and resource-efficient tactical coordination throughout the EATMN during all phases of flight. In order to ensure safe, smooth and expeditious processing throughout the EATMN, flight data processing performances shall be equivalent and appropriate for a given environment (surface, terminal manoeuvring area (TMA), en-route), with known traffic characteristics and exploited under an agreed and validated operational concept, in particular in terms of accuracy and error tolerance of processing results</i> ".	
	Keywords	Evidence on constituent level
3.1.1.1	Timely sharing	n/a
3.1.1.2	Performance appropriate for environment	n/a
3.1.1.3	Accuracy and error tolerance	n/a

Table B.13

3.1.2	ER 3.1.2. Support for new concepts of operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: " <i>Flight data processing systems shall accommodate the progressive implementation of advanced, agreed and validated concepts of operation for all phases of flight, in particular as envisaged in the ATM MasterPlan. The characteristics of automation-intensive tools must be such as to enable coherent and efficient pre-tactical and tactical processing of flight information in parts of the EATMN. Airborne and ground systems and their constituents supporting new, agreed and validated concepts of operation shall be designed, built, maintained and operated, using appropriate and validated procedures, in such a way as to be interoperable in terms of timely sharing of correct and consistent information and a common understanding of the current and predicted operational situation.</i> "		
	Keywords	Evidence on constituent level	Evidence on system level
3.1.2.1	Airborne systems - design	n/a	n/a
3.1.2.2	Airborne systems - built	n/a	n/a
3.1.2.3	Airborne systems - maintained	n/a	n/a
3.1.2.4	Airborne systems - operated	n/a	n/a
3.1.2.5	Ground systems - design	n/a	n/a
3.1.2.6	Ground systems - built	n/a	n/a
3.1.2.7	Ground systems - maintained	n/a	n/a
3.1.2.8	Ground systems - operated	n/a	n/a

B.3.3.2 Surveillance data processing systems

Table B.14

3.2.1	ER 3.2.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: " <i>Surveillance data processing systems shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to provide the required performance and quality of service within a given environment (surface, TMA, en-route) with known traffic characteristics, in particular in terms of accuracy and reliability of computed results, correctness, integrity, availability, continuity and timeliness of information at the control position. Surveillance data processing systems shall accommodate the timely sharing of relevant, accurate, consistent and coherent information between them to ensure optimized operations through different parts of the EATMN.</i> "		
	Keywords	Evidence on constituent level	Evidence on system level
3.2.1.1	Designed	n/a	n/a
3.2.1.2	Built	n/a	n/a
3.2.1.3	Maintained	n/a	n/a
3.2.1.4	Operated	n/a	n/a

Table B.15

3.2.2	ER 3.2.2. Support for new concepts of operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Surveillance data processing systems shall accommodate the progressive availability of new sources of surveillance information in such a way as to improve the overall quality of service, in particular as envisaged in the ATM MasterPlan"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
3.2.2.1	Availability of new sources	n/a	n/a

B.3.3.3 HMI systems

Table B.16

3.3.1	ER 3.3.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"HMIs of ground air traffic management systems shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to offer to all control staff a progressively harmonised working environment, including functions and ergonomics, meeting the required performance for a given environment (surface, TMA, en-route), with known traffic characteristics"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
3.3.1.1	Designed	n/a	n/a
3.3.1.2	Built	n/a	n/a
3.3.1.3	Maintained	n/a	n/a
3.3.1.4	Operated	n/a	n/a

Table B.17

3.3.2	ER 3.3.2. Support for new concepts of operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"HMI systems shall accommodate the progressive introduction of new, agreed and validated concepts of operation and increased automation, in such a way as to ensure that the tasks assigned to the control staff remain compatible with human capabilities, in both the normal and degraded modes of operation"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
3.3.2.1	Human capabilities	n/a	n/a

B.3.4 Communications systems and procedures for ground-to-ground, air-to-ground and air-to-air communications

Table B.18

4.1	ER 4.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Communication systems shall be designed, built, maintained and operated using the appropriate and validated procedures, in such a way as to achieve the required performances within a given volume of airspace or for a specific application, in particular in terms of communication processing time, integrity, availability and continuity of function. The communications network within the EATMN shall be such as to meet the requirements of quality of service, coverage and redundancy"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
4.1.1	Designed	n/a	n/a
4.1.2	Built	n/a	n/a
4.1.3	Maintained	n/a	n/a
4.1.4	Operated	n/a	n/a
4.1.5	Quality of service, coverage, redundancy	n/a	n/a

Table B.19

4.2	ER 4.2 Support for new concepts of operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Communication systems shall support the implementation of advanced, agreed and validated concepts of operation for all phases of flight, in particular as envisaged in the ATM MasterPlan"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
4.2.1	Support the implementation	n/a	n/a

B.3.5 Navigation systems and procedures

Table B.20

5.1	ER 5.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Navigation systems shall be designed, built, maintained and operated using appropriate and validated procedures in such a way as to achieve the required horizontal and vertical navigation performance, in particular in terms of accuracy and functional capability, for a given environment (surface, TMA, en-route), with known traffic characteristics and exploited under an agreed and validated operational concept"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
5.1.1	Designed	n/a	n/a
5.1.2	Built	n/a	n/a
5.1.3	Maintained	n/a	n/a
5.1.4	Operated	n/a	n/a

B.3.6 Surveillance systems and procedures

Table B.21

6.1	ER 6.1 Seamless operation Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Surveillance systems shall be designed, built, maintained and operated using appropriate and validated procedures in such a way as to provide the required performance applicable in a given environment (surface, TMA, en-route) with known traffic characteristics and exploited under an agreed and validated operational concept, in particular in terms of accuracy, coverage, range and quality of service.</i> <i>The surveillance network within the EATMN shall be such as to meet the requirements of accuracy, timeliness, coverage and redundancy. The surveillance network shall enable surveillance data to be shared in order to enhance operations throughout the EATMN".</i>		
	Keywords	Evidence on constituent level	Evidence on system level
6.1.1	Designed	ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.3 [REQ 2.], [REQ 3.] and [REQ 4.] ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 2.8 [REQ 22.], [REQ 23.], [REQ 25.], [REQ 26.] and [REC 17.] ED-117A [1], chapter 2.9.5 [REC 19.] ED-117A [1], chapter 3.1.1 [REQ 27.] ED-117A [1], chapter 3.1.3 [REQ 31.] to [REQ 38.] ED-117A [1], chapter 3.1.4 [REQ 39.] and [REQ 40.] ED-117A [1], chapter 3.1.2 [REQ 28.] and [REQ 29.] ED-117A [1], chapter 3.3.2 [REQ 56.] ED-117A [1], chapter 3.3.4 [REQ 58.] ED-117A [1], chapter 3.3.5 [REQ 59.] ED-117A [1], chapter 3.3.6 [REQ 60.] ED-117A [1], chapter 3.3.7 [REQ 61.] ED-117A [1], chapter 3.3.8 [REQ 62.] ED-117A [1], chapter 3.3.9 [REQ 63.] ED-117A [1], chapter 3.3.10 [REQ 64.] ED-117A [1], chapter 3.3.11 [REQ 65.], ED-117A [1], chapter 3.3.12 [REQ 66.], [REQ 67.] and [REQ 68.] ED-117A [1], chapter 3.3.13 [REQ 69.] ED-117A [1], chapter 3.3.15 [ORQ 15.] ETSI EN 300 019 1-3, class 3.2 [4] ETSI EN 300 019 1-4, class 4.1 [5] ETSI EN 300 019 1-3, class 3.6 [4] ED-87D [2], chapter 2.1.2.3	Evidence for system level conformity is out of scope of the present document

6.1	ER 6.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Surveillance systems shall be designed, built, maintained and operated using appropriate and validated procedures in such a way as to provide the required performance applicable in a given environment (surface, TMA, en-route) with known traffic characteristics and exploited under an agreed and validated operational concept, in particular in terms of accuracy, coverage, range and quality of service.</i> <i>The surveillance network within the EATMN shall be such as to meet the requirements of accuracy, timeliness, coverage and redundancy. The surveillance network shall enable surveillance data to be shared in order to enhance operations throughout the EATMN".</i>		
	Keywords	Evidence on constituent level	Evidence on system level
6.1.2	Built	ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 5.3 ED-117A [1], chapters 5.4 and 5.5 ED-87D [2], chapter 5.3.1	Evidence for system level conformity is out of scope of the present document
6.1.3	Maintained	ED-117A [1], chapter 2.6.2 ED-117A [1], chapter 2.6.3 ED-117A [1], chapter 2.6.4, [REQ 17.] and [REQ 18.] ED-117A [1], chapter 2.6.5, [REQ 19.] ED-117A [1], chapter 2.6.6, [REQ 20.]	Evidence for system level conformity is out of scope of the present document
6.1.4	Operated	ED-117A [1], chapter 1.6.2 ED-117A [1], chapter 2.4.1 [REQ 5.] ED-117A [1], chapter 2.7. [REQ 21.], [REC 13.], [REC 14.] and [REC 15.]	Evidence for system level conformity is out of scope of the present document
6.1.5	Information Sharing	ED-117A [1], chapter 2.4.2 [REQ 6.] and [REQ 7] ED-117A [1], chapter 2.4.3 [REQ 8.] ED-117A [1], chapter 3.1.6 [REQ 44.], [REQ 45.], [REC 20.], [REQ 46.] and [REQ 47.] ED-117A [1], chapter 3.1.6.1 [REQ 48.] ED-117A [1], chapter 3.1.6.2 [REQ 50.] ED-117A [1], chapter 3.1.6.3 [REQ 51.] and [REQ 52.] and ED-87D [2], chapter 2.1.2.3 ED-117A [1], chapter 3.3.3. [REQ 57.] ED-117A [1], chapter 3.3.14, [REQ 70.] and [REQ 71.] ED-87D [2], chapter 3.7.2.1, second and third paraphrase ED-87D [2], chapter 3.7.4	Evidence for system level conformity is out of scope of the present document

B.3.7 Systems and procedures for aeronautical information services

Table B.22

7.1	ER 7.1 Seamless operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Accurate, timely and consistent aeronautical information shall be provided progressively in an electronic form, based on a commonly agreed and standardized data set. Accurate and consistent aeronautical information, in particular concerning airborne and ground-based constituents or systems, shall be made available in a timely manner"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
7.1.1	Accurate, timely and consistent	n/a	n/a
7.1.2	Standardized data set	n/a	n/a

Table B.23

7.2	ER 7.2 Support for new concepts of operation		
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Increasingly accurate, complete and up-to-date aeronautical information shall be made available and used in a timely manner in order to support continuous improvement of the efficiency of airspace and airport use"</i> .		
	Keywords	Evidence on constituent level	Evidence on system level
7.2.1	Increasingly accurate, complete and up-to-date	n/a	n/a

B.3.8 Systems and procedures for the use of meteorological information

Table B.24

8.1	ER 8.1 Seamless operation			
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Systems and procedures for the use of meteorological information shall improve the consistency and timeliness of its provision and the quality of its presentation, using an agreed data set"</i> .			
	Keywords	Evidence on constituent level	Evidence on system level	Evidence at procedure level
8.1.1	Consistency and timeliness	n/a	n/a	n/a

Table B.25

8.2	ER 8.2 Support for new concepts of operation			
	Regulation (EC) 552/2004 [i.1] as amended by Regulation (EC) 1070/2009 [i.4] requires that: <i>"Systems and procedures for the use of meteorological information shall improve the promptness of its availability and the speed with which it may be used, in order to support continuous improvement of the efficiency of airspace and airport use"</i> .			
	Keywords	Evidence on constituent level	Evidence on system level	Evidence at procedure level
8.2.1	Promptness, speed	n/a	n/a	n/a

Annex C (informative): Bibliography

- ICAO Annex 14: "Aerodrome Design and Operations, volume 1".
- ETSI EN 303 213-5: "Advanced Surface Movement Guidance and Control System (A-SMGCS); Part 5: Harmonized Standard for access to the radio spectrum for multilateration equipment; Sub-part 1: Receivers and Interrogators".
- ICAO Annex 10: "Aeronautical communications".
- ICAO Document 9476: "Manual of Surface Movements and Guidance Control Systems (SMGCS)".
- ICAO EUR Manual on A-SMGCS.
- Council Resolution of 7 May 1985 on a new approach to technical harmonization and standards, OJ C 136, 04.06.1985.
- ETSI TR 102 579: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Report providing guidance for the production of Community Specifications for application under the Single European Sky Interoperability Regulation EC 552/2004".
- EUROCAE ED-128 (08/2007): "Guidelines for surveillance data fusion in advanced surface movement guidance and control systems (A-SMGCS) levels 1 and 2".

Annex D (informative): Change History

Date	Version	Information about changes
August 2018	2.1.2	Document editing finished – preparation for TB Approval prior to ENAP

History

Document history			
V1.1.1	October 2010	Publication	
V1.2.0	November 2018	EN Approval Procedure	AP 20190219: 2018-11-21 to 2019-02-19
V2.0.1	March 2020	EN Approval Procedure	AP 20200611: 2020-03-13 to 2020-06-11