# Draft ETSI EN 319 102-1 V1.4.0 (2024-03)



**Electronic Signatures and Trust Infrastructures (ESI)**; **Procedures for Creation and Validation** of AdES Digital Signatures;

Part 1: Creation and Validation

# Reference REN/ESI-0019102-1V1.4.1

Keywords

electronic signature, security, trust services

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

#### Important notice

The present document can be downloaded from: https://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at <a href="https://www.etsi.org/deliver">www.etsi.org/deliver</a>.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure Program:

<a href="https://www.etsi.org/standards/coordinated-vulnerability-disclosure">https://www.etsi.org/standards/coordinated-vulnerability-disclosure</a>

#### Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied. In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024. All rights reserved.

# Contents

Intelle	ectual Property Rights	/
Forew	vord	7
Modal	l verbs terminology	7
Introd	uction	8
1	Scope	9
	References	
	Normative references	
2.1 2.2	Informative references.	
2.2	informative references	10
3	Definition of terms, symbols and abbreviations	
3.1	Terms	
3.2	Symbols	
3.3	Abbreviations	14
4	Signature creation	15
4.1	Signature creation model	
4.2	Signature creation information model	
4.2.1	Introduction	
4.2.2	Signature Creation Constraints	
4.2.3	Signer's Document (SD)	
4.2.4	Signer's Document Representation (SDR)	
4.2.5	Signature attributes	
4.2.5.1	General requirements	19
4.2.5.2	Signing certificate identifier	19
4.2.5.3	Signature policy identifier	19
4.2.5.4	Signature policy store	19
4.2.5.5	Data content type	20
4.2.5.6	Commitment type indication	20
4.2.5.7		
4.2.5.8		
4.2.5.9		
4.2.5.1		
4.2.6	Data To Be Signed (DTBS)	
4.2.7	Data To Be Signed (Formatted) (DTBSF)	
4.2.8	Data To Be Signed Representation (DTBSR)	
4.2.9	Signature	
4.2.10	Signed Data Object (SDO)	
4.2.11	Validation data	
4.3	Signature Classes and Creation Processes	
4.3.1	Introduction.	
4.3.2 4.3.2.1	Creation of Basic Signatures	
4.3.2.1 4.3.2.2		
4.3.2.2 4.3.2.3	1	
4.3.2.3 4.3.2.4	•	
4.3.2.4		
4.3.2.4		
4.3.2.4		
4.3.2.4	e i	
4.3.2.4	S S S S S S S S S S S S S S S S S S S	
4.3.2.4		
4.3.2.4	· · · · · · · · · · · · · · · · · · ·	
4.3.3	Creation of a Signature with Time	
4.3.3.1		
4.3.3.2		
4.3.3.3		

4.3.3.4	Process	
4.3.4	Creation of Signatures with Long-Term Validation Material	28
4.3.4.1	Description	28
4.3.4.2	Inputs	28
4.3.4.3	Outputs	28
4.3.4.4	Process	
4.3.5	Creation of Signatures providing Long Term Availability and Integrity of Validation Material	
4.3.5.1	Description	
4.3.5.2	Inputs	
4.3.5.3		
	Outputs	
4.3.5.4	Process	30
5 Si	gnature validation	30
5.1	Signature validation model	
5.1.1	General requirements.	
5.1.2	Selecting validation processes	
5.1.3	Status indication of the signature validation process and signature validation report	
5.1.3 5.1.4		
	Validation constraints	
5.1.4.1	General requirements	
5.1.4.2	X.509 Validation Constraints	
5.1.4.3	Cryptographic Constraints	
5.1.4.4	Signature Elements Constraints	
5.2	Basic building blocks	43
5.2.1	Description	43
5.2.2	Format Checking	44
5.2.2.1	Description	44
5.2.2.2	Inputs	
5.2.2.3	Outputs	
5.2.3	Identification of the signing certificate	
5.2.3.1	Description	
5.2.3.2	Inputs	
5.2.3.3	Outputs	
5.2.3.4		
	Processing	
5.2.4	Validation context initialization	
5.2.4.1	Description	
5.2.4.2	Inputs	
5.2.4.3	Outputs	
5.2.4.4	Processing	
5.2.5	Revocation freshness checker	
5.2.5.1	Description	47
5.2.5.2	Inputs	
5.2.5.3	Output	47
5.2.5.4	Processing	48
5.2.6	X.509 certificate validation	48
5.2.6.1	Description	48
5.2.6.2	Inputs	
5.2.6.3	Outputs	
5.2.6.4	Processing	
5.2.7	Cryptographic verification	
5.2.7.1	Description	
	1	
5.2.7.2	Inputs	
5.2.7.3	Outputs	
5.2.7.4	Processing	
5.2.8	Signature Acceptance Validation (SAV)	
5.2.8.1	Description	
5.2.8.2	Inputs	54
5.2.8.3	Outputs	54
5.2.8.4	Processing	54
5.2.8.4.1	General requirements	54
5.2.8.4.2	Processing AdES attributes	55
5.2.9	Signature validation presentation building block	
5.3	Validation process for Basic Signatures	

Anne	x C (informative): Applicability rules checking and format conformance check	84
Anne	x B (informative): Signature Classes and AdES Signatures	83
A.3.1	Long-Term vanuation	00
A.3.6 A.3.7	Validation of a Signature with Time  Long-Term Validation	
A.3.5 A.3.6	Basic signature validation	
A.3.4	Example 2: Revoked CA certificate	
A.3.3	Validating a Signature with Time	
A.3.2	Basic signature validation	
A.3.1	Introduction	
A.3	Example 1: Revoked certificate	
A.2	Symbols	76
A.1	General remarks and assumptions	76
	x A (informative): Validation examples	
5.6.3.4	•	
5.6.3.3	1	
5.6.3.2	1	
5.6.3.1		
5.6.3	Material	71
5.6.2.4	.4 Processing	/0
5.6.2.4	- T	
5.6.2.4	r	
5.6.2.4	<u>r</u> · · · · · · · · · · · · · · · · · · ·	
5.6.2.4	6 6	
5.6.2.3	8	
5.6.2.3	- T	
5.6.2.3	<u>.</u>	
5.6.2.3		
5.6.2.3	· · · · · · · · · · · · · · · · · · ·	
5.6.2.2		
5.6.2.2	•	
5.6.2.2	<u>.</u>	
5.6.2.2		
5.6.2.2		
5.6.2.1	- · · · · · · · · · · · · · · · · · · ·	
5.6.2.1 5.6.2.1	r	
5.6.2.1	T	
5.6.2.1		
5.6.2	Additional building blocks	
5.6.1	Introduction	
	Material	
5.6	Validation process for Signatures providing Long Term Availability and Integrity of Validation	
5.5.4	Processing	
5.5.3	Outputs	
5.5.2	Inputs	
5.5.1	Description	
5.4.4	Validation process for Signatures with Time and Signatures with Long-Term Validation Material	
5.4.5	Outputs Processing	
5.4.2 5.4.3	Inputs	
5.4.1	Description	
5.4	Time-stamp validation building block	
5.3.4	Processing	57
5.3.3	Outputs	
5.3.2	Inputs	
5.3.1	Description	57

x D (informative):	Change history	86
Format conformance		84
Applicability checking	ś ······	04
Applicability abacking	*	9.1
	Format conformance	Applicability checking  Format conformance  x D (informative): Change history

# Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**<sup>TM</sup> logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**<sup>®</sup> and the GSM logo are trademarks registered and owned by the GSM Association.

# **Foreword**

This draft European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI EN Approval Procedure.

The present document is part 1 of a multi-part deliverable covering Procedures for Creation and Validation of AdES Digital Signatures, as identified below:

#### ETSI EN 319 102-1: "Creation and Validation";

ETSI TS 119 102-2: "Signature Validation Report".

Proposed national transposition dates		
Date of latest announcement of this EN (doa):	3 months after ETSI publication	
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa	
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa	

# Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

<sup>&</sup>quot;must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

# Introduction

The present document aims to meet the general requirements of the international community to provide trust and confidence in electronic transactions, including, amongst other, applicable requirements from Regulation (EU) No 910/2014 [i.15].

# 1 Scope

The present document specifies procedures for:

- the creation of AdES digital signatures (specified in ETSI EN 319 122-1 [i.2], ETSI EN 319 132-1 [i.4], ETSI EN 319 142-1 [i.6] respectively);
- establishing whether an AdES digital signature is technically valid;

whenever the AdES digital signature is based on public key cryptography and supported by Public Key Certificates (PKCs). To improve readability of the present document, *AdES digital signatures* are meant when the term *signature* is being used.

NOTE 1: Regulation (EU) No 910/2014 [i.15] defines the terms electronic signature, advanced electronic signature, electronic seals and advanced electronic seal. These signatures and seals are usually created using digital signature technology. The present document aims at supporting the Regulation (EU) No 910/2014 [i.15] for creation and validation of advanced electronic signatures and seals when they are implemented as AdES digital signatures.

The present document introduces general principles, objects and functions relevant when creating or validating signatures based on signature creation and validation constraints and defines general classes of signatures that allow for verifiability over long periods.

The following aspects are considered to be out of scope:

- generation and distribution of Signature Creation Data (keys, etc.), and the selection and use of cryptographic algorithms;
- format, syntax or encoding of data objects involved, specifically format or encoding for documents to be signed or signatures created; and
- the legal interpretation of any signature, especially the legal validity of a signature.

NOTE 2: The signature creation and validation procedures specified in the present document provide several options and possibilities. The selection of these options is driven by a signature creation policy, a signature augmentation policy or a signature validation policy respectively. Note that legal requirements can be provided through specific policies, e.g. in the context of qualified electronic signatures as defined in the Regulation (EU) 910/2014 [i.15].

# 2 References

## 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference/">https://docbox.etsi.org/Reference/</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] <u>IETF RFC 5280</u>: "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile".
- [2] <u>ISO/IEC 9594-8:2020</u>: "Information technology -- Open Systems Interconnection -- Part 8: The Directory: Public-key and attribute certificate frameworks".

- [3] <u>IETF RFC 3161</u>: "Internet X.509 Public Key Infrastructure; Time Stamp Protocol (TSP)".
- [4] <u>ETSITS 119 172-1</u>: "Electronic Signatures and Infrastructures (ESI); Signature Policies; Part 1: Building blocks and table of contents for human readable signature policy documents".
- [5] <u>T7 & TeleTrusT</u>: "Common PKI Specifications for Interoperable Applications", Specification Part 9 SigG-Profile, Version 2.0, 20 January 2009.

# 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

15	er with regard to a particular subject area.			
	[i.1]	IETF RFC 4158: "Internet X.509 Public Key Infrastructure: Certification Path Building".		
	[i.2]	ETSI EN 319 122-1: "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 1: Building blocks and CAdES baseline signatures".		
	[i.3]	ETSI EN 319 122-2: "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 2: Extended CAdES signatures".		
	[i.4]	ETSI EN 319 132-1: "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 1: Building blocks and XAdES baseline signatures".		
	[i.5]	ETSI EN 319 132-2: "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 2: Extended XAdES signatures".		
	[i.6]	ETSI EN 319 142-1: "Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 1: Building blocks and PAdES baseline signatures".		
	[i.7]	ETSI EN 319 142-2: "Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 2: Additional PAdES signatures profiles".		
	[i.8]	IETF RFC 5652: "Cryptographic Message Syntax (CMS)".		
	[i.9]	IETF RFC 4998: "Evidence Record Syntax (ERS)".		
	[i.10]	IETF RFC 6283: "Extensible Markup Language Evidence Record Syntax (XMLERS)".		
	[i.11]	Void.		
	[i.12]	IETF RFC 6960: "X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP".		
	[i.13]	ETSI EN 319 422: "Electronic Signatures and Infrastructures (ESI); Time-stamping protocol and time-stamp token profiles".		
	[i.14]	ETSI TS 119 312: "Electronic Signatures and Infrastructures (ESI); Cryptographic Suites".		
	[i.15]	Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and		

service providers providing AdES digital signature validation services".

ETSI TS 119 442: "Electronic Signatures and Infrastructures (ESI); Protocol profiles for trust

IETF RFC 3852: "Cryptographic Message Syntax (CMS)".

repealing Directive 1999/93/EC.

[i.16]

[i.17]

[i.18]	ETSI TS 119 102-2: "Electronic Signatures and Infrastructures (ESI); Procedures for Creation and Validation of AdES Digital Signatures; Part 2: Signature Validation Report".
[i.19]	ETSI EN 319 411-1: "Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements".
[i.20]	ISO/IEC 14533-4:2019: "Processes, data elements and documents in commerce, industry and administration - Long term signature profiles - Part 4: Attributes pointing to (external) proof of existence objects used in long term signature formats (PoEAttributes)".
[i.21]	ETSI EN 319 412-1: "Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 1: Overview and common data structures".

# 3 Definition of terms, symbols and abbreviations

## 3.1 Terms

For the purposes of the present document, the following terms apply:

attribute authority: authority which assigns privileges by issuing attribute certificates

attribute certificate: data structure, digitally signed by an attribute authority, that binds some attribute values with identification information about its holder

certificate: See Public Key Certificate (PKC).

certificate identifier: unambiguous identifier of a certificate

certificate path (chain) validation: process of verifying and confirming that a certificate path (chain) is valid

Certificate Revocation List (CRL): signed list indicating a set of certificates that are no longer considered valid by the certificate issuer

certificate validation: process of verifying and confirming that a certificate is valid

certification authority: authority trusted by one or more users to create and assign public-key certificates

**chain model:** model for validation of X.509 certificate chains where all CA certificates have to be valid at the time they were used for issuing a certificate and the end-entity certificate was valid when creating the signature

**claimed signing time:** time of signing claimed by the signer which on its own does not provide independent evidence of the actual signing time

(signature) commitment type: signer-selected indication of the exact implication of a digital signature

(signature) creation constraint: criteria used when creating a digital signature

cryptographic suite: combination of a signature scheme with a padding method and a cryptographic hash function

**detached** (**digital**) **signature:** digital signature that, with respect to the Signed Data Object, is neither enveloping nor enveloped

**digital signature:** data appended to, or a cryptographic transformation of a data unit that allows a recipient of the data unit to prove the source and integrity of the data unit and protect against forgery, e.g. by the recipient

digital signature value: result of the cryptographic transformation of a data unit that allows a recipient of the data unit to prove the source and integrity of the data unit and protect against forgery, e.g. by the recipient

**Driving Application (DA):** application that uses a Signature Creation System (SCS) to create a signature or a Signature Validation Application (SVA) in order to validate digital signatures or a signature augmentation application to augment digital signatures

electronic document: any content stored in electronic form, in particular text or sound, visual or audiovisual recording

enveloped (digital) signature: digital signature embedded within the Signed Data Object

enveloping (digital) signature: digital signature embedding the Signed Data Object

**evidence:** information that can be used to resolve a dispute about various aspects of authenticity of archived data objects

**Evidence Record (ER):** unit of data, which can be used to prove the existence of an archived data object or an archived data object group at a certain time

NOTE: See IETF RFC 4998 [i.9] and IETF RFC 6283 [i.10].

proof of existence: evidence that proves that an object existed at a specific date/time

**prospective certificate chain:** sequence of n certificates which satisfies the conditions (a) to (c) in IETF RFC 5280 [1] clause 6.1, and the trust anchor is trusted according to the signature validation policy in use

**Public Key Certificate (PKC):** public key of an entity, together with some other information, rendered unforgeable by digital signature with the private key of the certification authority which issued it

**revocation data:** data issued by a revocation status service, including the signature of the issuing authority, for the purpose of providing revocation status information about one or more certificates

EXAMPLE: Certificate Revocation List, OCSP response.

NOTE: ETSI EN 319 411-1 [i.19] defines the revocation status service as a component service of the certification services

shell model: model for validation of X.509 certificate chains where all certificates have to be valid at a given time

NOTE: The given time is an input parameter to the validation.

**signature acceptance:** technical verification to be performed on the signature itself or on the attributes of the signature (i.e. the "signature elements constraints")

signature attribute: signature property

**signature augmentation:** process of incorporating to a digital signature information aiming to maintain the validity of that signature over the near term and/or the long term

- NOTE 1: Augmenting signatures is the process by which certain material (e.g. time stamps, validation data and even archival-related material) is incorporated to the signatures for making them more resilient to change or for enlarging their longevity.
- NOTE 2: This covers collection of information and creation of new structures that allows performing, on the long term, validations of a signature.

signature augmentation constraint: technical criteria used when augmenting a signature to a specific signature class

signature augmentation policy: set of signature augmentation constraints

NOTE 1: An augmentation policy can be uniquely identified by an OID/URI.

NOTE 2: The present document does not further specify the content of such a policy.

**signature augmentation report:** information about the augmentation provided by the Signature Augmentation Application to the Driving Application

NOTE: The present document does not further specify the content of such a report.

**signature augmentation result:** either the augmented signature or an error message that augmentation did not succeed, and optionally a **signature augmentation report** 

NOTE: ETSI TS 119 442 [i.17] specifies how to convey such signature augmentation result.

signature class: set of signatures achieving a given functionality

EXAMPLE: Signature with time, signature with Long-Term Validation Material, Signature providing Long Term Availability and Integrity of Validation Material are possible signature classes.

**Signature Creation Application (SCA):** application within the Signature Creation System (SCS), complementing the Signature Creation Device (SCDev), that creates a signature data object

**signature creation data:** unique data, such as codes or private cryptographic keys, which are used by the signer to create a digital signature value

**Signature Creation Device (SCDev):** configured software or hardware used to implement the signature creation data and to create a digital signature value

**Signature Creation Environment (SCE):** physical, geographical and computational environment of the Signature Creation System (SCS)

**signature creation policy:** set of rules, applicable to one or more digital signatures, that defines the technical and procedural requirements for their creation, in order to meet a particular business need, and under which the digital signature(s) can be determined to be conformant

**Signature Creation System (SCS):** overall system, consisting of the Signature Creation Application (SCA) and the Signature Creation Device (SCDev), that creates a digital signature

**signature invocation:** non-trivial interaction between the signer and the SCA or SCDev that is necessary to invoke the start of the signing process

NOTE: It is the 'Wilful Act' of the signer.

**signature policy:** signature creation policy, signature augmentation policy, signature validation policy or any combination thereof, applicable to the same signature or set of signatures

**signature scheme:** triplet of algorithms composed of a signature creation algorithm, a signature verification algorithm and a key generation algorithm

signature validation: process of verifying and confirming that a digital signature is technically valid

**Signature Validation Application (SVA):** application that validates a signature against a signature validation policy, and that outputs a status indication (i.e. the signature validation status) and a signature validation report

(signature) validation constraint: technical criteria against which a digital signature can be validated

EXAMPLE: Criteria can be expressed as an abstract formulation of rule, value, parameter, range and computation result.

NOTE: Validation constraints can be defined in a formal signature validation policy, can be given in configuration parameter files or implied by the behaviour of the Signature Validation Application (SVA).

**signature validation policy:** set of **signature validation constraints** processed or to be processed by the Signature Validation Application (SVA)

NOTE 1: A signature validation policy is a purely technical concept. It is one of the inputs of a validation process (other inputs include the signed data and the signature) that determine the validation result (PASSED, FAILED or INDETERMINED).

NOTE 2: A signature validation policy can be imposed by signature applicability rules.

**signature validation report:** comprehensive report of the validation provided by the Signature Validation Application (SVA) to the Driving Application and allowing the Driving Application and any party beyond the DA, to inspect details of the decisions made during validation and investigate the detailed causes for the status indication provided by the Signature Validation Application (SVA)

EXAMPLE: Clause 5.1.3 specifies minimum requirements for the content of such a report and ETSI TS 119 102-2 [i.18] specifies such a report.

14

**signature validation status:** one of the following indications: TOTAL-PASSED, TOTAL-FAILED or INDETERMINATE

signature verification: process of checking the cryptographic value of a signature using signature verification data

**signature verification data:** data, such as codes or public cryptographic keys, used for the purpose of verifying a signature

Signed Data Object (SDO): data structure containing the signature value, signature attributes and other information

NOTE: See clause 4.2.10.

signer: entity being the creator of a digital signature

time-assertion: time-stamp token or evidence record

time-stamp token: data object defined in IETF RFC 3161 [3], representing a time-stamp

trust anchor: entity that is trusted by a relying party and used for validating certificates in certification paths

trust anchor sunset date: time until when the trust anchor was or is considered reliable

trust service: electronic service which enhances trust and confidence in electronic transactions

Trust service Status List (TSL): form of a signed list as the basis for presentation of trust service status information

validation: process of verifying and confirming that a certificate or a digital signature is valid

validation data: data that is used to validate a digital signature

verifier: entity that wants to validate or verify a digital signature

# 3.2 Symbols

Void.

## 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ASIC Associated SIgnature Container
BES Basic Electronic Signature
CA Certification Authority
CMS Cryptographic Message Syntax

CRL Certificate Revocation List
DA Driving Application
DTBS Data To Be Signed

DTBSF Data To Be Signed (Formatted)
DTBSR Data To Be Signed Representation

EPES Explicit Policy based Electronic Signature

ER Evidence Record
ERS Evidence Record Syntax
HTML HyperText Markup Language

LDAP Lightweight Directory Access Protocol

LT Long Term

LTA Long Term Archival LTV Long Term Validation

OCSP Online Certificate Status Protocol
ODA Office Document Architecture

OID Object IDentifier
PC Personal Computer
PKC Public Key Certificate
PKI Public Key Infrastructure

PKIX Public Key Infrastructure X. 509

POE Proof Of Existence

RSA Rivest, Shamir and Adleman algorithm
SAV Signature Acceptance Validation
SCA Signature Creation Application
SCDev Signature Creation Device
SCE Signature Creation Environment
SCS Signature Creation System

SD Signer's Document SDO Signed Data Object

SDR Signer's Document Representation
SGML Standard Generalized Markup Language
SVA Signature Validation Application

TSA Time Stamping Authority
TSL Trust service Status List
TSP Trust Service Provider
URI Uniform Resource Identifier
XML eXtensible Mark-up Language
XSL eXtensible Stylesheet Language

# 4 Signature creation

# 4.1 Signature creation model


The objective of signature creation is to generate a signature covering the Signer's Document (SD), the signing certificate or a reference to it, as well as signature attributes supporting the signature and its interpretation and purpose.

The present document uses the functional model of a Signature Creation Environment (SCE) consisting of:

- a signer that wants to create a signature;
- a Driving Application (DA) which represents the environment (e.g. a business application) that the signer uses to access signing functionality; and
- a Signature Creation System (SCS) which implements the signing functionality.

NOTE 1: The involvement of a human signer is not always needed; signing can be an automated process implemented in the DA.

Figure 1 illustrates this model. It does not distinguish between hardware or software implementations, and the model does not specify the nature of any inputs/outputs or information transfer paths between the different components (which might take the form of direct I/O devices, hardwired connections or be distributed over communications links). Also, it makes no statement about the distribution of the functions over different platforms. These aspects are implementation issues which are out of scope of the present document.



**Figure 1: Functional Model of Signature Creation** 

The Signature Creation System (SCS) contains:

- a Signature Creation Application (SCA); and
- a Signature Creation Device (SCDev).

Clauses 4.2 and 4.3 specify the details of the signing process, which consist of the following steps:

- the SCS receives the Signer's Document (SD) or a Signer's Document Representation (SDR) together with other input from the DA;
- composes this into Data To Be Signed (DTBS);
- formats this into Data To Be Signed (Formatted) (DTBSF);
- produces a signature over the DTBSF;
- formats the result into a Signed Data Object (SDO) conforming to the desired signature format (e.g. CAdES [i.2], XAdES [i.4] and PAdES [i.6]); and
- returns the SDO and a status indication to the DA.

In case of an error, the SCS should return additional information allowing the DA or the signer to properly deal with the error.

The Signature Creation Device (SCDev):

- shall hold the signing certificates (or unambiguous references to them);
- shall hold the corresponding signature creation data;
- shall be able to authenticate the signer; and

• shall create the signature value using the signer's signature creation data.


NOTE 2: There are varieties of ways to implement the signature creation procedures, such as:

- running as (part of) an application software on a device like a PC with a graphical user interface;
- as a web service;
- a web application;
- a command-line tool;
- an integrated library or a middleware for other applications.

# 4.2 Signature creation information model

## 4.2.1 Introduction

Figure 2 outlines the building blocks for creating a signature and illustrates the data flow for the process of the generation of a signature. Clauses 4.2.2 to 4.2.11 specify information objects used in this process.



**Figure 2: Information Model of Signature Creation** 

# 4.2.2 Signature Creation Constraints

The signature creation process shall be controlled by a set of creation constraints. These constraints may be defined:

- using a formal policy specification, e.g. a (machine processable) signature creation policy;
- explicitly in system specific control data: e.g. in conventional configuration-files like property or .ini-files or stored in a registry or database; or
- implicitly by the implementation itself.

Additional constraints may be provided by the DA to the SCA via parameters selected by the application or the signer. These constraints influence the creation process and the creation result, irrespective of where these constraints have been defined.

# 4.2.3 Signer's Document (SD)

The Signer's Document (SD) is the document upon which the signature is generated and to which it is associated. The SD is selected or composed by the signer or by the DA. In some cases, a Signer's Document Representation (SDR) of the SD can be presented to the signature processes instead of the complete SD.

NOTE: The SD potentially has a number of important variants and components that impact the signing process and the status of the signature:

- It can be in revisable format such as a word processor document or a message or file that can be
  edited, and where its presentation is dependent on the current configuration of the viewing device,
  and where the signer can potentially be presented a representation of the SD having an appearance
  different from that presented to the verifier.
- 2) It can be in an unambiguous form (e.g. txt, Postscript, ODA final form, etc.). These formats contain complete presentation rules that guarantee that the signer and verifier can be presented the SD in the same way if the same presentation rules are followed.
- 3) Hidden encoded information can be present (e.g. macros, hidden text, active or calculated components, viruses, etc.). These can be invisible to the signer during the preview and verification processes, and the signer can be unaware of their presence. These represent potential ambiguities in the SD.
- 4) It can be in a form that is not normally presented to the signer or verifier directly, or it can be in a form that is inherently presented to the signer and verifier in different ways (whilst representing the same semantics). Examples of these formats are Electronic Data Interchange formats, Web Pages (HTML), XML, SGML, and computer files.
- 5) It can be in a form representing multiple individual documents, either referenced or packed together using some data format. Each of these individual documents can be anything, from random data to business documents. Examples for such forms are ASIC or XMLDSig.

# 4.2.4 Signer's Document Representation (SDR)

The SDR is used in the calculation of the signature as a representation of the SD. The SDR may be provided by the DA to the SCA. Whenever the DA does not provide the SDR, the SCA shall calculate the SDR from the SD by applying the algorithm specified by the signature creation policy in use.

It shall be infeasible to find another SD that is represented by the same SDR.

NOTE: Some signature formats do not incorporate the SD directly into the signature. While a typical SDR can be based on a cryptographic hash function, it is out of scope for the present document to specify details of the calculation of an SDR. Such calculations are format specific and can be complex, especially in the case of ASIC or XMLDSig.

## 4.2.5 Signature attributes

## 4.2.5.1 General requirements

Signature attributes shall be pieces of information that support the AdES signature and its interpretation and purpose and which may be covered by the signature together with the SD. The signature attributes shall be either directly provided by the signer or selected through the DA or automatically inserted into the signature by the SCS.

Attributes shall either be signed attributes, i.e. attributes that are covered by the signature, or unsigned attributes, i.e. attributes that are not secured by the signature. Unsigned attributes may also be added to a signature at a later stage. The set of attributes included in a signature is defined by the signature creation policy used or, when augmenting a signature, by the signature augmentation policy (ETSI TS 119 172-1 [4]) used and can also be format specific.

Clauses 4.2.5.2 to 4.2.5.10 specify signature attributes that are commonly used. Examples of this information and its uses are contained in the ETSI AdES signatures specifications ETSI EN 319 122-1 [i.2], ETSI EN 319 132-1 [i.4], ETSI EN 319 142-1 [i.6].

A signature may contain other signature attributes that are application-specific.

NOTE: How attributes are implemented within a signature is format-dependent and format specifications use different terms for this: *property*, *attribute* or *dictionary entries*. "Attribute" has been chosen as the generic term.

### 4.2.5.2 Signing certificate identifier

This attribute shall be a signed attribute.

This attribute shall contain one reference to the signing certificate.

NOTE 1: This attribute prevents substitution of the referenced certificate with another one with different semantics but the same public key. If the signer holds different certificates related to different signature creation data it indicates the correct signature verification data to the verifier.

This attribute may also contain references to some of or all the certificates within the signing certificate path, including one reference to the trust anchor when this is a certificate.

NOTE 2: If so, these references identify a set of certificates that are recommended as the certificate chain used to validate the signing certificate.

For each certificate, the attribute shall contain a digest together with a unique identifier of the algorithm that has been used to calculate that digest. This algorithm shall be a cryptographic hash function.

#### 4.2.5.3 Signature policy identifier

This attribute shall be a signed attribute.

The signature policy identifier attribute may contain a unique identifier identifying the signature creation policy that has been applied during signature creation.

NOTE 1: See AdES digital signatures specifications for additional requirements.

NOTE 2: This attribute can be present if required by the signing context (e.g. in a specified trading agreement). For instance, a signature creation policy can be used to clarify the precise role and commitments that the signer intends to assume with respect to the SD.

This attribute shall also contain a digest whose value is computed on the signature policy document, together with an identifier for the algorithm used to calculate that digest, or a transformed version of the signature policy document.

### 4.2.5.4 Signature policy store

This attribute shall be an unsigned attribute.

20

This attribute shall hold:

- the signature policy document which is referenced in the signature policy identifier attribute so that it can be used for offline and long-term validation; or
- a URI referencing a local store where the present document can be retrieved.

The attribute shall contain an identifier of the syntax used for producing the signature policy document.

## 4.2.5.5 Data content type

This attribute shall be a signed attribute.

The data content type attribute shall indicate the type of the SD.

NOTE: Additional attributes can specify additional information about the signed document. For instance, when presenting signed data to a human user, having no ambiguity as to the presentation of the Signed Data Object to the relying party can be important. In order for the appropriate representation (e.g. text, sound or video) to be selected by the relying party, information on the content type can be indicated by the signer.

## 4.2.5.6 Commitment type indication

This attribute shall be a signed attribute.

This attribute shall indicate commitment(s) made by the signer when signing certain documents.

The commitment type indicated shall be expressed in form of either an OID or a URI. It may contain a sequence of qualifiers providing more information about the commitment.

If a signature policy reference is present, and the referenced policy lists a set of allowed commitment types, the content of this attribute shall be selected from the set specified by that policy.

NOTE: If an AdES signature does not contain a recognized commitment type then the semantics of the AdES signature is dependent on the semantics of the document being signed and the context in which it is being used

### 4.2.5.7 Counter signatures

This attribute shall be an unsigned attribute.

This attribute shall contain one countersignature of the signature.

NOTE: Countersignatures are signatures that are applied one after the other and are used where the order in which the signatures are applied is important. In these situations, the first signature signs the signed documents. Each additional signature can sign in turn the latest previously generated signature, or all the previously generated signatures together with the signed document.

## 4.2.5.8 Claimed signing time

This attribute shall be a signed attribute.

This attribute shall contain the time at which the signer claims to having performed the signing process.

NOTE: As is the case with paper-based signatures, the time of the signature can only be a claimed one. Methods like time-stamps will need to be used in case the signature policies require more than claims for the signature time.

### 4.2.5.9 Claimed signer location

This attribute shall be a signed attribute.

This attribute shall specify an address associated with the signer at a particular geographical (e.g. city) location where the signer claims to having produced the signature.

NOTE: In some transactions, the place where the signer was at the time of signature creation is needed.

## 4.2.5.10 Signer's attributes

This attribute shall be a signed attribute.

This attribute shall contain attributes or signed assertions that the signer claims or proves to be in possession of when the signature was generated. This shall be done using:

- a signer's claimed attribute;
- an attribute certificate issued by an attribute authority; or
- signed assertions issued by a service provider.

NOTE: While the name of the signer is important, the position of the signer within a company or an organization can be even more important. Some contracts can only be valid if signed by a user in a particular role, e.g. a sales director. In many cases, it is not that important to know who the sales director really is, but being sure that the signer is empowered by his company to be the sales director can be fundamental.

## 4.2.6 Data To Be Signed (DTBS)

The data to be signed shall be constructed from the information objects that are to be covered by the signature. These are:

- the SD or the SDR; and
- the signature attributes selected to be signed together with the SD.

The construction of the DTBS may include format-specific pre-processing.

- NOTE 1: A signature is typically made over the SDR and some attributes. When there are no attributes, some signature formats allow using the SDR directly when creating the signature.
- NOTE 2: Examples for optional pre-processing include canonicalization/normalization, XPath filtering or XSL transformation. The result of this step is the information object that is covered by the signature as the result of the signing processes and which is included in the signature calculation and verification.

# 4.2.7 Data To Be Signed (Formatted) (DTBSF)

The DTBSF shall be created from the DTBS objects by formatting them and placing them in the correct sequence for the signing process.

# 4.2.8 Data To Be Signed Representation (DTBSR)

The DTBS preparation component shall take the DTBSF and hash it according to the hash algorithm specified in the cryptographic suite. The result of this process is the DTBSR, which is then used to create the signature.

NOTE: In order for the produced hash to be representative of the DTBSF, the hashing function has the property that it is computationally infeasible to find collisions for the expected signature lifetime. Should the hash function become weak in the future, additional security measures, such as applying time-stamp tokens, can be taken.

# 4.2.9 Signature

The SCDev shall take the DTBSR and apply the signature algorithm specified in the cryptographic suite. The result of this process shall be the signature value.

# 4.2.10 Signed Data Object (SDO)

The Signed Data Object Composer shall produce a SDO by taking the signature value calculated and formatting it according to the SDO Type. The SDO shall contain:

- the signature value; and
- the signed attributes.

The SDO may additionally contain the following:

- the SD or SDR; and/or
- additional supportive unsigned attributes.

## 4.2.11 Validation data

Some classes of AdES signatures incorporate additional data needed for validation. This additional data, called validation data, is the result of a signature augmentation process and shall include:

- Public Key Certificates (PKCs);
- Instances of revocation data; and
- time-assertions applied to the signature.

Validation data may also include other additional data necessary or useful for validation like Attributes Certificates (ACs) and revocation status information for ACs.

The validation data may be collected by the signer and/or the verifier.

# 4.3 Signature Classes and Creation Processes

## 4.3.1 Introduction

Figure 3 illustrates the structure of a signature common to all classes of signatures defined in this clause. It consists of the signer's document and signed attributes, both of which are input to the calculation of the signature value, the signature value itself as well as any unsigned attributes included into the signature.




Figure 3: Digital Signature

Figure 4 illustrates the life cycle of a signature. Most signatures created only encounter some of the steps in the life cycle. The steps in the life cycle are defined here as classes of signatures that have common properties as specified below. The process of creating an instance of a signature class based on a signature of another class following that lifecycle is also called **Signature Augmentation** and is governed by a signature augmentation policy.




Figure 4: Signature Lifecycle

Each of the signature classes below corresponds to a meaningful combination of attributes added to a signature aiming at improving the ability to validate a signature in the future, when the corresponding certificate or any other material needed for successful validation may have expired, been revoked, or used algorithms are no longer strong enough to be trustworthy.

A **Basic Signature** is a signature that can be validated as long as the corresponding certificates are neither revoked nor expired.

A **Signature with Time** is a signature that proves that the signature already existed at a given point in time.

NOTE 1: It can be used to validate a signature when a certificate has been revoked after the signature has been created.

A **Signature with Long-Term Validation Material** is a signature that provides the long term availability of the validation material by incorporating all the material or references to material required for validating the signature.


A Signature providing Long Term Availability and Integrity of Validation Material targets long term availability and integrity of the validation material of digital signatures over long term and can help to validate the signature beyond many events that limit its validity (for instance, the weakness of used cryptographic algorithms, or expiration of validation data).

NOTE 2: Signatures can then still be validated when certificates expire or become revoked, and also when the security of applied algorithms becomes questionable or used key sizes are no longer state of the art.

# 4.3.2 Creation of Basic Signatures

## 4.3.2.1 Description

Figure 5 shows the steps involved in creation of a Basic Signature. Clauses 4.3.2.4.1 to 4.3.2.4.7 specify these steps.



**Figure 5: Basic Signature Creation** 

## 4.3.2.2 Inputs

**Table 1: Inputs to the Basic Signature Creation process** 

Input		Requirement	
Signer's Document or Signer's Document Representation		Mandatory	
Signing Certificate Mandatory		Mandatory	
Other Signature Attributes Optional		Optional	
Signature	Signature Creation Policy Optional		
NOTE: A signature can also contain the time when the signature has been created. It is assumed that the current time is accurately available to the SCA. It is not listed as an input to avoid giving the impression that this time value can be selected at will.			

## 4.3.2.3 Outputs

The output of the Basic Signature creation process is an SDO that shall contain:

- the signature value;
- a reference to or a copy of the signing certificate as a signed attribute; and
- any optional signed or unsigned attributes (e.g. a signature policy identifier (see clause 4.2.5.3)).

NOTE 1: A Basic Signature is designed to prevent simple substitution and reissuing attacks and to specify the certificate to be used for verifying the signature.

NOTE 2: Additional mandatory attributes can be format specifically defined.

Figure 6 illustrates a Basic Signature.



Figure 6: Basic Signature

### 4.3.2.4 Processing

## 4.3.2.4.1 Selection of documents to sign

The Driving Application shall select one or more documents to be signed either automatically or explicitly by the signer through a user interface.

The selection process may specify that only certain parts of a document are to be signed.

NOTE: Legal requirements can mandate explicit signer involvement in selection of document to sign.

When a document is selected for signing, any existing signature on or attached to the document should be validated. If the signature is validated, a warning shall be provided in case validation of an existing signature yields a *TOTAL-FAILED* or *INDETERMINATE* result.

## 4.3.2.4.2 Signature attribute and parameters selection

The signing certificate identifier attribute (see clause 4.2.5.2) shall be included in the DTBS whenever required by the format and the contents of the signature. Other attributes may be included in the DTBS or as unsigned attributes in the resulting SDO.

NOTE 1: In XAdES signatures, it is possible to sign the signing certificate present within the ds:Keyinfo element. In this case, the signing certificate identifier attribute is not required.

The signing process shall be guided by additional parameters that at least shall determine the format of the SDO (e.g. CAdES, XAdES, PAdES) and the class (e.g. Basic Signature, Signature with Time, etc.) of the signature to create, and when necessary whether a detached, enveloped or enveloping signature shall be created.

Certificate and other attributes and parameters shall be selected by one or a combination of:

- The DA, conveying the attributes as parameters over the interface to the SCA.
- The signer through a user interface offered by the DA or the SCS.
- Local configuration in the SCS. Or
- Other means, such as importing a Signature Policy to the DA or the SCS.

NOTE 2: The signing certificate, possibly the complete certificate path, can most often be obtained from the signer's SCDev.

#### 4.3.2.4.3 Pre-signature presentation

When specific legal or functional requirements require that a document to sign is presented to the signer, the DA shall present the document to sign. In other cases, the DA should enable the signer to inspect the document to sign.

NOTE 1: Presentation of a document to sign is not always convenient. One example is bulk signing of many documents in one operation (e.g. invoices). Another example is signing of medical prescriptions where the user dialogue presents the medication information but not necessarily the final prescription documents (several prescriptions for one patient can be signed following one user consent).

The presented document shall be equal in content to the document that is signed.

NOTE 2: "Equal in content" is used instead of "the same", as the representation that is signed can be another format than the one displayed (e.g. XML).

The DA should enable the signer to inspect attributes selected for the signing process.

The DA may rely upon the SCS for whole or parts of the presentation of a document to sign and of attributes.

When a document to sign is presented, the validation result of any existing signature on or attached to the document should be presented to the signer as per clause 4.3.2.4.1.

The SCA may allow the signer to inspect a document to sign and/or attributes selected for the signing process through a separate user interface, outside of the DA environment.

## 4.3.2.4.4 Signature invocation

When specific legal or functional requirements require user consent prior to signature invocation, the DA shall:

- a) follow the procedure as per clause 4.3.2.4.3;
- b) inform the signer of the implications of signing; and
- c) get consent from the signer.

The DA may rely upon the SCS for whole or parts of the user dialogue.

Once user consent has been received, the DA shall invoke the signature to the SCS/SCA.

## 4.3.2.4.5 Signing

The SCDev shall perform the signing operation.

NOTE: See clause 4.3.2.4.6 for additional requirements on user authentication for the activation of the signature creation data.

Before invoking use of the signature creation data, the SCS (SCA or SCDev) should check that the signing certificate is valid (cryptographically correct, within its validity period and not revoked).

When the SCDev returns the signature, the SCA should verify the signature using the public key from the signer's certificate.

## 4.3.2.4.6 Signer authentication

The use of the signer's signature creation data (the private key) in the SCDev may require the signer to be authenticated towards the SCDev.

Depending on the specific authentication method(s), the user may interact with the user interface to the DA, to the SCA, or the SCDev. More than one authentication mechanism may be used to provide sufficient authentication assurance.

A signer authentication mechanism may be of a form that prevents impersonation attacks even from the DA or the SCA and their environment.

- NOTE 1: The nature of authentication mechanisms are determined by the SCDev used. Standards exist for different interfaces, SCDev types, and authentication mechanisms.
- NOTE 2: In some cases, signer authentication will be mandatory and further requirements on the nature of the authentication mechanisms and interfaces can be imposed.

#### 4.3.2.4.7 SDO composition

Upon return of the signature from the SCDev, the SCA shall compose the SDO according to the required format. Further attributes may be included in the SDO.

A status indication shall be returned to the DA.

The status indication shall have one of two values:

- OK: The signature has been successfully created; in this case, the SDO shall also be returned to the DA;
- FAILED: The SCS was unable to create a signature.

In case of an error, the SCS should return additional information allowing the DA or the signer to properly deal with the error.

# 4.3.3 Creation of a Signature with Time

### 4.3.3.1 Description

A Signature with Time is a signature that proves that the signature already existed at a given point in time. The time is provided by a time-stamp token on the signature as an unsigned property added to the Basic Signature as a result of the signature augmentation.




Figure 7: Signature with Time

- NOTE 1: A time-mark provided by a Trusted Service would have similar effect to the time-stamp but in this case no property is added to the signature as it is the responsibility of the TSP to provide evidence of a time mark when required to do so. The management of time marks is outside the scope of the present document.
- NOTE 2: Time-stamp token provides the initial steps towards providing long term validity. The time-stamp tokens need to be created before a certificate has been revoked or expired. If this cannot be achieved, validation of the created signature can fail.
- NOTE 3: The Signature with Time provides independent evidence of the existence of the signature prior to the time-stamp token indication. To reduce the risk of repudiating signature creation, the time-stamp token ideally is as close as possible to the time the signature was created. The signer or a TSP could provide the Signature with Time. If the signer did not provide it or the TSA the signer used is not trusted by the verifier, the verifier can create a Signature with Time on first receipt of a signature.

## 4.3.3.2 Inputs

Table 2: Inputs to the creation process for Signatures with Time

Input	Requirement
Basic Signature	Mandatory
Signature Augmentation Policy	Optional

### 4.3.3.3 Outputs

The process for creating a **Signature with Time** shall return the signature provided with an added unsigned attribute containing a time-stamp token on the signature.

#### 4.3.3.4 Process

The signature augmentation process shall:

- 1) Request one or more time-stamp tokens from appropriate TSAs as defined in the signature policy or local configuration. The time-stamp token shall cover the signature value.
- 2) Produce a signature attribute encapsulating the time-stamp token(s) produced in step 1). And
- 3) Add the signature attribute of step 2) as an unsigned attribute to the SDO.
- NOTE: When the validation of a signature fails, adding a time-stamp will not always help preserving the signature. The SVA can optionally validate the signature before requesting a time-stamp and in case of *TOTAL-FAILED* abort the process.

## 4.3.4 Creation of Signatures with Long-Term Validation Material

## 4.3.4.1 Description

As long as a validation algorithm can assess the validity of a Signature with Time, it can be augmented to a Signature with Long-Term Validation Material by adding unsigned attributes. This augmentation can be done either by the SCA, or by a third party or by a verifier using an SVA.

NOTE 1: A signature validation algorithm can assess the validity of a Signature with Time only as long as the validation data required to validate the signature is still on-line available to the verifiers and signature POE are available. In case it is unsure that the validation data required to validate the signature will still be on-line available to the verifiers or that some verifiers cannot access that data, then it is necessary to capture that data inside the signature.




Figure 8: Signature with Long-Term Validation Material

NOTE 2: A Signature with Long-Term Validation Material includes the validation data that is necessary to verify the signature beyond the end of the validity of the signing certificate, in particular to ascertain the revocation status of all end-entity certificates (signing certificate, time-stamping units certificates, attribute certificates, etc.) contained in the signature. There can be more elements than necessary and can also be fewer elements than necessary if it is expected that recipients have an alternate means of obtaining the missing elements.

### 4.3.4.2 Inputs

Table 3: Inputs to the creation process for Signatures with Long-Term Validation Material

Input	Requirement
Signature with Time	Mandatory
Signature Augmentation Policy	Optional

## 4.3.4.3 Outputs

The process for creating a Signature with Long-Term Validation Material shall return a status indication of the validation of the signature provided together with the created signature with Long-Term Validation Material.

#### 4.3.4.4 Process

When adding an attribute containing long-term-validation data, the signature augmentation process shall:

- 1) validate the Signature with Time in its current state, using the validation defined in clause 5.5;
- 2) add to the signature all material or/and references to it that has been used during validation and that is not already present in the signature; and
- 3) return the augmented signature possibly with the validation status information and the validation report provided by the SVA.

NOTE: Augmentation can be meaningful even for signatures where validation returns a *TOTAL-FAILED* status indication, since it allows ensuring the integrity and Long Term Availability of the material that can prove that the signature validation failed.

# 4.3.5 Creation of Signatures providing Long Term Availability and Integrity of Validation Material

## 4.3.5.1 Description

Before algorithms, keys, and other cryptographic data used at the time a signature was built become weak and the cryptographic functions become vulnerable, or the certificates supporting previous time-assertions expire or are revoked, the signer's document, the signature as well as any attributes contained in a signature with Long-Term Validation Material should be protected by applying one or more time-assertions. Time-assertions bind data to a particular time establishing evidence that the latter data existed at that time. Such additional time-assertions are added to the signature as unsigned attributes in order to provide long term availability and integrity of validation material and thus are called attributes for long term availability and integrity of validation material. The creation of time-assertions should be repeated in time before the protection provided by a previous time-assertion becomes weak and should make use of stronger algorithms or longer key lengths than have been used in the original signatures or previous time-assertions.




Figure 9: Signature providing Long Term Availability and Integrity of Validation Material

If the process is repeated, several instances of time-assertions may occur with a signature. Figure 10 shows an example of a signature where two time-assertions have been applied.




Figure 10: Signature providing Long Term Availability and Integrity of Validation Material after repetition

## 4.3.5.2 Inputs

Table 4: Inputs to the creation process for Signatures providing Long Term Availability and Integrity of Validation Material

Input	Requirement
Signature with Long-Term Validation Material or	Mandatory
Signature providing Long Term Availability and Integrity of Validation Material	·
Signature Augmentation Policy	Optional

## 4.3.5.3 Outputs

The process for creating a **Signature providing Long Term Availability and Integrity of Validation Material** shall, if successful, return the signature provided as input, which has been augmented by an added unsigned attribute for long term availability and integrity of validation material, i.e. a time-stamp token or an evidence record on the signature. Also, additional validation material may have been included as unsigned attributes within the signature.

If the process has not been executed successfully, an error indication shall be returned together with all information available explaining the error.

#### 4.3.5.4 Process

The signature augmentation process may:

- 1) Validate the signature in its current state, using the validation process defined in clause 5.5.
- 2) If the validation process returns TOTAL-FAILED, return this indication together with all information about the problem as provided by the validation process.
- 3) Add any validation material required for validating the signature that is not already present in the signature. This shall include any validation data of previously added time-assertions.
- 4) Request one or more time-assertions from appropriate TSAs as defined in the signature policy or local configuration. The time-assertion shall cover the signer's document as well as all data objects contained in the signature.
- 5) Produce signature attribute(s) encapsulating the time-assertion(s) produced in step 4). And
- 6) Add the signature attribute(s) as unsigned attribute(s) to the signature.

# 5 Signature validation

# 5.1 Signature validation model

# 5.1.1 General requirements

This clause defines the conceptual model shown in Figure 11 by dividing software with signature validation functions into two parts:

- a Signature Validation Application (SVA); and
- a Driving Application (DA).

A Signature Validation Application (SVA) receives an AdES digital signature and other input from the Driving Application (DA).

The SVA shall validate the signature against a signature validation policy, consisting of a set of validation constraints, and shall output a status indication and validation report providing the details of the technical validation of each of the applicable constraints, which can be relevant for the DA in interpreting the results.

Unless the DA requests the SVA to execute a specific validation process, validation always starts with the validation process for Signature providing Long Term Availability and Integrity of Validation Material (see clause 5.6.3). One of the first steps of this process is to call the process for Signatures with Time and Signatures with Long-Term Validation Material (see clause 5.5) which again calls the process for Basic Signatures (see clause 5.3). In effect, the validation follows the signature lifecycle as depicted in Figure 4 and evaluates the status of the signature based on the validation process for the first signature class of that lifecycle (Basic Signature) first. If this leads to a definitive validation conclusion (positive or negative) the validation can be stopped. However, it is possible that this signature class does not offer the information that is required to come to a definitive conclusion. In that case, the validation continues with the validation process for the next augmented signature class (Signature with Time, Signature with Long-Term Validation Material, Signature providing Long Term Availability and Integrity of Validation Material), until either a definitive conclusion is possible or no further validation process for an augmented signature class is available. The validation result of the signature validation process applied last is then the final validation result for the signature (which may remain undetermined for lack of information).

In order to conclude the validation of one of the signature classes, several validation building blocks are applied (see clause 5.2). The status indication of each single validation building block shall be one of the following values: PASSED, FAILED or INDETERMINATE. The exact meaning of these status indications are defined in the building blocks below.

The status on the full validation of one of the signature classes in the context of a particular signature validation policy shall be:

TOTAL-PASSED: when the cryptographic checks of the signature (including checks of hashes of individual data

objects that have been signed indirectly) succeeded as well as all checks prescribed by the

signature validation policy have been passed.

TOTAL-FAILED: the cryptographic checks of the signature failed (including checks of hashes of individual data

objects that have been signed indirectly), or it is proven that the signing certificate was invalid at the time of generation of the signature, or because the signature is not conformant to one of the base standards to the extent that the cryptographic verification building block is unable to

process it.

INDETERMINATE: the results of the performed checks do not allow to ascertain the signature to be

TOTAL-PASSED or TOTAL-FAILED.

The main status indication can be accompanied by additional information. Detailed requirements are specified in clause 5.1.3.

The output of the SVA is meant to be processed by the DA (e.g. to be presented to the verifier).




Figure 11: Conceptual Model of Signature Validation

The present document does not stipulate any required behaviour by the DA, especially no processing requirements for any of the returned information, since this is application specific and out of the scope of the present document. However:

• If SVA returns *TOTAL-PASSED* for a certain signature, DA should consider the signature as a technically valid signature according to the validation constraints.

NOTE 1: This does not necessarily mean that the signature is useful for a particular purpose.

- If SVA returns *TOTAL-FAILED*, the DA should not consider the signature as technically valid.
- In case the SVA returns *INDETERMINATE*, if the subindication indicates the result can change when rerunning the algorithm, the DA may retry validation based on additional information or at a later point in time. In all other cases, the acceptation of the signature has to be determined by the DA, or beyond, by the user, as part of the applicability rules checking.

When the status indication is *INDETERMINATE*, the result may change when the DA runs the validation process again at a later point in time. Table 7 lists the subindications for the *INDETERMINATE* indication and corresponding conditions necessary to allow the validation results to be different when the DA reruns the validation process.

NOTE 2: This assumes that the SVA was able to process all validation constraints. There can be cases, where this cannot be done. For example, if the validation constraints state that the claimed signing time of a signature is assumed to be the actual signing time even if there are no proofs of existence for that fact, and the SVA is unable to take this consideration into the decision process, the SVA will return *INDETERMINATE* with an indication for the reason. This will allow the DA to still accept the signature as valid according to the policy in place.

The present document presents the validation process in the form of algorithms, which provide a conformant behaviour when implemented by a signature validation application.

Alternative implementations may be used provided that they produce the same main status indication when given the same set of input information.

NOTE 3: There are varieties of ways to implement the signature validation procedures, such as:

running as (part of) an application software on a device like a PC with a graphical user interface;

- as a web service;
- a web application;
- a command-line tool;
- an integrated library or a middleware for other applications.

# 5.1.2 Selecting validation processes

The clauses below offer several validation processes. Depending on the classes of signatures an SVA is able to validate, an appropriate validation process needs to be selected if multiple choices are possible:

• When supporting only validation of Basic Signatures, the SVA shall support the **Validation Process for Basic Signatures** (clause 5.3). This process may be selected for signatures where the time of validation lies within the validity period of the signing certificate and the signing certificate has not been revoked.

NOTE: Validation of signatures where involved certificates are expired at validation time, but not revoked, depends on the signature validation policy in use. A policy can e.g. well allow using the Validation Process for Basic Signatures for validating a signature that has been created two days ago, and the involved certificate expired yesterday.

The Validation Process for Basic Signatures may be used irrespective of the class of signature presented: Basic Signatures, Signatures with Time, Signatures with Long-Term Validation Material and Signatures providing Long Term Availability and Integrity of Validation Material. Any additional material present in attributes may be ignored.

Certificate and revocation data collected during that validation may be used to create a Signature with Long-Term Validation Material.

- When supporting validation for Signatures with Time and Signatures with Long-Term Validation Material, the SVA shall support the Validation Process for Basic Signatures (clause 5.3), and the Validation Process for Signatures with Time and Signatures with Long-Term Validation Material (see clause 5.5). The SVA shall also be able to use the validation data stored within the signature for validation.
- When supporting validation for Signatures providing Long Term Availability and Integrity of Validation Material, the SVA shall support the Validation Process for Basic Signatures (clause 5.3), the Validation Process for Signatures with Time and Signatures with Long-Term Validation Material (see clause 5.5) and the Validation process for Signatures providing Long Term Availability and Integrity of Validation Material (see clause 5.6).

When validating an instance of a signature, the SVA should proceed as follows:

- 1) When the DA:
  - a) does not require the SVA to perform a specific validation process or if the SVA does not support selection of a dedicated validation process, the SVA shall go to step 2);
  - b) requires the SVA to perform the Validation Process for Basic Signatures, the SVA shall go to step 4);
  - c) requires the SVA to perform the Validation Process for Signatures with Time and Signatures with Long-Term Validation Material, the SVA shall go to step 3);
  - d) requires the SVA to perform the Validation process for Signatures providing Long Term Availability and Integrity of Validation Material, the SVA shall go to step 2).
- 2) If the SVA does not support the Validation process for Signatures providing Long Term Availability and Integrity of Validation Material, the SVA shall go to the next step. Otherwise, it shall perform the Validation process for Signatures providing Long Term Availability and Integrity of Validation Material and it shall go to step 5).
- 3) If the SVA does not support the Validation Process for Signatures with Time and Signatures with Long-Term Validation Material, the SVA shall go to the next step. Otherwise, it shall perform the Validation Process for Signatures with Time and Signatures with Long-Term Validation Material and it shall go to step 5).

- 4) The SVA shall perform the Validation Process for Basic Signatures.
- 5) When the selected validation process returned the status indication *PASSED*, the SVA shall provide the status indication *TOTAL-PASSED* together with the information as defined in clause 5.1.3 to the DA.
- 6) When the selected validation process returned the status indication *FAILED*, the SVA shall provide the status indication *TOTAL-FAILED* together with the information as defined in clause 5.1.3 to the DA.
- 7) Otherwise, the SVA shall provide the status indication *INDETERMINATE* together with the information as defined in clause 5.1.3 to the DA.

# 5.1.3 Status indication of the signature validation process and signature validation report

An SVA shall provide a comprehensive report of the validation, allowing the DA to inspect details of the decisions made during validation and investigate the detailed causes for the status indication provided by the SVA.

This clause specifies minimum requirements for the content of such a report.

The DA shall, when a human user is involved, be able to present the report in a way meaningful to the user.

In all cases, the signature validation process shall output:

- a status indication of the results of the signature validation process. Table 5 lists the possible values of the main status indication and their semantics;
- an indication of the policy or an indication of the set of constraints against which the signature has been validated;
- the date and time for which the validation status was determined together with the validation data used for the determination; and

NOTE 1: The date and time returned is the current time for Basic Signature validation; it can be either the current time or a point in time in the past when validating Signatures with Time, Signatures with Long-Term Validation Material or Signatures providing Long Term Availability and Integrity of Validation Material.

• the validation process (clauses 5.3, 5.5 and 5.6.3) that has been used in validation.

In addition, the signature validation process should output additional validation report data as specified in Table 5 and Table 6. For this purpose, the signature validation process may output:

- a status subindication. Table 6 lists possible values and additional report data associated to these values;
- additional data items extracted from the signature.

Indications returned by SVAs shall conform to the following rules:

- When the validation process selected as in clause 5.1.2 returns *PASSED*:
  - The overall result of the validation shall be *TOTAL-PASSED*.
  - The SVA should return the associated validation report data as specified in Table 5.
- When the validation process selected as in clause 5.1.2 returns *FAILED*:
  - The overall result of the validation shall be *TOTAL-FAILED*.
  - The SVA shall return a sub-indication as specified in Table 6.
  - The SVA should return the associated validation report data as specified in Table 5 and Table 6.
- When the validation process selected as in clause 5.1.2 returns *INDETERMINATE*:
  - The overall result of the validation shall be *INDETERMINATE*.
  - The SVA should return the associated validation report data as specified in Table 5.

- When one or more of the sub-indications in Table 6 can be mapped to the reason(s) why the validation process returned *INDETERMINATE*:
  - The SVA shall return any of the corresponding sub-indications.
  - The SVA should return the associated validation report data as specified in Table 6.
- Otherwise:
  - The SVA shall return a custom diagnostic of the reason for *INDETERMINATE*.
- NOTE 2: In the case of *INDETERMINATE*, there can be different reasons why the validation process returned *INDETERMINATE*. The final reason(s) in the result of the SVA can depend on the specific implementation.

#### When the result is TOTAL-PASSED or TOTAL-FAILED:

- a) Any execution of an SVA with the same inputs shall return TOTAL-PASSED or TOTAL-FAILED, respectively.
- NOTE 3: Validation time, usually current-time, can be an input to the SVA. Execution of the SVA with different values for validation time will still return *TOTAL-PASSED*, as long as e.g. no certificate involved in the validation expires or becomes revoked and no cryptographic algorithm is broken. Then it can also return *INDETERMINATE*.
- b) Any execution of an SVA with the same inputs and additional validation data (e.g. more certificates or revocation status information) shall return the same result as it has returned in *a*) (i.e. *TOTAL-PASSED* or *TOTAL-FAILED*).
- c) Any execution of an SVA with the same inputs and additional POEs (e.g. timestamp) may return a different result from the original (i.e. *TOTAL-PASSED* or *TOTAL-FAILED*).

#### When the result is *INDETERMINATE*:

- a) Any execution of an SVA with the same inputs shall return INDETERMINATE.
- b) Any execution of an SVA with the same inputs and additional validation data shall return *TOTAL-PASSED*, *TOTAL-FAILED* or *INDETERMINATE*.
- NOTE 4: The date/time at which the SVA is executed is an implicit input to the validation process. Running the SVA at a later point in time can give different results in case additional data becomes available (e.g. new certificate status information).
- NOTE 5: The term "same inputs" includes the signature validation policy or set of validation constraints to be used. Different validation constraints in general result in different validation results. Also, if the SVA fetches validation information from e.g. a CA, this is considered as input to the validation.

Table 5: Status indications of the signature validation process

Reported Validation Information		ormation Semantics
Status indication	Associated Validation report data	
TOTAL-PASSED	The validation process shall output the validated certificate chain, including the signing certificate, used in the validation process.  In addition, the validation process may provide the result of the validation for each of the validation constraints.  The validation process should provide the DA access to the signed attributes present in the signature, the identity of the signer.	The signature validation process results into TOTAL-PASSED based on the following considerations:  • the format check succeeded; • the cryptographic checks of the signature succeeded (including checks of hashes of individual data objects that have been signed indirectly); • any constraints applicable to the signer's certificate have been positively validated (e.g. the signing certificate consequently has been found trustworthy); and • the signature has been positively validated against the validation constraints and hence is considered conformant to these constraints.

Reported Validation Information		Semantics	
Status indication	Associated Validation report		
	data		
TOTAL-FAILED	The validation process shall output additional information to explain the TOTAL-FAILED indication for each of the validation constraints that have been taken into account and for	The signature validation process results into TOTAL-FAILED because the format-check failed, cryptographic checks of the signature failed (including checks of hashes of individual data objects that have been signed indirectly) or it has been proven that the signing certificate was invalid	
INDETERMINATE	which a negative result occurred.  The validation process shall output additional information to explain the INDETERMINATE indication and to help the verifier to identify where relevant what data is missing to complete the validation process. In particular, it shall provide validation result indications for those validation constraints that have been taken into account and for which an indeterminate result occurred.	at the time of generation of the signature. The available information is insufficient to ascertain the signature to be TOTAL-PASSED or TOTAL-FAILED.	

**Table 6: Validation Report Structure and Semantics** 

Reported Validation Information			
Main indication	Sub-indication	Associated Validation report data	Semantics
TOTAL-FAILED	FORMAT_FAILURE	The validation process shall provide any information available why parsing of the signature failed.	The signature is not conformant to one of the base standards to the extent that the cryptographic verification building block is unable to process it.
	HASH_FAILURE	The validation process shall provide:  • An identifier (s) (e.g. an URI or OID) uniquely identifying the element within the Signed Data Object (such as the signature attributes, or the SD) that caused the failure.	The signature validation process results into TOTAL-FAILED because at least one hash of a Signed Data Object(s) that has been included in the signing process does not match the corresponding hash value in the signature.
	SIG_CRYPTO_FAILURE	The validation process shall output:  • The signing certificate used in the validation process.	The signature validation process results into TOTAL-FAILED because the signature value in the signature could not be verified using the signer's public key in the signing certificate.

	Reported Validation Information Associated Validation		Somenties
Main indication	Sub-indication	Associated Validation report data	Semantics
	REVOKED	The validation process shall provide the following:  The certificate chain used in the validation process.  The time and, if available, the reason of revocation of the signing certificate.	The signature validation process results into TOTAL-FAILED because:  the signing certificate has been revoked; and  there is proof that the signature has been created after the revocation time.
	EXPIRED	The process shall output: The validated certificate chain.	The signature validation process results into TOTAL-FAILED because there is proof that the signature has been created after the expiration date (notAfter) of the signing certificate.
	NOT_YET_VALID	-	The signature validation process results into TOTAL-FAILED because there is proof that the signature was created before the issuance date (notBefore) of the signing certificate.
INDETERMINATE	SIG_CONSTRAINTS_ FAILURE	The validation process shall provide:  • The set of constraints that have not been met by the signature.	The signature validation process results into INDETERMINATE because one or more attributes of the signature do not match the validation constraints.
	CHAIN_CONSTRAINTS_ FAILURE	The validation process shall output:  The certificate chain used in the validation process.  The set of constraints that have not been met by the chain.	The signature validation process results into INDETERMINATE because the certificate chain used in the validation process does not match the validation constraints related to the certificate.
	CERTIFICATE_CHAIN_ GENERAL_FAILURE	The process shall output:  • Additional information regarding the reason.	The signature validation process results into INDETERMINATE because the set of certificates available for chain validation produced an error for an unspecified reason.

	Reported Validation Information	Associated Validation	Semantics
Main indication	Sub-indication		Semantics
Wain Indication	CRYPTO_CONSTRAINTS_FAILURE	report data  The process shall output:  Identification of the material (signature, certificate) that is produced using an algorithm or key size below the required cryptographic security level.  If known, the time up to which the algorithm or key size were considered secure.	The signature validation process results into INDETERMINATE because at least one of the algorithms that have been used in material (e.g. the signature value, a certificate) involved in validating the signature, or the size of a key used with such an algorithm, is below the required cryptographic security level, and:  this material was produced after the time up to which this algorithm/key was considered secure (if such a time is known); and  the material is not protected by a sufficiently strong time-stamp applied before the time up to which the algorithm/key was considered secure (if such a secu
	POLICY_PROCESSING_ ERROR	The validation process shall provide additional information on the problem.	time is known).  The signature validation process results into INDETERMINATE because a given formal policy file could not be processed for any reason (e.g. not accessible, not parseable, digest mismatch, etc.).
	SIGNATURE_POLICY_NOT_AVAILABLE  TIMESTAMP_ORDER_ FAILURE	The validation process shall output the list of time-stamps that do no respect the ordering constraints.	The signature validation process results into INDETERMINATE because the electronic document containing the details of the policy is not available.  The signature validation process results into INDETERMINATE because some constraints on the order of signature time-stamps and/or

	Reported Validation Information  Associated Validation		Semantics
Main indication	Sub-indication	report data	Comantios
	NO_SIGNING_CERTIFICATE_FOUND	-	The signature validation process results into INDETERMINATE because the signing certificate cannot be identified.
	NO_CERTIFICATE_CHAIN_FOUND	-	The signature validation process results into INDETERMINATE because no certificate chain has been found for the identified signing certificate.
	NO_CERTIFICATE_CHAIN_FOUND_NO_POE		The signature validation process results into INDETERMINATE because no certificate chain has been found for the identified signing certificate due to the trust anchor not being trusted at the validation date/time by the validation policy in use. However the Signature Validation Algorithm cannot ascertain that the signing time lies before or after a time when the trust anchor was trusted by the validation policy in use.
	REVOKED_NO_POE	The validation process shall provide the following:  The certificate chain used in the validation process.  The time and the reason of revocation of the signing certificate.	The signature validation process results into INDETERMINATE because the signing certificate was revoked at the validation date/time. However, the Signature Validation Algorithm cannot ascertain that the signing time lies before or after the revocation time.
	REVOKED_CA_NO_POE	The validation process shall provide the following:  The certificate chain which includes the revoked CA certificate.  The time and the reason of revocation of the certificate.	The signature validation process results into INDETERMINATE because at least one certificate chain was found but an intermediate CA certificate is revoked.

	Reported Validation Information		
Main indication	Sub-indication	Associated Validation report data	Semantics
	OUT_OF_BOUNDS_NOT_REVOKED		The signature validation process results into INDETERMINATE because the signing certificate is expired or not yet valid at the validation date/time and the Signature Validation Algorithm cannot ascertain that the signing time lies within the validity interval of the signing certificate. The certificate is known
	OUT_OF_BOUNDS_NO_ POE		not to be revoked.  The signature validation process results into INDETERMINATE because the signing certificate is expired or not yet valid at the validation date/time and the Signature Validation Algorithm cannot ascertain that the signing time lies within the validity interval of the signing certificate.
	REVOCATION_OUT_OF_BOUNDS_NO_POE	The validation process shall provide the following:  The certificate chain used in the validation process.  The revocation data that is concerned by the failure.	The signature validation process results into INDETERMINATE because the signing certificate of the revocation data containing the revocation status information of the signature signing certificate is expired or not yet valid at the validation date/time and the Signature Validation Algorithm cannot ascertain that the revocation data is proven to have existed at a time that is within the validity interval of the signing certificate of that revocation data.

	Reported Validation Information	Associated Validation	Semantics
Main indication	Sub-indication	report data	- Comando
	CRYPTO_CONSTRAINTS_FAILURE_NO_POE	The process shall output:  Identification of the material (signature, certificate) that is produced using an algorithm or key size below the required cryptographic security level.  If known, the time up to which the algorithm or key size were consider secure.	The signature validation process results into INDETERMINATE because at least one of the algorithms that have been used in objects (e.g. the signature value, a certificate, etc.) involved in validating the signature, or the size of a key used with such an algorithm, is below the required cryptographic security level, and there is no proof that this material was produced before the time up to which this algorithm/key was
	NO_POE	The validation process shall identify at least the signed objects for which the POEs are missing:  The validation process should provide additional information on the problem.	considered secure.  The signature validation process results into INDETERMINATE because a proof of existence is missing to ascertain that a signed object has been produced before some compromising event (e.g. broken algorithm).
	TRY_LATER	The validation process shall output the point of time where the necessary revocation status information is expected to become available.	The signature validation process results into INDETERMINATE because not all constraints can be fulfilled using available information. However, it may be possible to do so using additional revocation status information that will be available at a later point of time.
	SIGNED_DATA_NOT_ FOUND	The process should output when available:  The identifier(s) (e.g. an URI) of the signed data that caused the failure.	The signature validation process results into INDETERMINATE because signed data cannot be obtained.
	CUSTOM	The process shall output information allowing identification of the reason for the custom diagnostic result.	The signature validation process results into INDETERMINATE for a custom diagnostic not specified in the present document.

Table 7 lists the sub-indications for the *INDETERMINATE* indication and corresponding conditions necessary to allow the validation results to be different when the DA reruns the validation process. For the listed sub-indications the DA may rerun the validation process.

**Table 7: Conditions for retrying validation** 

Sub-indication	Conditions
CHAIN_CONSTRAINTS_FAILURE, CERTIFICATE_CHAIN_GENERAL_FAILURE	It is possible to construct a different certificate chain.  EXAMPLE:
	<ul> <li>Adding a cross-certificate which allows constructing a certificate chain to a different root.</li> </ul>
POLICY_PROCESSING_ERROR	A new copy of the required formal policy file is available that can now be accessed, parsed, etc.
SIGNATURE_POLICY_NOT_AVAILABLE	The electronic document containing the details of the policy is available.
NO_SIGNING_CERTIFICATE_FOUND	The signing certificate is available.
NO_CERTIFICATE_CHAIN_FOUND	CA-certificates are available that can allow constructing a certificate chain.
REVOKED_NO_POE, REVOKED_CA_NO_POE, OUT_OF_BOUNDS_NOT_REVOKED, OUT_OF_BOUNDS_NO_POE, CRYPTO_CONSTRAINTS_FAILURE_NO_POE, NO_POE	Additional POEs have been made available. This is only relevant for the validation process for Signatures providing Long Term Availability and Integrity of Validation Material.
TRY_LATER	Revocation status information has been made available that may be fresh enough.

## 5.1.4 Validation constraints

## 5.1.4.1 General requirements

The validation process shall be controlled by a set of validation constraints. These constraints may be defined:

- using a formal policy specification which should be as specified in ETSI TS 119 172-1 [4] or machine processable equivalents;
- explicitly in system specific control data: e.g. in conventional configuration-files like property or .ini-files or stored in a registry or database; or
- implicitly by the implementation itself.

Any validation constraints not implied by the implementation may originate from different sources:

- the signature content itself, either directly (included in the signature or signed attributes) or indirectly, i.e. by reference to an external document, provided either in a human readable and/or machine processable form; or
- a local source from the verifier (e.g. configuration file, (machine processable) signature validation policy).

NOTE 1: The processing of additional sources for validation constraint (implicity by the implementation, local configuration) is out of the scope of the present document.

Additional constraints may be provided by the DA to the SVA via parameters selected by the application or the user. These constraints influence the validation process and the validation result, irrespective of where these constraints have been defined.

NOTE 2: Some of the constraints are related to elements of the signature validation process that are widely implemented in applications and already have been standardized elsewhere, e.g. in IETF RFC 5280 [1]. Details on how to check that the signature matches such constraints are not given in the present document.

If the validation algorithm prescribes a certain check and the set of constraints state that such a check is not required (e.g. revocation checking), an SVA may skip that step and continue as if the check has succeeded. In such cases, the SVA shall return, in its final report to the DA, the list of checks that were disabled due to the policy.

NOTE 3: The verifier can select a signature validation policy that contains additional constraints, which are not mentioned in the present document. It is not foreseeable, which constraints a DA will impose on the SVA. It is assumed that an implementation handles all constraints properly.

EXAMPLE: Validation constraints can force the SVA to ignore revocation status of intermediate certificates.

The SVA will then return TOTAL-PASSED, even if it would be expected to return

INDETERMINATE. Such overruling by the policy is possible for all decisions made by the present

document and cannot be mentioned in all places they can appear.

The present document does not always prescribe exactly when constraints are to be checked, since this is implementation dependent. The SVA shall however check all constraints that are prescribed.

The set of validation constraints used for validation shall not force the SVA not to check a constraint that, when checked, would, according to the present document, lead to a *TOTAL-FAILED* result.

The following constraints shall be supported:

- X.509 validation constraints, as defined in clause 5.1.4.2;
- cryptographic constraints as defined in clause 5.1.4.3;
- signature elements constraints as defined in clause 5.1.4.4.

Where other constraints are implemented, their meaning shall be explicitly documented for an implementation either directly or indirectly by reference to a standard or publicly available specification.

#### 5.1.4.2 X.509 Validation Constraints

X.509 validation constraints shall indicate requirements for revocation checking and for use in the certificate path validation process as specified in ETSI TS 119 172-1 [4], clause A.4.2.1, Table A.2 row m.

## 5.1.4.3 Cryptographic Constraints

Cryptographic constraints shall indicate requirements on algorithms and parameters used when creating signatures or used when validating signed objects as specified in ETSI TS 119 172-1 [4], clause A.4.2.1, Table A.2 row p.

#### 5.1.4.4 Signature Elements Constraints

Signature elements constraints shall indicate any requirements additional to X.509 and cryptographic constraints defined above as specified in ETSI TS 119 172-1 [4], clause A.4.2.1, Table A.2.

# 5.2 Basic building blocks

# 5.2.1 Description

This clause presents basic building blocks that are used to construct validation algorithms for specific scenarios. Figure 12 shows, in a simplified way, how these building blocks are related to achieve signature validation. It closely resembles the basic validation specified in clause 5.3.




Figure 12: Basic Signature Validation

# 5.2.2 Format Checking

## 5.2.2.1 Description

This building block shall check that the signature to validate is conformant to the applicable base format to the extent that its inner contents would at least allow to be processed by the cryptographic verification building block (see clause 5.2.7).

NOTE: This checking process does not include any checks on conformance to a specific signature profile or a specific level of signature, like XAdES-E-XL or PAdES-B-LTA. Such checking, if required by the signature validation policy, can be included in the Signature Acceptance Validation building block as specified in clause 5.2.8. See Annex C for details.

## 5.2.2.2 Inputs

Table 8: Inputs to the format checking building block

Input	Requirement
Signed Data Object	Mandatory

### 5.2.2.3 Outputs

In case the signature is conformant to the applicable base format, the output shall be the indication *PASSED*. If the signature is not conformant, the output shall be *FAILED*.

## 5.2.3 Identification of the signing certificate

## 5.2.3.1 Description

This building block is responsible for identifying the signing certificate that will be used to validate the signature.

### 5.2.3.2 Inputs

Table 9: Inputs to the identification of the signing certificate building block

Input	Requirement
Signature	Mandatory
Signing Certificate	Optional

## 5.2.3.3 Outputs

- In case of success, the output shall be the signing certificate.
- In case the signing certificate cannot be identified, the output shall be the indication *INDETERMINATE* and the sub-indication *NO\_SIGNING\_CERTIFICATE\_FOUND*.

NOTE: The process can only return *INDETERMINATE* in case the certificate is not contained in the signature and cannot be retrieved from an external resource pointed to by the signature reference.

## 5.2.3.4 Processing

The common way to unambiguously identify the signing certificate is by using a property/attribute of the signature containing a reference to it (see clause 4.2.5.2). The certificate can either be found in the signature or it can be obtained using external sources. The signing certificate can also be provided by the DA. If no certificate can be retrieved, the building block shall return the indication *INDETERMINATE* and the sub-indication *NO\_SIGNING\_CERTIFICATE\_FOUND*.

When signing certificate identifier attributes are present in the signature, the signing certificate shall be checked against all references present in signed signing certificate identifier attributes, since one of these references is a reference to the signing certificate (see clause 4.2.5.2). The following steps are performed:

- 1) If the signature format used contains a way to directly identify the reference to the signers' certificate in the attribute, the building block shall check that the digest of the certificate referenced matches the result of digesting the signing certificate with the algorithm indicated; if they match, the building block shall return the signing certificate. Otherwise, the building block shall go to step 2).
- The building block shall take the first reference and shall check that the digest of the certificate referenced matches the result of digesting the signing certificate with the algorithm indicated. If they do not match, the building block shall take the next element and shall repeat this step until a matching element has been found or all elements have been checked. If they do match, the building block shall continue with step 3). If the last element is reached without finding any match, the validation of this property shall be taken as failed and the building block shall return the indication *INDETERMINATE* with the sub-indication *NO\_SIGNING\_CERTIFICATE\_FOUND*.
- 3) If the issuer and the serial number are additionally present in that reference, the details of the issuer's name and the serial number of the IssuerSerial element may be compared with those indicated in the signing certificate: if they do not match, an additional warning shall be returned with the output.
- 4) The building block shall return the signing certificate.

When no signing certificate identifier attributes are present in the signature, the building block shall check whether the signature contains a signed copy of the signing certificate and if the signature contains a signed copy of the signing certificate, the building block shall return the signed copy of the signing certificate.

NOTE 1: As specified in clause 4.3.2.3, a basic signature contains a reference to or a copy of the signing certificate as a signed attribute. The location of this signed attribute in a signature is format specific.

NOTE 2: This process can succeed even when the signature does not contain a reference to or a copy of the signing certificate as a signed attribute. Implementers that want to ensure that a signature meets this requirement can do so through either enforcing the presence of specific signed attributes in the signature elements constraints (see clause 5.1.4.4) that will be checked in the signature acceptance validation building block (see clause 5.2.8), or through a signature conformance checker mandating the compliance to specific AdES signature profiles as illustrated in Annex C.

## 5.2.4 Validation context initialization

## 5.2.4.1 Description

This building block initializes the validation constraints (X.509 validation constraints, cryptographic constraints, signature elements constraints) and related parameters (X.509 validation parameters including trust anchors and certificate validation data) that will be used to validate the signature. The constraints and parameters are initialized from any of the sources listed in clause 5.1.4.

### 5.2.4.2 Inputs

Table 10: Inputs to the validation context initialization building block

Input	Requirement
Signature	Mandatory
Signature Validation Policies	Optional
Trust anchor list (e.g. TSL)	Optional
Local configuration	Optional

## 5.2.4.3 Outputs

In case of failure, the building block shall output a status indication *INDETERMINATE* together with a sub-indication as defined in Table 11. Otherwise, the building block shall output the status indication *PASSED* together with the sets of constraints that shall be used in further validation as defined in Table 11.

Table 11: Output of the Validation context initialization building block

Indication	Additional Information/Sub-indication
PASSED	X.509 Validation Parameters
	Certificate Validation Data
	X.509 Validation Constraints
	Cryptographic Constraints
	Signature Elements Constraints
INDETERMINATE	POLICY_PROCESSING_ERROR
	SIGNATURE_POLICY_NOT_AVAILABLE

## 5.2.4.4 Processing

If the DA provides the SVA with a signature validation policy to be used, the building block shall select the validation constraints mandated by that signature validation policy.

If the DA provides the SVA with a mapping between acceptable signature creation policies and their corresponding signature validation policies, this building block shall determine if the signature to be validated contains references to or the identifier of one of these signature creation policies in the signature policy attribute.

• If no signature creation policy is contained in the signature, the building block should select a default signature validation policy.

NOTE: A default signature validation policy can be provided by the DA, by the configuration or can be established according to the minimum technical requirements and minimum requirements by law, if applicable.

- If the signature contains one signature creation policy identifier, which is part of the list of mappings, the SVA shall apply the corresponding validation policy during validation.
- If the signature contains a signature creation policy identifier that is not contained in the list of mappings, it shall be a policy decision (local configuration) whether default rules apply for the validation, or if the validation process is to be terminated.
- The building block shall access the electronic document identified by the contents of the property/attribute and containing the details of the policy; if it is not available, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIGNATURE\_POLICY\_NOT\_AVAILABLE*. If it cannot be parsed or processed for any other reason, the building block shall return the indication *INDETERMINATE* with the sub-indication *POLICY\_PROCESSING\_ERROR*.
- The building block shall extract the validation constraints from the rules encoded in the validation policy and return the indication *PASSED* together with the extracted validation constraints.

### 5.2.5 Revocation freshness checker

# 5.2.5.1 Description

This building block checks that a given revocation status information is "fresh" at a given validation time. The required freshness of the revocation status information is the maximum accepted difference between the validation time and the issuance time of the revocation status information. This process is used by other validation blocks when checking the revocation status of a certificate.

NOTE: This is important when the signature that is being validated is a basic signature without trustworthy time assertion and the claimed time is not considered sufficient. In those cases, the signature might be created just before the validation, but the exact moment is not known. If the revocation status information is too old, the certificate might have been revoked before the signature creation, which is not indicated in the revocation status information. In practice, revocation status information that has been issued shortly before the current time is used and the approximation made that the information it contains is still reliable at the current time.

## 5.2.5.2 Inputs

Table 11A: Inputs to the Revocation Freshness Checker process

Input	Requirement
Revocation data	Mandatory
The certificate for which the revocation is being checked Mandatory	
Validation time	Mandatory
X.509 validation constraints	Mandatory

## 5.2.5.3 Output

The process shall output one of the following indications together with the associated validation report data as defined in Table 11B.

Table 11B: Output of the Revocation Freshness Checker process

Indication	
PASSED	The revocation status information contained within the
	revocation data is considered fresh.
FAILED The revocation status information contained within the	
	revocation data is not considered fresh.

## 5.2.5.4 Processing

- 1) The building block shall get the maximum accepted revocation freshness from the X.509 validation constraints for the given certificate. If the constraints contain a value for the maximum accepted revocation freshness, the building block shall go to the next step. Otherwise, if the revocation information data is a CRL or an OCSP response (IETF RFC 5280 [1], IETF RFC 6960 [i.12]) with a value in the nextUpdate field, the building block shall set the maximum accepted freshness to the time interval between the fields thisUpdate and nextUpdate and it shall go to the next step. If nextUpdate is not set, the building block shall return with the indication FAILED.
- NOTE 1: The nextUpdate field is only used when the validation constraints do not contain a value for the maximum accepted revocation freshness. When this field is not used by the CA, the building block fails since it is unable to determine the freshness. When the CA uses an empty nextUpdate to indicate that new status information is available all the time, the DA can solve this problem in two ways by restarting the validation process, and:
  - 1) by setting an appropriate freshness; or
  - 2) by retrieving revocation data containing up-to-date revocation status information;

providing this freshly fetched revocation data to the SVA together with a signing time of just before the revocation data was retrieved. This is possible since the DA has proof that the signature existed at that point in time.

When the nextUpdate-field is set, the algorithm ensures that if the given validation time is after the time indicated by nextUpdate, the revocation status information will not be considered fresh.

- 2) If the issuance time of the revocation status information is after the validation time minus the considered maximum freshness, the building block shall return the indication *PASSED*. Otherwise, the building block shall return the indication *FAILED*.
- NOTE 2: If the validation time parameter contains current time, the algorithm accepts revocation status information that has been issued "not too long ago" according to the revocation freshness parameter. In this scenario, one cannot know when the signature has been created so one cannot decide whether a specific instance of revocation status information has been issued after signature creation or not.
  - When there is information about the signing time, the validation time parameter corresponds to a time when it is known the signature already existed (this can also be the time when a signed document has been received for example). If the maximum accepted freshness is then set to zero (0), the algorithm ensures that revocation status information is only accepted if it has been issued after that point in time.
- NOTE 3: Revocation status information issuance time and revocation data issuance time can be different: When the revocation status information is provided through an OCSP response, then the revocation status issuance time is the date and time indicated in the thisUpdate field of the OCSP response whereas the revocation data issuance time is the date and time indicated in the producedAt field of the OCSP response.

## 5.2.6 X.509 certificate validation

## 5.2.6.1 Description

This building block validates the signing certificate at validation time. If the validation time is not provided as an input, the validation shall be performed at current time.

## 5.2.6.2 Inputs

Table 12: Inputs to the X.509 certificate validation building block

Input	Requirement	
Signing certificate	Mandatory	
X.509 Validation Constraints	Mandatory	
Validation time	Optional	
Certificate Validation Data	Optional	
X.509 Validation Parameters	Optional	
Cryptographic Constraints	Optional	
Other Certificates	Optional	
Trust Anchors	Mandatory	

The validation process may acquire additional certificate validation data from external sources.

#### 5.2.6.3 Outputs

The process shall output one of the following indications together with additional information defined in Table 13.

Table 13: Output of the X.509 certificate validation building block

Indication	Sub-indication Sub-indication	Additional Information
PASSED	-	The certificate chain used in the successful validation.
		Any additional validation data acquired
INDETERMINATE	NO_CERTIFICATE_CHAIN_FOUND	-
	NO_CERTIFICATE_CHAIN_FOUND_NO_POE	The last certificate chain built
	OUT_OF_BOUNDS_NO_POE	The validated certificate chain
	OUT_OF_BOUNDS_NOT_REVOKED	The validated certificate chain
	REVOKED_NO_POE	The validated certificate chain
	CRYPTO_CONSTRAINTS_FAILURE_NO_POE	The last certificate chain built
	TRY_LATER	The last certificate chain built, the content
		of the nextUpdate field of the relevant
		CRL or OCSP-response
	REVOKED_CA_NO_POE	The last certificate chain built
	CHAIN_CONSTRAINTS_FAILURE	The last certificate chain built
	CERTIFICATE_CHAIN_GENERAL_FAILURE	The last certificate chain built
	REVOCATION_OUT_OF_BOUNDS_NO_POE	The validated certificate chain

### 5.2.6.4 Processing

- 1) If the signing certificate represents a trust anchor, then:
  - a) If, in the X.509 Validation Constraints, a sunset date is associated to that trust anchor, the building block shall check whether validation is before the sunset date. If validation time is at or after the sunset date, the building block shall set the current status to INDETERMINATE/NO\_CERTIFICATE\_CHAIN\_FOUND\_NO\_POE and shall go to step 2).
  - b) Else, the building block may, based on signature policy or local configuration, return with the indication *PASSED*. Otherwise, the building block shall go to the next step.
- NOTE 1: A trust anchor can be represented by means of a certificate, in which case the trust anchor information necessary to perform the IETF RFC 5280 [1] path validation algorithm is extracted from the certificate as described in section 6.1.1 of IETF RFC 5280 [1] which states that the name in the subject field is used as the trusted issuer name and the contents of the subjectPublicKeyInfo field is used as the source of the trusted public key algorithm and the trusted public key.

- 2) The building block shall build a new prospective certificate chain that has not yet been evaluated. If the "Other Certificates" parameter is present, only certificates contained in that set of certificates may be used to build the chain. The chain shall satisfy the conditions of a prospective certificate chain:
  - a) If no new chain can be built, the building block shall return the current status, the last chain built and any additional information saved in step 4-a) or, if no chain has been built, the indication *INDETERMINATE* with the sub-indication *NO CERTIFICATE CHAIN FOUND*.
  - b) Otherwise, the building block shall add this chain to the set of prospected chains and shall go to step 3).
- 3) If, in the X.509 Validation Constraints, a sunset date is associated to the trust anchor from which the current chain has been built, the building block shall check whether validation is before the sunset date. If validation time is at or after the sunset date, the building block shall set the current status to INDETERMINATE/NO\_CERTIFICATE\_CHAIN\_FOUND\_NO\_POE and shall go to step 2).
- NOTE 2: ETSI TS 119 172-1 [4], Table A.2 row (m)1.1. explicitly states that the X509 Certificate Validation Constraints may indicate alongside the set of trust anchors, "a time until when these trust anchors were considered reliable." This time is what is referred to here as a "sunset date associated to the trust anchor".
- 4) The building block shall perform validation of the prospective certificate chain with the following inputs: the prospective chain built in the previous step, the trust anchor used in the previous step, the X.509 parameters provided in the inputs and the validation time. The validation shall be following the PKIX Certification Path Validation of IETF RFC 5280 [1], clause 6.1 with the exception of the validity model and the verification of whether the validation time is during the validity period of the signing certificate.
- NOTE 3: The verification of whether the validation time is during the validity period of the signing certificate is done in step 5).
- Two validity models may be supported:
  - all certificates are valid at validation time (shell model); or
  - all certificates are valid at the time they were used for issuing a certificate (chain model).

The validity model to be used shall be specified as a X.509 validation constraint.

For the shell model, the X.509 validation constraints shall be as defined in IETF RFC 5280 [1], clause 6.1.

For the chain model, the X.509 validation constraints shall follow the algorithm described in paragraphs 6 and 7, starting from "According to this model", clause 6 in Part 9 of common PKI v2.0 [5], where the two instances of the modal verb "should" shall be replaced with a "shall".

EXAMPLE 1: The chain model is used in countries like Germany.

The validation shall include revocation checking for each certificate in the chain, to the exception of the certificates for which the the X.509 Validation Constraints explicitly state that revocation checking is not performed. Whenever the SVA is in possession of multiple applicable instances of revocation data for a certificate, the SVA shall use the latest issued instance that is known to contain revocation status information about the certificate.

- NOTE 4: This ensures that in the case of a revoked certificate the SVA does not use a CRL, which contains revocation status information that is considered fresh but does not yet contain the information of the fact that the certificate is revoked, whenever a fresher CRL is already available to the SVA. It also ensures that revocation data issued after expiration of the certificate can be used when the CA is known to keep revocation status information available beyond expiration of that certificate.
- NOTE 5: Additional information and rationale about certificate revocation checking can be found in ISO/IEC 14533-4, Annexes E.3 and E.4 [i.20].

The validation shall not include the verification of whether the validation time is within the validity period of the certificate of the issuer of the revocation status information, however it shall include the verification of whether the issuance date of the revocation data containing the revocation status information is within that validity period:

- NOTE 6: The verification of whether the validation time is within the validity period of the certificate of the issuer of the revocation data containing the revocation status information is done in step 8), when those certificates are known to be not revoked.
  - a) if the certificate path validation returns a success indication, the building block shall run the Revocation Freshness Checker (clause 5.2.5) for each certificate in the chain, with the exception of the certificates for which the X.509 Validation Constraints state that revocation checking is not performed, with the following inputs: the used revocation data, the corresponding certificate for which the revocation status is being checked and the validation time. If the checker returns *PASSED* for all of these, the building block shall go to the next step. Otherwise, the building block shall set the current status to the indication *INDETERMINATE*, the sub-indication *TRY\_LATER*, shall save the used revocation data which contained revocation status information that was not fresh enough and, if available, a suggestion for when to try the validation again (e.g. the content of the nextUpdate field of the CRL or OCSP response), and shall go to step 2);
- NOTE 7: While many implementations try to fetch revocation data online, the process here assumes that revocation data is supplied by the DA only and it is the task of the DA to request new revocation data.
- EXAMPLE 2: In line with IETF RFC 6960 [i.12], a CA may specify that an OCSP client can trust a responder for the lifetime of the responder's certificate by including the extension id-pkix-ocsp-nocheck in the responder's certificate.

  Similarly, in line with ETSI EN 319 412-1 [i.21], upon presence of the id-etsi-ext-valassured-ST-certs extension in the certificate, the relying party can decide not to check the certificate revocation status when validating a digital signature.

  In those situations, because no revocation checking is performed for the certificates containing those extensions, revocation freshness checking is equally not performed on those certificates.
  - b) if the certificate path validation returns a failure indication because the signing certificate has been determined to be revoked, the building block shall return the indication *INDETERMINATE*, the sub-indication *REVOKED\_NO\_POE*, the validated chain, the revocation date and the reason for revocation;
  - c) if the certificate path validation returns a failure indication because the signing certificate has been determined to be on hold, the building block shall return the indication *INDETERMINATE*, the sub-indication *TRY\_LATER*, the validated chain, the suspension time and, if available, the content of the nextUpdate -field of the CRL or OCSP-response used as the suggestion for when to try the validation again;
  - d) if the certificate path validation returns a failure indication because an intermediate CA is revoked, the building block shall set the current status to *INDETERMINATE/REVOKED\_CA\_NO\_POE* and shall go to step 2); or
  - e) if the certificate path validation returns a failure indication with any other reason, the building block shall set the current status to INDETERMINATE/CERTIFICATE\_CHAIN\_GENERAL\_FAILURE and shall go to step 2).
- 5) The building block shall apply the X.509 Validation Constraints to the chain. If the chain does not match these constraints, the building block shall set the current status to <a href="https://linear.com/inverses/inverses/">INDETERMINATE/CHAIN\_CONSTRAINTS\_FAILURE</a> and shall go to step 2).
- The building block shall apply the cryptographic constraints to the chain. If the chain does not match these constraints, the building block shall set the current status to INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE and shall go to step 2). And

- 7) The building block shall check that the validation time is in the validity range of the signing certificate. If this constraint is not satisfied, the building block shall return the indication *INDETERMINATE*, the sub-indication *OUT\_OF\_BOUNDS\_NOT\_REVOKED* and the validated certificate chain when the signing certificate is known not having been revoked and the indication *INDETERMINATE*, the sub-indication *OUT\_OF\_BOUNDS\_NO\_POE* and the validated certificate chain when it is not known whether the signing certificate has been revoked or not.
- NOTE 8: A certificate is known to not have been revoked when the CA keeps providing revocation status information after expiration of the certificate and this revocation status information has been checked or the CA assures that the certificate was not revoked at signing time.
- 8) The building block shall check that the validation time is within the validity range of the certificate of the issuer of the revocation data. If this constraint is not satisfied, the building block shall return the indication *INDETERMINATE*, the sub-indication *REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE*.
- 9) The building block shall return the chain with the indication *PASSED*.
- NOTE 9: Chain construction (step 2) and validation (step 4) can use validation data (certificates, CRLs, etc.) extracted from the signature or obtained from other sources (e.g. LDAP servers). The management of the sources for the retrieval of validation data is out of the scope of the present document.

NOTE 10: For more information and rationale about certificate chain construction, refer to IETF RFC 4158 [i.1].

# 5.2.7 Cryptographic verification

## 5.2.7.1 Description

This building block checks the integrity of the signed data by performing the cryptographic verifications.

## 5.2.7.2 Inputs

Table 14: Inputs to the cryptographic validation building block

Input	Requirement
Signature	Mandatory
Signing Certificate	Mandatory
Validated certificate chain	Optional
Signer's Document or Signer's Document	Optional
Representation	·

NOTE 1: In most cases, the cryptographic verification requires only the signing certificate and not the entire validated chain. However, for some algorithms the full chain can be required (e.g. the case of DSS/DSA public keys, which inherit their parameters from the issuer certificate).

NOTE 2: When validating signatures like *detached signatures*, where only the hashes of objects are signed but the objects themselves are not part of the signature, it is unspecified whether it is the task of the DA to validate these hashes or whether an implementation uses the present clause for having the hash(es) of such objects validated by the SVA. Both variants are possible.

## 5.2.7.3 Outputs

The process shall output one of the following indications together with the associated validation report data as listed in Table 15.

Table 15: Outputs of the cryptographic validation building block

	Indication	Description	Additional data items
PASSED		The signature passed the cryptographic verification.	-
FAILED	HASH_FAILURE	The hash of at least one of the signed data items does not match the corresponding hash value in the signature.	The process should output:  • The identifier (s) (e.g. an URI) of the signed data that caused the failure.
	SIG_CRYPTO_FAILURE	The cryptographic verification of the signature value failed.	-
INDETERMINATE	SIGNED_DATA_NOT_FOUND	Cannot obtain signed data.	The process should output:  • The identifier (s) (e.g. an URI) of the signed data that caused the failure.

## 5.2.7.4 Processing

The first and second steps as well as the Data To Be Signed depend on the signature type. The technical details on how to do this correctly are out of scope for the present document. See ETSI EN 319 122-1 [i.2], ETSI EN 319 122-2 [i.3], ETSI EN 319 132-1 [i.4], ETSI EN 319 132-2 [i.5], ETSI EN 319 142-1 [i.6], ETSI EN 319 142-2 [i.7] and IETF RFC 3852 [i.16] for details.

- 1) The building block shall obtain the signed data items (e.g. SD or SDR) if not provided in the inputs (e.g. by dereferencing an URI present in the signature). If the signed data items cannot be obtained, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIGNED\_DATA\_NOT\_FOUND*.
- 2) The SVA shall check the integrity of the signed data items. In case of failure, the building block shall return the indication *FAILED* with the sub-indication *HASH FAILURE*.
- 3) The building block shall verify the cryptographic signature using the public key extracted from the signing certificate in the chain, the signature value and the signature algorithm extracted from the signature. If this cryptographic verification outputs a success indication, the building block shall return the indication *PASSED*.
- 4) Otherwise, the building block shall return the indication *FAILED* and the sub-indication *SIG\_CRYPTO\_FAILURE*.

## 5.2.8 Signature Acceptance Validation (SAV)

### 5.2.8.1 Description

This building block covers additional verification to be performed on the signature itself or on the attributes of the signature.

NOTE: This process can also include other checks mandated by a signature validation policy. Checks, listed here or not, are not mandatory to be implemented by an SVA however.

## 5.2.8.2 Inputs

Table 16: Inputs to the SAV building block

Input	Requirement	
Signature	Mandatory	
Certificate Chain	Optional	
Validation time	Optional	
Cryptographic verification output	Optional	
Cryptographic Constraints	Optional	
Signature Elements Constraints	Optional	

## 5.2.8.3 Outputs

The process shall output one of the following indications together with the additional information as defined in Table 17.

Table 17: Outputs of the SAV building block

	Indication	Description	Additional data items
PASSED		The signature is conformant with the validation constraints.	-
INDETERMINATE	SIG_CONSTRAINTS_FAILURE	The signature is not conformant with the validation constraints.	The set of constraints that are not verified by the signature.
	CRYPTO_CONSTRAINTS_FAILURE_NO_POE	At least one of the algorithms used in validation of the signature together with the size of the key, if applicable, used with that algorithm is no longer considered reliable.	A list of algorithms, together with the size of the key, if applicable, that have been used in validation of the signature but no longer are considered reliable together with a time up to which each of the listed algorithms were considered secure.

## 5.2.8.4 Processing

## 5.2.8.4.1 General requirements

For each constraint:

• If the constraint necessitates processing a property/attribute in the signature, the building block shall perform the processing of the property/attribute as specified in clauses 5.2.8.4.2.1 to 5.2.8.4.2.7. When an attribute is present but is malformed, the SVA shall proceed as if the attribute was not present.

NOTE 1: When the signature validation policy requires the presence of an attribute that is missing or treated as missing since it is malformed, the validation will fail with an appropriate indication. When the presence is not required, the attribute will be ignored.

EXAMPLE: The encoding of a signer-location attribute is broken or the attribute contains an incorrect value (e.g. not a valid country code). Most often this does not affect the validity of the signature. When such a signer location is required by the policy, the validation algorithm will respect the requirement.

- If at least one of the algorithms that have been used in validation of the signature or the size of the keys used with such an algorithm is not considered reliable at the validation time provided as input or, if not provided as input at current time, the building block shall return the indication <code>INDETERMINATE</code> with the sub-indication <code>CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE</code> together with the list of algorithms and key sizes, if applicable, that are concerned and the time for each of the algorithms up to which the respective algorithm has been considered secure by the cryptographic constraints.
- NOTE 2: This check is used when the algorithm or key size used was at the time of signing the signed object secure and only expired years later. Long term validation still allows validation of the signed object if e.g. time-stamps using different, still secure, algorithms or key sizes have been applied in time. E.g. an RSA-key of 2 400 bits is, in 2013, assumed to be secure for ~20 years. If a signature created with such a key is to be verified using this algorithm in 25 years from now, it can be secured by e.g. creating a time-stamp using an RSA-key of ~5 300 bits [i.14]. The algorithms of concern are not only the hash- and signature-algorithm for the signature itself, but also for any of the certificate, CRLs, time-stamps or other material used in the validation process.
- If one or more checks fail, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIG\_CONSTRAINTS\_FAILURE* together with the set of constraints that are not satisfied by the signature. And
- If all the constraints are satisfied, the building block shall return the indication *PASSED*.

The building block may ignore processing a property/attribute for which no validation constraint is specified.

#### 5.2.8.4.2 Processing AdES attributes

#### 5.2.8.4.2.1 Processing signing certificate reference constraint

If the Signing Certificate Identifier attribute contains references to other certificates in the path, the building block shall check each of the certificates in the certification path against these references.

When this property contains one or more references to certificates other than those present in the certification path, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIG\_CONTRAINTS\_FAILURE*.

When one or more certificates in the certification path are not referenced by this property, and the signature policy mandates references to all the certificates in the certification path to be present, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIG CONTRAINTS FAILURE*.

#### 5.2.8.4.2.2 Processing claimed signing time

If the signature elements constraints contain constraints regarding this property, the SVA shall follow its rules for checking this signed property.

Otherwise, the SVA shall make the value of this property/attribute available to the DA, so that it can decide additional suitable processing, which is out of the scope of the present document.

#### 5.2.8.4.2.3 Processing Signed Data Object format

If the signature elements constraints contain constraints regarding this property, the building block shall follow its rules for checking this signed property.

Otherwise, the SVA shall make the value of this property/attribute available to the DA, so that it can decide additional suitable processing, which is out of the scope of the present document.

#### 5.2.8.4.2.4 Processing indication of production place of the signature

If the signature elements constraints contain constraints regarding this property, the building block shall follow its rules for checking this signed property.

Otherwise, the SVA shall make the value of this property/attribute available to the DA, so that it can decide additional suitable processing, which is out of the scope of the present document.

#### 5.2.8.4.2.5 Processing time-stamps on Signed Data Objects

If the signature elements constraints contain specific constraints for time-stamps on Signed Data Objects, i.e. the data covered by the signature, the building block shall check that they are satisfied. To do so, for each content-time-stamp attribute:

- 1) The building block shall perform the Validation Process for AdES time-stamps as defined in clause 5.4 with the time-stamp token of the content-time-stamp attribute.
- 2) The building block shall check the message imprint by checking that the hash of the signed data obtained using the algorithm indicated in the time-stamp token matches the message imprint indicated in the token. And
- 3) The building block shall apply the constraints for content-time-stamp attributes to the results returned in the previous steps. If any check fails, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIG CONSTRAINTS FAILURE* together with an explanation of the unverified constraint.

#### 5.2.8.4.2.6 Processing countersignatures

If the signature elements constraints define specific constraints for countersignature attributes, the building block shall check that they are satisfied. To do so, for each countersignature attribute:

- The building block shall perform the signature validation process using the countersignature in the property/attribute as the signature and the signature value octet string of the signature as the Signed Data Object. And
- 2) The building block shall apply the constraints for countersignature attributes to the result returned in the previous step. If any check fails, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIG CONSTRAINTS FAILURE* together with an explanation of the unverified constraint.

If the signature elements constraints do not contain any constraint on countersignatures, the building block may still verify the countersignature and provide the results in the validation report. However, it shall not consider the signature validation to having failed if the countersignature cannot be successfully validated.

#### 5.2.8.4.2.7 Processing signer attributes

If the signature elements constraints define specific constraints for certified attributes and signed assertions:

- The building block shall validate the attribute certificate(s) and signed assertions present in this property/attribute following the rules established in ISO/IEC 9594-8 [2].
- 2) The building block shall check that the attribute certificate(s) and signed assertions actually match the rules specified in the input constraints. And
- 3) If any check fails, the building block shall return the indication *INDETERMINATE* with the sub-indication *SIG\_CONSTRAINTS\_FAILURE* with more information on the constraint that could not be verified.

If the signature rules do not specify rules for certified attributes or signed assertions, the SVA shall make the value of such attribute or signed assertions available to the DA so that it can decide on additional suitable processing, which is out of the scope of the present document.

# 5.2.9 Signature validation presentation building block

The Signature Validation Presentation is an optional element in the signature validation process that can be used by a verifier to check the results of a validation process. When present, the signature validation presentation building block should support:

- Presenting the data (SD) that has been covered by the signature.
- Presenting information identifying the signer.
- Presenting the date and time for which the validation status was determined.
- Presenting any signature attributes that have been included in the signature and make clear which attributes were signed and which were unsigned.

- Making clear which Signature Validation Policy has been used for validation.
- Presenting the overall status of the signature validation (*TOTAL-PASSED*, *TOTAL-FAILED*, *INDETERMINATE*).
- In case of *TOTAL-FAILED*: Presenting the reason for the signature being invalid.
- In case of *INDETERMINATE*: Highlighting the parts of the validation report that indicate steps to be taken to potentially get to a determinate result. And
- Presenting the validation report.

# 5.3 Validation process for Basic Signatures

## 5.3.1 Description

This clause describes a validation process for validating Basic Signatures as per clause 4.3.2. This process itself is also used as a building block by the validation process of time-stamps (see clause 5.4) and of Signatures with Time (see clause 5.5). The process builds on the building blocks described in clause 5.2.

# 5.3.2 Inputs

 Input
 Requirement

 Signed Data Object
 Mandatory

 Signer's Document or SDR
 Optional

 Signing Certificate
 Optional

 Trust anchor list (e.g. TSL)
 Optional

 Signature Validation Policies
 Optional

 Local configuration
 Optional

Optional

**Table 18: Inputs to Basic Validation** 

# 5.3.3 Outputs

Certificate Validation Data

The main output of the signature validation is a status indicating the validity of the signature at current time and the certificate chain used in the validation process, if applicable. This status may be accompanied by additional information (see clause 5.1.3).

# 5.3.4 Processing

- NOTE 1: Since processing is largely implementation dependent, the steps listed in this clause are not necessarily to be processed exactly in the given order. Any ordering that produces the same results can be used, even parallel processing is possible.
- 1) The Basic Signature validation process shall perform the format checking as per clause 5.2.2. If the process returns *PASSED*, the Basic Signature validation process shall continue with the next step. Otherwise, the Basic Signature validation process shall return the indication *FAILED* with the sub-indication *FORMAT\_FAILURE*.
- 2) The Basic Signature validation process shall perform the identification of the signing certificate (as per clause 5.2.3) with the signature and the signing certificate, if provided as a parameter. If the identification of the signing certificate process returns the indication *INDETERMINATE* with the sub-indication *NO\_SIGNING\_CERTIFICATE\_FOUND*, the Basic Signature validation process shall return the indication *INDETERMINATE* with the sub-indication *NO\_SIGNING\_CERTIFICATE\_FOUND*, otherwise it shall go to the next step.

- 3) The Basic Signature validation process shall perform the Validation Context Initialization as per clause 5.2.4. If the process returns *INDETERMINATE* with some sub-indication, the Basic Signature validation process shall return the indication *INDETERMINATE* together with that sub-indication, otherwise it shall go to the next step.
- 4) The Basic Signature validation process shall perform the X.509 Certificate Validation as per clause 5.2.6 with the following inputs:
  - a) The signing certificate obtained in step 2); and
  - b) X.509 validation constraints, certificate validation-data and cryptographic constraints obtained in step 3) or provided as input.
    - If the X.509 Certificate Validation process returns the indication *PASSED*, the Basic Signature validation process shall set *X509\_validation-status* to *PASSED* and it shall go to step 5).
- NOTE 2: *X509\_validation-status* is an internal variable. This is done because the cryptographic validation has not been performed yet. Other building blocks assume that when this building block returns an *INDETERMINATE* status with a sub-indication related to X.509 certificate validation, cryptographic validation has been performed successfully. Cryptographic validation can, in some cases, only be performed after X.509 validation.

If the X.509 Certificate Validation process returns the indication *INDETERMINATE* with the sub-indication *REVOKED\_NO\_POE* and if the signature contains a content-time-stamp attribute, the Basic Signature validation process shall perform the validation process for AdES time-stamps as defined in clause 5.4. If this process returns the indication *PASSED* and the generation time of the time-stamp token is after the revocation time, the Basic Signature validation process shall set *X509\_validation-status* to *FAILED* with the sub-indication *REVOKED*. In all other cases, the Basic Signature validation process shall set *X509\_validation-status* to *INDETERMINATE* with the sub-indication *REVOKED\_NO\_POE*. The process shall continue with step 5).

If the X.509 Certificate Validation process returns the indication <code>INDETERMINATE</code> with the sub-indication <code>OUT\_OF\_BOUNDS\_NO\_POE</code> or <code>OUT\_OF\_BOUNDS\_NOT\_REVOKED</code>, and if the signature contains a content-time-stamp attribute, the Basic Signature validation process shall perform the validation process for AdES time-stamps as defined in clause 5.4. If it returns the indication <code>PASSED</code> and the generation time of the time-stamp token is after the expiration date of the signing certificate, the Basic Signature validation process shall set <code>X509\_validation-status</code> to <code>FAILED</code> with the sub-indication <code>EXPIRED</code>. Otherwise, the Basic Signature validation process shall set <code>X509\_validation-status</code> to <code>INDETERMINATE</code> with the sub-indication <code>OUT\_OF\_BOUNDS\_NO\_POE</code> or <code>OUT\_OF\_BOUNDS\_NOT\_REVOKED</code>, respectively. The process shall continue with step 5).

If the X.509 Certificate Validation process returns the indication *INDETERMINATE* with the sub-indication *NO\_CERTIFICATE\_CHAIN\_FOUND* and if the signature algorithm requires the full certificate chain for determining the public key, the Basic Signature validation process shall return the indication *INDETERMINATE* with the sub-indication *NO\_CERTIFICATE\_CHAIN\_FOUND*.

In all other cases, the Basic Signature validation process shall set *X509\_validation-status* to the indication and sub-indication returned by the *X.509* Certificate Validation process and continue with step 5).

- 5) The Basic Signature validation process shall perform the Cryptographic Verification process as per clause 5.2.7 with the following inputs:
  - a) the Signed Data Object;
  - b) the signing certificate obtained in step 2);
  - c) the certificate chain returned in the previous step, if it was returned in step 4); and
  - d) the SD or SDR, if given in the input.

If the Cryptographic Verification process returns *PASSED*:

e) if the *X509\_validation-status* set in the previous step contains the indication *PASSED*, the Basic Signature validation process shall go to the next step;

f) if the *X509\_validation-status* set in the previous step contains the indication *INDETERMINATE* or *FAILED* with any subindication, the Basic Signature validation process shall return the indication and subindication contained in *X509\_validation-status*, with any associated information about the reason.

Otherwise, the Basic Signature validation process shall return the returned indication, sub-indication and associated information provided by the Cryptographic Verification process.

- 6) The Basic Signature validation process shall perform the Signature Acceptance Validation (SAV) process as per clause 5.2.8 with the following inputs:
  - a) the Signed Data Object(s);
  - b) the certificate chain obtained in step 4);
  - c) the Cryptographic Constraints; and
  - d) the Signature Elements Constraints.

If the Signature Acceptance Validation process returns *PASSED*, the Basic Signature validation process shall go to the next step.

If the Signature Acceptance Validation process returns the indication *INDETERMINATE* with the sub-indication *CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE* and the material concerned by this failure is the signature value and if the signature contains a content-time-stamp attribute, the Basic Signature validation process shall perform the validation process for AdES time-stamps as defined in clause 5.4. If it returns the indication *PASSED* and the algorithm(s) concerned were no longer considered reliable at the generation time of the time-stamp token, the Basic Signature validation process shall return the indication *INDETERMINATE* with the sub-indication *CRYPTO\_CONSTRAINTS\_FAILURE*. In all other cases, the Basic Signature validation process shall return the indication *INDETERMINATE* with the sub-indication *CRYPTO\_CONSTRAINTS\_FAILURE NO\_POE*.

- NOTE 3: The content time-stamp is a signed attribute and hence proves that the signature value was produced after the generation time of the time-stamp token.
- NOTE 4: In case this clause returns *INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE*, the validation process for Signatures providing Long Term Availability and Integrity of Validation Material can be used to validate the signature, if other POE (e.g. from a trusted archive) exist.

In all other cases, the Basic Signature validation process shall return the indication and associated information returned by the Signature Acceptance Validation building block.

7) The Basic Signature validation process shall return the success indication *PASSED* together with the certificate chain obtained in step 4). In addition, the Basic Signature validation process should return additional information extracted from the signature and/or used by the intermediate steps. In particular, the SVA should provide to the DA all information related to signed and unsigned attributes, including those which were not processed during the validation process.

NOTE 5: What the DA does with this information is out of the scope of the present document.

# 5.4 Time-stamp validation building block

# 5.4.1 Description

This clause describes a building block for the validation of an IETF RFC 3161 [3] or ETSI EN 319 422 [i.13] time-stamp token.

An IETF RFC 3161 [3] or ETSI EN 319 422 [i.13] time-stamp token is a Basic Signature. Hence, the validation process builds on the validation process of a Basic Signature.

## 5.4.2 Inputs

Table 19: Inputs to time-stamp validation

Input	Requirement
Time-stamp token	Mandatory
Trust anchor list (e.g. TSL)	Optional
Signature Validation Policies	Optional
Local configuration	Optional
Time-Stamp Certificate	Optional

# 5.4.3 Outputs

The main output of the time-stamp validation is a status indicating the validity of the time-stamp. This status may be accompanied by additional information (see clause 5.1.3).

## 5.4.4 Processing

- 1) Token signature validation: the building block shall perform the validation process for Basic Signatures as per clause 5.3 with the following inputs:
  - the time-stamp token as the Signed Data Object;
  - a trust anchor list applicable for validating time-stamps according to the validation policy;
  - a validation policy applicable for validating time-stamps if defined by the validation policy; and
  - the time-stamp certificate as the signing-certificate, if provided as input.
- 2) If step 1) returns *PASSED*, the building block shall go to the next step. Otherwise, the building block shall return the indication and information returned by the validation process.
- 3) Data extraction: in addition to the data items returned in step 1), the building block:
  - shall return the generation time and the message imprint present in the TSTInfo field of the time-stamp token; and
  - may return other data items present in the TSTInfo field of the time-stamp token.

These items may be used by the other building blocks in the process of validating the AdES signature.

# 5.5 Validation process for Signatures with Time and Signatures with Long-Term Validation Material

# 5.5.1 Description

This clause describes a validation process for signatures where timing factors can affect the validation, including Signatures with Time as defined in clause 4.3.3 and Signatures with Long-Term Validation Material as defined in clause 4.3.4. Signatures with Long-Term Validation Material differ from Signatures with Time by the fact that they contain additional validation material that can be used during validation. The validation processes are identical.

NOTE: The procedures are not limited to signatures containing time-stamps. They are equally applicable to any validation where relying party chosen time factors (current time or Driving Application time indication) are taken into account.

## 5.5.2 Inputs

Table 20: Inputs to validation of signatures with time

Input	Requirement
Signed Data Object	Mandatory
time indication for signature existence	Optional
Signer's Document or SDR	Optional
Trust anchor list (e.g. TSL)	Optional
Signature Validation Policies	Optional
Local configuration	Optional
Signing Certificate	Optional
Certificate Validation Data	Optional

The *time indication for signature existence* parameter is a time value which is provided by the DA to the SVA as an indication for a time the DA knows, or assumes, the signature has existed.

- NOTE 1: In the physical world, the date of signing contained in the document itself or affixed to the written signature can be accepted as prima facie evidence for the date of signing. An equivalent in the digital world is the claimed signing time attribute (see clause 4.2.5.8), which is (in general) not coming from a trusted source and therefore has only prima facie value as date of signing. The DA can use the *time indication for signature existence* parameter to provide an initialization of the internal best-signature-time whenever the policy requires to use the claimed signing time attribute as an actual indication of the signing time, or when the DA has proofs that the signature existed at that time.
- NOTE 2: If the DA wants to use the time indication included in a claimed signing time attribute, it has to extract the value prior to calling the validation processes. If the DA is not able to do the extraction itself, it can instruct the SVA to use the claimed signing time as a time indication, if the claimed signing time attribute is present and the feature is provided by the SVA.
- NOTE 3: Other claimed time indications can be passed through the time indication for signature existence parameter, e.g. a time indication reported by a natural person as a public notary or another witness.

## 5.5.3 Outputs

The main output of the signature validation is a status indicating the validity of the signature together with the earliest time proven that the signature has existed as well as the certificate chain used for validation, if applicable. This status may be accompanied by additional information (see clause 5.1.3).

# 5.5.4 Processing

- 1) The process shall initialize the set of signature time-stamp tokens from the signature time-stamp attributes present in the signature and shall initialize the best-signature-time to the time indication for signature existence value provided as input, or the current time when this parameter has not been used by the DA.
- NOTE 1: Best-signature-time is an internal variable for the algorithm denoting the earliest time when it can be trusted by the SVA (either because proven by some POE present in the signature or passed by the DA and for this reason assumed to be trusted) that a signature has existed.
- 2) Signature validation: the process shall perform the validation process for Basic Signatures as per clause 5.3 with all the inputs, including the processing of any signed attributes as specified. If the Signature contains long-term validation material, this material shall be passed to the validation process for Basic Signatures.
  - If this validation returns PASSED, INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE, INDETERMINATE/REVOKED\_NO\_POE, INDETERMINATE/REVOKED\_CA\_NO\_POE, INDETERMINATE/REVOKED\_CA\_NO\_POE, INDETERMINATE/TRY\_LATER, INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE or INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED, the SVA shall go to the next step. Otherwise, the process shall return the status and information returned by the validation process for Basic Signatures.
- NOTE 2: The process in the case *INDETERMINATE/REVOKED\_NO\_POE* or *INDETERMINATE/REVOKED\_CA\_NO\_POE* is continued, because a proof that the signing occurred before the revocation date can help to go from *INDETERMINATE* to *TOTAL-PASSED* (step 4)a).

- NOTE 3: The process in the case *PASSED* or *INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE* is continued, because a proof that the signing occurred before the beginning of the validity (notBefore) of the signing certificate can help to go to *TOTAL-FAILED* (step 4)b).
- NOTE 4: The process in the case *INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE* is continued, because a proof that the signing occurred before the time one of the algorithms used was no longer considered secure can help to go from *INDETERMINATE* to *TOTAL-PASSED* (step 4)c).
- NOTE 5: The process in the case *INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED* is continued, because a proof that the signing occurred before the expiration date can help to go from *INDETERMINATE* to *TOTAL-PASSED* (step 4)d).
- 3) Signature time-stamp validation:
  - a) For each time-stamp token in the set of signature time-stamp tokens, the process shall check that the message imprint has been generated according to the corresponding signature format specification. If the verification fails, the process shall remove the token from the set.
  - b) Time-stamp token validation: For each time-stamp token remaining in the set of signature time-stamp tokens, the process shall perform the time-stamp validation process as per clause 5.4:
    - If *PASSED* is returned and if the returned generation time is before best-signature-time, the process shall set best-signature-time to this time and shall try the next token.

#### In all other cases:

- If no specific constraints mandating the validity of the attribute are specified in the validation constraints, the process shall remove the time-stamp token from the set of signature time-stamp tokens and shall try the next token.
- Otherwise, the process shall return the indication/sub-indication and associated explanations returned from the Time-stamp token validation process.

#### 4) Comparing times:

- a) If step 2) returned the indication *INDETERMINATE* with the sub-indication *REVOKED\_NO\_POE* or *REVOKED\_CA\_NO\_POE*:
  - a. If the returned revocation time is posterior to best-signature-time, then:
    - i. If best-signature-time is before the issuance date of the signing certificate, the process shall return the indication *FAILED* with the sub-indication *NOT\_YET\_VALID*.
    - ii. If best-signature-time is before the expiration date of the signing certificate, the process shall perform step 4)e).
    - iii. Otherwise, the process shall return the indication INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED.
  - b. Otherwise, the process shall return the indication *INDETERMINATE* with the sub-indication *REVOKED NO POE* or *REVOKED CA NO POE*, respectively.
- b) If step 2) returned the indication *PASSED* or the indication *INDETERMINATE* with the sub-indication *OUT\_OF\_BOUNDS\_NO\_POE*: If best-signature-time is before the issuance date of the signing certificate, the process shall return the indication *FAILED* with the sub-indication *NOT\_YET\_VALID*. Otherwise:
  - a. If the returned indication was *PASSED*, the process shall continue with step 4)e);
  - b. Else, the process shall return the indication and sub-indication which was returned by step 2).
- c) If step 2) returned the indication *INDETERMINATE* with the sub-indication *CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE* and the material concerned by this failure is the signature value or a signed attribute: If the algorithm(s) concerned were still considered reliable at best-signature-time, the process shall continue with step 4)e). Otherwise, the process shall return the indication *INDETERMINATE* with the sub-indication *CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE*.

- d) If step 2) returned the indication INDETERMINATE with the sub-indication OUT\_OF\_BOUNDS\_NOT\_REVOKED: If best-signature-time is before the issuance date of the signing certificate, the process shall return the indication FAILED with the sub-indication NOT\_YET\_VALID. Otherwise:
  - a. If best-signature-time is before the expiration date of the signing certificate, the process shall perform step 4)e).
  - b. Else, the process shall return the indication INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED.
- e) For each time-stamp token remaining in the set of signature time-stamp tokens, the process shall check the coherence in the values of the times indicated in the time-stamp tokens. They shall be posterior to the times indicated in any time-stamp token computed on the signed data (content-time-stamp). The process shall apply the rules specified in IETF RFC 3161 [3], clause 2.4.2 regarding the order of time-stamp tokens generated by the same or different TSAs given the accuracy and ordering fields' values of the TSTInfo field, unless stated differently by the signature validation constraints. If all the checks end successfully, the process shall go to the next step. Otherwise the process shall return the indication INDETERMINATE with the sub-indication TIMESTAMP ORDER FAILURE.
- 5) Handling Time-stamp delay: If the signature contains a signature time-stamp token and the validation constraints specify a time-stamp delay:
  - a) If no signing-time property/attribute is present, the process shall return the indication *INDETERMINATE* with the sub-indication *SIG\_CONSTRAINTS\_FAILURE*.
  - b) If a signing-time property/attribute is present, the process shall check that the claimed time in the attribute plus the time-stamp delay is after the best-signature-time. If the check is successful, the process shall go to the next step. Otherwise, the process shall return the indication *INDETERMINATE* with the sub-indication *SIG\_CONSTRAINTS\_FAILURE*.
- 6) If step 2) returned the indication *INDETERMINATE* with the sub-indication *TRY\_LATER* because the revocation data contained revocation status information that was not fresh enough: the building block shall run the Revocation Freshness Checker (clause 5.2.5) with the revocation status data returned in step 2), the certificate for which the revocation status is being checked and best-signature-time. If the checker returns *PASSED*, the building block shall go to the next step. Otherwise, the building block shall return the indication *INDETERMINATE*, the sub-indication *TRY\_LATER* and, if returned from the Revocation Freshness Checker, the suggestion for when to try the validation again.
- 7) If step 2) returned the indication *INDETERMINATE* with the sub-indication *TRY\_LATER* because the certificate has been found to be suspended:
  - a) If best-signature-time is before the time of suspension of the certificate: the process shall go to the step 8).
  - b) Otherwise, the building block shall return the indication INDETERMINATE, the sub-indication TRY\_LATER and a suggestion on when to try the validation gain, if returned by the validation process in step 2).
- 8) The SVA shall perform the Signature Acceptance Validation process as per clause 5.2.8 with the following inputs:
  - a) The Signed Data Object(s).
  - b) Best-signature-time as the validation time parameter.
  - c) The Cryptographic Constraints.
- NOTE 6: This check has been performed already in step 2) as part of basic signature validation for current time but is repeated here for the earliest time the signature is known to have existed to e.g. check if the algorithms were reliable at that time. Signature elements constraints have already been dealt with in step 2) and need not be rechecked.

- 9) If the Signature Acceptance Validation process returns *PASSED*, the SVA shall go to the next step. Otherwise, the SVA shall return the indication and sub-indication returned by the Signature Acceptance Validation Process.
- 10) The SVA shall apply the cryptographic constraints to all the certificates and revocation status information used in the validation process against the current time. If any of those certificates or revocation status information do not match these constraints, the SVA shall return the indication *INDETERMINATE* with the sub-indication *CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE* together with the list of algorithms and key sizes, if applicable, that are concerned and the time for each of the algorithms up to which the respective algorithm has been considered secure by the cryptographic constraints. Otherwise, the SVA shall go to the next step.
- NOTE 7: The cryptographic constraints have already been applied in step 8) however the validation time parameter in step 8) is best-signature-time. Considering that best-signature-time is not, in general, a POE for the certificate and revocation status information it is necessary to apply the cryptographic constraints for those data at current time. In some cases, best-signature-time can provide an indirect POE on some certificates (e.g. the signing certificate) however this process is not designed to handle indirect POEs. Indirect POEs are handled by the validation process for Signatures providing Long Term Availability and Integrity of Validation Material specified in clause 5.6, through the POE extraction building block specified in clause 5.6.2.3.
- Data extraction: the process shall return the success indication *PASSED*, the certificate chain obtained in step 2) and best-signature-time.
   In addition, the process should return additional information extracted from the signature and/or used by the intermediate steps.
   In particular, the process should return intermediate results such as the validation results of any signature.
  - In particular, the process should return intermediate results such as the validation results of any signature time-stamp token.
- NOTE 8: What the DA does with this information is out of the scope of the present document.
- NOTE 9: In the algorithm above, the signature-time-stamp protects the signature against the revocation of the signing certificate (step 4)a) but not always against expiration. The latter case can require validating the signing certificate in the past (see clause 5.6) because not all CAs provide revocation data for expired certificates or are willing to revoke certificates after expiration.
- NOTE 10: When the algorithm above terminates, best-signature-time indicates the earliest time at which the existence of the signature can be proven using the procedures specified by this algorithm. It is possible that other procedures, such as those specified in the present document for the Validation Process of Signatures providing Long Term Availability and Integrity of Validation Material (see clause 5.6.3), can determine a earlier time at which the existence of the signature can be proven.

# 5.6 Validation process for Signatures providing Long Term Availability and Integrity of Validation Material

## 5.6.1 Introduction

This clause describes a validation process for Signatures providing Long Term Availability and Integrity of Validation Material.

- NOTE 1: This is in particular useful in the case where revocation status information and proofs of existence are available, but not as part of a Signature providing Long Term Availability and Integrity of Validation Material. The SVA then takes such additional evidences as input, in addition to the Basic Signature to validate.
- NOTE 2: Such a validation can be done off-line when all required validation material is available within the signature and local configuration.

The process builds on the building blocks described in clause 5.2 and the additional building blocks defined in clause 5.6.2.

## 5.6.2 Additional building blocks

#### 5.6.2.1 Past certificate validation

#### 5.6.2.1.1 Description

This process validates a certificate at a date/time which can be in the past. This may become necessary in the long term validation settings when a compromising event (for instance, expiration of the end-entity certificate) prevents the traditional certificate validation algorithm (see clause 5.2.6) from asserting the validation status of a certificate (for instance, in case the end-entity certificate is expired at the current time, the traditional validation algorithm returns the indication *INDETERMINATE* with the sub-indication *OUT\_OF\_BOUNDS\_NO\_POE* or *OUT\_OF\_BOUNDS\_NO\_POE* or *OUT\_OF\_BOUNDS\_NO\_POE* or a clause 5.2.6).

The rationale of the algorithm described below can be summarized in the following: if a certificate chain has been useable to validate a certificate at some date/time in the past, the same chain can be used at the current time to derive the same validity status, provided each certificate in the chain satisfies one of the following:

- a) The revocation status of the certificate can be ascertained at the current time (typically, if the certificate is not yet expired and appropriate revocation status information is obtained at the current time).
- b) The revocation status of the certificate can be ascertained using "old" revocation status information such that the certificate (respectively the revocation data containing the revocation status information) is proven to having existed at a date in the past when the issuer of the certificate (respectively the revocation data containing the revocation status information) was still considered reliable and under control of its signing key.

The past certificate validation process will slide the validation time from the current time to some date in the past each time it encounters a certificate proven to be revoked, a cryptographic constraints failure or a freshness failure (see the Validation Time Sliding process in clause 5.6.2.2). In addition to the certificate chain, the process outputs the last value of validation time associated with the target certificate (the certificate to validate) which is a point in time when the signing certificate is valid and the chain can be validated corresponding to the selected model (chain model or shell model). Any object signed with the target certificate and proven to exist before this validation time can be accepted as valid. This assertion is the basis of the past validation processes presented in the next clauses.

#### 5.6.2.1.2 Input

Table 21: Inputs to past certificate validation building block

Input	Requirement
Target certificate	Mandatory
X.509 Validation Parameters including set of trust anchors	Mandatory
A set of POEs	Mandatory
Certificate Validation Data	Mandatory
X.509 Validation Constraints	Optional
Cryptographic Constraints	Optional

### 5.6.2.1.3 Output

Table 22: Outputs of past certificate validation building block

	Indication
PASSED + validation	on time + certificate chain
INDETERMINATE	NO_CERTIFICATE_CHAIN_FOUND
	NO_POE
	CERTIFICATE_CHAIN_GENERAL_FAILURE
	CHAIN_CONSTRAINTS_FAILURE

#### 5.6.2.1.4 Processing

- 1) The building block shall build a new prospective certificate chain that has not yet been evaluated:
  - a) If no new chain can be built, the building block shall return the current status and the last chain built or, if no chain was built, the indication *INDETERMINATE* with the sub-indication *NO\_CERTIFICATE\_CHAIN\_FOUND*.
  - b) Otherwise, the building block shall go to the next step.
- 2) The building block shall run the Certification Path Validation of IETF RFC 5280 [1], clause 6.1, with the following inputs: the prospective certificate chain built in the previous step, the trust anchor used in the previous step, the X.509 validation constraints provided in the inputs and either:
  - i) when the validation policy requires to use the shell model, a date from the intersection of the validity intervals of all the certificates in the prospective certificate chain; or
  - when the validation policy requires to use the chain model, a date from the validity of the signer's certificate.

The validation shall not include revocation checking nor verifying that current time is before a trust anchor sunset date when the X.509 validation constraints define such a sunset date:

- a) If the certificate path validation returns *PASSED*, the building block shall go to the next step.
- b) If the certificate path validation returns a failure indication, the building block shall set the current status to INDETERMINATE/CERTIFICATE\_CHAIN\_GENERAL\_FAILURE and shall go to step 1).
- 3) The building block shall perform the validation time sliding process as per clause 5.6.2.2 with the following inputs: the prospective chain, the set of POEs, the set of certificate validation data, the sunset date of the trust anchor from which the current chain has been built when the X.509 validation constraint specify such a date, and the cryptographic constraints. If it outputs a success indication, the building block shall go to the next step. Otherwise, the building block shall set the current status to the returned indication and sub-indication and shall go back to step 1).
- 4) The building block shall apply the X.509 validation constraints to the chain. If the chain does not match these constraints, the building block shall set the current status to INDETERMINATE/CHAIN\_CONSTRAINTS\_FAILURE and shall go to step 1).
- 5) The building block shall return the current status. If the current status is *PASSED*, the building block shall also return the certificate chain as well as the calculated validation time returned in step 3).

#### 5.6.2.2 Validation time sliding process

## 5.6.2.2.1 Description

This building block slides the validation time from the current-time to some date in the past each time it encounters a certificate proven to be revoked, a cryptographic constraints failure or a freshness failure.

The process outputs the last value of validation time associated with the target certificate (the certificate to validate) which is a point in time when the signing certificate is valid and the chain can be validated corresponding to the selected model (chain model or shell model).

#### 5.6.2.2.2 Input

Table 23: Inputs to the validation time sliding building block

Input	Requirement
A prospective certificate chain	Mandatory
A set of POEs	Mandatory
Certificate Validation Data	Mandatory
A trust anchor sunset date	Optional
Cryptographic constraints	Optional
X.509 validation constraints	Optional

#### 5.6.2.2.3 Output

Table 24: Outputs of the validation time sliding building block

Indication
PASSED + validation time
INDETERMINATE NO_POE

#### 5.6.2.2.4 Processing

- 1) The building block shall initialize control-time to either:
  - a) the trust anchor sunset date when this input is provided, and this date is before current date/time; or
  - b) the current date/time in all other cases.
- NOTE 1: Control-time is an internal variable that is used within the algorithms and not part of the core results of the validation process.
- NOTE 2: Initializing control time with current date/time assumes that the trust anchor is still trusted at the current date/time. The algorithm can capture the very exotic case where the trust anchor is broken (or becomes untrusted for any other reason) at a known date by initializing control time to this date/time.
- 2) For each certificate in the chain starting from the first certificate (the certificate issued by the trust anchor):
  - a) The building block shall select revocation data from the provided certificate validation data, satisfying the following:
    - the revocation data is consistent with the rules conditioning its use to check the revocation status of the considered certificate. In the case of a CRL, it shall satisfy the checks specified in IETF RFC 5280 [1], clause 6.3.3 (b) to (l); with the exception of the verification of whether the control-time is within the validity period of the certificate of the issuer of the CRL; and
    - the issuance date of the revocation status information contained within the revocation data is before control-time; and
    - the set of POEs contains a proof of existence of the certificate and the revocation data containing revocation status information at (or before) control-time.

If at least one revocation data is selected, the building block shall go to the next step. If there is no such information, the building block shall return the indication *INDETERMINATE* with the sub-indication *NO\_POE*.

- b) If the certificate is marked as revoked in any of the revocation data found in the previous step, the building block shall perform the following steps:
  - select the revocation data that has been issued the latest;
  - set control time to the revocation time whenever the validation policy requires to use the shell
    model; or, when the validation policy requires to use the chain model and the revocation reason is
    key compromise or unknown;
  - go to step d).
- c) If the certificate is not marked as revoked in all of the revocation data found in step a), the building block shall select the revocation data that has been issued the latest, run the Revocation Freshness Checker with that revocation data, the certificate for which the revocation status is being checked and the control time. If it returns FAILED, the building block shall set control time to the time that is the earliest between time A and time B, where time A is the current value of control time and time B is the issuance time of the revocation status information contained within the revocation data. Otherwise, the building block shall not change the value of control time.

- d) The building block shall apply the cryptographic constraints to the certificate and the revocation data against the control-time. If the certificate (or the revocation data) does not match these constraints, the building block shall set control-time to the latest time up to which the listed algorithms were all considered reliable.
- e) The building block shall continue with the next certificate in the chain or, if no further certificate exists, the building block shall return the status indication PASSED and the calculated control-time.
- NOTE 3: The rationale of step 2)a) is to check that the revocation data is "in scope" for the given certificate. In other words, the rationale is to check that the revocation data is reliable to be used to ascertain the revocation status of the given certificate. For instance, this includes the fact the certificate is not expired at the issuance date of the revocation data, unless the issuing CA states that it provides revocation status information for expired certificates (for instance, using the CRL extension expiredCertOnCRL).
- NOTE 4: If the certificate (or the revocation data) was authentic, but the signature has been faked exploiting weaknesses of the algorithms used, this is assumed only to be possible after the date the algorithms are declared to be no longer acceptable. Therefore, the owner of the original key pair is assumed to having been under control of his key up to that date. This is the rationale of sliding control-time in steps 2)b) and 2)c).
- NOTE 5: For more readability, the algorithm above implicitly assumes that the revocation data is signed by the certificate's issuer, which is the most traditional revocation setting but not the only one. The same algorithm can be adapted to the cases where the revocation data has its own certificate chain by applying the control-time sliding process to this chain, which would output a control-time to be compared to the control-time associated to the certificate.
- NOTE 6: When all the certificates in the chain can be validated at the current time, the control-time never slides and the current time is returned.

#### 5.6.2.3 POE extraction

#### 5.6.2.3.1 Description

This building block derives POEs from a given time-stamp. Assumptions:

- The time-stamp validation has returned *PASSED*.
- The cryptographic hash function used in the time-stamp (*messageImprint.hashAlgorithm*) is considered reliable at current time or, if this is not the case, a POE for that time-stamp exists for a time when the hash function has still been considered reliable.

In the simple case, a time-stamp gives a POE for each data item protected by the time-stamp at the generation date/time of the token.

EXAMPLE: A time-stamp on the signature value gives a POE of the signature value at the generation date/time of the time-stamp.

A time-stamp can also give an indirect POE when it is computed on the hash value of some data instead of the data itself. A POE for DATA at  $T_1$  can be derived from the time-stamp:

- if there is a POE for h(DATA) at a date  $T_1$ , where h is a cryptographic hash function and DATA is some data (e.g. a certificate); and
- if there is a POE for DATA at a date T<sub>2</sub> after T<sub>1</sub>; and
- if h is asserted in the cryptographic constraints to be trusted until at least a date T after T<sub>2</sub>.

## 5.6.2.3.2 Input

Table 25: Inputs to the POE extraction building block

Input	Requirement
Signature	Mandatory
An attribute with a time-stamp token	Mandatory
A set of POEs	Mandatory (but may be empty)

#### 5.6.2.3.3 Output

The POE extraction process shall return a set of POEs that may be an empty set.

#### 5.6.2.3.4 Processing

- 1) The building block shall determine the set *S* of references to objects and objects that are part of the signature and are protected by the time-stamp.
- 2) If any of the objects in the set *S* contains other objects that are not yet contained in the set *S* and that can be used in signature validation, the building block shall add them to the set *S*.

EXAMPLE: Such objects can be a PAdES Document Security Store or signed data like a PAdES Signed Data element.

- 3) The building block shall initialize the set *P* of POE with an empty set.
- 4) For each reference to objects contained in the set *S* where the reference contains a hash value of the referenced object O and the cryptographic hash function h is asserted in the cryptographic constraints to be trusted until at least a date after the time of the generation of the timestamp (named T<sub>1</sub>):
  - a) The building block shall add to P a POE for the hash value h(O) of the object O at  $T_1$ .
  - b) If the set of POEs includes a POE for an object O at a date/time T<sub>2</sub> after T<sub>1</sub> and the cryptographic hash function h is asserted in the cryptographic constraints to be trusted until at least T<sub>2</sub>, the building block shall add to *P* a POE for O at T<sub>1</sub>.
- 5) For each object contained in S, the building block shall add to P a POE for that object at  $T_1$ .
- 6) The building block shall return the set *P* of POEs.

## 5.6.2.4 Past signature validation building block

### 5.6.2.4.1 Description

This building block is used when validation of a signature (or a time-stamp token) fails at the current time with an *INDETERMINATE* status such that the provided proofs of existence may help to go to a determined status.

#### 5.6.2.4.2 Input

Table 26: Inputs to the past signature validation building block

Input	Requirement
Signature	Mandatory
The current time status indication/sub-indication	Mandatory
Target certificate	Mandatory
X.509 Validation Parameters	Mandatory
A set of POEs	Mandatory
Best-signature-time	Mandatory
Certificate Validation Data	Optional
X.509 Validation Constraints	Optional
Cryptographic constraints	Optional

#### 5.6.2.4.3 Output

This process shall output an indication/sub-indication, which is either the same as the current time indication/sub-indication given in the inputs or one of the following: *PASSED* or *FAILED/NOT YET VALID*.

#### 5.6.2.4.4 Processing

- 1) The building block shall verify that there is at least one revocation data instance that is known to contain revocation status information about the signing certificate for which the set of POEs contains a POE for the signing certificate issuer's certificate after the issuance date and before the expiration date of the signing certificate issuer's certificate:
  - a) If there is such a revocation data, the building block shall remove from the Certificate Validation Data all revocation data known to contain revocation status information about the signing certificate for which there is no such POE and set *sig\_cert\_revocation\_poe-status* to *PASSED*.
  - b) Otherwise the building block shall set *sig\_cert\_revocation\_poe-status* to *INDETERMINATE* with the sub-indication *REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE*.
- NOTE: sig\_cert\_revocation\_poe-status is an internal variable. This is done because returning REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE at this step in case of failure would lose the information provided by the current time indication/sub-indication.
- 2) The building block shall perform the past certificate validation process specified in clause 5.6.2.1 with the following inputs: the signature, the target certificate, the X.509 validation parameters, certificate validation data, X.509 validation constraints, cryptographic constraints and the set of POEs. If it returns *PASSED/validation time*, the building block shall go to the next step. Otherwise, the building block shall return the current time status and sub-indication with an explanation of the failure.
- 3) If there is a POE of the signature value at (or before) the validation time returned in the previous step:
  - If current time indication/sub indication is INDETERMINATE/NO\_CERTIFICATE\_CHAIN\_FOUND\_NO\_POE:
    - a) If best-signature-time is before the issuance date of the signing certificate (notBefore field), the building block shall return the indication *FAILED* with the sub-indication *NOT\_YET\_VALID*.
    - b) If best-signature-time is after the expiration date of the signing certificate, the building block shall return the indication *INDETERMINATE* with the sub-indication *OUT\_OF\_BOUNDS\_NO\_POE*.
    - c) Else the building block shall go to step 7).
  - If current time indication/sub-indication is *INDETERMINATE/REVOKED\_NO\_POE*, *INDETERMINATE/REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE* or *INDETERMINATE/TRY\_LATER* because the certificate has been found to be suspended, then:
    - a) If best-signature-time is before the issuance date of the signing certificate, the process shall return the indication FAILED with the sub-indication NOT\_YET\_VALID
    - b) If best-signature-time is within the validity period of the signing certificate, the building block shall go to step 7).
    - c) Otherwise the building block shall set the current time indication/sub-indication to *INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED* and continue the process.
  - If current time indication/sub-indication is INDETERMINATE/REVOKED\_CA\_NO\_POE then:
    - a) If there is a POE for the revocation data containing the revocation status information of the signer certificate at (or before) the revocation time of the CA certificate, then:
      - i. If best signature time (lowest time at which there exists a POE for the signature value in the set of POEs) is within the validity period of the signing certificate, the building block shall go to step 7).

- ii. Otherwise the building block shall set the current time indication/sub-indication to *OUT\_OF\_BOUNDS\_NOT\_REVOKED* and continue the process.
- b) Otherwise, the building block shall return with the indication *INDETERMINATE* and the sub-indication *REVOKED\_CA\_NO\_POE*.
- If current time indication/sub-indication is *INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE* or *OUT\_OF\_BOUNDS\_NOT\_REVOKED*:
  - a) If best-signature-time (lowest time at which there exists a POE for the signature value in the set of POEs) is before the issuance date of the signing certificate (notBefore field), the building block shall return the indication *FAILED* with the sub-indication *NOT\_YET\_VALID*.
  - b) If best-signature-time (lowest time at which there exists a POE for the signature value in the set of POEs) is after the issuance date and before the expiration date of the signing certificate, the building block shall go to step 7).
- 4) If current time indication/sub-indication is *INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE* and for each algorithm (or key size) in the list concerned by the failure, there is a POE for the material that uses this algorithm (or key size) at a time before the time up to which the algorithm in question was considered secure, the building block shall go to step 7).
- 5) If current time indication/sub indication is *INDETERMINATE/TRY\_LATER* because the revocation information of the target certificate was not fresh enough:
  - a) The building block shall determine from the set of POEs the earliest time at which the existence of the signature can be proven.
  - b) The building block shall run the Revocation Freshness Checker (clause 5.2.5) with the corresponding revocation status information, the target certificate and the time determined in step a) above.
  - c) If the checker returns *PASSED*, the building block shall go to step 7). Otherwise, the building block shall return the indication *INDETERMINATE*, the sub indication *TRY\_LATER* and, if returned from the Revocation Freshness Checker, the suggestion for when to try the validation again.
- 6) In all other cases, the building block shall return the current time indication/sub-indication together with an explanation of the failure.
- 7) The building block shall return the indication and subindication contained in *sig\_cert\_revocation\_poe-status*.

# 5.6.3 Validation Process for Signatures providing Long Term Availability and Integrity of Validation Material

#### 5.6.3.1 Description

This process is used for validation of Signatures providing Long Term Availability and Integrity of Validation Material. Several unsigned attributes can be present assisting in achieving long-term preservation and availability:

- time-stamp(s) on the signature value (Signature with Time);
- time-stamp(s) on the references of validation data;
- time-stamp(s) on the references of validation data, the signature value and the signature time-stamp;
- attributes with the values of validation data; or
- attributes with references to validation data;
- archive time-stamp(s) on the whole signature except the last archive time-stamp; or
- Evidence Records on part or the whole signature.

The DA may provide to the SVA an initial set of POEs proving the existence of elements used in validation. The structure or format of these POEs are implementation dependent.

**EXAMPLE:** 

Such POEs can be provided by the DA for signatures, certificates or time-stamps and can be derived from external archival systems and other sources. POEs for CAs can be extracted from Trusted Lists.

### 5.6.3.2 Input

Table 27: Inputs to the Long Term Validation process

Input	Requirement
Signed Data Object	Mandatory
Signer's Document or SDR	Optional
Trust anchor list (e.g. TSL)	Optional
Signature Validation Policies	Optional
Local configuration	Optional
A set of POEs	Optional
Signing Certificate	Optional
Evidence Records	Optional
Certificate Validation Data	Optional

## 5.6.3.3 Output

The main output of this signature validation process shall be a status indicating the validity of the signature. This status may be accompanied by additional information (see clause 5.1.3).

## 5.6.3.4 Processing

- 1) If there is one or more Evidence Records (ERs):
  - a) The process shall take the first ER that was not yet processed.
  - b) The process shall verify this ER according to IETF RFC 4998 [i.9] or IETF RFC 6283 [i.10] taking into account the following additional requirements when validating a time-stamp token at the time of the following Archive Timestamp:
    - i) Before validating a time-stamp the process shall extract POEs (as per clause 5.6.2.3) of the time-stamp within the next Archive timestamp and initialize the set of temporary POEs with the extracted POEs.
    - ii) The time stamp validation of the time-stamp token shall be performed, as per clause 5.4.
    - iii) The past signature validation process for the signature of the time-stamp token as per clause 5.6.2.4 shall be used with the following inputs: the time-stamp, the TSA's certificate, the X.509 validation parameters, the X.509 validation constraints, the cryptographic constraints, certificate validation data, the indication/sub-indication returned in step ii) and the set of POEs available so far, and the set of temporary POEs.
    - iv) If step iii) results in *PASSED* the process shall continue the ER validation, otherwise the building block shall fail with the status indication and sub-indication returned from the past signature validation process.
- NOTE 1: The usage of the temporary POEs set is justified by the fact that the validation algorithm within IETF RFC 4998 [i.9] or IETF RFC 6283 [i.10] starts with the earliest time-stamp. But since it fails as soon as one time-stamp within the ER is not valid, it is assumed there is a POE for the validation material covered be the next time-stamp even if this time-stamp was not yet validated before.
  - c) If step b) found the ER to be valid, the process shall add a POE for every object covered by the ER at signing time value of the initial archive time-stamp.
  - d) If all ERs have been validated, the process shall continue with step 2).

- e) The process shall continue with step 1)a).
- NOTE 2: An ER proves that a data object existed and has not been changed from the time of the initial time-stamp token within the first archive time-stamp. The details of what data objects are actually covered by the ER need to be clearly identified in the documents that specify how to use ERs in AdES signatures for achieving long term availability and integrity of validation data.
- EXAMPLE 1: IETF RFC 4998 [i.9] specifies, in its Appendix A, how to add ERs to CMS [i.8] signed data. In terms of what the ER actually covers, this appendix defines two alternatives:
  - The CMS object as a whole (the CMS contentInfo field and all its contents). In this case, the ER is a POE for the contentInfo and all its contents.
  - The CMS object and the signed content as separated objects. In this case, the ER is a POE for the contentInfo and all its contents, and also for the signed content. This is particularly suitable for detached CMS signatures.
- 2) The SVA shall add a POE for each object in the signature at the current time to the set of POEs.
- NOTE 3: The set of POE in the input may have been initialized from external sources (e.g. provided from an external archiving system). These POEs are used without additional processing.
- 3) The SVA shall perform the Validation process for Signatures with Time and Signatures with Long-Term Validation Material as per clause 5.5 with all the inputs, including the processing of any signed attributes as specified.
  - If the signature does not contain any attributes for long term availability and integrity of validation material, the process shall return the indication/sub-indication and information returned by the Validation process for Signatures with Time and Signatures with Long-Term Validation Material. Additional information should be included indicating that only the signature-with-time-validation process has been performed.
- EXAMPLE 2: Attributes for Long Term Availability and integrity of validation material are archive time-stamp, an ER or a DocumentTimeStamp in PAdES.
  - If the Validation process for Signatures with Time and Signatures with Long-Term Validation Material returned *PASSED*:
    - If there is no validation constraint mandating the validation of the attributes for Long Term Availability and integrity of validation material, the SVA shall return the indication *PASSED*.
    - Otherwise, the SVA shall go to step 4).
  - If the Validation process for Signatures with Time and Signatures with Long-Term Validation Material returned one of the following indications/sub-indications: INDETERMINATE/REVOKED\_NO\_POE, INDETERMINATE/REVOKED\_CA\_NO\_POE, INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED, INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED, INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE, INDETERMINATE/REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE, INDETERMINATE/SIG\_CONSTRAINTS\_FAILURE or INDETERMINATE/TRY\_LATER, the long-term validation process shall go to the next step.
  - In all other cases, the process shall return the indication/sub-indication and information returned by the Validation process for Signatures with Time and Signatures with Long-Term Validation Material.
- NOTE 4: Validation is continued in the cases INDETERMINATE/REVOKED\_NO\_POE,
  INDETERMINATE/REVOKED\_CA\_NO\_POE, INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE,
  INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED, INDETERMINATE/
  CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE,
  INDETERMINATE/REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE
  INDETERMINATE/SIG\_CONSTRAINTS\_FAILURE and INDETERMINATE/TRY\_LATER because additional proof of existences can help to go from INDETERMINATE to a determined status.
- NOTE 5: Steps 4) and 5) below are not part of the validation process per se, but are present to collect POEs for steps 6) and 7).

- 4) The process shall initialize best-signature-time to the best-signature-time returned in step 3) and add this time as POE for the signature to the set of POEs.
- 5) If there is at least one time-stamp attribute:
  - a) The SVA shall select the newest time-stamp that has not been processed and shall perform the time-stamp validation, as per clause 5.4.
  - b) If PASSED is returned and a POE exists for the time-stamp for a time when the cryptographic hash function used in the time-stamp (*messageImprint.hashAlgorithm*) has been considered reliable, the SVA shall perform the POE extraction process (clause 5.6.2.3) with the signature, the time-stamp and the cryptographic constraints as inputs. The SVA shall add the returned POEs to the set of POEs.
  - c) If the output of the validation is INDETERMINATE/REVOKED\_NO\_POE, INDETERMINATE/REVOKED\_CA\_NO\_POE, INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE, INDETERMINATE/OUT\_OF\_BOUNDS\_NOT\_REVOKED, INDETERMINATE/CRYPTO\_CONSTRAINTS\_FAILURE\_NO\_POE or INDETERMINATE/REVOCATION\_OUT\_OF\_BOUNDS\_NO\_POE,, the SVA shall perform past signature validation process (as per clause 5.6.2.4) with the following inputs: the time-stamp, the indication/sub-indication returned by the time-stamp validation process in step 5)a), the TSA's certificate, the X.509 validation parameters, X.509 validation constraints, cryptographic constraints, certificate validation data and the set of POEs. Then:
    - i) If it returns *PASSED* the SVA shall determine from the set of POEs the earliest time the existence of the time-stamp can be proven.
    - ii) The SVA shall perform the Signature Acceptance Validation process as per clause 5.2.8 with the following inputs:
      - The Signed Data Object(s).
      - The time determined in step i) above as the validation time parameter.
      - The Cryptographic Constraints.

If the Signature Acceptance Validation process returns *PASSED*, the SVA shall go to the next step. Otherwise, the SVA shall go to step d).

- iii) If a POE exists for the time-stamp for a time when the cryptographic hash function used in the time-stamp has been considered reliable, the SVA shall perform the POE extraction process (clause 5.6.2.3) and shall add the returned POEs to the set of POEs, and shall continue with step 5)a) using the next time-stamp attribute.
- d) In all other cases:
  - If no specific constraints mandating the validity of the attribute are specified in the validation constraints, the SVA shall ignore the attribute and shall continue with step 5) using the next time-stamp attribute.
  - Otherwise, the process shall fail with the returned indication/sub-indication and associated explanations.
- e) If all time-stamp attributes have been processed, the SVA shall continue with step 6). Otherwise, the SVA shall continue with step 5)a).
- 6) The SVA shall determine from the set of POEs the earliest time the existence of the signature can be proven and set best-signature-time to this new determined time.
- 7) Past signature validation: the SVA shall perform the past signature validation process (as per clause 5.6.2.4) with the following inputs: the signature, the status indication/sub-indication returned in step 3), the signing certificate, the X.509 validation parameters, certificate validation data, X.509 validation constraints, cryptographic constraints, the set of POEs and best-signature-time. If it returns *PASSED*, the SVA shall go to the next step. Otherwise, the SVA shall return the indication/sub-indication and associated explanations returned from the past signature validation process.

- 8) Handling time-stamp delay: If the signature contains a signature time stamp token and the validation constraints specify a time stamp delay:
  - a) If no signing time property/attribute is present, the process shall return the indication *INDETERMINATE* with the sub indication *SIG\_CONSTRAINTS\_FAILURE*.
  - b) If a signing time property/attribute is present, the process shall check that the claimed time in the attribute plus the time stamp delay is after the best-signature-time determined in step 6) above. If the check is successful, the process shall go to the next step. Otherwise, the process shall return the indication *INDETERMINATE* with the sub indication *SIG\_CONSTRAINTS\_FAILURE*.
- 9) The SVA shall perform the Signature Acceptance Validation process as per clause 5.2.8 with the following inputs:
  - a) The Signed Data Object(s).
  - b) The time determined in step 7) as the validation time parameter.
  - c) The Cryptographic Constraints.
- NOTE 6: This check has been performed already in step 3) as part of basic signature validation for current time but is repeated here for the earliest time the signature is known to have existed to e.g. check if the algorithms were reliable at that time. Signature elements constraints have already been dealt with in step 2) and need not be rechecked.

If the Signature Acceptance Validation process returns *PASSED*, the SVA shall go to the next step. Otherwise, the SVA shall return the indication and sub-indication returned by the Signature Acceptance Validation Process.

10) Data extraction: the SVA shall return the success indication *PASSED*. In addition, the SVA should return additional information extracted from the signature and/or used by the intermediate steps. In particular, the SVA should return the best-signature-time determined in step 6) as well as intermediate results such as the validation results of any time-stamp token.

NOTE 7: What the DA does with this information is out of the scope of the present document.

# Annex A (informative): Validation examples

#### A.1 General remarks and assumptions

This clause gives some examples that aim at helping to better understand the signature validation algorithm presented in the normative part of the present document.

- While validating a Signature with Time is specified in a separate clause (see clause 5.5), this has been done only to keep this special case simple. It would have been perfectly possible to use the long-term validation process also for Signature with Time. In the examples, this distinction is ignored and only the logic behind the algorithm is presented as applicable to the examples chosen.
- These examples also assume that basic checks like cryptographic or format checks succeed. The focus is on
  examples showing how the fundamental properties of an AdES signature, proving the existence of certain
  objects at certain times, help to validate signatures from the past.
- For all validation examples, the following assumptions are made:
  - The signing certificate can be identified, as it is provided within the signature.
  - There are no specific constraints on the validation process unless noted otherwise.
  - A valid path to a trust anchor can be built for all certificates used unless noted otherwise.
  - Only the signature is needed as an input unless noted otherwise.
  - The syntax/format of all elements is correct.
  - All required elements are present.
  - Time-stamps and signatures have been calculated over the right data.
  - No other similar basic flaws exist, unless noted otherwise.

#### A.2 Symbols




Figure A.1: Symbols used in examples

Figure A.1 shows the symbols used in the following graphics.

#### A.3 Example 1: Revoked certificate

#### A.3.1 Introduction




Figure A.2: Revoked Certificate Example

In this example, a simple case is shown where a certificate is revoked before subsequent validation of a signature. Figure A.2 shows the timeline for the relevant events:

- At time t<sub>1</sub> the certificate is issued.
- At time t<sub>2</sub> the signature is created using the certificate.
- At time t<sub>3</sub> a signature time-stamp is created (*Signature with Time*).
- At time t<sub>4</sub> the certificate is revoked.
- At time t<sub>5</sub> validation of the certificate is tried.
- All other certificates used in the process are assumed to being still valid.

#### A.3.2 Basic signature validation

Expected result	INDETERMINATE/REVOKED_NO_POE	
Rationale	The Basic Signature validation algorithm does not process the signature-time-stamp attribute	
	and hence cannot ascertain whether the signing time is before the revocation date. Hence,	
	the validity status is indeterminate.	

The validation algorithm defined in clause 5.3 proceeds as follows:

- The identification of the signing certificate succeeds by assumption.
- The initialization of the validation constraints and parameters succeeds by assumption.
- The validation of the signing certificate returns *INDETERMINATE/REVOKED\_NO\_POE* since the signing certificate has been revoked.

The algorithm terminates with INDETERMINATE/REVOKED\_NO\_POE which is expected and correct.

#### A.3.3 Validating a Signature with Time

Expected result	TOTAL-PASSED
Rationale	The status goes from INDETERMINATE/REVOKED_NO_POE (using the basic validation algorithm) to TOTAL-PASSED because the Signature with Time validation algorithm processes the signature time-stamp attribute and finds that the signing time lies before the
	revocation date.

The validation algorithm for signatures with time defined in clause 5.5 proceeds as follows:

- The set of signature time-stamp tokens is initialized to the single time-stamp present in the signature (step 1).
- Best-signature-time is set to current time (step 1).
- The Basic Signature validation is performed. As shown before, this returns *INDETERMINATE/REVOKED\_NO\_POE*, and the rest of the algorithm can be run, since existing time-stamps can still allow to verify the signature.
- The verification (step 3)a) of the message imprint of the time-stamp succeeds by assumption.
- The Time-stamp token validation (step 3)b) is performed as per clause 5.4 for verifying the time-stamp.
- The Basic Signature validation of the signature on the time-stamp token succeeds, since the certificate of the TSA has neither expired nor been revoked by assumption.
- Since the previous step returned *TOTAL-PASSED*, the signature has been created before the time-stamp and the best-signature-time is set to the time of the time-stamp (step 4)b).
- Step 4)a) compares this best signature time with the revocation date of the certificate. Since the certificate has been revoked only after the time-stamp has been generated, the process continues with step 4)d).
- The coherence of the time values is checked and found to be ok (step 4)c).
- No constraints on time-stamp delay exist (step 5), so the process skips to the next step.
- The process returns *TOTAL-PASSED* and returns the validation report generated to the DA (step 6).

#### A.3.4 Example 2: Revoked CA certificate




Figure A.3: Revoked CA Certificate

This is a slightly more complex case, where the CA certificate that issued the signing certificate has been revoked. Figure A.3 shows the timeline for the relevant events:

- At time t<sub>0</sub> the CA certificate is issued by another CA.
- At time t<sub>1</sub> the signing certificate is issued by that CA.

- At time t<sub>2</sub> the signature is created using the certificate.
- At time t<sub>3</sub> a signature time-stamp is created (Signature with Time).
- At time t<sub>4</sub> CRLs were issued by the CA that issued the signing certificate.
- At time t<sub>5</sub> a Signatures providing Long Term Availability and Integrity of Validation Material is created and an archive time-stamp produced.
- At time t<sub>6</sub> CRLs were issued for the certificate of the Time Stamping Authority (TSA) that issued the signature time-stamp.
- At time t<sub>7</sub> the certificate of the Time Stamping Authority (TSA) that issued the signature time-stamp expires.
- At time t<sub>8</sub> the CA certificate is revoked.
- At time t<sub>9</sub> validation of the certificate is tried.
- All other certificates used in the process are assumed to being still valid.

It is assumed that the TSA certificate has been issued by a different authority than the CA certificate.

#### A.3.5 Basic signature validation

Expected result	INDETERMINATE/REVOKED_CA_NO_POE	
Rationale The algorithm for Basic Signatures does not handle the LTV attributes.		

The validation algorithm defined in clause 5.3 proceeds as follows:

- The identification of the signing certificate succeeds by assumption.
- The initialization of the validation constraints and parameters succeeds by assumption.
- The validation of the signing certificate returns *INDETERMINATE/REVOKED\_CA* because the CA certificate has been revoked.

The algorithm terminates here with INDETERMINATE/REVOKED\_CA\_NO\_POE, which is expected and correct.

#### A.3.6 Validation of a Signature with Time

Expected result	INDETERMINATE/REVOKED_CA_NO_POE	
Rationale	The algorithm for signatures with time does not handle the LTV attributes. The	
	signature-time-stamp attribute protects only the signature value and the signing certificate but	
	does not help when an intermediary CA is revoked.	

The validation process defined in clause 5.5 proceeds as follows:

- The set of signature time-stamp tokens is initialized to the single signature time-stamp token present in the signature.
- Best-signature-time is set to current time.
- The validation process for Basic Signatures is performed and returns *INDETERMINATE/REVOKED\_CA\_NO\_POE*.
- Since the signature validation did not report *TOTAL-PASSED* nor *INDETERMINATE/REVOKED\_NO\_POE* nor *INDETERMINATE/OUT\_OF\_BOUNDS*, the algorithm terminates with *INDETERMINATE/REVOKED\_CA\_NO\_POE*.

#### A.3.7 Long-Term Validation

The Long-Term Validation Algorithm is applied.

Expected result	TOTAL-PASSED
Rationale	INDETERMINATE turns into TOTAL-PASSED due to the archive time-stamp, which was
	produced at t₅ before any compromising event.

The process starts in clause 5.6.3:

• *POE initialization (step 1)*: the POE is initialized with all objects.

**Table A.3.7-1** 

Content		
The signature		
The signing certificate (and other certificates required to form a chain to a trust anchor)	<b>t</b> 9	
Revocation Information for the signing certificate (as well as for all certificates required to form a chain to a trust anchor)	t <sub>9</sub>	
The signature time-stamp	t <sub>9</sub>	
The TSA certificate related to the signature time-stamp (and other certificates required to form a chain to a trust anchor)		
Revocation Information for that TSA certificate (as well as for all certificates required to form a chain to a trust anchor)		
The archive time-stamp		
The TSA certificate related to the archive time-stamp (and other certificates required to form a chain to a trust anchor)		
Revocation Information for that TSA certificate (as well as for all certificates required to form a chain to a trust anchor)		

- There is no evidence record, so step 1) is skipped.
- A first set of POEs is created using all the objects in the signature.
- The validation process for Signatures with time returns INDETERMINATE/REVOKED\_CA\_NO\_POE. The process continues as existing time-stamps can still allow verifying the signature.
- The Time-stamp token validation (step 4) is performed as per clause 5.4 for verifying the archive time-stamp:
  - Basic signature validation of the signature on the archive time-stamp token succeeds, since the certificate of the TSA that has produced that time-stamp token has neither expired nor been revoked.
- POEs are extracted at the time of the archive time-stamp (see clause 5.6.2.3) for:
  - The signature.
  - The signing certificate (and other certificates required to form a chain to a trust anchor).
  - Revocation Information for the signing certificate (as well as for all certificates required to form a chain to a trust anchor).
  - The signature time-stamp.
  - The TSA certificate related to the signature time-stamp (and other certificates required to form a chain to a trust anchor).

It results in the following set of POEs.

#### **Table A.3.7-2**

Content	Exists at time
The signature	<b>t</b> <sub>5</sub>
The signing certificate (and other certificates required to form a chain to a trust anchor)	<b>t</b> 5
Revocation Information for the signing certificate (as well as for all certificates required to	<b>t</b> 5
form a chain to a trust anchor)	
The signature time-stamp	<b>t</b> 5
The TSA certificate related to the signature time-stamp (and other certificates required to	<b>t</b> 5
form a chain to a trust anchor)	
Revocation Information for that TSA certificate (as well as for all certificates required to form	<b>t</b> 5
a chain to a trust anchor)	
The archive time-stamp	<b>t</b> 9
The TSA certificate related to the archive time-stamp (and other certificates required to form	<b>t</b> 9
a chain to a trust anchor)	
Revocation Information for that TSA certificate (as well as for all certificates required to form	t <sub>9</sub>
a chain to a trust anchor)	

- Step 4)c): the time-stamp validation process is performed (clause 5.4):
  - The Basic Signature validation of the signature on the time-stamp token returns *INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE*, since the certificate of that TSA has expired.
- Since this step returned *INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE*, the past signature validation process for the time-stamp is performed (see clause 5.6.2.4):
  - The past certificate validation for the TSA certificate is performed:
    - The prospective chain can be built (all information is present in the archive).
    - Since the TSA certificate has only expired, path validation, at a point in time where the TSA certificate was not yet expired, succeeds.
    - The validation-time sliding process is performed with the following inputs: the prospective chain and the set of POEs:
      - Control-time is current time.
      - Revocation objects for the TSA certificate are in the set of POE.
      - Proof of existence of the relevant objects exists at t<sub>5</sub>.
      - The revocation object is assumed not to be fresh and thus the control-time is set to the time this revocation object has been created  $(t_7)$ .
      - The certificate constraints and cryptographic constraints are applied to the chain, and succeed by assumption.
      - *PASSED* and control-time t<sub>7</sub> are returned.
    - Since the current time status is  $INDETERMINATE/OUT\_OF\_BOUNDS\_NO\_POE$  and there is a POE for the signature time-stamp at  $t_5$  before  $t_7$ , the past signature validation returns PASSED.
- The POE-extraction process is performed for that time-stamp and a new list of POEs is generated.

#### **Table A.3.7-3**

Content	Exists at time
The signature	t <sub>3</sub>
The signing certificate (and other certificates required to form a chain to a trust anchor)	t <sub>3</sub>
Revocation Information for the signing certificate (as well as for all certificates required to form a chain to a trust anchor)	t <sub>4</sub>
The signature time-stamp	<b>t</b> 5
The TSA certificate related to the signature time-stamp (and other certificates required to form a chain to a trust anchor)	t <sub>5</sub>
Revocation Information for that TSA certificate (as well as for all certificates required to form a chain to a trust anchor)	t <sub>5</sub>
The archive time-stamp	<b>t</b> 9
The TSA certificate related to the archive time-stamp (and other certificates required to form a chain to a trust anchor)	t <sub>9</sub>
Revocation Information for that TSA certificate (as well as for all certificates required to form a chain to a trust anchor)	t <sub>9</sub>

- The past signature validation process for the signature is performed:
  - The past certificate validation is performed for the signing certificate:
    - Certificate chain can be built by assumption.
    - Certificate path validation succeeds.
    - The validation time sliding process is performed for the signing certificate:
      - Control-time is current time.
      - A POE exists at the current time for the CA certificate as well as the corresponding revocation info status.
      - Since the CA is revoked at t<sub>8</sub>, control-time takes this value (assuming that freshness does not apply).
      - Proof of existence of the relevant objects for the signing certificate exists at t<sub>3</sub> before t<sub>8</sub>.
      - The revocation object is assumed to be fresh and thus the change control-time is unchanged.
      - The certificate constraints and cryptographic constraints are applied to the chain, and succeed by assumption.
      - *PASSED* and control-time t<sub>8</sub> are returned.
    - Since the current time status is *INDETERMINATE/REVOKED\_CA\_NO\_POE* and there is a POE for the signature at t<sub>3</sub> before t<sub>8</sub>, the past signature validation returns *PASSED*.
- The validation algorithm returns a final TOTAL- PASSED plus the validation report.

### Annex B (informative): Signature Classes and AdES Signatures

This annex maps the signature classes specified in the present document with signature levels specified in the specification of AdES-Formats (ETSI EN 319 122-1 [i.2], ETSI EN 319 122-2 [i.3], ETSI EN 319 132-1 [i.4], ETSI EN 319 132-2 [i.5], ETSI EN 319 142-1 [i.6] and ETSI EN 319 142-2 [i.7]).

Table B.1

AdES-Level		Basic	Signature	Signatures	Signatures
Baseline	Extended	Signature	With Time	with Long-Term Validation Material	providing Long Term Availability and Integrity of Validation Material
CAdES-B-B, XAdES-B-B, PAdES-B-B	CAdES-E-BES, CAdES-E-EPES XAdES-E-BES, XAdES-E-EPES PAdES-E-BES, PAdES-E-EPES	×			
CAdES-B-T, XAdES-B-T, PAdES-B-T	CAdES-E-T, CAdES-E-C, CAdES-E-X, XAdES-E-T, XAdES-E-C, XAdES-E-X		×		
CAdES-B-LT, XAdES-B-LT PAdES-B-LT	CAdES-E-X-L XAdES-E-X-L			×	
CAdES-B-LTA, XAdES-B-LTA PAdES-B-LTA	CAdES-E-A XAdES-E-A PAdES-E-LTV				×

## Annex C (informative): Applicability rules checking and format conformance check

#### C.1 Applicability checking

While signature validation is the process of verifying and confirming that a signature is technically valid, applicability rules checking determines whether a signature complies with the requirements of a specification or regulation. Thus, signature validation and applicability rules checking of signatures are independent processes. In particular:

- A signature can be valid but not achieving a certain expected signature level.
- A signature can comply to a certain expected signature level but validation returns an INDETERMINATE or TOTAL-FAILED status indication.

#### C.2 Format conformance

Therefore, the signature validation processes described in clauses 5.3, 5.5 and 5.6 do not address the assessment of the conformity of a signature with a specific class, as defined in clause 4.3, or signature level as specified in the specification of AdES-Formats (ETSI EN 319 122-1 [i.2], ETSI EN 319 122-2 [i.3], ETSI EN 319 132-1 [i.4], ETSI EN 319 132-2 [i.5], ETSI EN 319 142-1 [i.6] and ETSI EN 319 142-2 [i.7]). Conformity assessment for signature creation and validation applications and procedures is planned to be specified in a Technical Specification. Format-specific conformance testing will be covered in ETSI TS 119 1x4 (which are not yet available).

While conformance checking is in principle orthogonal to signature validation (a signature may be valid, but not conformant), conformance checking can be required by a signature validation policy for specific business contexts. The present document does not address conformance checking however, so implementations conforming to the present document cannot include conformance checking in the status indication. An SVA indicating a *TOTAL-FAILED* or *INDETERMINATE* result just because of a failed conformance check will not be conformant to the present document. Future ETSI deliverables can specifically target conformance checking. Such documents can specify extended functional models to support as well as extended status indications and validation reports. Meanwhile, implementers that want to perform conformance checking together with validation can implement conformance checking according to the following approaches:

- Directly by the DA (independent of checking the validity of the signature) (see Figure C.1).
- As part of the signature validation process (see Figure C.2).




Figure C.1: Conformance Checking independent of Signature Validation




Figure C.2: Conformance Checking as part of Signature Validation

# Annex D (informative): Change history

Date	Version	-		
May 2016	V1.1.1	Publication as ETSI EN 319 102-1 v1.1.1		
May 2017	V1.1.2	Integration of Change request (add ref)		
Jan 2018	V1.1.3	Implementation of approved CRs ESI(17)59_007r1, ESI(18)61_019, ESI(18)61_038		
March 2018	V1.1.4	Corrections to implementation of approved CRs ESI(17)59_007r1, ESI(18)61_019, ESI(18)61_038		
April 2018	V1.1.5	Implementation of CR ESI(18)62_088 Various corrections + update of clause 5.1.3 + moving EXPIRED sub-indication to TOTAL_FAILED case		
July 2018	V1.1.6			
August 2018	V1.2.1	there is a referred policy in the signature  Publication as ETSI TS 119 102-1  Changes between the previous published version (v1.1.1) and this version can be seen		
May 2021	V1.2.2	at https://docbox.etsi.org/esi/Open/Compared_deliverables.  Implementation of:  • ESI(20)071_014 CR to add a new sub-indication CUSTOM for INDETERMINATE  • ESI(20)071_018 CR for minor editorial changes  • ESI(20)071_019 CR to fix an issue with the validation with time / TRY_LATER  • ESI(21)072024 CR to fix the validation time sliding block  • ESI(21)073012 CR to fix the handling of expired revocation data		
June 2021	V1.2.3	ESI(21)073010r1 ti fux SD/SDR-issues		
November 2021	V1.2.3			
January 2024	V1.3.2	Publication		

Date	Version	Information about changes	
		<ul> <li>ESI(23)80b008r1: CR#14_019102-1: Fix certificate validation to handle case where revocation time is after expiration time</li> <li>ESI(23)80b020r1: CR#15_019102-1: Skipping revocation freshness check when no revocation check are performed</li> <li>ESI(23)80c014: CR#16_019102-1: Introduce sunset date for trust anchor</li> </ul>	
February 2024	V1.3.3	Implementation of ESI(24)082013: CR#17_019102-1: Remove misleading sentence in	
		section 5.1.2	

## History

Document history				
V1.0.1	July 2015	Publication as ETSI TS 119 102-1		
V1.1.1	May 2016	Publication		
V1.2.1	August 2018	Publication as ETSI TS 119 102-1		
V1.3.1	November 2021	Publication		
V1.4.0	March 2024	EN Approval Procedure	AP 20240617: 2024-03-19 to 2024-06-17	