# ETSI EN 319 421 V1.2.1 (2023-05)



Electronic Signatures and Infrastructures (ESI);
Policy and Security Requirements for
Trust Service Providers issuing Time-Stamps

#### Reference

#### REN/ESI-0019421v1.2.1

#### Keywords

e-commerce, electronic signature, security, time-stamping, trust services

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

#### Important notice

The present document can be downloaded from: https://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at <a href="https://www.etsi.org/deliver">www.etsi.org/deliver</a>.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <a href="https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx">https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</a>

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure Program:

<a href="https://www.etsi.org/standards/coordinated-vulnerability-disclosure">https://www.etsi.org/standards/coordinated-vulnerability-disclosure</a>

#### Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied. In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023. All rights reserved.

## Contents

| Intell         | ectual Property Rights   | 5  |
|----------------|--|----|
| Forev          | word   | 5  |
| Moda           | al verbs terminology   | 5  |
| Introd         | duction  | 6  |
| 1              | Scope  | 7  |
| 2              | References   | 7  |
| 2.1            | Normative references   |    |
| 2.2            | Informative references.  |    |
| 2              | Definitions of the same and also although the same and a station | 0  |
| 3              | Definitions of terms, symbols, abbreviations and notation        |    |
| 3.1<br>3.2     | Terms  |    |
| 3.2<br>3.3     | Symbols  |    |
| 3.4            | Notation   |    |
| э.т            |  |    |
| 4              | General concepts   |    |
| 4.1            | General policy requirements concepts                             |    |
| 4.2            | Time-stamping services   |    |
| 4.3            | Time-Stamping Authority (TSA)                                    |    |
| 4.4            | Subscriber   |    |
| 4.5            | Time-stamp policy and TSA practice statement                     | 12 |
| 5              | Introduction to time-stamp policies and general requirements     | 12 |
| 5.1            | General requirements   |    |
| 5.2            | Policy name and identification                                   | 12 |
| 5.3            | User community and applicability                                 |    |
| 5.3.1          | Best practices time-stamp policy                                 | 13 |
| 6              | Policies and practices   | 13 |
| 6.1            | Risk assessment  | 13 |
| 6.2            | Trust Service Practice Statement                                 | 13 |
| 6.3            | Terms and conditions   |    |
| 6.4            | Information security policy                                      |    |
| 6.5            | TSA obligations  |    |
| 6.5.1          | General  |    |
| 6.5.2          | TSA obligations towards subscribers                              |    |
| 6.6            | Information for relying parties                                  | 14 |
| 7              | TSA management and operation                                     | 14 |
| 7.1            | Introduction   | 14 |
| 7.2            | Internal organization  | 14 |
| 7.3            | Personnel security   |    |
| 7.4            | Asset management   |    |
| 7.5            | Access control   |    |
| 7.6            | Cryptographic controls   |    |
| 7.6.1<br>7.6.2 | GeneralTSU key generation  |    |
| 7.6.2          | TSU private key protection                                       |    |
| 7.6.4          | TSU public key certificate                                       |    |
| 7.6.5          | Rekeying TSU's key   |    |
| 7.6.6          | Life cycle management of signing cryptographic hardware          |    |
| 7.6.7          | End of TSU key life cycle  |    |
| 7.7            | Time-stamping  |    |
| 7.7.1          | Time-stamp issuance  |    |
| 7.7.2          | Clock synchronization with UTC                                   |    |
| 7.8            | Physical and environmental security                              |    |
| 7.9            | Operation security   | 19 |

| 20<br>20<br>21<br>21<br>21<br>21 |
|----------------------------------|
| 20<br>21<br>21<br>21             |
| 21<br>21<br>21<br>21             |
| 21<br>21<br>21                   |
| 21<br>21<br>21                   |
| 21                               |
| 21                               |
| 21                               |
| 22                               |
|                                  |
| 23                               |
| 23                               |
| 23                               |
| 25                               |
| 26                               |
| 27                               |
| 28                               |
| 28                               |
| 28                               |
| 30                               |
| 31                               |
| 32                               |
| 34                               |
|                                  |

## Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### **Trademarks**

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**<sup>TM</sup> logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**<sup>®</sup> and the GSM logo are trademarks registered and owned by the GSM Association.

#### **Foreword**

This European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI).

The present document is derived from the requirements specified in ETSI TS 102 023 [i.8].

| National transposition dates   |                  |  |
|--|------------------|--|
| Date of adoption of this EN:   | 1 May 2023       |  |
| Date of latest announcement of this EN (doa):  | 31 August 2023   |  |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 29 February 2024 |  |
| Date of withdrawal of any conflicting National Standard (dow):                         | 29 February 2024 |  |

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

## Introduction

The present document is aiming to meet the general requirements of the international community to provide trust and confidence in electronic transactions including, amongst others, applicable requirements from Regulation (EU) No 910/2014 [i.4].

The Regulation includes requirements for Trust Service Providers (TSP) providing services to the public, including TSPs issuing time-stamps. Additionally, more specific requirements are identified in the Regulation for a specific class of TSP called a Qualified TSP, with further specific requirements for those Qualified TSPs which issue qualified time-stamps. The present document is aimed to meet the requirements of the Regulation for both Qualified and non-Qualified TSPs issuing Qualified and non-Qualified electronic time-stamps respectively.

In order to verify an electronic signature, it can be necessary to prove that the signature from the signer was applied when the signer's certificate was valid. This is necessary in two circumstances:

- 1) during the validity period of the signer's certificate, should the signer's certificate be revoked before the end of its validity, e.g. because the signer's private key has been compromised;
- 2) after the end of the validity period of the signer's certificate, since CAs are not mandated to process revocation status information beyond the end of the validity period of the certificates they have issued.

One method consists to use a time-stamp which allows proving that a datum existed before a particular time. This technique allows proving that the signature was generated before the date contained in the time-stamp. Policy requirements to cover that case are the primary aim of the present document.

However, these policy requirements allow addressing other needs.

Time-stamping is gaining an increasing interest by the business sector and is becoming an important component of digital signatures, this is commonly based upon the Time-Stamp protocol from the IETF RFC 3161 [i.2] which is profiled in ETSI EN 319 422 [5]. Agreed minimum security and quality requirements are necessary in order to ensure trustworthy validation of long-term digital signatures.

## 1 Scope

The present document specifies policy and security requirements relating to the operation and management practices of TSPs issuing time-stamps.

These policy requirements are applicable to TSPs issuing time-stamps. Such time-stamps can be used in support of digital signatures or for any application requiring to prove that a datum existed before a particular time.

The present document can be used by independent bodies as the basis for confirming that a TSP can be trusted for issuing time-stamps.

The present document does not specify protocols used to access the TSUs.

NOTE 1: A time-stamping protocol is defined in IETF RFC 3161 [i.2] including optional update in IETF RFC 5816 [i.3] and profiled in ETSI EN 319 422 [5].

The present document does not specify how the requirements identified can be assessed by an independent party, including requirements for information to be made available to such independent assessors, or requirements on such assessors.

- NOTE 2: See ETSI EN 319 403-1 [i.9] for guidance on assessment of TSP's processes and services.
- NOTE 3: The present document references ETSI EN 319 401 [4] for general policy requirements common to all classes of TSP's services.

### 2 References

[7]

#### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference">https://docbox.etsi.org/Reference</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

| [1] | Recommendation ITU-R TF.460-6 (2002): "Standard-frequency and time-signal emissions".  |
|-----|--|
| [2] | ISO/IEC 19790:2012: "Information technology Security techniques Security requirements for cryptographic modules".                |
| [3] | ISO/IEC 15408 (parts 1 to 3): "Information security, cybersecurity and privacy protection Evaluation criteria for IT security ". |
| [4] | ETSI EN 319 401: "Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers".     |
| [5] | ETSI EN 319 422: "Electronic Signatures and Infrastructures (ESI); Time-stamping protocol and time-stamp token profiles".        |
| [6] | FIPS PUB 140-2 (2002): "Security Requirements for Cryptographic Modules".  |

FIPS PUB 140-3 (2019): "Security Requirements for Cryptographic Modules".

#### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

| [i.1]   | ETSI EN 319 122-1: "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 1: Building blocks and CAdES baseline signatures".   |
|---------|--|
| [i.2]   | IETF RFC 3161 (2001): "Internet X.509 Public Key Infrastructure: Time-Stamp Protocol (TSP)".   |
| [i.3]   | IETF RFC 5816: "ESSCertIDV2 update to RFC 3161".   |
| [i.4]   | Regulation (EU) No 910/2014 of the European Parliament and of the Council on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.                             |
| [i.5]   | Council Directive 93/13/EEC of 5 April 1993 on unfair terms in consumer contracts.   |
| [i.6]   | BIPM Circular T.   |
| NOTE: A | Available from the BIPM website <a href="https://www.bipm.org/">https://www.bipm.org/</a> .  |
| [i.7]   | ETSI TS 119 312: "Electronic Signatures and Infrastructures (ESI); Cryptographic Suites".  |
| [i.8]   | ETSI TS 102 023: "Electronic Signatures and Infrastructures (ESI); Policy requirements for time-stamping authorities".   |
| [i.9]   | ETSI EN 319 403-1: "Electronic Signatures and Infrastructures (ESI); Trust Service Provider Conformity Assessment; Part 1: Requirements for conformity assessment bodies assessing Trust Service Providers".                                 |
| [i.10]  | ETSI EN 319 411-1: "Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements".   |
| [i.11]  | ETSI EN 319 411-2: "Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Requirements for trust service providers issuing EU qualified certificates". |
| [i.12]  | EN 419231: "Protection profile for trustworthy systems supporting time stamping", (produced by CEN).   |
| [i.13]  | TS 419221-2: "Protection profiles for TSP Cryptographic modules - Part 2: Cryptographic module for CSP signing operations with backup", (produced by CEN).   |
| [i.14]  | TS 419221-3: "Protection profiles for TSP Cryptographic modules - Part 3: Cryptographic module for CSP key generation services", (produced by CEN).  |
| [i.15]  | TS 419221-4: "Protection profiles for TSP Cryptographic modules - Part 4: Cryptographic module for CSP signing operations without backup", (produced by CEN).  |
| [i.16]  | EN 419221-5: "Protection profiles for TSP Cryptographic modules - Part 5: Cryptographic module for trust services", (produced by CEN).   |
| [i.17]  | ETSI TS 119 612: "Electronic Signatures and Infrastructures (ESI); Trusted Lists".   |

# 3 Definitions of terms, symbols, abbreviations and notation

#### 3.1 Terms

For the purposes of the present document, the terms given ETSI EN 319 401 [4] and the following apply:

NOTE: Where a definition is copied from a referenced document this is indicated by inclusion of the reference identifier number at the end of the definition.

**Coordinated Universal Time (UTC):** time scale based on the second as defined in Recommendation ITU-R TF.460-6 [1]

NOTE:

For most practical purposes UTC is equivalent to mean solar time at the prime meridian  $(0^{\circ})$ . More specifically, UTC is a compromise between the highly stable atomic time (Temps Atomique International - TAI) and solar time derived from the irregular Earth rotation (related to the Greenwich Mean Sidereal Time (GMST) by a conventional relationship) (see annex C for more details).

relying party: recipient of a time-stamp who relies on that time-stamp

subscriber: legal or natural person to whom a time-stamp is issued and who is bound to any subscriber obligations

**time-stamp:** data in electronic form which binds other electronic data to a particular time establishing evidence that these data existed at that time

**time-stamp policy:** named set of rules that indicates the applicability of a time-stamp to a particular community and/or class of application with common security requirements

NOTE: This is a specific type of trust service policy as defined in ETSI EN 319 401 [4].

Time-Stamping Authority (TSA): TSP providing time-stamping services using one or more time-stamping units

time-stamping service: trust service for issuing time-stamps

**Time-Stamping Unit (TSU):** set of hardware and software which is managed as a unit and has a single time-stamp signing key active at a time

trust service: electronic service that enhances trust and confidence in electronic transactions

Trust Service Provider (TSP): entity which provides one or more trust services

**TSA Disclosure statement:** set of statements about the policies and practices of a TSA that particularly require emphasis or disclosure to subscribers and relying parties, for example to meet regulatory requirements

**TSA practice statement:** statement of the practices that a TSA employs in issuing time-stamp

NOTE: This is a specific type of trust service practice statement as defined in ETSI EN 319 401 [4].

TSA system: composition of IT products and components organized to support the provision of time-stamping services

UTC(k): time scale realized by the laboratory "k" and kept in close agreement with UTC, with the goal to reach  $\pm 100$  ns

NOTE: A list of UTC(k) laboratories is given in clause 1 of Circular T [i.6] disseminated by BIPM and available from the BIPM website (https://www.bipm.org/).

## 3.2 Symbols

Void.

#### 3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI EN 319 401 [4] and the following apply:

**BIPM** Bureau International des Poids et Mesures **BTSP** Best practices Time-Stamp Policy Certification Authority CA International Earth Rotation and Reference System Service **IERS** Information Technology IT **OVR** General requirement TAI International Atomic Time TIS Time-stamp Issuance Services Time-Stamping Authority **TSA TSP** Trust Service Provider **TSU** Time-Stamping Unit UTC Coordinated Universal Time

#### 3.4 Notation

The requirements identified in the present document include:

- a) Requirements applicable to any policy. Such requirements are indicated by clauses without any additional marking.
- b) Requirements applicable under certain conditions. Such requirements are indicated by clauses marked by "[CONDITIONAL]".
- c) Requirements that include several choices which ought to be selected according to the applicable situation. Such requirements are indicated by clauses marked by "[CHOICE]".

Each requirement is identified as follows:

<3 letters service component> - < the clause number> - <2 digit number - incremental>.

The service components are:

- **OVR:** General requirement (requirement applicable to more than 1 component)
- TIS: Time-stamp Issuance Services

The management of the requirement identifiers for subsequent editions of the present document is as follows:

- When a requirement is inserted at the end of a clause, the 2 digit number above is incremented to the next available digit.
- When a requirement is inserted between two existing requirements, capital letters appended to the previous requirement identifier are used to distinguish new requirements.
- The requirement identifier for deleted requirements are left and completed with "Void".
- The requirement identifier for modified requirement are left void and the modified requirement is identified by capital letter(s) appended to the initial requirement number.

## 4 General concepts

### 4.1 General policy requirements concepts

The present document references ETSI EN 319 401 [4] for generic policy requirements common to all classes of trust service providers service.

These policy requirements are based upon the use of public key cryptography, public key certificates and reliable time sources.

Subscriber and relying parties are expected to consult the TSA's practice statement to obtain further details of precisely how this time-stamp policy is implemented by the particular TSA (e.g. protocols used in providing this service).

## 4.2 Time-stamping services

The provision of time-stamping services is broken down in the present document into the following component services for the purposes of classifying requirements:

- **Time-stamping provision:** This service component generates time-stamps.
- **Time-stamping management:** This service component monitors and controls the operation of the time-stamping services to ensure that the service provided is as specified by the TSA. This service component has responsibility for the installation and de-installation of the time-stamping provision service.

EXAMPLE: Time-stamping management ensures that the clock used for time-stamping is correctly synchronized with UTC.

This subdivision of services is only for the purposes of clarifying the requirements specified in the present document and places no restrictions on any subdivision of an implementation of time-stamping services.

## 4.3 Time-Stamping Authority (TSA)

A Trust Service Provider (TSP) providing time-stamping services to the public, is called the Time-Stamping Authority (TSA). The TSA has overall responsibility for the provision of the time-stamping services identified in clause 4.2. The TSA has responsibility for the operation of one or more TSUs which creates and signs on behalf of the TSA. The TSA responsible for issuing a time-stamp is identifiable (see TIS-7.7.1-08).

The TSA may make use of other parties to provide parts of the time-stamping services. However, the TSA always maintains overall responsibility (as per clause 6.5) and ensures that the policy requirements identified in the present document are met.

**EXAMPLE:** 

A TSA sub-contracts all the component services, including the services which generate time-stamps using the TSU's keys. However, the private key or keys used to generate the time-stamps are identified as belonging to the TSA which maintains overall responsibility for meeting the requirements defined in the present document.

A TSA may operate several identifiable time-stamping units.

A TSA is a trust service provider as described in ETSI EN 319 401 [4] which issues time-stamps.

#### 4.4 Subscriber

When the subscriber is an organization, it comprises several end-users or an individual end-user and some of the obligations that apply to that organization will have to apply as well to the end-users. In any case the organization will be held responsible if the obligations from the end-users are not correctly fulfilled and therefore such an organization is expected to suitably inform its end users.

When the subscriber is an end-user, the end-user will be held directly responsible if its obligations are not correctly fulfilled.

## 4.5 Time-stamp policy and TSA practice statement

This clause explains the relative roles of time-stamp policy and TSA practice statement. It places no restriction on the form of a time-stamp policy or practice statement specification.

A time-stamp policy is a form of Trust Service Policy as specified in ETSI EN 319 401 [4] applicable to trust service providers issuing time-stamps.

TSA Practice Statement is a form of Trust Service Practice Statement as specified in ETSI EN 319 401 [4] applicable to trust service providers issuing time-stamps.

The present document specifies a time-stamp policy to meet general requirements for trusted time-stamping services.

TSAs specify in TSA practice statements how these requirements are met.

# 5 Introduction to time-stamp policies and general requirements

#### 5.1 General requirements

The policy requirements are defined in the present document in terms of a time-stamp policy. The present document specifies one time-stamp policy: a Best practices Time-Stamp Policy (BTSP) for TSAs issuing time-stamps, supported by public key certificates, with an accuracy of 1 second or better.

OVR-5.1-01: A TSA may define its own policy which enhances a policy defined in the present document.

**OVR-5.1-02** [CONDITIONAL]: If the TSA defines its own policy it shall incorporate or further constrain the requirements identified in the present document.

**OVR-5.1-03 [CONDITIONAL]:** If an accuracy of better than 1 second is provided by the TSA then the accuracy shall be indicated in the TSA's disclosure statement (see clause 6.3) and in each time-stamp issued to an accuracy of better than 1 second.

## 5.2 Policy name and identification

The identifier of the time-stamp policy specified in the present document is:

a) BTSP: a best practices policy for time-stamp.

```
itu-t(0) identified-organization(4) etsi(0)
time-stamp-policy(2023)
policy-identifiers(1) best-practices-ts-policy (1)
```

By including this object identifier in a time-stamp, the TSA claims conformance to the identified time-stamp policy.

**OVR-5.2-01:** A TSA shall include the identifier for the time-stamp policy being supported in the TSA disclosure statement made available to subscribers and relying parties to indicate its claim of conformance.

**OVR-5.2-02** [CONDITIONAL]: If the TSA uses its own identifier for the time-stamp policy, the TSA shall indicate in its policy document and in its TSA disclosure statement, the ETSI time-stamping identifier (i.e. BSTP) being supported.

## 5.3 User community and applicability

#### 5.3.1 Best practices time-stamp policy

This policy is aimed at meeting the requirements of time-stamp for long term validity (e.g. as defined in ETSI EN 319 122-1 [i.1]) but is generally applicable to any use which has a requirement for equivalent quality.

**OVR-5.3-01:** This policy may be used for public time-stamping services or time-stamping services used within a closed community.

## 6 Policies and practices

#### 6.1 Risk assessment

**OVR-6.1-01:** The requirements identified in ETSI EN 319 401 [4], clause 5 shall apply.

#### 6.2 Trust Service Practice Statement

**OVR-6.2-01:** The requirements specified in ETSI EN 319 401 [4], clause 6.1 shall apply.

**OVR-6.2-02:** The Trust Service Practice Statement shall at least specify the following for each time-stamp policy supported by the TSA:

- a) the hashing algorithm (or algorithms) used to represent the datum being time-stamped;
- b) the accuracy of the time in the time-stamps with respect to UTC;
- c) any limitations on the use of the time-stamping service;
- d) the subscriber's obligations as defined in clause 6.5.2, if any;
- e) the relying party's obligations as defined in clause 6.6;
- f) information on how to verify the time-stamp such that the relying party is considered to "reasonably rely" on the time-stamp (see clause 6.6) and any possible limitations on the validity period; and
- g) any claim to meet the requirements on time-stamping services under national law.

**OVR-6.2-03:** The TSA should include in its time-stamping disclosure statement availability of its service.

EXAMPLE: Expected mean time between failure of the time-stamping service, expected mean time to recovery following a failure and provisions made for disaster recovery including back-up services.

**OVR-6.2-04:** The time-stamping disclosure statement may be created according to the TSA disclosure statement template given in annex B.

**OVR-6.2-05:** The TSA disclosure statement may be provided as part of a subscriber/relying party agreement.

**OVR-6.2-06:** The TSA disclosure statement may be included in a TSA practice statement provided that it is conspicuous to the reader.

#### 6.3 Terms and conditions

**OVR-6.3-01:** The requirements identified in ETSI EN 319 401 [4], clause 6.2 shall apply.

## 6.4 Information security policy

**OVR-6.4-01:** The requirements identified in ETSI EN 319 401 [4], clause 6.3 shall apply.

## 6.5 TSA obligations

#### 6.5.1 General

**OVR-6.5-01:** The TSA shall adhere to any additional obligations indicated in the time-stamp either directly or incorporated by reference.

#### 6.5.2 TSA obligations towards subscribers

The present document places no specific obligations on the subscriber beyond any TSA specific requirements stated in the TSA's terms and conditions.

## 6.6 Information for relying parties

**OVR-6.6-01:** The terms and conditions made available to relying parties (see clause 6.3) shall include an obligation on the relying party, when relying on a time-stamp, to:

- a) verify that the time-stamp has been correctly signed and that the private key used to sign the time-stamp has not been compromised until the time of the verification;
- NOTE: During the TSU's certificate validity period, the validity of the signing key can be checked using current revocation status for the TSU's certificate. If the time of verification exceeds the end of the validity period of the corresponding certificate, see annex D for guidance.
- b) take into account any limitations on the usage of the time-stamp indicated by the time-stamp policy; and
- c) take into account any other precautions prescribed in agreements or elsewhere.

## 7 TSA management and operation

#### 7.1 Introduction

These policy requirements are not meant to imply any restrictions on charging for TSA services.

The requirements are indicated in terms of the security objectives followed by more specific requirements for controls to meet those objectives where considered necessary to provide the necessary confidence that those objective will be met.

NOTE: The details of controls required to meet an objective is a balance between achieving the necessary confidence whilst minimizing the restrictions on the techniques that a TSA can employ in issuing time-stamps. In ETSI EN 319 401 [4], reference is made to other more general standards which can be used as a source of more detailed control requirements. Due to these factors the specificity of the requirements given under a given topic can vary.

The provision of a time-stamp in response to a request is at the discretion of the TSA depending on any service level agreements with the subscriber.

## 7.2 Internal organization

**OVR-7.2-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.1 shall apply.

In addition, the following particular requirements apply:

**OVR-7.2-02:** The TSA shall be a legal entity according to national law.

**OVR-7.2-03:** The TSA shall have a system or systems for quality and information security management appropriate for the time-stamping services it is providing.

**OVR-7.2-04:** It shall employ a sufficient number of personnel having the necessary education, training, technical knowledge and experience relating to the type, range and volume of work necessary to provide time-stamping services.

NOTE: Personnel employed by a TSA include individual personnel contractually engaged in performing functions in support of the TSA's time-stamping services. Personnel who are involved only in monitoring the TSA services need not be TSA personnel.

## 7.3 Personnel security

**OVR-7.3-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.2 shall apply.

## 7.4 Asset management

**OVR-7.4-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.3 shall apply.

#### 7.5 Access control

**OVR-7.5-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.4 shall apply.

## 7.6 Cryptographic controls

#### 7.6.1 General

**OVR-7.6-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.5 shall apply.

#### 7.6.2 TSU key generation

The following particular requirements apply:

**TIS-7.6.2-01:** The generation of the TSU's signing key(s) shall be undertaken in a physically secured environment (as per clause 7.8) by personnel in trusted roles (as per clause 7.3) under, at least, dual control.

**TIS-7.6.2-02:** The personnel authorized to carry out this function shall be limited to those required to do so under the TSA's practices.

**TIS-7.6.2-03:** The generation of the TSU's signing key(s) shall be carried out within a secure cryptographic device which:

- a) is a trustworthy system which is assured to EAL 4 or higher in accordance with ISO/IEC 15408 [3], or equivalent national or internationally recognized evaluation criteria for IT security. This shall be to a security target or protection profile which meets the requirements of the present document, based on a risk analysis and taking into account physical and other non-technical security measures; or
- NOTE 1: Standards specifying common criteria protection profiles for TSP cryptographic modules, in accordance with ISO/IEC 15408 [3], are available within CEN as TS 419221-2 [i.13], TS 419221-3 [i.14], TS 419221-4 [i.15], or EN 419221-5 [i.16].
  - b) meets the requirements identified in ISO/IEC 19790 [2], FIPS PUB 140-2 [6] level 3 or FIPS PUB 140-3 [7] level 3.

TIS-7.6.2-04: The above secure cryptographic device should be assured as per TIS-7.6.2-03-a), above.

NOTE 2: With the general availability of devices which meet ISO/IEC 15408 [3], it is expected that ISO/IEC 19790 [2], FIPS PUB 140-2 [6] or FIPS PUB 140-3 [7] level 3 will no longer be acceptable.

**TIS-7.6.2-05:** The TSU key generation algorithm, the resulting signing key length and signature algorithm used for signing time-stamps key should be as specified in ETSI TS 119 312 [i.7].

- NOTE 3: Cryptographic suites recommendations defined in ETSI TS 119 312 [i.7] can be superseded by national recommendations.
- TIS-7.6.2-06: A TSU's signing key should not be imported into different cryptographic modules.
- **TIS-7.6.2-07** [CONDITIONAL]: If there are same keys in different cryptographic modules, they shall be associated with the same public key certificate into all the different cryptographic modules.
- TIS-7.6.2-08: A TSU shall have a single time-stamp signing key active at a time.
- NOTE 4: A set of hardware and software can manage different TSUs.

#### 7.6.3 TSU private key protection

**TIS-7.6.3-01:** Integrity and confidentiality of the TSU private keys shall be maintained with at least the following particular requirements:

TIS-7.6.3-02: The TSU private signing key shall be held and used within a cryptographic module which:

- a) is a trustworthy system which is assured to EAL 4 or higher in accordance with ISO/IEC 15408 [3], or equivalent national or internationally recognized evaluation criteria for IT security. This shall be to a security target or protection profile which meets the requirements of the present document, based on a risk analysis and taking into account physical and other non-technical security measures; or
- NOTE 1: Standards specifying common criteria protection profiles for TSP cryptographic modules, in accordance with ISO/IEC 15408 [3], are available within CEN as TS 419221-2 [i.13], TS 419221-3 [i.14], TS 419221-4 [i.15], or EN 419221-5 [i.16].
  - b) meets the requirements identified in ISO/IEC 19790 [2], FIPS PUB 140-2 [6] level 3 or FIPS PUB 140-3 [7] level 3.
- TIS-7.6.3-03: The above secure cryptographic device should be assured as per TIS-7.6.3-02-a).
- NOTE 2: With the general availability of devices which meet ISO/IEC 15408 [3], it is expected that ISO/IEC 19790 [2], FIPS PUB 140-2 [6] or FIPS PUB 140-3 [7] level 3 will no longer be acceptable.
- **TIS-7.6.3-04:** If TSU private keys are backed up, they shall be copied, stored and recovered only by personnel in trusted roles using, at least, dual control in a physically secured environment (see clause 7.8).
- **TIS-7.6.3-05:** The personnel authorized to carry out the backup function shall be limited to those required to do so under the TSA's practices.
- **TIS-7.6.3-06:** Any backup copies of the TSU private signing keys shall be protected to ensure its integrity and confidentiality by the cryptographic module before being stored outside that device.
- NOTE 3: Additional requirement for private key protection are defined in the time-stamping protection profile EN 419231 [i.12].

#### 7.6.4 TSU public key certificate

**TIS-7.6.4-01:** The TSA shall guarantee the integrity and authenticity of the TSU signature verification (public) keys with at least the following particular requirements:

- **TIS-7.6.4-02:** TSU signature verification (public) keys shall be made available to relying parties in a public key certificate.
- **TIS-7.6.4-03:** The TSU signature verification (public) key certificate should be issued by a certification authority operating under ETSI EN 319 411-1 [i.10].
- **TIS-7.6.4-04:** The TSU shall not issue time-stamp before its signature verification (public key) certificate is loaded into the TSU or its cryptographic device.

**TIS-7.6.4-05** [CONDITIONAL]: When obtaining a signature verification (public key) certificate, the TSA should verify that this certificate has been correctly signed (including verification of the certificate chain to a trusted certification authority).

#### 7.6.5 Rekeying TSU's key

**TIS-7.6.5-01:** The validity period of TSU's certificate shall not be longer than the period of time that the chosen algorithm and key length is recognized as being fit for purpose (see TIS-7.6.2-05).

NOTE 1: Concerns and considerations when limiting that lifetime; the longer the validity period of the TSU certificates will be, the longer the size of the records to be kept will be. Should a TSU private key or certificate be compromised, the older the TSU certificate the more time-stamps will be affected.

NOTE 2: TSU key compromise does not only depend on the characteristics of the cryptographic module being used but also on the procedures being used at system initialization and key export (when that function is supported).

#### 7.6.6 Life cycle management of signing cryptographic hardware

The following particular requirements apply:

TIS-7.6.6-01: Time-stamp signing cryptographic hardware shall not be tampered with during shipment.

TIS-7.6.6-02: Time-stamp signing cryptographic hardware shall not be tampered with when and while stored.

**TIS-7.6.6-03:** Installation, activation and duplication of TSU's signing keys in cryptographic hardware shall be done only by personnel in trusted roles using, at least, dual control in a physically secured environment (see clause 7.8).

**TIS-7.6.6-04:** TSU private signing keys stored on TSU cryptographic module shall be erased upon device retirement in a way that it is practically impossible to recover them.

#### 7.6.7 End of TSU key life cycle

TIS-7.6.7-01: The TSA shall define an expiration date for TSU's keys.

**TIS-7.6.7-02:** The expiration date for TSU's keys shall not be longer than the end of validity of the associated public key certificate.

**TIS-7.6.7-03:** This date should take into account the lifetime defined in 'recommended key sizes versus time' from ETSI TS 119 312 [i.7].

NOTE: Cryptographic suites recommendations defined in ETSI TS 119 312 [i.7] can be superseded by national recommendations.

**TIS-7.6.7-04:** In order to be able to verify during a sufficient lapse of time the validity of the time-stamps, the validity of the TSU's signing key should be reduced.

EXAMPLE: Public key valid 4 years, and private key reduced to 1 year by using private key usage period extension.

**TIS-7.6.7-05:** The expiration date for TSU's keys may be defined when the TSU cryptographic module is initialized or by setting a private key usage period within the TSU's public key certificate.

TIS-7.6.7-06: The TSU private signing keys shall not be used beyond the end of their validity period.

In particular:

**TIS-7.6.7-07:** Operational or technical procedures shall be in place to ensure that a new key is put in place when a TSU's key expires.

**TIS-7.6.7-08:** The TSU private signing keys, or any key part, including any copies shall be destroyed such that the private keys cannot be retrieved.

### 7.7 Time-stamping

#### 7.7.1 Time-stamp issuance

TIS-7.1-01: Time-stamps shall conform to the time-stamp profile as defined in ETSI EN 319 422 [5].

**TIS-7.7.1-02:** The time-stamps shall be issued securely.

**TIS-7.7.1-03:** The time-stamps shall include the correct time.

In particular:

**TIS-7.7.1-04:** The time values the TSU uses in the time-stamp shall be traceable to at least one of the real time values distributed by a UTC(k) laboratory.

NOTE: The Bureau International des Poids et Mesures (BIPM) computes UTC on the basis of its local representations UTC(k) from a large ensemble of atomic clocks in national metrology institutes and national astronomical observatories round the world. The BIPM disseminates UTC through its monthly Circular T [i.6] (list 1). This is available on the BIPM website (<a href="https://www.bipm.org/">https://www.bipm.org/</a>) and it officially identifies all those institutes having recognized UTC(k) time scales.

**TIS-7.7.1-05:** The time included in the time-stamp shall be synchronized with UTC as defined in Recommendation ITU-R TF.460-6 [1] within the accuracy defined in the policy.

**TIS-7.1-06** [CONDITIONAL]: if the accuracy is defined in the time-stamp, the time included in the time-stamp shall be synchronized with this accuracy.

**TIS-7.7.1-07 [CONDITIONAL]:** If the time-stamp provider's clock is detected (see TIS-7.7.2-04) as being out of the stated accuracy (see TIS-7.7.1-05 and TIS-7.7.1-06) then time-stamps shall not be issued.

**TIS-7.1-08:** The time-stamp shall be signed using a key generated exclusively for this purpose.

**TIS-7.7.1-09:** The time-stamp generation system shall reject any attempt to issue time-stamps when the end of the validity of the TSU private key has been reached.

## 7.7.2 Clock synchronization with UTC

**TIS-7.7.2-01:** The TSU clock shall be synchronized with UTC as defined in Recommendation ITU-R TF.460-6 [1] within the declared accuracy with at least the following particular requirements:

**TIS-7.7.2-02:** The calibration of the TSU clocks shall be maintained such that the clocks do not drift outside the declared accuracy.

**TIS-7.7.2-03:** The declared accuracy shall be of 1 second or better.

**TIS-7.7.2-04:** The TSU clocks shall be protected against threats which could result in an undetected change to the clock that takes it outside its calibration.

NOTE 1: Threats can include tampering by unauthorized personnel, radio or electrical shocks.

**TIS-7.7.2-05:** The TSA shall detect if the time that would be indicated in a time-stamp drifts or jumps out of synchronization with UTC.

NOTE 2: See clause 7.12 for notification requirements of such events to relying parties.

**TIS-7.7.2-06 [CONDITIONAL]:** If it is detected that the time that would be indicated in a time-stamp drifts or jumps out of synchronization with UTC, the TSU shall stop time-stamp issuance.

**TIS-7.7.2-07:** The clock synchronization shall be maintained when a leap second occurs as notified by the appropriate body.

**TIS-7.7.2-08:** The change to take account of the leap second shall occur during the last minute of the day when the leap second is scheduled to occur.

**TIS-7.7.2-09:** A record shall be maintained of the exact time (within the declared accuracy) when this change occurred. See annex C for more details.

NOTE 3: A leap second is an adjustment to UTC by skipping or adding an extra second on the last second of a UTC month. First preference is given to the end of December and June, and second preference is given to the end of March and September.

## 7.8 Physical and environmental security

**OVR-7.8-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.6 shall apply.

In addition, the following particular requirements apply:

**OVR-7.8-02:** Access controls shall be applied to the cryptographic module to meet the requirements of security of cryptographic modules as identified in clause 7.6.

The following additional controls apply to time-stamping management:

**OVR-7.8-03:** The time-stamping management facilities shall be operated in an environment which physically and logically protects the services from compromise through unauthorized access to systems or data.

**OVR-7.8-04:** Every entry to the physically secure area shall be subject to independent oversight.

**OVR-7.8-05:** Non-authorized person shall be accompanied by an authorized person whilst in the secure area.

**OVR-7.8-06:** Every entry and exit to/from the physically secure area shall be logged.

**OVR-7.8-07:** Physical protection shall be achieved through the creation of clearly defined security perimeters (i.e. physical barriers) around the time-stamping management.

**OVR-7.8-08:** Any parts of the premises shared with other organizations shall be outside this perimeter.

**OVR-7.8-09:** Physical and environmental security controls shall protect the facility that houses system resources, the system resources themselves, and the facilities used to support their operation.

**OVR-7.8-10:** The TSA's physical and environmental security policy for systems concerned with time-stamping management shall address as a minimum the physical access control, natural disaster protection, fire safety factors, failure of supporting utilities (e.g. power, telecommunications), structure collapse, plumbing leaks, protection against theft, breaking and entering, and disaster recovery.

**OVR-7.8-11:** Controls shall protect against equipment, information, media and software relating to the time-stamping services being taken off-site without authorization.

**OVR-7.8-12:** Other functions may be supported within the same secured area provided that the access is limited to authorized personnel.

## 7.9 Operation security

**OVR-7.9-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.7 shall apply.

In addition, the following particular requirements apply:

#### **System Planning**

**OVR-7.9-02:** Capacity demands shall be monitored and projections of future capacity requirements made to ensure that adequate processing power and storage are available.

#### 7.10 Network security

**OVR-7.10-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.8 shall apply.

In addition, the following particular requirements apply:

**OVR-7.10-02:** The TSA shall maintain and protect all TSU systems in a secure zone.

**OVR-7.10-03:** The TSA shall configure all TSU systems by removing or disabling all accounts, applications, services, protocols, and ports that are not used in the TSA's operations.

OVR-7.10-04: Only trusted roles shall access secure zones and high security zones.

## 7.11 Incident management

**OVR-7.11-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.9 shall apply.

#### 7.12 Collection of evidence

**OVR-7.12-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.10 shall apply.

In addition, the following particular requirements apply:

#### TSU key management

**OVR-7.12-02:** Records concerning all events relating to the life-cycle of TSU keys shall be logged.

**OVR-7.12-03:** Records concerning all events relating to the life-cycle of TSU certificates (if appropriate) shall be logged.

#### **Clock Synchronization**

**OVR-7.12-04:** Records concerning all events relating to synchronization of a TSU's clock to UTC shall be logged.

**OVR-7.12-05:** Records shall include information concerning normal re-calibration or synchronization of clocks used in time-stamping.

**OVR-7.12-06:** Records concerning all events relating to detection of loss of synchronization shall be logged.

## 7.13 Business continuity management

**OVR-7.13-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.11 shall apply.

In addition, the following particular requirements apply:

**OVR-7.13-02:** The TSA's disaster recovery plan shall address the compromise or suspected compromise of TSU's private signing keys or loss of calibration of a TSU clock, which may have affected time-stamps which have been issued.

**OVR-7.13-03** [CONDITIONAL]: In the case of a compromise, or suspected compromise or loss of calibration when issuing time-stamp the TSA shall make available to all subscribers and relying parties a description of compromise that occurred.

**OVR-7.13-04** [ **CONDITIONAL**]: In the case of compromise to a TSU's operation (e.g. TSU key compromise), suspected compromise or loss of calibration the TSU shall not issue time-stamps until steps are taken to recover from the compromise.

**OVR-7.13-05** [CONDITIONAL]: In case of major compromise of the TSA's operation or loss of calibration, the TSA shall make available to all subscribers and relying parties information which can be used to identify the timestamps which may have been affected, unless this breaches the privacy of the TSAs users or the security of the TSA services.

NOTE: In case the private key does become compromised, an audit trail of all time-stamps generated by the TSU can provide a means to discriminate between genuine and false backdated time-stamps. Two time-stamps from two different TSUs can be another way to address this issue.

### 7.14 TSA termination and termination plans

**OVR-7.14-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.12 shall apply.

In addition, the following particular requirements apply:

**OVR-7.14-02** [CONDITIONAL]: When the TSA terminates its services, the TSA shall revoke all non-expired TSU's certificates.

## 7.15 Compliance

**OVR-7.15-01:** The requirements identified in ETSI EN 319 401 [4], clause 7.13 shall apply.

# Additional requirements for qualified electronic time-stamps as per Regulation (EU) No 910/2014

## 8.1 TSU public key certificate

**TIS-8.1-01 [CONDITIONAL]:** If a time-stamp is claimed to be a qualified electronic time-stamp as per Regulation (EU) No 910/2014 [i.4], the TSU signature verification (public) key certificate should be issued by a certification authority operating under ETSI EN 319 411-2 [i.11] certificate policy.

NOTE 1: ETSI EN 319 411-2 [i.11] incorporates requirements from ETSI EN 319 411-1 [i.10].

NOTE 2: The relying party is expected to use a Trusted List to establish whether the time-stamp unit and the time-stamp are qualified. If the public key of the TSU is listed in the Trusted List and the service it represents is a qualified time-stamping service, then the time-stamps issued by this TSU can be considered as qualified. If the public key of a TSA issuing and operating multiple TSUs is listed in the Trusted List as defined in ETSI TS 119 612 [i.17] and the services it represents include the "qualified time-stamping" service, then if a TSU is identified in its certificate within the context of the TSA the time-stamps issued by this TSU can be considered as qualified. The qcStatement "esi4-qtstStatement-1" as defined in ETSI EN 319 422 [5], clause 9.1 can be an indication that the time-stamp is claimed to be a qualified electronic time-stamp.

# 8.2 TSA issuing non-qualified and qualified electronic time-stamps as per Regulation (EU) No 910/2014

**TIS-8.2-01 [CONDITIONAL]:** If a TSU issues time-stamps that are claimed to be qualified electronic time-stamps as per Regulation (EU) No 910/2014 [i.4], this TSU shall not issue non-qualified electronic time-stamps.

**TIS-8.2-02 [CONDITIONAL]:** In the case of a TSA issuing both qualified and non-qualified time-stamps it shall use different TSUs identified by different subject names in their public key certificate.

**TIS-8.2-03 [CONDITIONAL]:** In the case of a TSA issuing both qualified and non-qualified time-stamps it shall use different TSUs accessible via separate service access points.

- NOTE 1: Having different TSUs does not imply different hardware/software, only different public key certificates and separate service access points.
- NOTE 2: Attention is drawn to ETSI TS 119 612 [i.17], clause 5.5.3 note 5, regarding use a Root CA public key as "Service digital identifiers" value in the trusted list.

# Annex A (informative): Potential liability in the provision of time-stamping services

Liability derives from one of two sources: contract or statutory law (i.e. national law).

Where consumers are involved, statutory protections can also apply - especially the Unfair Contract Terms Directive (Directive 93/13/EEC [i.5]) and the corresponding national implementations, which can even increase the level of protection.

These rules can constrain the TSA's capability to limit its liability, because the Directive 93/13/EEC [i.5] prohibits terms that have not been individually negotiated which cause a significant imbalance in the parties' rights and obligations to the detriment of the consumer.

A national law can also establish additional restrictions on liability limitation.

Where these exceptions do not apply, a TSA may disclaim any or all warranties and limit its liability.

# Annex B (informative): Model TSA disclosure statement

#### B.1 Introduction

The proposed model TSA disclosure statement in table B.1 is designed for use by a TSP issuing time-stamps as a supplemental instrument of disclosure and notice. A TSA disclosure statement can assist a TSA to respond to regulatory requirements and concerns, particularly those related to consumer deployment. Further, the aim of the model TSA disclosure statement is to foster industry "self-regulation" and build consensus on those elements of a security policy and/or practice statement that require emphasis and disclosure.

Although security policy and practice statement documents are essential for describing and governing time-stamp policies and practices, many TSA users, especially consumers, can find these documents difficult to understand.

Consequently, there is a need for a supplemental and simplified instrument that can assist TSA users in making informed trust decisions. Consequently, a TSA disclosure statement is not intended to replace a security policy or practice statement.

This annex provides an example of the structure for a TSA disclosure statement, illustrating the harmonized set of statement types (categories) that would be contained in a deployed time-stamping service.

## B.2 TSA disclosure statement structure

The TSA disclosure statement contains a section for each defined statement type. Each section of a TSA disclosure statement contains a descriptive statement, which may include hyperlinks to the relevant certificate policy/certification practice statement sections.

Table B.1: Model of TSA disclosure statement structure

| Statement types   | Statement descriptions   | Specific requirements   |
|---|--|---|
| Entire agreement  | A statement indicating that the disclosure statement is not the entire agreement, but only a part of it.   |   |
| TSA contact info  | The name, location and relevant contact information for the TSA.   |   |
| Electronic time-stamp types and usage                                     | A description of each class/type of electronic time-stamps issued by the TSA (in accordance with each time-stamp policy) and any restrictions on time-stamp usage. | Indication of the policy being applied (i.e. BTSP), including the contexts for which the time-stamp can be used (e.g. only for use with electronic signatures), the hashing algorithms, the expected life time of the time-stamp signature, any limitations on the use of the time-stamp and information on how to verify the time-stamp. |
| Reliance limits   | The reliance limits, if any.   | Indication of the accuracy of the time in the time-stamp, and the period of time for which TSA event logs are maintained (and hence are available to provide supporting evidence).  |
| Obligations of subscribers  | The description of, or reference to, the critical subscriber obligations.  | No specific requirements identified in the present document. Where applicable the TSA may specify additional obligations.   |
| TSU public key certificate status checking obligations of relying parties | The extent to which relying parties are obligated to check the TSU public key certificate status, and references to further explanation.                           | Information on how to validate the TSU public key certificate status, including requirements to check the revocation status of TSU public key certificate, such that the relying party is considered to "reasonably rely" on the time-stamp (see clause 6.6).   |
| Limited warranty and disclaimer/Limitation of liability                   | Summary of the warranty, disclaimers, limitations of liability and any applicable warranty or insurance programs.  | Limitations of liability (see annex A).   |

| Statement types            | Statement descriptions            | Specific requirements                               |
|----------------------------|-----------------------------------|---|
| Applicable agreements      | Identification and references to  |   |
| and practice statement     | applicable agreements, practice   |   |
|                            | statement, time-stamp policy      |   |
|                            | and other relevant documents.     |   |
| Privacy policy             | A description of and reference to |   |
|                            | the applicable privacy policy.    |   |
| Refund policy              | A description of and reference to |   |
|                            | the applicable refund policy.     |   |
| Applicable law, complaints | Statement of the choice of law,   | The procedures for complaints and dispute           |
| and dispute resolution     | complaints procedure and          | settlements.  |
|                            | dispute resolution mechanisms.    | The applicable legal system.                        |
| TSA and repository         | Summary of any governmental       | If the TSA has been assessed to be conformant with  |
| licenses, trust marks, and | licenses, seal programs; and a    | the identified time-stamp policy, and if so through |
| audit                      | description of the audit process  | which independent party.                            |
|                            | and if applicable the audit firm. |   |

## Annex C (informative): Coordinated Universal Time (UTC)

UTC is the time-scale maintained by the BIPM, with assistance from the IERS, which forms the basis of a coordinated dissemination of standard frequencies and time signals. It corresponds exactly in rate with TAI but differs from it by an integer number of seconds.

The full definition of UTC is contained in Recommendation ITU-R TF.460-6 [1].

## Annex D (informative): Long term verification of time-stamps

Usually, a time-stamp becomes unverifiable beyond the end of the validity period of the certificate from the TSU, because the CA that has issued the certificate does not usually warrant any more providing revocation status information for expired certificates.

If at the time of verification:

- the TSU private key has not been compromised at any time up to the time that a relying part verifies a time-stamp;
- the hash algorithms used in the time-stamp exhibits no collisions at the time of verification; and
- the signature algorithm and signature key size under which the time-stamp has been signed is still beyond the reach of cryptographic attacks at the time of verification;

then verification of a time-stamp can still be performed beyond the end of the validity period of the certificate from the TSU.

The validity may be maintained by applying an additional time-stamp to protect the integrity of the previous one. Alternatively the time-stamped data may be placed in secure storage.

The present document does not specify the details of how such protection can be obtained. For the time being, and until some enhancements are defined to support these features, the information may be obtained using-out-of bands means or alternatively in the context of closed environments. As an example, should a CA guarantee to make the revocation status information of TSU certificates available after the end of its validity period, this would fulfil verification that the TSU private key has not been compromised.

## Annex E (informative): Regulation (EU) No 910/2014 and qualified electronic time-stamp policy cross-reference

Table E.1 identifies how the security controls objectives and other parts of the Best practices Time-Stamp Policy (BTSP) defined in the present document address the requirements of TSAs issuing qualified electronic time-stamps as defined in article 42 of the Regulation (EU) No 910/2014 [i.4].

Table E.1: Regulation (EU) No 910/2014 and qualified electronic time-stamp policy cross-reference

| reference    | Regulation (EU) No 910/2014 requirement   | Time-stamp policy reference                |
|--------------|---|--|
| Article 3    | 'electronic time stamp' means data in electronic  | 7.7.1 Time-stamp issuance                  |
| Clause 33    | form which binds other electronic data to a   | Time-stamp profiled in ETSI EN 319 422 [5] |
|              | particular time establishing evidence that these  |  |
|              | data existed at that time   |  |
| Article 24   | Requirements on qualified trust service provider met, as relevant to time-stamping, through |  |
| Clause 2     | providing qualified trust services  | use of ETSI EN 319 401 [4]                 |
| Article 42   | it binds the date and time to data in such a manner   | 7.7.1 Time-stamp issuance                  |
| Clause 1 (a) |   | items d) & e)                              |
|              | being changed undetectably  |  |
| Article 42   | it is based on an accurate time source linked to  | 7.7.1 Time-stamp issuance                  |
| Clause 1 (b) | Coordinated Universal Time (UTC)  | items a), b) & c)                          |
| Article 42   | it is signed using an advanced electronic signature   | 7.7.1 Time-stamp issuance                  |
| Clause 1 (c) | or sealed with an advanced electronic seal of the   | Time-stamp profiled in ETSI EN 319 422 [5] |
|              | qualified trust service provider, or by some  | requires a digital signature               |
|              | equivalent method   |  |

# Annex F (informative): Possible implementation architectures - time-stamping service

## F.1 Managed time-stamping service

Some organizations will be willing to host one or more Time-Stamping Units in order to take advantage of both the proximity and the quality of the time-stamping service, without being responsible for the installation, operation and management of these Time-Stamping Units.

This can be achieved by using units that are installed in the premises from the hosting organization and then remotely managed by a Time-Stamping Authority that takes the overall responsibility of the quality of the service delivered to the hosting organization.




Figure F.1: Managed time-stamping service

The requirements for time-stamping services described in the present document include requirements on both the time-stamping management and for the operation of the unit which issues the time-stamps. The TSA, as identified in the time-stamp, has the responsibility to ensure that these requirements are met (for example through contractual obligations).

The hosting organization will generally want to be able to monitor the use of the service and, at a minimum, know whether the service is working or not and even be able to measure the performances of the service, e.g. the number of time-stamps generated during some period of time. Such monitoring can be considered to be outside of TSA's time-stamping service.

Therefore the description of the management operation described in the main body of the present document is not limitative. Monitoring operations, if performed directly on the unit, can be permitted by the Time-Stamping Authority.

## F.2 Selective alternative quality

Some relying parties will be willing to take advantage of particular characteristics from a time-stamp such as a specific signature algorithm and/or key length or a specific accuracy for the time contained in the time-stamp.

These parameters can be considered as specifying a "quality" for the time-stamp.

Time-stamps with various qualities can be issued by different time-stamping units operated by the same or different TSAs.

A particular time-stamping unit will only provide one combination of algorithm and key length (since a time-stamping unit is a set of hardware and software which is managed as a unit and has a single time-stamp signing key). In order to obtain different combinations of algorithm and key length, different time-stamping units need to be used.

A particular time-stamping unit can provide a fixed accuracy for the time contained in the time-stamp or different accuracy if instructed to do so either by using a specific mode of access (e.g. e-mail or http) or by using specific parameters in the request.

## Annex G (informative): Major changes from ETSI TS 102 023

General TSP policy (ETSI EN 319 401 [4]) requirements referenced.

Clause 3.1 Definitions, subscriber's definition.

Clause 6.2 Trust Service Practice Statement, updated disclosure statement.

Clause 7.6.2 TSU key generation, requirement b) updated to ISO a CEN/TS references.

Clause 7.6.2 TSU key generation, requirement d) recommending that same key should not be imported to multiple modules.

Clause 7.6.2 TSU key generation, requirement e) single time-stamp signing key active at a time.

Clause 7.6.3 TSU private key protection, requirement a) updated to ISO a CEN/TS references.

Clause 7.6.4 TSU public key certificate, requirement c) added to disallow time-stamp issuance before a TSA certificate is loaded.

Clause 7.6.5 Rekeying TSU's key, note 1 reworded.

Clause 7.6.7 End of TSU key life cycle, added items 1, 2 & 3.

Clause 7.7.2 Clock Synchronization with UTC, inserted requirement d) about drifts or jumps out of synchronization.

## Annex H (informative): Conformity Assessment Check list

A check list for the policy requirements specified in the present document as well as the generic requirements which are independent of the TSP (as expressed in ETSI EN 319 401 [4]) is contained in the spreadsheet file available from <a href="https://forge.etsi.org/rep/esi/x19\_421\_time-stamping\_services/-/raw/v1.2.1/EN319421-checklist.xlsx">https://forge.etsi.org/rep/esi/x19\_421\_time-stamping\_services/-/raw/v1.2.1/EN319421-checklist.xlsx</a>).

The checklist summarizes the requirements in such a way that it can be used by the TSP itself to prepare for an assessment of its practices against the present document (i.e. serve as a basis for a self-declaration) and/or by the assessor when conducting the assessment, for the sake of facility for both the assessor and the TSP to be assessed.

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the check list file identified in this annex so that it can be used for its intended purposes and may further publish the completed check list.

# Annex I (informative): Change History

| Date          | Version | Information about changes   |  |
|---------------|---------|---|--|
|               |         | On <a href="https://docbox.etsi.org/esi/Open/Compared deliverables">https://docbox.etsi.org/esi/Open/Compared deliverables</a> , one will be able to see what changes have taken place between the previous published version (v1.1.1) and this version |  |
| December-2022 | V1.2.0  | Summary: Adding CR 001 - Clarification regarding TSA or TSU included in trusted list Adding CR 002 - Clarification regarding revocation of all TSU certificates Adding CR 003 - Numbering of requirements   |  |

# History

| Document history |              |   |  |
|------------------|--------------|---|--|
| V1.1.1           | April 2002   | Publication as ETSI TS 102 023 (Historical)                 |  |
| V1.2.1           | January 2003 | Publication as ETSI TS 102 023 (Historical)                 |  |
| V1.2.2           | October 2008 | Publication as ETSI TS 102 023 (Historical)                 |  |
| V1.0.1           | July 2015    | Publication as ETSI TS 119 421 (Withdrawn)                  |  |
| V1.1.1           | March 2016   | Publication   |  |
| V1.2.0           | January 2023 | EN Approval Procedure AP 20230501: 2023-01-31 to 2023-05-01 |  |
| V1.2.1           | May 2023     | Publication   |  |