

**Open Service Access (OSA);
Parlay X Web Services;
Part 14: Presence
(Parlay X 3)**



Reference

DES/TISPAN-01034-14-OSA

Keywords

API, OSA, service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.

© The Parlay Group 2008.

All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	8
2 References	8
2.1 Normative references	8
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	10
4 Detailed service description	10
5 Namespaces.....	11
6 Sequence diagrams	12
6.1 Interface flow overview.....	12
7 XML Schema data type definition	13
7.1 PresenceAttributeType enumeration	13
7.2 ActivityValue enumeration	13
7.3 PlaceTypeValue enumeration.....	14
7.4 PrivacyType enumeration.....	15
7.5 SphereValue enumeration	15
7.6 CommunicationMeansType enumeration.....	15
7.7 CommunicationMeans structure.....	15
7.8 CommunicationValue structure.....	16
7.9 OtherValue structure	16
7.10 PresenceAttribute structure	16
7.10a AttributeTypeAndValue union.....	16
7.11 SubscriptionRequest structure	16
7.12 PresencePermission structure	17
7.13 CommunicationStatusType enumeration	17
7.14 PrivacyValue structure	17
7.15 MoodValue enumeration.....	17
7.16 PlaceIsValue structure	18
7.17 PlaceIsAudioValue enumeration	19
7.18 PlaceIsVideoValue enumeration	19
7.19 PlaceIsTextValue enumeration.....	19
7.20 RelationshipValue enumeration	19
7.21 TimeOffsetValue structure	20
7.22 StatusIconValue structure.....	20
7.23 Watcher structure	20
7.24 WatcherSubscriptionStatus enumeration.....	20
8 Web Service interface definition.....	20
8.1 Interface: PresenceConsumer	20
8.1.1 Operation: subscribePresence	21
8.1.1.1 Input message: subscribePresenceRequest.....	21
8.1.1.2 Output message: subscribePresenceResponse.....	21
8.1.1.3 Referenced faults.....	21
8.1.2 Operation: getUserPresence.....	22
8.1.2.1 Input message: getUserPresenceRequest	22
8.1.2.2 Output message: getUserPresenceResponse	22
8.1.2.3 Referenced faults.....	22
8.1.3 Operation: startPresenceNotification	22
8.1.3.1 Input message: startPresenceNotificationRequest.....	23
8.1.3.2 Output message: startPresenceNotificationResponse.....	23

8.1.3.3	Referenced faults.....	23
8.1.4	Operation: endPresenceNotification	24
8.1.4.1	Input message: endPresenceNotificationRequest.....	24
8.1.4.2	Output message: endPresenceNotificationResponse.....	24
8.1.4.3	Referenced faults.....	24
8.2	Interface: PresenceNotification	24
8.2.1	Operation: statusChanged	24
8.2.1.1	Input message: statusChangedRequest.....	24
8.2.1.2	Output message: statusChangedResponse.....	25
8.2.1.3	Referenced faults.....	25
8.2.2	Operation: statusEnd.....	25
8.2.2.1	Input message: statusEndRequest	25
8.2.2.2	Output message: statusEndResponse	25
8.2.2.3	Referenced faults.....	25
8.2.3	Operation: notifySubscription.....	25
8.2.3.1	Input message: notifySubscriptionRequest	25
8.2.3.2	Output message: notifySubscriptionResponse	25
8.2.3.3	Referenced faults.....	25
8.2.4	Operation: subscriptionEnded.....	26
8.2.4.1	Input message: subscriptionEndedRequest	26
8.2.4.2	Output message: subscriptionEndedResponse	26
8.2.4.3	Referenced faults.....	26
8.3	Interface: PresenceSupplier	26
8.3.1	Operation: publish	26
8.3.1.1	Input message: publishRequest	26
8.3.1.2	Output message: publishResponse	26
8.3.1.3	Referenced faults.....	27
8.3.2	Operation: getOpenSubscriptions	27
8.3.2.1	Input message: getOpenSubscriptionsRequest.....	27
8.3.2.2	Output message: getOpenSubscriptionsResponse.....	27
8.3.2.3	Referenced faults.....	27
8.3.3	Operation: updateSubscriptionAuthorization	27
8.3.3.1	Input message: updateSubscriptionAuthorizationRequest	28
8.3.3.2	Output message: updateSubscriptionAuthorizationResponse	28
8.3.3.3	Referenced faults.....	28
8.3.4	Operation: getMyWatchers	28
8.3.4.1	Input message: getMyWatchersRequest	29
8.3.4.2	Output message: getMyWatchersResponse	29
8.3.4.3	Referenced faults.....	29
8.3.5	Operation: getSubscribedAttributes	29
8.3.5.1	Input message: getSubscribedAttributesRequest	29
8.3.5.2	Output message: getSubscribedAttributesResponse	29
8.3.5.3	Referenced faults.....	29
8.3.6	Operation: blockSubscription	30
8.3.6.1	Input message: blockSubscriptionRequest	30
8.3.6.2	Output message: blockSubscriptionResponse	30
8.3.6.3	Referenced faults.....	30
8.4	Interface: PresenceSupplierNotificationManager	30
8.4.1	Operation: startSubscriptionNotification	30
8.4.1.1	Input message: startSubscriptionNotificationRequest.....	31
8.4.1.2	Output message: startSubscriptionNotificationResponse.....	31
8.4.1.3	Referenced Faults.....	31
8.4.2	Operation: endNotification	31
8.4.2.1	Input message: endNotificationRequest.....	31
8.4.2.2	Output message: endNotificationResponse.....	32
8.4.2.3	Referenced Faults.....	32
8.5	Interface: PresenceSupplierNotification	32
8.5.1	Operation: notifyOpenSubscription	32
8.5.1.1	Input message: notifyOpenSubscriptionRequest.....	32
8.5.1.2	Output message: notifyOpenSubscriptionResponse.....	32
8.5.1.3	Referenced faults.....	32
8.5.2	Operation: notifyError	32

8.5.2.1	Input message: notifyErrorRequest	32
8.5.2.2	Output message: notifyErrorResponse	33
8.5.2.3	Referenced faults.....	33
8.5.3	Operation: notifyEnd	33
8.5.3.1	Input message: notifyEndRequest	33
8.5.3.2	Output message: notifyEndResponse.....	33
8.5.3.3	Referenced faults.....	33
9	Fault definitions.....	33
9.1	ServiceException.....	33
9.1.1	SVC0220: No subscription request.....	33
9.1.2	SVC0221: Not a watcher	33
10	Service policies	34
Annex A (normative):	WSDL for Presence	35
Annex B (informative):	Bibliography.....	36
History		37

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 14 of a multi-part deliverable covering Open Service Access (OSA); Parlay X 3 Web Services, as identified below:

- Part 1: "Common";
- Part 2: "Third Party Call";
- Part 3: "Call Notification";
- Part 4: "Short Messaging";
- Part 5: "Multimedia Messaging";
- Part 6: "Payment";
- Part 7: "Account Management";
- Part 8: "Terminal Status";
- Part 9: "Terminal Location";
- Part 10: "Call Handling";
- Part 11: "Audio Call";
- Part 12: "Multimedia Conference";
- Part 13: "Address List Management";
- Part 14: "Presence";**
- Part 15: "Message Broadcast";
- Part 16: "Geocoding";
- Part 17: "Application-driven Quality of Service (QoS)";
- Part 18: "Device Capabilities and Configuration";
- Part 19: "Multimedia Streaming Control";
- Part 20: "Multimedia Multicast Session Management".

The present document has been defined jointly between ETSI, The Parlay Group (<http://www.parlay.org>) and the 3GPP.

The present document forms part of the Parlay X 3.0 set of specifications.

The present document is equivalent to 3GPP TS 29.199-14 V7.4.0 (Release 7).

1 Scope

The present document is part 14 of the Stage 3 Parlay X 3 Web Services specification for Open Service Access (OSA).

The OSA specifications define an architecture that enables application developers to make use of network functionality through an open standardized interface, i.e. the OSA APIs.

The present document specifies the Presence Web Service. The following are defined here:

- Name spaces.
- Sequence diagrams.
- Data definitions.
- Interface specification plus detailed method descriptions.
- Fault definitions.
- Service Policies.
- WSDL Description of the interfaces.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI TR 121 905: "Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); Vocabulary for 3GPP Specifications (3GPP TR 21.905)".

[2] W3C Recommendation (2 May 2001): "XML Schema Part 2: Datatypes".

NOTE: Available at <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>.

[3] ETSI ES 202 504-1: "Open Service Access (OSA); Parlay X Web Services; Part 1: Common (Parlay X 3)".

[4] ETSI ES 202 915-14: "Open Service Access (OSA); Application Programming Interface (API); Part 14: Presence and Availability Management SCF (Parlay 4)".

[5] IETF RFC 3856: "A Presence Event Package for the Session Initiation Protocol (SIP)".
<http://www.ietf.org/rfc/rfc3856.txt>.

[6] Void.

[7] ETSI ES 202 504-13: "Open Service Access (OSA); Parlay X Web Services; Part 13: Address List Management (Parlay X 3)".

[8] IETF RFC 3265: "Session Initiation Protocol (SIP)-Specific Event Notification".

[9] Void.

[10] ETSI ES 202 504-8: "Open Service Access (OSA); Parlay X Web Services; Part 8: Terminal Status (Parlay X 3)".

[11] ETSI ES 202 504-9: "Open Service Access (OSA); Parlay X Web Services; Part 9: Terminal Location (Parlay X 3)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ES 202 504-1 [3] and the following apply:

applications: For Instant Messaging, Push to Talk, or call control and other purposes may become clients of the presence Web Service. We assume that these applications belong to a watcher and authenticate to the services in the name of the watcher.

identity: represents a user in the real world

NOTE: See Parlay/OSA PAM identities [4], clause 4.4.1.

presence attributes: Contain information about a presentity. An attribute has a name and a value and can be supplied by any device, application or network module that can be associated to the presentity's identity. A watcher can obtain attributes only after he has successfully subscribed to them. Examples for attributes are activity, location type, communication means, etc.

presence information: Consists of a set of attributes that characterize the presentity such as current activity, environment, communication means and contact addresses. Only the system and the presentity have direct access to this information, which may be collected and aggregated from **several** devices associated to the presentity.

subscription: Before a watcher can access presence data, he has to subscribe to it. One possibility the API provides is an end-to-end subscription concept, in which only identities that have accepted a subscription to their presence can be addressed. Subscriptions can be also automatically handled by server policies edited by the presentity or other authorized users. The service/protocol to manage those policies is out of the scope of the present document.

NOTE: This definition is not related to the term "subscription" in TR 121 905 [1].

watcher and presentity: We use these names to denote the role of the client connected to the presence services. As in Parlay/OSA PAM [4] the watcher and the presentity have to be associated to identities registered to the system, i.e. users, groups of users or organizations.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in ES 202 504-1 [3] and the following apply:

IETF	Internet Engineering Task Force
IMS	IP Multimedia Subsystem
ISC	IP multimedia subsystem Service Control interface
MMS	Multimedia Message Service
PAM	Presence and Availability Management
SCF	Service Capability Feature
SIMPLE	SIP for Instant Messaging and Presence Leveraging Extensions
SIP	Session Initiation Protocol
SMS	Short Message Service
XCAP	XML Configuration Access Protocol
XML	eXtensible Markup Language
XMPP	eXtensible Messaging and Presence Protocol
XSD	XML Schema Definition

4 Detailed service description

The presence service allows for presence information to be obtained about one or more users and to register presence for the same. It is assumed that the typical client of these interfaces is either a supplier or a consumer of the presence information. An Instant Messaging application is a canonical example of such a client of this interface.

Figure 1 shows the architecture of the Presence Web Service and the underlying services. The Parlay/OSA PAM SCF is the straightforward option and implements the presence server with extended identity, device capability, and presence agent management. Parlay/OSA PAM allows aggregation of presence information from internet, mobile and enterprise users, etc. using a presence transport network of SIP or XMPP servers. The Presence Web Service can however communicate directly for example with IMS presence network elements (presence and resource list servers) using the ISC (SIP/SIMPLE) protocol interface.




Figure 1: The Presence web service environment

Relationship to Similar or Supplanted Specifications

The most important relations are to:

- Parlay X 3 Terminal Status Web Service [10] and Parlay X 3 Terminal Location Web Service [11]: Both services deal with information that could be considered part of the user's presence information. Communication abilities can be derived from terminal status information, and the user's placetype can be derived from his location.
- Parlay/OSA PAM [4]: The Parlay/OSA Presence and Availability specification can be considered the big brother of the present document. While Parlay X 3 Presence stays behind Parlay/OSA PAM in terms of flexibility and power - especially concerning attributes and management interfaces - it also extends PAM by introducing end-to-end authorization. The present document aims to be mappable to Parlay/OSA PAM.
- SIP SIMPLE [5]: The present document aims to be mappable to the SIP/SIMPLE architecture.
- XMPP (Jabber) (see bibliography): Many principles of XMPP have been adopted, especially the end-to-end authorization.
- IETF Rich Presence(see bibliography). The set of attributes the present document specifies is closely aligned with the IETF's Rich Presence ideas.
- Group Management [7]: Presence of groups is supported by the present document, however their creation and manipulation has to be done using the Parlay X 3 Address List Management Web Service. In the 3GPP presence context, contact lists and group manipulation is done with the XCAP protocol (see bibliography).

5 Namespaces

The PresenceConsumer interface uses the namespace:

http://www.csapi.org/wsdl/parlayx/presence/consumer/v3_2

The PresenceNotification interface uses the namespace:

http://www.csapi.org/wsdl/parlayx/presence/notification/v3_2

The PresenceSupplier interface uses the namespace:

http://www.csapi.org/wsdl/parlayx/presence/supplier/v3_2

The PresenceSupplierNotificationManager interfaces use the namespace:

http://www.csapi.org/wsdl/parlayx/presence_supplier/notification_manager/v3_0

The PresenceSupplierNotification interfaces use the namespace:

http://www.csapi.org/wsdl/parlayx/presence_supplier/notification/v3_0

The data types are defined in the namespace:

http://www.csapi.org/schema/parlayx/presence/v3_2

The 'xsd' namespace is used in the present document to refer to the XML Schema data types defined in XML Schema [2]. The use of the name 'xsd' is not semantically significant.

6 Sequence diagrams

6.1 Interface flow overview

The sequence diagram shows the interactions in case both watcher application and presentity are Web Service clients. Compared to the SIP interactions, the subscription notification is separated from the delivery of presence information itself. Based on the subscription result, the watcher can select the polling or notification mode for presence events. Changes in the authorization of presence attributes are propagated to the watchers via the **notifySubscription()** operation, the blocking of a subscription by the presentity is propagated via a **subscriptionEnded** operation.

The sequence diagram does not show the internal communication within the presence server. It is assumed that the Presence Consumer and Supplier interfaces are implemented by the same instance. If an implementer of the API find other solutions preferable, he has to take care of the internal communication himself.




Figure 2: Message interaction overview

7 XML Schema data type definition

Presence attributes are inspired by the IETF's Rich Presence ideas (see Bibliography).

7.1 PresenceAttributeType enumeration

The different types of attributes. For each entry in this enumeration there is a separate value type.

Enumeration value	Description
Activity	The presentity's activity (available, busy, lunch, etc.)
PlaceType	At what kind of place the presentity is (home, office, etc.)
Privacy	The amount of privacy the user wants (public, quiet, etc.)
Sphere	The user's current environment (work, home)
Communication	The user's means of communication (phone, mail, etc.)
Mood	The user's mood (angry, confused, happy, etc.)
Placels	Describes the properties of the place the user is currently at.
TimeOffset	Describes the number of minutes of offset from UTC that the user is currently at.
StatusIcon	Depicts the current status of the user.
Other	A name - value pair for arbitrary presence information

7.2 ActivityValue enumeration

This enumeration shows the user's current activity. If the activity is unknown, the attribute value will be **ActivityNone**, meaning the attribute was not set. If the user is doing something not in this list, the value will be set to **ActivityOther**.

Enumeration value	Description
ActivityNone	Not set.
Appointment	The user has an appointment.
Available	The user is available for communication.
Busy	The user is busy and is only available for urgent matters.
DoNotDisturb	The user is very busy and does not wish to be disturbed.
OnThePhone	The user is on the phone.
Steering	The user is driving a car / train / airplane, etc.
Meeting	The user is in a meeting.
Away	No idea what the user is doing, but he is away.
Meal	The user is eating.
Breakfast	The user is having breakfast.
Lunch	The user is having lunch.
Dinner	The user is having dinner.
PermanentAbsence	The user is away and will not return for an extended period.
Vacation	The user is on vacation.
Holiday	A scheduled national or local holiday.
Performance	The user is in a theatre / concert.
InTransit	The user is in the transit area of an (air)port.
Travel	The user is travelling.
Sleeping	The user is sleeping.
LookingForWork	The user is looking for (paid) work.
Playing	The user is occupying him- or herself in amusement, sport, or other recreation.
Presentation	The user is giving a presentation, lecture, or participating in a formal round-table discussion.
Shopping	The user is visiting stores in search of goods or services.
Spectator	The user is observing an event, such as a sports event.
TV	The user is watching television.
Working	The user is engaged in, typically paid, labor, as part of a profession or job.
Worship	The user is participating in religious rites.
ActivityOther	The user is doing something not in this list.

7.3 PlaceTypeValue enumeration

This enumeration shows the type of the user's current location. If the place type is unknown, the attribute value will be **PlaceNone**, meaning the attribute was not set. If the user is in a place not in this list, the value will be set to **PlaceOther**.

Enumeration value	Description
PlaceNone	Not set.
Arena	The user is at an enclosed area used for sports events.
Home	The user is at home.
Office	The user is in an office.
PublicTransport	The user is on public transport.
Street	Walking on the street.
Outdoors	Generally outdoors.
PublicPlace	The user is in a public place.
Hotel	The user is in a hotel.
Theatre	The user is in a theatre or concert.
Restaurant	The user is in a restaurant, coffee shop or, other public dining establishment.
School	The user is at school.
Industrial	The user is in an industrial building.
Quiet	The user is in a quiet area.
Noisy	The user is in a noisy area.
Aircraft	The user is on an aircraft.
Watercraft	The user is on a vessel for travel on water, such as a boat or a ship.
Automobile	The user is in a car.
Bus	The user is in a bus.
BusStation	The user is in a bus station.
TrainStation	The user is in a train station.
ShoppingArea	The user is in a shopping mall or shopping center.
Airport	The user is in an airport.
Train	The user is in a train.
Bank	The user is in a bank.
Bar	The user is in a bar.
Bicycle	The user is on a bicycle.
Café	The user is in a café; usually a small and informal establishment that serves various refreshments (such as coffee); coffee shop.
Classroom	The user is in an academic classroom or lecture hall.
Club	The user is in a dance club, nightclub, or discotheque.
Construction	The user is at a construction site.
ConventionCenter	The user is in a convention center or exhibition hall.
Government	The user is in a government building, such as those used by the legislative, executive, or judicial branches of governments, including court houses, police stations, and military installations.
Hospital	The user is in a hospital, hospice, medical clinic, mental institution, or doctor's office.
Library	The user is in a library.
Motorcycle	The user is on a motorcycle.
Outdoors	The user outside a building, in or into the open air, such as a park or city streets.
Parking	The user is in a parking lot or parking garage.
PlaceOfWorship	The user is at a religious site where congregations gather for religious observances, such as a church, chapel, meetinghouse, mosque, shrine, synagogue, or temple.
Prison	The user is in a prison, penitentiary, jail or a brig.
Residence	The user is in a private or residential setting.
Stadium	The user is in a stadium.
Store	The user is in a shop or store.
Truck	The user is in a truck.
Underway	The user is in a land-, water-, or aircraft that is underway (in motion).
Warehouse	The user is in a warehouse.
Water	The user is in, on, or above bodies of water, such as an ocean, lake, river, canal, or other waterway.
PlaceOther	The user is in a kind of place not listed here.

7.4 PrivacyType enumeration

This enumeration shows the amount of privacy a user currently has. If the privacy is unknown, the attribute value will be **PrivacyNone**, meaning the attribute was not set. If none of the values apply, the value will be set to **PrivacyOther**.

Enumeration value	Description
PrivacyNone	Not set.
PrivacyPublic	The user is surrounded by other people and cannot discuss openly.
PrivacyPrivate	The user is alone and able to talk openly.
PrivacyQuiet	The user is in a quiet environment and cannot talk at all.
PrivacyOther	None of the other values applies.
PrivacyAudio	Inappropriate individuals are not likely to overhear audio communications.
PrivacyText	Inappropriate individuals are not likely to see text communications.
PrivacyVideo	Inappropriate individuals are not likely to see video communications.

7.5 SphereValue enumeration

This enumeration shows the sphere within which the user acts. If the sphere is unknown, the attribute value will be **SphereNone**, meaning the attribute was not set. If the sphere is not in this list (neither work nor home), the value will be set to **SphereOther**.

Enumeration value	Description
SphereNone	Not set.
SphereWork	The user is acting within his work sphere, i.e. as a member of his company.
SphereHome	The user is acting within his home sphere, i.e. as a private person.
SphereOther	The user is acting neither within his work nor within his home sphere.

7.6 CommunicationMeansType enumeration

This enumeration lists communication means. If the communication attribute refers to a means not in this list, it will point to **MeansOther**.

Enumeration value	Description
Phone	The communication attribute refers to a phone (fixed line or mobile or SIP).
Chat	The communication attribute refers to a chat client.
SMS	The communication attribute refers to an SMS client.
Video	The communication attribute refers to a video phone (fixed line or mobile or SIP).
Web	The communication attribute refers to a web client.
EMail	The communication attribute refers to an e-mail client.
MMS	The communication attribute refers to an MMS client.
MeansOther	The communication attribute refers to any other client.

7.7 CommunicationMeans structure

This structure describes one way of reaching the presentity or contacts of the presentity. If the presentity for example is unavailable he/she may publish communication means for one of his/her contacts.

Element name	Element type	Optional	Description
priority	xsd:float	No	The priority of this communication means. Between 0 and 1, the latter meaning the highest priority.
contact	xsd:anyURI	No	The contact address for this communication means.
type	CommunicationMeansType	No	The type of this communication means.
status	CommunicationStatusType	Yes	The status of this communication means.
relationship	RelationshipValue	Yes	Relationship the presentity has with the contact whose communication means address is published. If the parameter is not set it means that the communication means refers to the presentity himself.

7.8 CommunicationValue structure

This structure describes the various ways of reaching a presentity.

Element name	Element type	Optional	Description
means	CommunicationMeans [0..unbounded]	Yes	The different ways of reaching the presentity.

7.9 OtherValue structure

This structure can be used for storing arbitrary data about a presentity.

Element name	Element type	Optional	Description
name	xsd:string	No	Description of the content.
value	xsd:string	No	Attribute content.

7.10 PresenceAttribute structure

Presence data published by a presentity and retrieved by watchers.

Element name	Element type	Optional	Description
lastChange	xsd:dateTime	No	The time and date when the attribute was changed last.
note	xsd:string	Yes	An explanatory note.
typeAndValue	AttributeTypeAndValue	No	The type of attribute and its associated value.

7.10a AttributeTypeAndValue union

Element name	Element type	Optional	Description
UnionElement	PresenceAttributeType	No	Type of presence attribute provided (one of the following).
Activity	ActivityValue	Yes	The presentity's activity (available, busy, lunch, etc.)
PlaceType	PlaceTypeValue	Yes	At what kind of place the presentity is (home, office, etc.)
Privacy	PrivacyValue	Yes	The amount of privacy the user wants (public, quiet, etc.)
Sphere	SphereValue	Yes	The user's current environment (work, home)
Communication	CommunicationValue	Yes	The user's means of communication (phone, mail, etc.)
Mood	MoodValue	Yes	The user's mood (angry, confused, happy, etc.)
Placels	PlacelsValue	Yes	Describes the properties of the place the user is currently at.
TimeOffset	TimeOffsetValue	Yes	Describes the number of minutes of offset from UTC that the user is currently at.
StatusIcon	StatusIconValue	Yes	Depicts the current status of the user.
Other	OtherValue	Yes	A name - value pair for arbitrary presence information

7.11 SubscriptionRequest structure

This structure is returned to the presentity by the Presence Web Service and contains the requesting watcher and the attributes he wants to subscribe.

Element name	Element type	Optional	Description
watcher	xsd:anyURI	No	The watcher who wants to gain access to data.
attributes	PresenceAttributeType [0..unbounded]	Yes	The attributes the watcher wants to see. An empty array means subscription to all attribute types.
application	xsd:string	No	The name of the application running on behalf of the watcher. Note that this field has solely informative purposes, access rights management is based on watcher id only.

7.12 PresencePermission structure

The answer from the service to the watcher in the **notifySubscriptionRequest** message.

Element name	Element type	Optional	Description
attribute	PresenceAttributeType	No	The name of the attribute type the watcher wanted to subscribe.
decision	xsd:boolean	No	Indicates whether the presentity accepted the subscription to the attribute type (true) or rejected it (false).

7.13 CommunicationStatusType enumeration

This enumeration shows the status of a communication means.

Enumeration value	Description
On	Presentity's communication means is available now. Watcher can connect directly.
Off	Presentity's communication means is not available for some reason.
Busy	Presentity's communication means is busy.

7.14 PrivacyValue structure

This structure holds an array of privacy types. A privacy type may indicate whether other parties are likely to observe a specific communication type.

Element name	Element type	Optional	Description
privacyTypes	PrivacyType [1... unbounded]	No	Array holding privacy types.

7.15 MoodValue enumeration

This enumeration shows the type of the user's current mood. If the mood type is unknown, the attribute value will be **MoodNone**, meaning the attribute was not set. If the mood type is not in this list, the value will be set to **MoodOther**.

Enumeration value	Description
Afraid	The user is afraid.
Amazed	The user is amazed.
Angry	The user is angry.
Annoyed	The user is annoyed.
Anxious	The user is anxious.
Ashamed	The user is ashamed.
Bored	The user is bored.
Brave	The user is brave.
Calm	The user is calm.
Cold	The user is cold.
Confused	The user is confused.
Contented	The user is contented.
Cranky	The user is cranky.
Curious	The user is curious.
Depressed	The user is depressed.
Disappointed	The user is disappointed.
Disgusted	The user is disgusted.
Distracted	The user is distracted.
Embarrassed	The user is embarrassed.
Excited	The user is excited.
Flirtatious	The user is flirtatious.
Frustrated	The user is frustrated.
Grumpy	The user is grumpy.
Guilty	The user is guilty.

Enumeration value	Description
Happy	The user is happy.
Hot	The user is hot.
Humbled	The user is humbled.
Humiliated	The user is humiliated.
Hungry	The user is hungry.
Hurt	The user is hurt.
Impressed	The user is impressed.
InAwe	The user is in awe.
InLove	The user is in love.
Indignant	The user is indignant.
Interested	The user is interested.
Invincible	The user is invincible.
Jealous	The user is jealous.
Lonely	The user is lonely.
Mean	The user is mean.
MoodNone	The user's mood is unknown.
Moody	The user is moody.
Nervous	The user is nervous.
Neutral	The user is neutral.
Offended	The user is offended.
Playful	The user is playful.
Proud	The user is proud.
Relieved	The user is relieved.
Remorseful	The user is remorseful.
Restless	The user is restless.
Sad	The user is sad.
Sarcastic	The user is sarcastic.
Serious	The user is serious.
Shocked	The user is shocked.
Shy	The user is shy.
Sick	The user is sick.
Sleepy	The user is sleepy.
Stressed	The user is stressed.
Surprised	The user is surprised.
Thirsty	The user is thirsty.
Worried	The user is worried.
MoodOther	The user's current mood is not listed here.

7.16 PlacelsValue structure

This structure holds properties of the place the presentity is currently at, such as the levels of light and noise. This information can be used by the watcher to determine the type of communication that is likely to be successful.

Element name	Element type	Optional	Description
audio	PlacelsAudioValue	Yes	Describes place conditions for audio communication.
video	PlacelsVideoValue	Yes	Describes place conditions for video communication.
text	PlacelsTextValue	Yes	Describes place conditions for real-time and instant-messaging communication.

7.17 PlacelsAudioValue enumeration

This enumeration shows the properties of the place the presentity is currently at with respect to audio communication.

Enumeration value	Description
Noisy	The user is in a place with a level of background noise that makes audio communications difficult.
Ok	The environmental conditions are suitable.
Quiet	The user is in a place such as a library, restaurant, place of worship, or theatre that discourages noise, conversation, and other distractions.
Unknown	The place attributes are not known.

7.18 PlacelsVideoValue enumeration

This enumeration shows the properties of the place the presentity is currently at with respect to video communication.

Enumeration value	Description
TooBright	The place is too bright for video communication.
Ok	The environmental conditions for video communication are acceptable.
Dark	The place is too dark for video communication.
Unknown	The environmental conditions for video communication are not known.

7.19 PlacelsTextValue enumeration

This enumeration shows the properties of the place the presentity is currently at with respect to real-time text and instant messaging.

Enumeration value	Description
Uncomfortable	The place is uncomfortable for typing or other text entry.
Inappropriate	The place is inappropriate for typing or other text entry.
Ok	The environmental conditions are suitable for typing or other text entry.
Unknown	The place attributes for text communication is not known.

7.20 RelationshipValue enumeration

This enumeration shows the type of relationship the user has with a contact. If the relationship type is unknown, the attribute value will be **RelationshipNone**, meaning the attribute was not set. If the relationship type is not in this list, the value will be set to **RelationshipOther**.

Enumeration value	Description
Family	The contact is part of the user's family.
Assistant	The contact is an assistant of the user, e.g. colleague.
Friend	The contact is a friend of the user.
Associate	The contact is an associate of the user.
Supervisor	The contact is the user's supervisor.
RelationshipNone	The relationship type is unknown.
RelationshipOther	The relationship type is not in this list.

7.21 TimeOffsetValue structure

This structure describes the number of minutes of offset from UTC for the user's current location.

Element name	Element type	Optional	Description
timeZone	xsd:string	Yes	Describes the time zone. The description is intended for human presentation.
minutes	xsd:int	No	Number of minutes of offset from UTC for the user's current location.

7.22 StatusIconValue structure

This structure includes a URI pointing to an image that represents the current status of the user.

Element name	Element type	Optional	Description
statusIcon	xsd:anyURI	No	Address of the image (icon) representing the user's current status.

7.23 Watcher structure

This structure holds a watcher identity and the authorization status.

Element name	Element type	Optional	Description
watcher	xsd:anyURI	No	The identity of the watcher.
watcherSubscriptionStatus	WatcherSubscriptionStatus	No	The status of the watcher's subscription.

7.24 WatcherSubscriptionStatus enumeration

This enumeration shows the different statuses a watcher's subscription may have.

Enumeration value	Description
Authorised	Indicates that the watcher's subscription has been authorised by the presentity.
Blocked	Indicates that the watcher's subscription is currently blocked by the presentity.
PoliteBlocked	Indicates that the watcher's subscription is politely blocked by the presentity.

8 Web Service interface definition

This API is separated into three interfaces:

- PresenceConsumer interface: watcher methods for requesting and subscribing presence data.
- PresenceNotification interface: is the watcher notification interface for presence events.
- PresenceSupplier interface: presentity methods for supplying presence data and managing subscriptions.

8.1 Interface: PresenceConsumer

Client role: watcher.

This set of methods is used by the watcher to obtain presence data. After the subscription to presence data, the watcher can select between a polling mode or a notification mode in order to receive presence data.

8.1.1 Operation: subscribePresence

The presentity is contacted and requested to authorize the watcher. As this process generally involves user interaction there cannot be an immediate response. The watcher is notified with **notifySubscription()**. If the presentity is a group, every member of the group will be contacted for authorization. The watcher will get one notification for each member.

A service policy may govern the maximum number of allowed presentity URIs provided in the request. Note that the policy governs the size of the array holding the URIs. A policy exception (POL0003) will be raised if the value provided is not within the policy. Only after the subscription is completed (and the presentity has allowed access to attributes) may the watcher get information when he uses **getUserPresence()** or **startPresenceNotification()**.

The **reference** part contains the Web Service reference that provides the information necessary for the Presence Supplier to notify the watcher with the results of the subscription request. Consistent with the definition provided in clause 12.4.1.7 of ES 202 504-1 [3], the **correlator** element of this Web service reference should be an empty string because the presence attribute subscription logic in the watcher application is stateless.

- Note that, pending the decision of the presentity concerning the subscription request, the watcher may have invoked the **subscribePresence** operation multiple times: i.e. for different presence attribute types. The response from the Presence Supplier thus may reflect the result of multiple, preceding subscription requests by the watcher.

At this interface level, the subscription has no expiration, although it can be ended from the presentity of the underlying layers (see **subscriptionEnded** operation).

8.1.1.1 Input message: subscribePresenceRequest

Part name	Part type	Optional	Description
watcher	xsd:anyURI	No	A watcher who wants to monitor a presentity or a group of presentities. The Watcher Application invokes this operation on behalf of this watcher. However, it should NOT be assumed that the Watcher Application has authenticated the watcher.
presentities	xsd:anyURI [1..unbounded]	No	The presentities whose attributes the watcher wants to monitor. The array of presentity URIs may include group URIs.
attributes	PresenceAttributeType [0..unbounded]	Yes	The attribute types the watcher wants to access. (The same attribute types for all the group members). An empty array means subscription to all attribute types.
application	xsd:string	No	Describes the application the watcher needs the data for.
reference	common:Simple Reference	No	The notification interface.

8.1.1.2 Output message: subscribePresenceResponse

Part name	Part type	Optional	Description
None			

8.1.1.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0004: No valid addresses - if the presentity address does not exist.
- SVC0006: Invalid group.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.
- POL0002: Privacy error.

- POL0003: Too many addresses
- POL0006: Groups not allowed.
- POL0007: Nested groups not allowed.

8.1.2 Operation: getUserPresence

Returns the aggregated presence data of a presentity. Only the attributes which the watcher is entitled to see will be returned. This method does not support group identities.

Before getting these attributes, the watcher has to subscribe to them (see above). The presentity needs not be informed of the access, as he has already consented when the watcher called **subscribePresence()**.

8.1.2.1 Input message: getUserPresenceRequest

Part name	Part type	Optional	Description
watcher	xsd:anyURI	No	A watcher who wants to see the presentity's presence data. The Watcher Application invokes this operation on behalf of this watcher. However, it should NOT be assumed that the Watcher Application has authenticated the watcher.
presentity	xsd:anyURI	No	The presentity whose data the watcher wants to see.
attributes	PresenceAttributeType [0..unbounded]	Yes	The attribute types the watcher wants to see. An empty array means all attribute types.

8.1.2.2 Output message: getUserPresenceResponse

Part name	Part type	Optional	Description
result	PresenceAttribute [0..unbounded]	Yes	The actual presence data.

8.1.2.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0004: No valid addresses - if the presentity address does not exist.

PolicyException from ES 202 504-1 [3]. The presentity has the possibility to cancel or block a subscription by manipulating the policy rules. The exception informs the watcher about this status change.

- POL0002: Privacy error - if the watcher is not subscribed to the requested data.
- POL0006: Groups not allowed.

8.1.3 Operation: startPresenceNotification

The notification pattern with correlation is used in order to be able to correlate the notification events with the request. The **attributes** message part specifies a subset of all possible attribute types that can be subscribed and can be used as a filter.

The watcher sets a notification trigger on certain user presence attribute changes. If the **attributes** message part is empty, the watcher wants to be notified about changes to all subscribed attribute types.

In case the presentity is a group the watcher will receive notifications for every single member of the group. The watcher will only get notifications for those attributes and presentities he subscribed successfully prior to the call. The service will return an array of presentities where the notifications could not be set up.

A service policy may govern the maximum number of allowed presentity URIs provided in the request. Note that the policy governs the size of the array holding the URIs. A policy exception (POL0003) will be raised if the value provided is not within the policy.

The presentity needs not be informed of the access, as he has already consented when the watcher called **subscribePresence()**.

Note that the **SimpleReference** contains the correlator string used in subsequent messages to the notification interface.

8.1.3.1 Input message: startPresenceNotificationRequest

Part name	Part type	Optional	Description
watcher	xsd:anyURI	No	The watcher who wants to monitor the presentity's presence data. The Watcher Application invokes this operation on behalf of this watcher. However, it should NOT be assumed that the Watcher Application has authenticated the watcher.
presentities	xsd:anyURI [1..unbounded]	No	The presentities whose attribute types the watcher wants to monitor. The array of presentity URIs may include group URIs.
attributes	PresenceAttributeType [0..unbounded]	Yes	The attribute types the watcher wants to monitor. An empty array means monitoring of all attribute types.
reference	common:SimpleReference	No	The notification interface.
frequency	common:TimeMetric	No	Maximum frequency of notifications (can also be considered minimum time between notifications). In case of a group subscription the service must make sure this frequency is not violated by notifications for various members of the group, especially in combination with checkImmediate .
duration	common:TimeMetric	Yes	Length of time notifications occur for, do not specify to use default notification time defined by service policy.
count	xsd:int	Yes	Maximum number of notifications. For no maximum, either do not specify this part or specify a value of zero.
checkImmediate	xsd:boolean	No	Whether to check status immediately after establishing notification.

8.1.3.2 Output message: startPresenceNotificationResponse

Part name	Part type	Optional	Description
result	xsd:anyURI [0..unbounded]	Yes	The presentities for which the requested notifications could not be set up. Empty if notifications were set up for all the specified presentities.

8.1.3.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0004: No valid addresses - if the presentity URI does not exist.
- SVC0005: Duplicate correlator.
- SVC0006: Invalid group.

PolicyException from ES 202 504-1 [3]. The presentity has the possibility to cancel or block a subscription by manipulating the policy rules. The exception informs the watcher about this status change.

- POL0001: Policy error.
- POL0002: Privacy error.
- POL0003: Too many addresses

- POL0004: Unlimited notifications not supported.
- POL0005: Too many notifications requested.
- POL0006: Groups not allowed.
- POL0007: Nested groups not allowed.
- POL0009: Invalid frequency requested.

8.1.4 Operation: endPresenceNotification

Indicates that the watcher does not want further notifications for a specific notification request (identified by the correlator). Note that the subscription to presence data stays active; the caller of this method remains a watcher and can still use **getUserPresence()** or reactivate the notifications.

8.1.4.1 Input message: endPresenceNotificationRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	The notification the watcher wants to cancel.

8.1.4.2 Output message: endPresenceNotificationResponse

Part name	Part type	Optional	Description
None			

8.1.4.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.

8.2 Interface: PresenceNotification

This client callback interface is used by the presence consumer interface to send notifications.

8.2.1 Operation: statusChanged

The asynchronous operation is called by the Web Service when an attribute for which notifications were requested changes.

8.2.1.1 Input message: statusChangedRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	Identifies the notification request.
presentity	xsd:anyURI	No	The presentity whose presence status has changed.
changedAttributes	PresenceAttribute [1..unbounded]	No	The new presence data.

8.2.1.2 Output message: statusChangedResponse

Part name	Part type	Optional	Description
None			

8.2.1.3 Referenced faults

None.

8.2.2 Operation: statusEnd

The notifications have ended for this correlator. This message will be delivered when the duration or count for notifications have been completed. This message will not be delivered in the case of an error ending the notifications or deliberate ending of the notifications (using **endPresenceNotification** operation).

8.2.2.1 Input message: statusEndRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	Correlator provided in request to set up this notification.

8.2.2.2 Output message: statusEndResponse

Part name	Part type	Optional	Description
None			

8.2.2.3 Referenced faults

None.

8.2.3 Operation: notifySubscription

This asynchronous method notifies the watcher that the server or the presentity handled the pending subscription.

NOTE: There is no **correlator** message part for reasons explained in clause 8.1.1: i.e. in the description of the **subscribePresence** operation.

8.2.3.1 Input message: notifySubscriptionRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	The presentity whose attribute types the watcher wants to monitor.
watcher	xsd:anyURI	No	The watcher who wants to monitor the presentity's presence data. It has the same value as the watcher part of the original subscribePresenceRequest message (reference clause 8.1.1.1).
decisions	PresencePermission [0..unbounded]	Yes	Denotes the decision of the server/presentity to the subscription request for each attribute type. An empty array means subscription accepted for all requested attribute types.

8.2.3.2 Output message: notifySubscriptionResponse

Part name	Part type	Optional	Description
None			

8.2.3.3 Referenced faults

None.

8.2.4 Operation: subscriptionEnded

This asynchronous operation is called by the Web Service to notify the watcher (application) that the subscription has terminated. Typical reasons are a timeout of the underlying SIP soft state subscription (in accordance with [8] and [5]) or the decision of the presentity to block further presence information to that watcher. Since the subscription request has no expiration parameters, the service implementation may provide an inactivity timer that also triggers the **subscriptionEnded** operation.

NOTE: There is no **correlator** message part for reasons explained in clause 8.1.1: i.e. in the description of the **subscribePresence** operation.

8.2.4.1 Input message: subscriptionEndedRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	The presentity to which the subscription has terminated.
watcher	xsd:anyURI	No	The watcher whose subscription is terminated. It has the same value as the watcher part of the original subscribePresenceRequest message (reference clause 8.1.1.1).
reason	xsd:string	No	Timeout, Blocked.

8.2.4.2 Output message: subscriptionEndedResponse

Part name	Part type	Optional	Description
None			

8.2.4.3 Referenced faults

None.

8.3 Interface: PresenceSupplier

These methods are used by the presentity to supply presence data and manage access to the data by its watchers. We assume that the presentity has been previously authenticated, so that his Identity is known.

8.3.1 Operation: publish

The presentity publishes data about herself. This data will then be filtered by the system and forwarded to the watchers who have ordered notifications.

8.3.1.1 Input message: publishRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	The presentity who wants to publish his or her presence data. The Presentity Application invokes this operation on behalf of this presentity. However, it should NOT be assumed that the Presentity Application has authenticated the presentity.
presence	PresenceAttribute [0..unbounded]	Yes	The presence attributes the devices of the presentity supports.

8.3.1.2 Output message: publishResponse

Part name	Part type	Optional	Description
None			

8.3.1.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.

8.3.2 Operation: getOpenSubscriptions

Called periodically by the presentity to see if any watcher wants to subscribe to presence data. The client will answer open requests with **updateSubscriptionAuthorization()**.

8.3.2.1 Input message: getOpenSubscriptionsRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	The presentity who wants to get watchers to subscribe to his or her presence data. The Presentity Application invokes this operation on behalf of this presentity. However, it should NOT be assumed that the Presentity Application has authenticated the presentity.

8.3.2.2 Output message: getOpenSubscriptionsResponse

Part name	Part type	Optional	Description
result	SubscriptionRequest [0..unbounded]	Yes	Any open requests.

8.3.2.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.

8.3.3 Operation: updateSubscriptionAuthorization

The presentity answers with this operation to watchers' subscriptions for which no authorization policy exists. The answer consists of the attribute and the watchers involved and the permissions for each attribute. Subscription requests that are not answered are assumed pending.

The operation can be used by the presentity to change anytime the authorization for certain watchers or groups monitoring one or several attributes.

A service policy may govern the maximum number of allowed watcher URIs provided in the request. Note that the policy governs the size of the array holding the watcher URIs. A policy exception (POL0003) will be raised if the value provided is not within the policy.

If a watcher did not try to subscribe to the attribute - i.e. there is no pending subscription from the watcher to an attribute in the **decisions** array, a Presence-specific ServiceException (SVC0220) will be raised and the entire authorization request ignored.

The presentity may respond to the watcher's request with **PoliteBlock** set to true. In this case the watcher must not be considered authorised by the presentity, but this information must not be disclosed to the watcher. Instead, the watcher should be notified that the request was authorised, but the watcher should only be able to retrieve either no presence information or presence information dedicated for the polite block feature. It is the responsibility of the Presence Web Service to decide what presence information to publish to watchers whose subscription is politely blocked.

8.3.3.1 Input message: updateSubscriptionAuthorizationRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	Presentity who wants to update his or her subscribers' authorization. The Presentity Application invokes this operation on behalf of this presentity. However, it should NOT be assumed that the Presentity Application has authenticated the presentity.
watchers	xsd:anyURI [1..unbounded]	No	The watchers for whom the presentity wants to update the subscription. The array of watcher URIs may include group URIs.
decisions	PresencePermission [0..unbounded]	Yes	The answers to open requests. An empty array means subscription accepted for all requested attribute types.
politeBlock	xsd:boolean	No	If politeBlock is true the decisions must be ignored, and the watcher is considered not authorised, but this must not be revealed to the watcher. The Presence Web Service shall decide what information to publish as polite block presence. If false, the attributes will be published as specified by decisions .

8.3.3.2 Output message: updateSubscriptionAuthorizationResponse

Part name	Part type	Optional	Description
None			

8.3.3.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0004: No valid addresses.
- SVC0006: Invalid group.
- SVC0220: No subscription request.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.
- POL0002: Privacy error.
- POL0003: Too many addresses
- POL0006: Groups not allowed.
- POL0007: Nested groups not allowed.

8.3.4 Operation: getMyWatchers

Returns an array of watching identities for a specific presentity. The watchers' status is included in the response to the client. The client may apply a filter to retrieve watchers based on subscription status.

8.3.4.1 Input message: getMyWatchersRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	Presentity who wants to know his or her watchers. The Presentity Application invokes this operation on behalf of this presentity. However, it should NOT be assumed that the Presentity Application has authenticated the presentity.
watcherSubscription Status	WatcherSubscription Status [0..unbounded]	Yes	Allows the presentity to apply a filter based on watcher subscription status. An empty list means the presentity wants to retrieve all watchers.

8.3.4.2 Output message: getMyWatchersResponse

Part name	Part type	Optional	Description
result	Watcher [0..unbounded]	Yes	The list of watcher identities who currently have requested access to the presentity's attributes. The subscription status of each watcher is included in the response

8.3.4.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.
- POL0002: Privacy error.

8.3.5 Operation: getSubscribedAttributes

Returns an array of attributes that a specific watcher has subscribed.

8.3.5.1 Input message: getSubscribedAttributesRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	The presentity who wants to know the attributes to which his or her watcher has subscribed. The Presentity Application invokes this operation on behalf of this presentity. However, it should NOT be assumed that the Presentity Application has authenticated the presentity.
watcher	xsd:anyURI	No	The watcher whose subscriptions the presentity wants to know.

8.3.5.2 Output message: getSubscribedAttributesResponse

Part name	Part type	Optional	Description
result	PresenceAttributeType [0..unbounded]	Yes	The attributes the watcher is subscribed to. An empty array means subscription to all attribute types.

8.3.5.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0004: No valid addresses.

- SVC0221: Not a watcher - if the URI in the **watcher** part is not a watcher of the presentity.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.

8.3.6 Operation: blockSubscription

With this operation the presentity can block entirely the flow of presence information to a certain subscribed watcher by cancelling the subscription. The watcher will be notified with a **subscriptionEnded()** message.

8.3.6.1 Input message: blockSubscriptionRequest

Part name	Part type	Optional	Description
presentity	xsd:anyURI	No	The presentity who wants to block the watcher. The Presentity Application invokes this operation on behalf of this presentity. However, it should NOT be assumed that the Presentity Application has authenticated the presentity.
watcher	xsd:anyURI	No	The watcher whose subscriptions the presentity wants to cancel.

8.3.6.2 Output message: blockSubscriptionResponse

Part name	Part type	Optional	Description
None			

8.3.6.3 Referenced faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0004: No valid addresses.
- SVC0221: Not a watcher - if the URI in the **watcher** part is not a watcher of the presentity.

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.

8.4 Interface: PresenceSupplierNotificationManager

This interface enables applications to set up and tear down notifications for open watcher subscriptions. After the notification has been established the presentity will be notified with **notifyOpenSubscription** when a **subscribePresence** operation is invoked by a watcher.

8.4.1 Operation: startSubscriptionNotification

The **PresenceSupplierNotificationManager** interface provides functionality that allows presentities to be notified about new open subscriptions.

The **checkImmediate** part allows the application to request an immediate notification after the notification is established. All open subscriptions will be included in the notification.

The application may specify the duration for how long the notifications should occur with the **duration** part. If the parameter is absent the notification will last until the application invokes the **endNotification** operation.

The **correlator** provided in the **reference** part must be unique for the application at the time the notification is initiated, otherwise a ServiceException (SVC0005) will be returned to the application.

8.4.1.1 Input message: startSubscriptionNotificationRequest

Part name	Part type	Optional	Description
reference	common:SimpleReference	No	Notification endpoint definition.
presentities	xsd:anyURI [1..unbounded]	No	The presentities for which the application wants to receive notifications of open watcher subscription requests. The array of presentity URIs may include group URIs.
duration	common:TimeMetric	Yes	Length of time notifications occur for. If the element is omitted the notifications will continue until endNotification is invoked.
checkImmediate	xsd:boolean	No	Return all open subscriptions immediately after establishing notification.

8.4.1.2 Output message: startSubscriptionNotificationResponse

Part Name	Part Type	Optional	Description
None			

8.4.1.3 Referenced Faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error.
- SVC0002: Invalid input value.
- SVC0004: No valid addresses.
- SVC0005: Duplicate correlator.
- SVC0006: Invalid group.
- SVC0008: Overlapping criteria

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error.
- POL0002: Privacy error.
- POL0003: Too many addresses.
- POL0004: Unlimited notifications not supported.
- POL0006: Groups not allowed.
- POL0007: Nested groups not allowed.

8.4.2 Operation: endNotification

The presentity application ends notifications for open subscriptions using this operation.

8.4.2.1 Input message: endNotificationRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	Correlator of request to end

8.4.2.2 Output message: endNotificationResponse

Part Name	Part Type	Optional	Description
None			

8.4.2.3 Referenced Faults

ServiceException from ES 202 504-1 [3]:

- SVC0001: Service error
- SVC0002: Invalid input value

PolicyException from ES 202 504-1 [3]:

- POL0001: Policy error

8.5 Interface: PresenceSupplierNotification

This client interface is used to notify the presentity of new open watcher subscriptions.

8.5.1 Operation: notifyOpenSubscription

The asynchronous operation is called by the Presence Web Service to inform the client of new open subscriptions. The client will answer open requests by invoking the updateSubscriptionAuthorization or blockSubscription operations.

8.5.1.1 Input message: notifyOpenSubscriptionRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	Correlator
presentity	xsd:anyURI	No	The presentity that the open subscription refers to.
subscriptionRequests	SubscriptionRequest [1 ... unbounded]	No	Describes the watcher subscription requests

8.5.1.2 Output message: notifyOpenSubscriptionResponse

Part name	Part type	Optional	Description
None			

8.5.1.3 Referenced faults

None.

8.5.2 Operation: notifyError

The **notifyError** operation is invoked to indicate that the notification for a presentity, or for the whole notification, is being cancelled by the Web Service.

8.5.2.1 Input message: notifyErrorRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	Correlator provided in request to set up this notification.
presentity	xsd:anyURI	Yes	Presentity identifier if the error applies to an individual presentity, or not specified if it applies to the whole notification.
reason	common:ServiceError	No	Reason notification is being discontinued.

8.5.2.2 Output message: notifyErrorResponse

Part name	Part type	Optional	Description
None			

8.5.2.3 Referenced faults

None.

8.5.3 Operation: notifyEnd

The notifications have completed for this correlator. This operation will be invoked when the duration for notifications has expired. This message will not be delivered in the case of an error ending the notifications or deliberate ending of the notifications (using the **endNotification** operation).

8.5.3.1 Input message: notifyEndRequest

Part name	Part type	Optional	Description
correlator	xsd:string	No	Correlator provided in request to set up this notification.

8.5.3.2 Output message: notifyEndResponse

Part name	Part type	Optional	Description
None			

8.5.3.3 Referenced faults

None.

9 Fault definitions

9.1 ServiceException

9.1.1 SVC0220: No subscription request

Name	Description
messageld	SVC0220.
text	No subscription request from watcher %1 for attribute %2.
variables	%1 - watcher URI. %2 - type of attribute, from clause 7.1.

9.1.2 SVC0221: Not a watcher

Name	Description
messageld	SVC0221.
text	%1 is not a watcher.
variables	%1 - watcher URI.

10 Service policies

Service policies for this service.

Name	Type	Description
MaximumNotificationFrequency	common:TimeMetric	Maximum rate of notification delivery (also can be considered minimum time between notifications).
MaximumNotificationDuration	common:TimeMetric	Maximum amount of time a notification may be set up for.
DefaultNotificationDuration	common:TimeMetric	Default amount of time for which a notification will be set up.
MaximumCount	xsd:int	Maximum number of notifications that may be requested.
UnlimitedCountAllowed	xsd:boolean	Allowed to specify unlimited notification count (i.e. either by not specifying the optional count part in the startPresenceNotificationRequest message or by specifying a value of zero).
GroupSupport	xsd:boolean	Groups may be included with addresses.
NestedGroupSupport	xsd:boolean	Are nested groups supported in group definitions.
MaximumIdentifiers	xsd:int	Maximum number of allowed URIs provided in a request. A group URI shall be considered as one URI.

Annex A (normative): WSDL for Presence

The document/literal WSDL representation of this interface specification is compliant to ES 202 504-1 [3] and is contained in text files (contained in archive es_20250414v010101m0.zip) which accompany the present document.

Annex B (informative): Bibliography

IETF RFC 4660: "Functional Description of Event Notification Filtering". <http://www.ietf.org/rfc/rfc4660.txt>.

IETF RFC 4480: "RPID: Rich Presence: Extensions to the Presence Information Data Format (PIDF)".
<http://www.ietf.org/rfc/rfc4480.txt>.

IETF RFC 4825: "The Extensible Markup Language (XML) Configuration Access Protocol (XCAP)".
<http://www.ietf.org/rfc/rfc4825.txt>.

ETSI TS 123 141: "Universal Mobile Telecommunications System (UMTS); Presence service; Architecture and functional description; Stage 2 (3GPP TS 23.141)".

Repository of information about the Extensible Messaging and Presence Protocol (XMPP), which was contributed by the Jabber Software Foundation (JSF) to the IETF, <http://www.xmpp.org/>.

History

Document history		
V1.1.1	February 2008	Membership Approval Procedure MV 20080425: 2008-02-26 to 2008-04-25