

ETR 310

October 1996

Source: ETSI TC-RES

Reference: DTR/RES-03077-C1

ICS: 33.020, 33.060.50

Key words: DECT, traffic

This corrigendum modifies the ETSI Technical Report ETR 310 (August 1996)

Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Traffic capacity and spectrum requirements for multi-system and multi-service DECT applications co-existing in a common frequency band

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE **Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE **X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2 ETR 310: August 1996/Corrigendum: October 1996

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

This corrigendum to ETR 310 (August 1996) corrects an error in subclause 10.4 of the document.

Amendment

Subclause 10.4

Modify the second paragraph of subclause 10.4 (after the note), as follows:

The intention is to restrict the maximum load from one antenna on the DECT spectrum in a specific geographical direction. This recommendation must **not** be used to limit economic infrastructure implementations, but as a tool for optimizing coexistence on the common DECT spectrum when required.

Page 4 ETR 310: August 1996/Corrigendum: October 1996

History

Document history	
August 1996	First Edition
October 1996	Corrigendum to First Edition