



GROUP SPECIFICATION

Context Information Management (CIM); NGSI-LD Implementation Conformance Statement

Disclaimer

The present document has been produced and approved by the cross-cutting Context Information Management (CIM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/CIM-0029v211

Keywords

API, IoT, NGSI-LD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Executive summary	5
Introduction	5
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	7
3.1 Terms.....	7
3.2 Symbols	8
3.3 Abbreviations	8
4 Implementation Conformance Statement.....	9
Annex A (normative): ICS Pro forma	10
A.0 The right to copy	10
A.1 Guidance for completing the ICS pro forma	10
A.1.1 Purposes and structure.....	10
A.1.2 Abbreviations and conventions	10
A.1.3 Instructions for completing the ICS pro forma.....	12
A.2 Identification of the implementation	12
A.2.1 Introduction	12
A.2.2 Date of the statement.....	12
A.2.3 Implementation Under Test (IUT) identification	12
A.2.4 System Under Test (SUT) identification	13
A.2.5 Product supplier.....	13
A.2.6 Client (if different from product supplier).....	13
A.2.7 ICS contact person.....	14
A.3 Identification of the reference specifications	14
A.4 Global statement of conformance.....	15
A.5 Tables	15
A.5.1 Features	15
A.5.1.1 Architecture	15
A.5.1.2 Core NGSI-LD @context	15
A.5.1.3 NGSI-LD Data Representation.....	15
A.5.1.4 Data Representation Restrictions	16
A.5.1.5 Other CIM transversal features.....	16
A.5.1.6 API Operation Definition.....	17
A.5.1.7 API HTTP Binding	17
A.5.2 API Operation	17
A.5.2.1 Entity List	17
A.5.2.2 Entity by id	18
A.5.2.3 Attribute List	18
A.5.2.4 Attribute by id.....	18
A.5.2.5 Subscriptions List	18
A.5.2.6 Subscription by Id.....	18
A.5.2.7 Entity Types.....	18
A.5.2.8 Entity Type	18

A.5.2.9	Attributes	18
A.5.2.10	Attribute	19
A.5.2.11	Context source registration list	19
A.5.2.12	Context source registration by Id	19
A.5.2.13	Context source registration subscription list	19
A.5.2.14	Context source registration subscription by Id	19
A.5.2.15	Entity Operations. Create	19
A.5.2.16	Entity Operations. Upsert	19
A.5.2.17	Entity Operations. Update	19
A.5.2.18	Entity Operations. Delete	19
A.5.2.19	Entity Operations. Query	20
A.5.2.20	Entity Operations	20
A.5.2.21	Temporal Evolution of Entities	20
A.5.2.22	Temporal Evolution of an Entity by id	20
A.5.2.23	Temporal Representation of Attribute List	20
A.5.2.24	Temporal Representation of Attribute by id	20
A.5.2.25	Temporal Representation of Attribute Instance by id	20
A.5.2.26	Create EntityMap for Query Temporal Evolution of Entities	20
A.5.2.27	Temporal Query Operation	21
A.5.2.28	Add and List @context	21
A.5.2.29	Serve, Delete and Reload @context	21
A.5.2.30	Create EntityMap for Query Entities	21
A.5.2.31	Retrieve, Update and Delete Entity Maps	21
A.5.2.32	Retrieve Context Source Identity Information	21
A.5.2.33	Create Snapshot or Purge Snapshots	21
A.5.2.34	Retrieve and Update Snapshot Status or Delete Snapshot	21
A.5.2.35	Clone Snapshot	22
A.6	Mnemonics for PICS	22
A.6.0	Explanation	22
A.6.1	Mnemonics for PICS reference	22
A.7	Mnemonics for PICS	24
A.7.0	Explanation	24
A.7.1	Mnemonics for PICS reference	25
Annex B (informative):	Change history	28
History		29

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™, LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) cross-cutting Context Information Management (CIM).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The present document is providing operational guidance to the one developing and using the NGSI-LD test suites. It lists the Implementation Conformance Statements (ICSs).

Introduction

The ISG CIM group has defined an API for exchange of information contextualized in time, space and relation to other information using a property graph model with the intent that the associated protocol (called NGSI-LD) becomes the "glue" between all kinds of applications and databases associated with services for Smart Cities, Smart Agriculture, Smart Manufacturing, etc.

To be successful, the NGSI-LD API specification needs to be well understood and well implemented. The community of users will not be solely highly professional engineers employed by big companies but will include many small teams and SMEs and even hobbyists. Therefore, it is essential that the developers have access to not only the standard but also a test specification and a testing environment to check that their work is (and remains) conformant to the ETSI NGSI-LD specification.

The developers will usually write integration tests to validate the behaviour of their NGSI-LD implementation, but it is important to assert compliance to the specification [1] based on a test suite agreed by the group creating the API specification, i.e. ETSI ISG CIM. Therefore, it is very important to create a set of ETSI-approved test cases.

What is more, the existence of such a test suite will likely help to increase the adoption of the NGSI-LD specification [1] by giving developers a ready to use and complete set of sample requests.

The present document specifies the Implementation Conformance Statements (ICSs) aimed at listing the target capabilities of the NGSI-LD specification.

1 Scope

The present document provides the Implementation Conformance Statement which is basically a checklist for a client-owner and developers of implementations so they know what parts of the specification [1] will be tested and if any is optional.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI GS CIM 009 \(V1.6.1\)](#): "cross-cutting Context Information Management (CIM); NGSI-LD API".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] ISO/IEC 9646-7: "Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 7: Implementation Conformance Statements".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

NOTE: The letters "NGSI-LD" were added to most terms to confirm that they are distinct from other terms of similar/same name in use in other organizations, however, in the present document the letters "NGSI-LD" are generally omitted for brevity.

NGSI-LD Central Broker: NGSI-LD Context Broker that only uses a local storage when serving NGSI-LD requests, without involving any external Context Sources

NGSI-LD Context Broker: architectural component that implements all the NGSI-LD interfaces

NGSI-LD Context Consumer: agent that uses the query and subscription functionality of NGSI-LD to retrieve context information

NGSI-LD Context Producer: agent that uses the NGSI-LD context provision and/or registration functionality to provide or announce the availability of its context information to an NGSI-LD Context Broker

NGSI-LD Context Registry: software functional element where Context Sources register the information that they can provide

NOTE: It is used by Distribution Brokers and Federation Brokers to find the appropriate Context Sources which can provide the information required for serving an NGSI-LD request.

NGSI-LD Context Source: source of context information which implements the NGSI-LD consumption and subscription (and possibly provision) interfaces defined by the present document

NOTE: It is usually registered with an NGSI-LD Registry so that it can announce what kind of information it can provide, when requested, to Context Consumers and Brokers.

NGSI-LD Distribution Broker: NGSI-LD Context Broker that uses both local context information and registration information from an NGSI-LD Context Registry, to access matching context information from a set of distributed Context Sources

NGSI-LD Federation Broker: Distribution Broker that federates information from multiple underlying NGSI-LD Context Brokers and across domains

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

API	Application Programming Interface
GS	Group Specification
HTTP	HyperText Transfer Protocol
ICS	Implementation Conformance Statement
ISG	Industry Specification Group
ISO	International Organization for Standardization
IUT	Implementation Under Test
JSON	JavaScript Object Notation
JSON-LD	JSON Linked Data
NGSI	Next Generation Service Interfaces
PDU	Protocol Data Unit
PICS	Profile Implementation Conformance Statement
SUT	Implementation Under Test
TB	Technical Body
ToR	Terms of Reference
TP	Test Purposes

4 Implementation Conformance Statement

An ICS pro forma which conforms to this ICS pro forma specification shall be technically equivalent to annex A, and shall preserve the numbering and ordering of the items in annex A.

An ICS which conforms to this PICS pro forma specification shall:

- a) describe an implementation which claims to conform to ETSI GS CIM 009 [1];
- b) be a conforming ICS pro forma which has been completed in accordance with the instructions for completion given in clause A.1;
- c) include the information necessary to uniquely identify both the supplier and the implementation.

Annex A (normative): ICS Pro forma

A.0 The right to copy

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the ICS pro forma in this annex so that it can be used for its intended purposes and may further publish the completed ICS pro forma.

A.1 Guidance for completing the ICS pro forma

A.1.1 Purposes and structure

The purpose of this ICS pro forma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in ETSI GS CIM 009 may provide information about the implementation in a standardized manner.

The ICS pro forma is subdivided into clauses for the following categories of information:

- guidance for completing the ICS pro forma;
- identification of the implementation;
- global statement of conformance;
- ICS pro forma tables.

A.1.2 Abbreviations and conventions

The ICS pro forma contained in annex A is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7.

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Reference column

The reference column gives reference to the relevant sections in core specifications.

Status column

The various status used in this annex are in accordance with the rules in table A.1.2-1.

Table A.1.2-1: Key to status codes

Status code	Status name	Meaning
m	mandatory	The capability shall be supported. It is a static view of the fact that the conformance requirements related to the capability in the reference specification are mandatory requirements. This does not mean that a given behaviour shall always be observed (this would be a dynamic view), but that it shall be observed when the implementation is placed in conditions where the conformance requirements from the reference specification compel it to do so. For instance, if the support for a parameter in a sent PDU is mandatory, it does not mean that it shall always be present, but that it shall be present according to the description of the behaviour in the reference specification (dynamic conformance requirement).
o	optional	The capability may or may not be supported. It is an implementation choice.
n/a	not applicable	It is impossible to use the capability. No answer in the support column is required.
c.<integer>	conditional	The requirement on the capability ("m", "o", "n/a") depends on the support of other optional or conditional items. <integer> is the identifier of the conditional expression.
o.<integer>	qualified optional	For mutually exclusive or selectable options from a set. <integer> is the identifier of the group of options, and the logic of selection of the options.

Mnemonic column

The Mnemonic column contains mnemonic identifiers for each item.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7, are used for the support column:

N or n not supported by the implementation

N/A, n/a or no answer required (allowed only if the status is N/A, directly or after evaluation of a conditional status)

Y or y supported by the implementation

References to items

For each possible item answer (answer in the support column) within the ICS pro forma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table.

EXAMPLE 1: A.5/4 is the reference to the answer of item 4 in table A.5.

EXAMPLE 2: A.6/3b is the reference to the second answer (i.e. in the second support column) of item 3 in table 6 of annex A.

Values allowed column

The values allowed column contains the type, the list, the range or the length of values allowed. The following notations are used:

range of values: <min value> .. <max value>

EXAMPLE: 5 .. 20

list of values: <value1>, <value2>, ..., <valueN>

EXAMPLE 1: 2 ,4 ,6 ,8, 9

EXAMPLE 2: '1101'B, '1011'B, '1111'B

EXAMPLE 3: '0A'H, '34'H, '2F'H

list of named values: <name1>(<val1>), <name2>(<val2>), ..., <nameN>(<valN>)

EXAMPLE: reject(1), accept(2)

length: size (<min size> .. <max size>)

EXAMPLE: size (1 .. 8)

Values supported column

The values supported column shall be filled in by the supplier of the implementation. In this column, the values or the ranges of values supported by the implementation shall be indicated.

Prerequisite line

A prerequisite line takes the form: Prerequisite: <predicate>.

A prerequisite line after a clause or table title indicates that the whole clause or the whole table is not required to be completed if the predicate is FALSE.

A.1.3 Instructions for completing the ICS pro forma

The supplier of the implementation shall complete the ICS pro forma in each of the spaces provided. In particular, an explicit answer shall be entered, in each of the support or supported column boxes provided, using the notation described in clause A.1.2.

If necessary, the supplier may provide additional comments in space at the bottom of the tables or separately.

More detailed instructions are given at the beginning of the different clauses of the ICS pro forma.

A.2 Identification of the implementation

A.2.1 Introduction

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

A.2.2 Date of the statement

.....

A.2.3 Implementation Under Test (IUT) identification

IUT name:

.....

.....

IUT version:

.....

.....

A.2.4 System Under Test (SUT) identification

SUT name:

.....
.....

Hardware configuration:

.....
.....
.....

Operating system:

.....
.....

A.2.5 Product supplier

Name:

.....
.....
.....
.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....
.....
.....

A.2.6 Client (if different from product supplier)

Name:

.....

Address:

.....
.....
.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....
.....
.....

A.2.7 ICS contact person

(A person to contact if there are any queries concerning the content of the ICS.)

Name:

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

A.3 Identification of the reference specifications

This ICS pro forma (and column "Clauses" of tables of clause A.5) applies to ETSI GS CIM 009.

A.4 Global statement of conformance

Are all mandatory capabilities implemented? (Yes/No)

NOTE: Answering "No" to this question indicates non-conformance to the NGSI-LD standard specification.

Non-supported mandatory capabilities are to be identified in the ICS, with an explanation of why the implementation is non-conforming, on pages attached to the ICS pro forma.

A.5 Tables

A.5.1 Features

A.5.1.1 Architecture

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Centralized architecture		4.3.2	CENTRALIZED	Y/N
2	Distributed architecture		4.3.3	DISTRIBUTED	Y/N
3	Federated architecture		4.3.4	FEDERATED	Y/N
4	Inclusive context source registrations		4.3.6.2	INCLUSIVECSR	Y/N
5	Auxiliary context source registrations		4.3.6.2	AUXILIARYCSR	Y/N
6	Exclusive context source registrations		4.3.6.3	EXCLUSIVECSR	Y/N
7	Redirect context source registrations		4.3.6.3	REDIRECTCSR	Y/N
8	Limit to local requests		4.3.6.4	LOCAL	Y/N
9	Extra information to provide when contacting Context Source		4.3.6.5	EXTRACS	Y/N
10	Additional pre- and post-processing of extra information when contacting Context Source		4.3.6.6	PROCESSCS	Y/N
11	Querying with entityMap for consistent entity set		4.3.6.7	ENTITYMAP_QUERY	Y/N

A.5.1.2 Core NGSI-LD @context

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Core and user NGSI-LD @context		4.4	USERCONTEXT	Y/N

A.5.1.3 NGSI-LD Data Representation

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Support for NGSI-LD Null		4.5.0; 5.4	NGSILDNULL	Y/N
2	Entity - base representation		4.5.1	E_BASE	Y/N
3	Entity - Properties		4.5.1	E_PROPS	Y/N
4	Entity - Relationships		4.5.1	E_RELS	Y/N
5	Entity - location		4.7.1	E_LOCATION	Y/N
6	Entity - operationSpace		4.7.1	E_OPSPACE	Y/N
7	Entity - observationSpace		4.7.1	E_OBSVSPACE	Y/N
8	Entity - Simplified representation		4.5.4	E_SIMPLIFIED	Y/N
9	Property - base representation		4.5.2	P_BASE	Y/N
10	Property - createdAt / modifiedAt / deletedAt		4.5.2	P_SYSPROPS	Y/N
11	Property - observedAt		4.5.2	P_OBSVAT	Y/N
12	Property - unitCode		4.5.2	P_UNITCODE	Y/N
13	Property - Properties		4.5.2	P_PROPS	Y/N
14	Property - Relationships		4.5.2	P_RELS	Y/N
15	Property - datasetId		4.5.2; 4.5.5	P_DATASETID	Y/N
16	Property - instanceId		4.5.2	P_INSTANCEID	Y/N
17	Property - Temporal representation		4.5.7	P_TEMPORAL REP	Y/N

Item	Feature	Subfeature	Clauses	Mnemonic	Support
18	Property - Simplified temporal representation		4.5.9	P_SIMPTEMPORAL REP	Y/N
19	Relationship - base representation		4.5.3	R_BASE	Y/N
20	Relationship - createdAt / modifiedAt / deletedAt		4.5.3	R_SYSPROPS	Y/N
21	Relationship - observedAt		4.5.3	R_OBSVAT	Y/N
22	Relationship - Properties		4.5.3	R_PROPS	Y/N
23	Relationship - Relationships		4.5.3	R_RELS	Y/N
24	Relationship - datasetId		4.5.3; 4.5.5	R_DATASETID	Y/N
25	Relationship - instanceId		4.5.3	R_INSTANCEID	Y/N
26	Relationship - Temporal representation		4.5.8	R_TEMPORAL REP	Y/N
27	Relationship - Simplified temporal representation		4.5.9	R_SIMPTEMPORAL REP	Y/N
28	GeoJSON representation of entities		4.5.16	GEOJSON REP	Y/N
29	Simplified GeoJSON representation of entities		4.5.17	SIMPGEOSJSON REP	Y/N
30	LanguageProperty		4.5.18	LANG	Y/N
31	Aggregated Temporal Representation of an Entity		4.5.19	AGGRTEMPORAL	Y/N
32	VocabProperty		4.5.20	VOCAB	Y/N
33	ListProperty		4.5.21	LISTP	Y/N
34	ListRelationship		4.5.22	LISTR	Y/N
35	LinkedEntityRetrieval representation		4.5.23	LINKED RETRIEVAL	Y/N
36	JsonProperty		4.5.24	JSONP	Y/N
37	EntityMap representation		4.5.25	ENTITYMAP REP	Y/N

A.5.1.4 Data Representation Restrictions

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Supported text encodings (UTF-8)		4.6.1	TEXTENCODING	Y/N
2	Supported names		4.6.2	NAMES	Y/N
3	JSON native data type		4.6.3	JSONNATIVE	Y/N
4	GeoJSON geometry (except Geometry collection)		4.6.3	GEOJSONGEOM	Y/N
5	DateTime type		4.6.3	DATETIME	Y/N
6	Date type		4.6.3	DATE	Y/N
7	Time type		4.6.3	TIME	Y/N
8	URI type		4.6.3	URI	Y/N
9	Supported entity content		4.6.4	CONTENT	Y/N

A.5.1.5 Other CIM transversal features

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Supporting Multiple Entity Types		4.16	MULTITYPING	Y/N
2	NGSI-LD Entity Type Selection Language		4.17	TYPESELECTLANG	Y/N
3	NGSI-LD Scopes		4.18	SCOPES	Y/N
4	NGSI-LD Scope Query Language		4.19	SCOPESELECTLANG	Y/N
5	NGSI-LD Language Filter		4.15	LANGFILTER	Y/N
6	NGSI-LD Attribute Projection Language		4.21	PROJECTIONLANG	Y/N

A.5.1.6 API Operation Definition

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Ignore createdAt / modifiedAt from context producers		5.2.2	IGNORESYSROPS	Y/N
2	Only return createdAt / modifiedAt if asked by consumers		5.2.2	SYSROPS_IFASKED	Y/N
3	Use of the common error types		5.5.2	COMMONERRTYPES	Y/N
4	Error response payload body		5.5.3	ERROR_PAYLOAD	Y/N
5	General NGSI-LD validation		5.5.4	NGSILD_VALIDATION	Y/N
6	Default @context assignment		5.5.5	DEFAULT_CONTEXT	Y/N
7	Term to URI expansion or compaction		5.5.7	EXPAND_COMPACT	Y/N
8	JSON-LD merge patch behavior		5.5.8	JSONLD_MERGE_PATCH	Y/N
9	Pagination behavior		5.5.9	PAGINATION	Y/N
10	Multi-tenant behavior		5.5.10	MULTITENANT	Y/N
11	More than one instance of the same Entity in an Entity array		5.5.11	SAME_ENTITY_IN_ARRAY	Y/N
12	Merge Patch Behaviour		5.5.12	MERGE_PATCH	Y/N
13	Allow broader local queries (query, subscription)		5.5.13	BROADER_QUESTIONS	Y/N
14	Storing, managing and serving @contexts		5.13	SERVING_CONTEXTS	Y/N
15	Context Source Entity Mapping (EntityMap)		5.14	ENTITYMAP_OP	Y/N
16	Context Source Identity Information (for loop detection)		5.15	LOOP_DETECTION	Y/N
17	Notification behaviour of Subscriptions		5.8.6	NOTIFICATIONS_SUB	Y/N
18	Notification behaviour of CSRs		5.11.7	NOTIFICATIONS_CSR	Y/N

A.5.1.7 API HTTP Binding

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	Global definitions and resources structure		6.2	HTTP_RESOURCES	Y/N
2	Error types		6.3.2	HTTP_ERROR_TYPES	Y/N
3	Reporting errors		6.3.3	HTTP_ERRORS	Y/N
4	HTTP request preconditions		6.3.4	HTTP_PRECOND	Y/N
5	JSON-LD @context resolution		6.3.5	HTTP_CONTEXT_RESOLV	Y/N
6	HTTP response common requirements		6.3.6	HTTP_COMMON	Y/N
7	Simplified representation of entities		6.3.7	HTTP_SIMP_REPR	Y/N
8	Counting number of results		6.3.13	HTTP_COUNT_RESULTS	Y/N
9	GeoJSON representation of spatially bound entities		6.3.15	HTTP_GEOJSON_BOUND	Y/N
10	Limiting Distributed Operations (local, loops)		6.3.18	HTTP_LOOP_DETECTION	Y/N
11	Extra information to provide when contacting Context Source		6.3.19	HTTP_EXTRA_INFO	Y/N
12	Invalid parameters		6.3.20	HTTP_INVALID_PARAMS	Y/N
13	HTTP limit number of results		6.3.10	HTTP_PAGINATION_LIMIT	Y/N

A.5.2 API Operation

A.5.2.1 Entity List

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entities/	POST	5.6.1; 6.4.3.1	EntCre	Y/N
2	/entities/	GET	5.7.2; 6.4.3.2	QueEnt	Y/N
3	/entities/	DELETE	5.6.21; 6.4.3.3	PurEnt	Y/N

A.5.2.2 Entity by id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entities/{entityId}	GET	5.7.1; 6.5.3.1	EntRet	Y/N
2	/entities/{entityId}	DELETE	5.6.6; 6.5.3.2	EntDel	Y/N
3	/entities/{entityId}	PATCH	5.6.17; 6.5.3.4	EntMer	Y/N
4	/entities/{entityId}	PUT	5.6.18; 6.5.3.3	EntRep	Y/N

A.5.2.3 Attribute List

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entities/{entityId}/attrs/	POST	5.6.3; 6.6.3.1	AppAttEnt	Y/N
2	/entities/{entityId}/attrs/	PATCH	5.6.2; 6.6.3.2	UpdAttEnt	Y/N

A.5.2.4 Attribute by id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entities/{entityId}/attrs/{attrId}	PATCH	5.6.4; 6.7.3.1	ParAttUpd	Y/N
2	/entities/{entityId}/attrs/{attrId}	DELETE	5.6.5; 6.7.3.2	AttDel	Y/N
3	/entities/{entityId}/attrs/{attrId}	PUT	5.6.19; 6.7.3.3	AttRep	Y/N

A.5.2.5 Subscriptions List

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/subscriptions/	POST	5.8.1; 6.10.3.1	CreSub	Y/N
2	/subscriptions/	GET	5.8.4; 6.10.3.2	RetLisSub	Y/N

A.5.2.6 Subscription by Id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/subscriptions/{subscriptionId}	GET	5.8.3; 6.11.3.1	SubRet	Y/N
2	/subscriptions/{subscriptionId}	PATCH	5.8.2; 6.11.3.2	SubUpd	Y/N
3	/subscriptions/{subscriptionId}	DELETE	5.8.5; 6.11.3.3	SubDel	Y/N

A.5.2.7 Entity Types

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/types/	GET	5.7.5; 5.7.6; 6.25.3.1	RetAvaEntTyp	Y/N

A.5.2.8 Entity Type

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/types/{type}	GET	5.7.7; 6.26.3.1	DetAvaEntTyp	Y/N

A.5.2.9 Attributes

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/attributes/	GET	5.7.8; 5.7.9; 6.27.3.1	AvaAtt	Y/N

A.5.2.10 Attribute

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/attributes/{attrId}	GET	5.7.10; 6.28.3.1	DetAvaAtt	Y/N

A.5.2.11 Context source registration list

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/csourceRegistrations/	POST	5.9.2; 6.8.3.1	CsoRegCre	Y/N
2	/csourceRegistrations/	GET	5.10.2; 6.8.3.2	DisCsoReg	Y/N

A.5.2.12 Context source registration by Id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/csourceRegistrations/{registrationId}	GET	5.10.1; 6.9.3.1	CsoRegRet	Y/N
2	/csourceRegistrations/{registrationId}	PATCH	5.9.3; 6.9.3.2	CsoRegUpd	Y/N
3	/csourceRegistrations/{registrationId}	DELETE	5.9.4; 6.9.3.3	CsoRegDel	Y/N

A.5.2.13 Context source registration subscription list

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/csourceSubscriptions/	POST	5.11.2; 6.12.3.1	CreSubCsoReg	Y/N
2	/csourceSubscriptions/	GET	5.11.5; 6.12.3.2	RetLisSubCsoReg	Y/N

A.5.2.14 Context source registration subscription by Id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/csourceSubscriptions/{subscriptionId}	GET	5.11.4; 6.13.3.1	CsoRegSubRet	Y/N
2	/csourceSubscriptions/{subscriptionId}	PATCH	5.11.3; 6.13.3.2	CsoRegSubUpd	Y/N
3	/csourceSubscriptions/{subscriptionId}	DELETE	5.11.6; 6.13.3.3	CsoRegSubDel	Y/N

A.5.2.15 Entity Operations. Create

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityOperations/create	POST	5.6.7; 6.14.3.1	BatEntCre	Y/N

A.5.2.16 Entity Operations. Upsert

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityOperations/upsert	POST	5.6.8; 6.15.3.1	BatEntCreUpdUps	Y/N

A.5.2.17 Entity Operations. Update

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityOperations/update	POST	5.6.9; 6.16.3.1	BatEntUpd	Y/N

A.5.2.18 Entity Operations. Delete

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityOperations/delete	POST	5.6.10; 6.17.3.1	BatEntDel	Y/N

A.5.2.19 Entity Operations. Query

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityOperations/query	POST	5.7.2; 6.23.3.1	QueEntPos	Y/N

A.5.2.20 Entity Operations

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityOperations/merge	POST	5.6.20; 6.31.3.1	BatEntMer	Y/N

A.5.2.21 Temporal Evolution of Entities

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entities/	POST	5.6.11; 6.18.3.1	TemEvoEntCre	Y/N
2	/temporal/entities/	GET	5.7.4; 6.18.3.2	QueTemEvoEnt	Y/N

A.5.2.22 Temporal Evolution of an Entity by id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entities/{entityId}	GET	5.7.3; 6.19.3.1	TemEvoEntRet	Y/N
2	/temporal/entities/{entityId}	DELETE	5.6.16; 6.18.3.2	TemEvoEntDel	Y/N

A.5.2.23 Temporal Representation of Attribute List

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entities/{entityId}/attrs/	POST	5.6.12; 6.20.3.1	TemEvoAttEntIns	Y/N

A.5.2.24 Temporal Representation of Attribute by id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entities/{entityId}/attrs/{attrId} }	DELETE	5.6.13; 6.21.3.1	AttTemEvoEntDel	Y/N

A.5.2.25 Temporal Representation of Attribute Instance by id

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entities/{entityId}/attrs/{attrId} /{instanceId}	PATCH	5.6.14; 6.22.3.1	AttInsTemEvoEnt	Y/N
2	/temporal/entities/{entityId}/attrs/{attrId} /{instanceId}	DELETE	5.6.15; 6.22.3.2	AttInsTemEvoEnt	Y/N

A.5.2.26 Create EntityMap for Query Temporal Evolution of Entities

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entityMaps/	GET	5.15.4;	QueTemEvoEntFor	Y/N
2	/temporal/entityMaps/	POST	5.15.4;	QueTemEvoEntFor	Y/N

A.5.2.27 Temporal Query Operation

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/temporal/entityOperations/query	POST	5.7.4; 6.24.3.1	QueTemEvoEntPos	Y/N

A.5.2.28 Add and List @context

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/jsonIdContexts	POST	5.13.2; 6.29.3.1	AddUse@coTheInt	Y/N
2	/jsonIdContexts	GET	5.13.3; 6.29.3.2	LisAllCac@co	Y/N

A.5.2.29 Serve, Delete and Reload @context

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/jsonIdContexts/{contextId}	GET	5.13.4; 6.30.3.1	SerOneSpeUse@co	Y/N
2	/jsonIdContexts/{contextId}	DELETE	5.13.5; 6.30.3.2	DelOneSpe@coInt	Y/N

A.5.2.30 Create EntityMap for Query Entities

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityMaps/	GET	5.14.4;	QueEntForCreEnt	Y/N
2	/entityMaps/	POST	5.14.4;	QueEntForCreEnt	Y/N

A.5.2.31 Retrieve, Update and Delete Entity Maps

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/entityMaps/{entityMapId}	GET	5.14.1; 6.32.3.1	EntRet	Y/N
2	/entityMaps/{entityMapId}	PATCH	5.14.2; 6.32.3.2	EntUpd	Y/N
3	/entityMaps/{entityMapId}	DELETE	5.14.3; 6.32.3.3	EntDel	Y/N

A.5.2.32 Retrieve Context Source Identity Information

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/info/sourcelIdentity	GET	5.15.1; 6.33.3.1	ConSouldeRet	Y/N

A.5.2.33 Create Snapshot or Purge Snapshots

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/snapshots/	POST	5.16.1;	CreSna	Y/N
2	/snapshots/	DELETE	5.16.7;	PurSna	Y/N

A.5.2.34 Retrieve and Update Snapshot Status or Delete Snapshot

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/snapshots/{snapshotId}	GET	5.16.3;	RetSnaSta	Y/N
2	/snapshots/{snapshotId}	PATCH	5.16.4;	UpdSnaSta	Y/N
3	/snapshots/{snapshotId}	DELETE	5.16.5;	DelSna	Y/N

A.5.2.35 Clone Snapshot

Item	Feature	Subfeature	Clauses	Mnemonic	Support
1	/snapshots/{snapshotId}/clone	POST	5.16.2	CloSna	Y/N

A.6 Mnemonics for PICS

A.6.0 Explanation

To avoid an update of all TP tables when the PICS document is changed, the following table introduces mnemonics name and the correspondence with the real PICS item number.

A.6.1 Mnemonics for PICS reference

Mnemonic	PICS Item
CENTRALIZED	A.5.1.1/1
DISTRIBUTED	A.5.1.1/2
FEDERATED	A.5.1.1/3
INCLUSIVECSR	A.5.1.1/4
AUXILIARYCSR	A.5.1.1/5
EXCLUSIVECSR	A.5.1.1/6
REDIRECTCSR	A.5.1.1/7
LOCAL	A.5.1.1/8
EXTRACS	A.5.1.1/9
PROCESSCS	A.5.1.1/10
ENTITYMAP_QUERY	A.5.1.1/11
USERCONTEXT	A.5.1.2/1
NGSILDNULL	A.5.1.3/1
E_BASE	A.5.1.3/2
E_PROPS	A.5.1.3/3
E_RELS	A.5.1.3/4
E_LOCATION	A.5.1.3/5
E_OPSPACE	A.5.1.3/6
E_OBSVSPACE	A.5.1.3/7
E_SIMPLIFIED	A.5.1.3/8
P_BASE	A.5.1.3/9
P_SYSPROPS	A.5.1.3/10
P_OBSVAT	A.5.1.3/11
P_UNITCODE	A.5.1.3/12
P_PROPS	A.5.1.3/13
P_RELS	A.5.1.3/14
P_DATASETID	A.5.1.3/15
P_INSTANCEID	A.5.1.3/16
P_TEMPORAL REP	A.5.1.3/17
P_SIMPTEMPORAL REP	A.5.1.3/18
R_BASE	A.5.1.3/19
R_SYSPROPS	A.5.1.3/20
R_OBSVAT	A.5.1.3/21
R_PROPS	A.5.1.3/22
R_RELS	A.5.1.3/23
R_DATASETID	A.5.1.3/24
R_INSTANCEID	A.5.1.3/25
R_TEMPORAL REP	A.5.1.3/26
R_SIMPTEMPORAL REP	A.5.1.3/27
GEOJSON REP	A.5.1.3/28
SIMPGEOSTORE REP	A.5.1.3/29
LANG	A.5.1.3/30
AGGRTEMPORAL	A.5.1.3/31
VOCAB	A.5.1.3/32

Mnemonic	PICS Item
LISTP	A.5.1.3/33
LISTR	A.5.1.3/34
LINKED_RETRIEVAL	A.5.1.3/35
JSONP	A.5.1.3/36
ENTITYMAP REP	A.5.1.3/37
TEXTENCODING	A.5.1.4/1
NAMES	A.5.1.4/2
JSONNATIVE	A.5.1.4/3
GEOJSONGEOM	A.5.1.4/4
DATETIME	A.5.1.4/5
DATE	A.5.1.4/6
TIME	A.5.1.4/7
URI	A.5.1.4/8
CONTENT	A.5.1.4/9
MULTITYPING	A.5.1.5/1
TYPESELECTLANG	A.5.1.5/2
SCOPES	A.5.1.5/3
SCOPESELECTLANG	A.5.1.5/4
LANGFILTER	A.5.1.5/5
PROJECTIONLANG	A.5.1.5/6
IGNORESYSPROPS	A.5.1.6/1
SYSPROPS_IFASKED	A.5.1.6/2
COMMONERRTYPES	A.5.1.6/3
ERROR_PAYLOAD	A.5.1.6/4
NGSILD_VALIDATION	A.5.1.6/5
DEFAULT_CONTEXT	A.5.1.6/6
EXPAND_COMPACT	A.5.1.6/7
JSONLD_MERGE_PATCH	A.5.1.6/8
PAGINATION	A.5.1.6/9
MULTITENANT	A.5.1.6/10
SAME_ENTITY_IN_ARRAY	A.5.1.6/11
MERGE_PATCH	A.5.1.6/12
BROADER_QUERIES	A.5.1.6/13
SERVING_CONTEXTS	A.5.1.6/14
ENTITYMAP_OP	A.5.1.6/15
LOOP_DETECTION	A.5.1.6/16
NOTIFICATIONS_SUB	A.5.1.6/17
NOTIFICATIONS_CSR	A.5.1.6/18
HTTP_RESOURCES	A.5.1.7/1
HTTP_ERROR_TYPES	A.5.1.7/2
HTTP_ERRORS	A.5.1.7/3
HTTP_PRECOND	A.5.1.7/4
HTTP_CONTEXT_RESOLV	A.5.1.7/5
HTTP_COMMON	A.5.1.7/6
HTTP_SIMP_REPR	A.5.1.7/7
HTTP_COUNT_RESULTS	A.5.1.7/8
HTTP_GEOJSON_BOUND	A.5.1.7/9
HTTP_LOOP_DETECTION	A.5.1.7/10
HTTP_EXTRA_INFO	A.5.1.7/11
HTTP_INVALID_PARAMS	A.5.1.7/12
HTTP_PAGINATION_LIMIT	A.5.1.7/13
EntCre	A.5.2.1/1
QueEnt	A.5.2.1/2
PurEnt	A.5.2.1/3
EntRet	A.5.2.2/1; A.5.2.31/1
EntDel	A.5.2.2/2; A.5.2.31/3
EntMer	A.5.2.2/3
EntRep	A.5.2.2/4
AppAttEnt	A.5.2.3/1
UpdAttEnt	A.5.2.3/2
ParAttUpd	A.5.2.4/1
AttDel	A.5.2.4/2
AttRep	A.5.2.4/3
CreSub	A.5.2.5/1

Mnemonic	PICS Item
RetLisSub	A.5.2.5/2
SubRet	A.5.2.6/1
SubUpd	A.5.2.6/2
SubDel	A.5.2.6/3
RetAvaEntTyp	A.5.2.7/1
DetAvaEntTyp	A.5.2.8/1
AvaAtt	A.5.2.9/1
DetAvaAtt	A.5.2.10/1
CsoRegCre	A.5.2.11/1
DisCsoReg	A.5.2.11/2
CsoRegRet	A.5.2.12/1
CsoRegUpd	A.5.2.12/2
CsoRegDel	A.5.2.12/3
CreSubCsoReg	A.5.2.13/1
RetLisSubCsoReg	A.5.2.13/2
CsoRegSubRet	A.5.2.14/1
CsoRegSubUpd	A.5.2.14/2
CsoRegSubDel	A.5.2.14/3
BatEntCre	A.5.2.15/1
BatEntCreUpdUps	A.5.2.16/1
BatEntUpd	A.5.2.17/1
BatEntDel	A.5.2.18/1
QueEntPos	A.5.2.19/1
BatEntMer	A.5.2.20/1
TemEvoEntCre	A.5.2.21/1
QueTemEvoEnt	A.5.2.21/2
TemEvoEntRet	A.5.2.22/1
TemEvoEntDel	A.5.2.22/2
TemEvoAttEntIns	A.5.2.23/1
AttTemEvoEntDel	A.5.2.24/1
AttInsTemEvoEnt	A.5.2.25/1; A.5.2.25/2
QueTemEvoEntFor	A.5.2.26/1; A.5.2.26/2
QueTemEvoEntPos	A.5.2.27/1
AddUse@coTheInt	A.5.2.28/1
LisAllCac@co	A.5.2.28/2
SerOneSpeUse@co	A.5.2.29/1
DelOneSpe@coInt	A.5.2.29/2
QueEntForCreEnt	A.5.2.30/1; A.5.2.30/2
EntUpd	A.5.2.31/2
ConSouldeRet	A.5.2.32/1
CreSna	A.5.2.33/1
PurSna	A.5.2.33/2
RetSnaSta	A.5.2.34/1
UpdSnaSta	A.5.2.34/2
DelSna	A.5.2.34/3
CloSna	A.5.2.35/1

A.7 Mnemonics for PICS

A.7.0 Explanation

To avoid an update of all TP tables when the PICS document is changed, the following table introduces mnemonics name and the correspondence with the real PICS item number.

A.7.1 Mnemonics for PICS reference

Mnemonic	PICS Item
CENTRALIZED	A.5.1.1/1
DISTRIBUTED	A.5.1.1/2
FEDERATED	A.5.1.1/3
INCLUSIVECSR	A.5.1.1/4
AUXILIARYCSR	A.5.1.1/5
EXCLUSIVECSR	A.5.1.1/6
REDIRECTCSR	A.5.1.1/7
LOCAL	A.5.1.1/8
EXTRACS	A.5.1.1/9
PROCESSCS	A.5.1.1/10
USERCONTEXT	A.5.1.2/1
NGSILDNULL	A.5.1.3/1
E_BASE	A.5.1.3/2
E_PROPS	A.5.1.3/3
E_RELS	A.5.1.3/4
E_LOCATION	A.5.1.3/5
E_OPSPACE	A.5.1.3/6
E_OBSVSPACE	A.5.1.3/7
E_SIMPLIFIED	A.5.1.3/8
P_BASE	A.5.1.3/9
P_SYSPROPS	A.5.1.3/10
P_OBSVAT	A.5.1.3/11
P_UNITCODE	A.5.1.3/12
P_PROPS	A.5.1.3/13
P_RELS	A.5.1.3/14
P_DATASETID	A.5.1.3/15
P_INSTANCEID	A.5.1.3/16
P_TEMPORAL REP	A.5.1.3/17
P_SIMPTEMPORAL REP	A.5.1.3/18
R_BASE	A.5.1.3/19
R_SYSPROPS	A.5.1.3/20
R_OBSVAT	A.5.1.3/21
R_PROPS	A.5.1.3/22
R_RELS	A.5.1.3/23
R_DATASETID	A.5.1.3/24
R_INSTANCEID	A.5.1.3/25
R_TEMPORAL REP	A.5.1.3/26
R_SIMPTEMPORAL REP	A.5.1.3/27
GEOJSON REP	A.5.1.3/28
SIMPGEOSTORE REP	A.5.1.3/29
LANG	A.5.1.3/30
AGGRTEMPORAL	A.5.1.3/31
VOCAB	A.5.1.3/32
TEXTENCODING	A.5.1.4/1
NAMES	A.5.1.4/2
JSONNATIVE	A.5.1.4/3
GEOSONGEO	A.5.1.4/4
DATETIME	A.5.1.4/5
DATE	A.5.1.4/6
TIME	A.5.1.4/7
URI	A.5.1.4/8
CONTENT	A.5.1.4/9
MULTIYPING	A.5.1.5/1
TYPESELECTLANG	A.5.1.5/2
SCOPES	A.5.1.5/3
SCOPESELECTLANG	A.5.1.5/4
IGNORESYS PROPS	A.5.1.6/1
SYS PROPS_IFASKED	A.5.1.6/2
COMMONERRTYPES	A.5.1.6/3
ERROR_PAYLOAD	A.5.1.6/4

Mnemonic	PICS Item
NGSILD_VALIDATION	A.5.1.6/5
DEFAULT_CONTEXT	A.5.1.6/6
EXPAND_COMPACT	A.5.1.6/7
JSONLD_MERGE_PATCH	A.5.1.6/8
PAGINATION	A.5.1.6/9
MULTITENANT	A.5.1.6/10
SAME_ENTITY_IN_ARRAY	A.5.1.6/11
MERGE_PATCH	A.5.1.6/12
SERVING_CONTEXTS	A.5.1.6/13
NOTIFICATIONS_SUB	A.5.1.6/14
NOTIFICATIONS_CSR	A.5.1.6/15
HTTP_RESOURCES	A.5.1.7/1
HTTP_ERROR_TYPES	A.5.1.7/2
HTTP_ERRORS	A.5.1.7/3
HTTP_PRECOND	A.5.1.7/4
HTTP_CONTEXT_RESOLV	A.5.1.7/5
HTTP_COMMON	A.5.1.7/6
HTTP_SIMP_REPR	A.5.1.7/7
HTTP_COUNT_RESULTS	A.5.1.7/8
HTTP_GEOJSON_BOUND	A.5.1.7/9
HTTP_PAGINATION_LIMIT	A.5.1.7/10
EntCre	A.5.2.1/1
QueEnt	A.5.2.1/2
EntRet	A.5.2.2/1; A.5.2.29/1
EntDel	A.5.2.2/2; A.5.2.29/3
EntMer	A.5.2.2/3
EntRep	A.5.2.2/4
AppAttEnt	A.5.2.3/1
UpdAttEnt	A.5.2.3/2
ParAttUpd	A.5.2.4/1
AttDel	A.5.2.4/2
AttRep	A.5.2.4/3
CreSub	A.5.2.5/1
RetLisSub	A.5.2.5/2
SubRet	A.5.2.6/1
SubUpd	A.5.2.6/2
SubDel	A.5.2.6/3
RetAvaEntTyp	A.5.2.7/1
DetAvaEntTyp	A.5.2.8/1
AvaAtt	A.5.2.9/1
DetAvaAtt	A.5.2.10/1
CsoRegCre	A.5.2.11/1
DisCsoReg	A.5.2.11/2
CsoRegRet	A.5.2.12/1
CsoRegUpd	A.5.2.12/2
CsoRegDel	A.5.2.12/3
CreSubCsoReg	A.5.2.13/1
RetLisSubCsoReg	A.5.2.13/2
CsoRegSubRet	A.5.2.14/1
CsoRegSubUpd	A.5.2.14/2
CsoRegSubDel	A.5.2.14/3
BatEntCre	A.5.2.15/1
BatEntCreUpdUps	A.5.2.16/1
BatEntUpd	A.5.2.17/1
BatEntDel	A.5.2.18/1
QueEntPos	A.5.2.19/1
BatEntMer	A.5.2.20/1
TemEvoEntCre	A.5.2.21/1
QueTemEvoEnt	A.5.2.21/2
TemEvoEntRet	A.5.2.22/1
TemEvoEntDel	A.5.2.22/2
TemEvoAttEntIns	A.5.2.23/1
AttTemEvoEntDel	A.5.2.24/1

Mnemonic	PICS Item
AttInsTemEvoEnt	A.5.2.25/1; A.5.2.25/2
QueTemEvoEntPos	A.5.2.26/1
AddUse@coTheInt	A.5.2.27/1
LisAllCac@co	A.5.2.27/2
SerOneSpeUse@co	A.5.2.28/1
DelOneSpe@colnt	A.5.2.28/2
EntUpd	A.5.2.29/2
ConSouldeRet	A.5.2.30/1

Annex B (informative): Change history

Date	Version	Information about changes
May 2023	V0.0.1	Early draft of the document corresponding to the TTF2 activity
September 2023	V0.0.2	Stable draft of the document corresponding to the TTF2 activity
March 2024	V0.0.4	Final draft for approval. Technical Officer review after TB approval for ETSI EditHelp pre-processing for publication
April 2024	V1.1.1	Early draft of the document corresponding to the TTF3 activity
December 2024	V1.2.2	Stable draft of the document corresponding to the TTF3 activity
May 2025	V1.2.3	Final draft of the document corresponding to the TTF3 activity

History

Version	Date	Status
V1.1.1	April 2024	Publication
V2.1.1	July 2025	Publication