

ETSI GS CIM 012 V2.1.1 (2024-04)



Context Information Management (CIM); NGSI-LD Test Suite Structure

Disclaimer

The present document has been produced and approved by the cross-cutting Context Information Management (CIM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/CIM-0012v211

Keywords

API, IoT, NGSI-LD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
Executive summary	4
Introduction	4
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	6
3 Definition of terms, symbols and abbreviations.....	6
3.1 Terms.....	6
3.2 Symbols.....	7
3.3 Abbreviations	7
4 Test Suite Structure (TSS).....	7
4.1 Test groups	7
4.2 Common Services Functions Subgroups.....	7
4.3 NGSI-LD Resource Primitives specific Operations.....	7
4.4 Test Suite Structure (TSS) for NGSI-LD	8
Annex A (informative): Change history	10
History	11

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) cross-cutting Context Information Management (CIM).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The present document is providing the structure of the NGSI-LD test suite. It identifies the different groups and subgroups that are used to identify and classify the hierarchy of the Test Cases inside the Test Suite.

Introduction

The ISG CIM group has defined an API for exchange of information contextualised in time, space and relation to other information using a property graph model with the intent that the associated protocol (called NGSI-LD) becomes the "glue" between all kinds of applications and databases associated with services for Smart Cities, Smart Agriculture, Smart Manufacturing, etc.

To be successful, the NGSI-LD API specification needs to be well understood and well implemented. The community of users will not be solely highly professional engineers employed by big companies but will include many small teams and SMEs and even hobbyists. Therefore, it is essential that the developers have access to not only the standard but also a test specification and a testing environment to check that their work is (and remains) conformant to the ETSI NGSI-LD specification.

The developers will usually write integration tests to validate the behaviour of their NGSI-LD implementation, but it is important to assert compliance to the specification based on a test suite agreed by the group creating the API specification, i.e. ETSI ISG CIM. Therefore, it is very important to create a set of ETSI-approved test cases.

What is more, the existence of such a test suite will likely help to increase the adoption of the NGSI-LD specification by giving developers a ready to use and complete set of sample requests.

The present document defines the operational structure of the test suite: it first identifies the different levels of groups, then defines the common behaviours and finally specifies the complete structure of the NGSI-LD test suite.

1 Scope

The present document defines the organization or grouping of test cases based on the functionality to be tested (e.g. registration, subscription, query, etc.) and - most importantly - selects minimal subsets ("narrower scope") of functionality to permit testing of the main features of an operating NGSI-LD system.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] [ETSI GS CIM 009 \(V1.5.1\)](#): "Context Information Management (CIM); NGSI-LD API".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

Not applicable.

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

NOTE: The letters "NGSI-LD" were added to most terms to confirm that they are distinct from other terms of similar/same name in use in other organizations, however, in the present document the letters "NGSI-LD" are generally omitted for brevity.

NGSI-LD Context Registry: software functional element where Context Sources register the information that they can provide

NOTE: It is used by Distribution Brokers and Federation Brokers to find the appropriate Context Sources which can provide the information required for serving an NGSI-LD request.

NGSI-LD Context Source: source of context information which implements the NGSI-LD consumption and subscription (and possibly provision) interfaces

NOTE: It is usually registered with an NGSI-LD Registry so that it can announce what kind of information it can provide, when requested, to Context Consumers and Brokers.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

NGSI-LD	Next Generation Service Interfaces Linked Data
TSS	Test Suite Structure

4 Test Suite Structure (TSS)

4.1 Test groups

The test groups are organized in 3 levels:

- The first level covers operations related with **context information**: entities that represent something that exist in the real world and subscriptions.
- The second level covers operations related with the **context source** which implements the NGSI-LD consumption and subscription (and possibly provision) interfaces.
- The third level covers operations related to the **common behaviours** that should be generally implemented by endpoints when the common behaviour is applicable for the endpoint.

4.2 Common Services Functions Subgroups

The test subgroups organize context information and context source in terms of creation/edition/removal of data, consuming data and subscribing:

- Provision/Registration
- Consumption/Discovery
- Subscription

4.3 NGSI-LD Resource Primitives specific Operations

Specified test scenarios shall contain test cases to verify the following common behaviours, when applicable, as specified in ETSI GS CIM 009 [1]:

- Error types
- Error response payload body
- General NGSI-LD validation
- Default @context assignment
- Operation execution

- Term to URI expansion or compaction
- JSON-LD merge-patch behaviour
- Pagination behaviour
- Multi-tenant behaviour

When applied to the HTTP binding, specified test scenarios shall also contain test cases to verify the following HTTP common behaviours, when applicable, as specified in ETSI GS CIM 009 [1]:

- Error types
- Reporting errors
- HTTP request preconditions
- JSON-LD @context resolution
- HTTP response common requirements
- Simplified representation of entities
- Notification behaviour
- Context Source Notification behaviour
- Pagination behaviour
- Including system-generated attributes
- Simplified temporal representation of entities
- Counting number of results
- Tenant specification

Most of these common behaviours only apply to a specific subset of the endpoints. In this case, they are implemented as specific Test Purposes inside the corresponding Tests Scenarios. The common behaviours that apply to almost every endpoint are implemented as specific Test Cases on a subset of the Test Scenarios.

4.4 Test Suite Structure (TSS) for NGSI-LD

Based on the assumptions of the previous clauses, the test suite structure proposed is:

- Group 1: Context Information (CI)
 - Subgroup 1.1: Provision (PROV)
 - Subgroup 1.1.1: Entities (E)
 - Test Scenario 1.1.1.1: Create Entity (001)
 - Test Scenario 1.1.1.2: Delete Entity (002)
 - Subgroup 1.1.2: Batch Entities (BE)
 - Test Scenario 1.1.2.1: Create Batch of Entities (003)
 - Test Scenario 1.1.2.2: Upsert Batch of Entities (004)
 - Test Scenario 1.1.2.3: Update Batch of Entities (005)
 - Test Scenario 1.1.2.4: Delete Batch of Entities (006)
 - Subgroup 1.1.3: Temporal Entity (TE)
 - Test Scenario 1.1.3.1: Create Temporal Representation of Entity (007)
 - Test Scenario 1.1.3.2: Update Temporal Representation of Entity (008)
 - Test Scenario 1.1.3.3: Delete Temporal Representation of Entity (009)
 - Subgroup 1.1.4: Entity Attributes (EA)
 - Test Scenario 1.1.4.1: Append Entity Attributes (010)
 - Test Scenario 1.1.4.2: Update Entity Attributes (011)
 - Test Scenario 1.1.4.3: Partial Attribute Update (012)
 - Test Scenario 1.1.4.4: Delete Entity Attribute (013)

- Subgroup 1.1.5: Temporal Entity Attributes (TEA)
 - Test Scenario 1.1.5.1: Add Attributes (014)
 - Test Scenario 1.1.5.2: Delete Attribute (015)
 - Test Scenario 1.1.5.3: Partial Update Attribute Instance (016)
 - Test Scenario 1.1.5.4: Delete Attribute Instance (017)
- Subgroup 1.2: Consumption (CONS)
 - Subgroup 1.2.1: Entity (E)
 - Test Scenario 1.2.1.1: Retrieve Entity (018)
 - Test Scenario 1.2.1.2: Query Entities (019)
 - Subgroup 1.2.2: Temporal Entity (TE)
 - Test Scenario 1.2.2.1: Retrieve Temporal Evolution of Entity (020)
 - Test Scenario 1.2.2.2: Query Temporal Evolution of Entities (021)
 - Subgroup 1.2.3: Discovery (DISC)
 - Test Scenario 1.2.3.1: Retrieve Available Entity Types (022)
 - Test Scenario 1.2.3.2: Retrieve Details of Available Entity Types (023)
 - Test Scenario 1.2.3.3: Retrieve Available Entity Type Information (024)
 - Test Scenario 1.2.3.4: Retrieve Available Attributes (025)
 - Test Scenario 1.2.3.5: Retrieve Details of Available Attributes (026)
 - Test Scenario 1.2.3.6: Retrieve Available Attribute Information (027)
- Subgroup 1.3: Subscription (SUB)
 - Test Scenario 1.3.1.1: Create Subscription (028)
 - Test Scenario 1.3.1.2: Update Subscription (029)
 - Test Scenario 1.3.1.3: Retrieve Subscription (030)
 - Test Scenario 1.3.1.4: Query Subscriptions (031)
 - Test Scenario 1.3.1.5: Delete Subscription (032)
 - Test Scenario 1.3.1.6: Subscription Notification Behaviour (046)
- Group 2: Context Source (CS)
 - Subgroup 2.1: Registration (REG)
 - Test Scenario 2.1.1.1: Register Context Source (033)
 - Test Scenario 2.1.1.2: Update Context Source Registration (034)
 - Test Scenario 2.1.1.3: Delete Context Source Registration (035)
 - Subgroup 2.2: Discovery (DISC)
 - Test Scenario 2.2.1.1: Retrieve Context Source Registration (036)
 - Test Scenario 2.2.1.2: Query Context Source Registrations (037)
 - Subgroup 2.3: Registration Subscription (REGSUB)
 - Test Scenario 2.3.1.1: Create Context Source Registration Subscription (038)
 - Test Scenario 2.3.1.2: Update Context Source Registration Subscription (039)
 - Test Scenario 2.3.1.3: Retrieve Context Source Registration Subscription (040)
 - Test Scenario 2.3.1.4: Query Context Source Registration Subscriptions (041)
 - Test Scenario 2.3.1.5: Delete Context Source Registration Subscription (042)
 - Test Scenario 2.3.1.6: Context Source Registration Subscription Notification Behaviour (047)
- Group 3: Common Behaviours (CB)
 - Subgroup 3.1: Common Responses (HTTP)
 - Test Scenario 3.1.1.1: Verify LdContextNotAvailable (043)
 - Test Scenario 3.1.1.2: Verify MERGE-PATCH+JSON (044)
 - Test Scenario 3.1.1.3: Verify GET Without Accept (045)
 - Test Scenario 3.1.1.4: Verify Unsupported Media Type (048)
 - Test Scenario 3.1.1.5: Verify Not Acceptable Media Type (049)
- Group 4: Context Server (CTX)
 - Subgroup 4.1: Provision (PROV)
 - Subgroup 4.1.1: Add Context (050)
 - Subgroup 4.1.2: Delete Context (051)
 - Subgroup 4.2: Consumption (CONS)
 - Subgroup 4.2.1: List Contexts (052)
 - Subgroup 4.2.2: Serve Context (053)

Annex A (informative): Change history

Date	Version	Information about changes
July, 15 th 2020	V0.0.1	First draft of document
July, 23 rd 2020	V0.0.2	Improvement of template and corrections
July, 28 th 2020	V0.0.3	Revision by TTF leader
September, 10 th 2020	V0.0.4	Submitted as contribution to ETSI ISG CIM
October, 12 th 2020	V0.1.0	Submitted for stable draft decision
October, 22 nd 2020	V1.0.1	Align version with expectation from the ToR
December, 7 th 2020	V1.1.0	Add new endpoints from v1.3.1 and test scenarios for common behaviours
February, 15 th 2021	V1.1.0	Submitted for final version decision
March, 3 rd 2021	V1.1.0	Final Draft approval
March, 12 th 2021	V1.1.1	Technical Officer review for EditHelp Publication pre-processing
May, 30 th 2023	V1.1.2	Early draft of the document corresponding to the TTF2 activity
September, 30 th 2023	V1.2.1	Stable draft of the document corresponding to the TTF2 activity
February 2024	V1.3.2	Updated content
March 2024	V1.3.3	Final clean-up Technical Officer review for EditHelp Publication pre-processing

History

Document history		
V1.1.1	March 2021	Publication
V2.1.1	April 2024	Publication