



ETS 300 182-6

September 1996

Source: ETSI TC-SPS

Reference: DE/SPS-05061-K-6

ICS: 33.080

Key words: ISDN, DSS1, supplementary service, AOC, testing, ATS, PIXIT, network

Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE **Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE **X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2 ETS 300 182-6: September 1996

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

Contents

Forew	ord					7
1	Scope					9
2	Normativ	e references.				9
3	Definition	is and abbrev	viations			10
	3.1	Definitions				10
	3.2					
4	Abstract	Tact Mathad				11
4	4.1					
	4.1	•				
		4.1.1			and PCOs	
	4.0				ameters	
	4.2	Alternative A	A I M			13
5	Untestab	le test purpos	ses			14
6	ATS conv	ventions				14
•	6.1					
	••••					
			6.1.1.1		ions	
			6.1.1.2		finitions	
			0.1.1.2	6.1.1.2.1	TTCN structured type definitions	
				6.1.1.2.2	ASN.1 structured type definitions	
			6.1.1.3	-	ns	
			0.1.1.0	6.1.1.3.1	TTCN ASP type definitions	10
					ASN.1 ASP type definitions	
			6.1.1.4		ns	
			0.1.1.4	6.1.1.4.1	TTCN PDU type definitions	
					ASN.1 PDU type definitions	
		6.1.2	Test suite const			
		6.1.3				
		6.1.4				
		-	6.1.4.1		s	
			-		ss	
			-			
	6.2					
	0.2	6.2.1	Structured type	constraint declarati	ion	10
		6.2.2		straint declaration		10
		0.2.2	6.2.2.1		coding rules	
		6.2.3				
			6.2.3.1		onstraint declaration	
			6.2.3.2		onstraint declaration	
		6.2.4				
		0.2.4	6.2.4.1		onstraint declaration	
			6.2.4.2			
		6.2.5			onstraint declaration	
		0.2.0	6.2.5.1			
			6.2.5.1	5		
		626				
		6.2.6				
		6.2.7				
		6.2.8	•			
			6.2.8.1			
			6.2.8.2	iviatching values		21

Page 4 ETS 300 182-6: September 1996

	6.3	6.3.1 6.3.2	Test cases Test steps 6.3.2.1 6.3.2.2	PTC1_IN PTC1_OUT	21 21 21 21
7	ATS to T	6.3.3 P map			
8					
9					
10					
Annex	(norma			ance Test Report (PCTR) proforma	
A.1	Identifica A.1.1			eport	
	A.1.1 A.1.2				
	A.1.3				
	A.1.4				
	A.1.5	Comments			24
A.2	IUT confo	ormance stat	us		24
A.3	Static cor	nformance su	ummary		24
A.4	Dynamic	conformance	e summary		24
A.5	Static cor	nformance re	eview report		25
A.6	Test cam	ipaign report.			25
A.7	Observat	ions			27
Annex	k B (norma	ative): Pa	artial PIXIT profe	orma	28
B.1	Identifica	tion summary	y		28
B.2	Abstract	test suite sur	nmary		28
B.3	Test labo	oratory			28
B.4	Client (of	the test labo	oratory)		29
B.5	System L	Jnder Test (S	SUT)		29
B.6	Protocol	information			30
	B.6.1				
	B.6.2				
	B.6.3			e IUT	
	B.6.4	Configuratio	on of IUT		30
B.7	Basic cal	I PIXIT items	s		31
	B.7.1	Parameter v	values - informa	tion element codings	31
Anne	c C (norma	ative): Ab	ostract Test Suit	e (ATS)	32
C.1	The TTC	N Graphical 1	form (TTCN.GF	.)	32
C.2	The TTC	N Machine P	Processable form	n (TTCN.MP)	32

Annex D (informative):	General structure of ATS	33
History		34

Blank page

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is part 6 of a multi-part standard covering the Digital Subscriber Signalling System No. one (DSS1) protocol specification for the Integrated Services Digital Network (ISDN) Advice of Charge (AOC) supplementary service, as described below:

- Part 1: "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";
- Part 5: "TSS&TP specification for the network";

Part 6: "ATS and partial PIXIT proforma specification for the network".

Transposition dates				
Date of adoption of this ETS:	30 August 1996			
Date of latest announcement of this ETS (doa):	31 December 1996			
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	30 June 1997			
Date of withdrawal of any conflicting National Standard (dow):	30 June 1997			

Blank page

1 Scope

This sixth part of ETS 300 182 specifies the Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma for the Network side of the T reference point or coincident S and T reference point (as defined in ITU-T Recommendation I.411 [11]) of implementations conforming to the stage three standard for the Advice of Charge (AOC) supplementary service for the pan-European Integrated Services Digital Network (ISDN) by means of the Digital Subscriber Signalling System No. one (DSS1) protocol, ETS 300 182-1 [2].

ETS 300 182-5 [4] specifies the Test Suite Structure and Test Purposes (TSS&TP) related to this ATS and partial PIXIT proforma specification. Other parts specify the TSS&TP and the ATS and partial PIXIT proforma for the User side of the T reference point or coincident S and T reference point of implementations conforming to ETS 300 182-1 [2].

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

[1]	ETS 300 102-1: "Integrated Services Digital Network (ISDN); User-network interface layer 3; Specifications for basic call control".
[2]	ETS 300 182-1 (1993): "Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
[3]	ETS 300 182-2 (1995): "Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
[4]	ETS 300 182-5: "Integrated Services Digital Network (ISDN); Advice of Charge (AOC) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network".
[5]	ETS 300 196-1 (1993): "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
[6]	ISO/IEC 9646-1: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 1: General Concepts".
[7]	ISO/IEC 9646-2: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 2: Abstract Test Suite Specification".
[8]	ISO/IEC 9646-3: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 3: The Tree and Tabular Combined Notation".
[9]	ISO/IEC 9646-4: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 4: Test realization".
[10]	ISO/IEC 9646-5: "Information Technology - OSI Conformance Testing Methodology and Framework; Part 5: Requirements on test laboratories and clients for the conformance assessment process".
[11]	ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces - Reference configurations".

Page 10 ETS 300 182-6: September 1996

[12]

CCITT Recommendation X.209 (1988): "Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

Abstract Test Suite (ATS): See ISO/IEC 9646-1 [6].

Implementation Under Test (IUT): See ISO/IEC 9646-1 [6].

Lower Tester (LT): See ISO/IEC 9646-1 [6].

Point of Control and Observation (PCO): See ISO/IEC 9646-1 [6].

Protocol Implementation Conformance Statement (PICS): See ISO/IEC 9646-1 [6].

PICS proforma: See ISO/IEC 9646-1 [6].

Protocol Implementation eXtra Information for Testing (PIXIT): See ISO/IEC 9646-1 [6].

PIXIT proforma: See ISO/IEC 9646-1 [6].

System Under Test (SUT): See ISO/IEC 9646-1 [6].

Upper Tester (UT): See ISO/IEC 9646-1 [6].

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

AOC ASP	Advice of Charge Abstract Service Primitive
ATM	Abstract Test Method
ATS	Abstract Test Suite
BER	Basic Encoding Rules
СМ	Co-ordination Message
CP	Co-ordination Point
ExTS	Executable Test Suite
IUT	Implementation Under Test
LT	Lower Tester
МОТ	Means Of Testing
MTC	Main Test Component
PCO	Point of Control and Observation
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
PTC	Parallel Test Component
SUT	System Under Test
TCP	Test Co-ordination Procedures
TP	Test Purpose
TTCN	Tree and Tabular Combined Notation
UT	Upper Tester

4 Abstract Test Method (ATM)

4.1 Description of ATM used

The requirement for testing the network IUT is to focus on the behaviour of the network IUT at the usernetwork interface where a T reference point or coincident S and T reference point applies. Thus the IUT is the network DSS1 protocol entity at a particular user-network interface and is not the whole network.

It is possible to specify an ATS based on a Single party (remote) test method for such an IUT. However, it is considered that an ATS based on such an approach is of limited use as the only way to specify IUT generated PDUs is to use the "implicit send" statement. Many users of such an ATS would replace the "implicit send" statements with descriptions of the behaviour at other interfaces.

An ATS based on a multi-party test method is considered to be more useful in that it is closer to how a real test suite would be constructed. Such a test method specifies behaviour at multiple network interfaces. One very important limitation here is that tests are focused on one particular interface. Thus the test system is made up one Main Test Component (MTC) and one or more Parallel Test Components (PTC), see figure 1.

4.1.1 Conventions for test components and PCOs




Figure 1: Multi-party test method


In a master/slave arrangement, the MTC is considered to be the master while the PTCs are the slaves. The "slave" testers are only an explicit description of how to deal with the "other" interfaces during the testing process, i.e. "how to make the IUT send the required message".


Page 12 ETS 300 182-6: September 1996

This means, in particular, that the verdict will only be assigned from the protocol aspects observed on the interface under test (i.e. by the "master" tester), as it would be observed by a terminal connected to this interface. A failure in the correlation between the protocol at the different interfaces to which the different testers are connected, i.e. in the mechanism of the functional service itself, will not cause a FAIL verdict. For instance, if the IUT fails to send a message on the tested interface after another interface has received the proper stimulus, the verdict will be INCONCLUSIVE.

The MTC MTCA has two functions in this configuration. Firstly, it has the MTC function of controlling the one or more PTCs. Thus it is responsible for starting the PTCs and afterwards co-ordinates activities by exchanging Co-ordination Messages (CM) with the PTCs. Secondly it is responsible for the behaviour of the Lower Tester (LT) at PCO L0.

A combination of the remote and multi-party test methods is applied. As can be seen from figure 1, several PCOs are used. All PCOs reside at the service access points between layers 2 and 3.





The MTC PCO is named "L0" ("L" for Lower). The L0 PCO is used to control and observe the behaviour of the IUT and test case verdicts are assigned depending on the behaviour observed at this PCO. The PTC PTC1 uses PCO L1. This PCO is used to control and, in a limited way, observe the behaviour of the network equipment at interfaces other than the one under test. No verdicts are assigned at this PCO.

As stated in a previous paragraph, the non-receipt of network generated messages at L0, which are stimulated by events at the L1, will result in INCONCLUSIVE rather than FAIL verdicts being assigned.

4.1.2 Conventions for variables and parameters

MTCA

call reference B channel (basic) channel nr (primary)	CREF1 bch_num1 CH_NUM1	(to PTC1)
PCO L0	IPN0, LIPN0	
PTC1		
call reference B channel (basic) channel nr (primary)	P1CREF P1_bch_num P1_CH_NUM	
PCO L1	IPN1, LIPN1	

4.2 Alternative ATM

As stated in subclause 4.1, an ATS based on a single-party (remote) ATM is possible. Such an ATS may be generated from the one specified in this ETS. The following general steps should be taken:

- 1) remove all PTC behaviour;
- 2) remove all CREATE statements;
- 3) replace CMs which are used to provoke PDUs at the MTC, with implicit send statements.

An example, showing the difference between the multi-party ATM and single-party ATM for a single test case, is given in tables 1 and 2.

Table 1: Test case dynamic behaviour table using multi-party ATM

	TEST CASE DYNAMIC BEHAVIOUR						
Test	Cest Case Name HOLD_N04_001						
Grou	p	RemoteUser_ST_OR_T/Holdi	ng/				
Purp	ose		Ensure that the IUT, while in the Active call state N10, to notify				
		the non-served user that					
			ith a notification indica				
			and remains in the Active	call	l state.		
Defa		DF69901(1)					
	igurati						
Comm	ents	9.2.1 valid optional					
Nr	Label	BEHAVIOUR DESCRIPTION	CREF	V	COMMENTS		
1		CREATE (PTC1: PTC1_IN_servedUser)					
2 3		+PR31002			preamble N10		
3		CPA1!CP_M START TWAIT	S_HL				
		L0?NOTIFYr	A_NO20(CREF1,hold_NID)	(P)			
5		+CS59901(10,1)			check N10		
6		?TIMEOUT TWAIT		(I)			
7		+PO49901(1)			postamble N0		
DETA	ILED CO	MMENTS:					

Table 2: Test case dynamic behaviour table using single-party ATM

	TEST CASE DYNAMIC BEHAVIOUR							
Test	Test Case Name HOLD_N04_001							
Grou	р		RemoteUser_ST_OR_T/Holdi	.ng/				
Purp	ose		Ensure that the IUT, whi	le in the Active call sta	ate Ni	10, to notify		
			the non-served user that					
				vith a notification indica				
			"remote hold" to user B	and remains in the Active	e cali	l state.		
Defa			DF69901(1)					
Conf	igurati	on						
Comm	ents		9.2.1 valid optional					
Nr	Label	BEHAVIOUR	DESCRIPTION	CREF	V	COMMENTS		
1		+PR31002				preamble N10		
23		<iut!notif< td=""><td>Y></td><td>NO20(CREF1,hold_NID)</td><td></td><td></td></iut!notif<>	Y>	NO20(CREF1,hold_NID)				
3		L0?NOTIFY:	=	A_NO20(CREF1,hold_NID)	(P)			
4		+CS59901				check N10		
5		?TIMEOUT '	TWAIT		(I)			
6		+PO49901	(1)			postamble N0		
DETA	ILED CO	MMENTS:						

5 Untestable test purposes

There are no untestable test cases associated with this ATS and ATM.

6 ATS conventions

This clause is structured similarly to the structure of a TTCN ATS. However, the names of the subclauses are arranged in a way more suitable to this ETS.

6.1 Declarations part

6.1.1 Type definitions

6.1.1.1 Simple type definitions

Where appropriate, simple types have a length, a value list or a range restriction attached.

Simple types defined as being of some string type (e.g. BIT STRING, OCTET STRING), have a length restriction or a value list attached.

Simple types, defined as being of INTEGER type, have a value list or a range restriction attached.

6.1.1.2 Structured type definitions

6.1.1.2.1 TTCN structured type definitions

All structured type definitions are provided with a full name.

All elements in every structured type definition, defined as being of some string type (e.g. BIT STRING, OCTET STRING), have a length restriction attached.

If an element in a structured type definition is defined as being of a referenced type, the (possible) restriction is defined in that referenced type.

For information elements the identifier, which is unique for each element, has its type defined as a simple type where the value list is restricted to the single value which is the identifier itself. This has the advantage that it allows a test system derived from this ATS to easily identify information elements embedded in messages. An ATS where information element identifiers are represented as unrestricted types can present difficulties for a derived test system in the case where it needs to find one information element embedded in a number of others and the constraints for the other elements have the any-or-omit value. In such a case the test system cannot easily find the beginning of each information element.

6.1.1.2.2 ASN.1 structured type definitions

ASN.1 has been used for three major reasons. First, types defined in ASN.1 can model problems that "pure" TTCN cannot. For instance, data structures modelling ordered or unordered sequences of data are preferably defined in ASN.1. Second, ASN.1 provides a better restriction mechanism for type definitions by using sub-type definitions. Third, it is necessary to use ASN.1 to reproduce the type definitions for remote operation components as specified in the base standards.

The fact that ASN.1 provides a better restriction mechanism for type definitions is used for the purpose of achieving type-compatibility.

Page 15 ETS 300 182-6: September 1996

In table 3, the ASN.1 type BIT7OR15 is defined as being of type BIT STRING with a size constraint attached to it. The size is determined by the value of CR_LENGTH, a test suite parameter. It can have the value of either 7 or 15. The type BIT7OR15 is used in the structured type CR, field cr_r allowing this type to represent a Basic Access or a Primary Rate Access call reference. By using this type definition the field cr_r is always type compatible with values of type BIT STRING (SIZE(7)) and BIT STRING (SIZE(15)). Another approach to solve this problem would be to define the type BIT7OR15 as BIT STRING (SIZE(7 | 15)). This type has a small disadvantage compared with the previous one. It is impossible, in run-time, to determine the actual length of any instance of this type.

Table 3: ASN.1 type definition BIT7OR15

	ASN.1 Type Definition	
Type Name : BIT7OR15 Comments :		
	Type Definition	
<pre>BIT STRING(SIZE(CR_LENGTH))</pre>		

Table 4 shows a typical use of ASN.1. The CHI element will have two different type definitions depending on whether it represents basic or primary rate access. In TTCN, this needs to be defined as two different types. In ASN.1 this can be done in one, the type being a choice of either BASIC_CHI or PRIMARY_CHI. These two types are then (locally) defined in the same table.

Table 4: ASN.1 type definition CHI

	ASN.1 Type Definition
Type Name : CHI Comments : Info Element Channel Ider ETS 300 102-1 clause 4.5	ntification
	Type Definition
CHOICE { basic BASIC_CHI, primary PRIMARY_CHI }	
Local type definitions	
<pre>BASIC_CHI ::= SEQUENCE { chi_i CHI_I, chi_l BIT STRING(SIZE(8)), chi_e3_cs BIT STRING(SIZE(8)) }</pre>	Identifier Length Channel selection
<pre>PRIMARY_CHI ::= SEQUENCE { chi_i CHI_I, chi_l BIT STRING(SIZE(8)), chi_e3_p1 BIT STRING(SIZE(4)), chi_e3_p2 BIT STRING(SIZE(1)), chi_e3_p3 BIT STRING(SIZE(3)), chi_e4 BIT STRING(SIZE(8)), chi_e5_chl BIT STRING(SIZE(1)), chi_e5_ch2 BIT STRING(SIZE(7)) }</pre>	First nibble of Channel selection Preferred/Exclusive Bit Last three bits of Channel selection Channel type

Table 5 shows an example of how ASN.1 can be used to model unordered sequences.

Table 5: ASN.1 type definition FIES

	ASN.1 Type Definition	
Type Name : FIES		
Comments :		
	Type Definition	
SET OF FIE		

The possibility to use TTCN and ASN.1 in combination is used, i.e. referring to an ASN.1 type from a TTCN type.

Page 16 ETS 300 182-6: September 1996

6.1.1.3 ASP type definitions

6.1.1.3.1 TTCN ASP type definitions

TTCN ASP type definitions only contain one PDU or no PDU at all. The relationship between an ASP type and a PDU type is one-to-one. That is, there exists one ASP type definition for each PDU type definition (if that ASP type contains a PDU).

All TTCN ASP type definitions are provided with a full identifier.

Some ASPs are not parameterized as shown in the example in table 6. Such ASPs are only used for requesting or receiving service from the lower layer.

Table 6: TTCN ASP type definition DL_REL_IN

	TTCN ASP Type Definition				
ASP NAME : DL_REL_IN					
(DL_RELEASE_INDICATION)					
PCO Type : SAP					
Comments :					
Parameter Name Parameter Type Comments					
Detailed Comments :					

Table 7 shows an example of a parameterized ASP. All ASPs containing PDUs contain only that PDU and no other parameters.

Table 7: TTCN ASP type definition DL_DATA_RQ_ALERT

	TTCN ASP Type Definition				
ASP NAME : DL_DATA_RQ_ALERT (DL_DATA_REQUEST)					
PCO Type : SAP					
Comments :	Comments :				
Parameter Name Parameter Type Comments					
mun (MessageUnit)	ALERT_PDU				
Detailed Comments :					

6.1.1.3.2 ASN.1 ASP type definitions

There are no ASN.1 ASP type definitions in the ATS.

6.1.1.4 PDU type definitions

6.1.1.4.1 TTCN PDU type definitions

The TTCN PDU type reflects the actual data being transferred or received. All PDUs are embedded in ASPs.

If a specific PDU type definition contains elements defined in terms of a pre-defined type, that element has a restriction attached to it.

6.1.1.4.2 ASN.1 PDU type definitions

There are no ASN.1 PDU type definitions in the ATS.

6.1.2 Test suite constants

No test suite constants are used or defined in this ATS.

6.1.3 Test suite parameters

Each test suite parameter is defined in terms of a predefined type or a referenced type. A referenced type is used when it is necessary to attach restrictions to these type definitions (it is not allowed to include restrictions directly in the test suite parameter table). The referenced type can have a length or value restriction attached to it in its declaration table.

6.1.4 Variables

6.1.4.1 Test suite variables

No test suite variables are used or defined in this ATS.

6.1.4.2 Test case variables

Each test case variable is defined in terms of a predefined type or a referenced type. A referenced type is used when it is necessary to attach restrictions to these type definitions (it is not allowed to include restrictions directly in the test case variable table). The referenced type can have a length or value restriction attached to it in its declaration table.

Where test case variables are used in constraints, they are passed as formal parameters.

6.1.5 Test suite operation definitions

The description part of a test suite operation definition uses either natural language or meta C.

Table 8: Test suite operation definition ASSIGN_CHI

	Test Suite Operation Definition
Operation Name	: ASSIGN_CHI(basic, primary : CHI; basic_flag : BOOLEAN)
Result Type	: CHI
Comments	This operation is used to assign a correct Channel identification information
	element to PDUs dependent on the type of access that is tested.
	Description
<pre>{ if(basic_flag) return basic; else return primary }</pre>	
Detailed comment	

The test suite operation definition shown in table 8 is used in the constraints part when assigning an element of type CHI a value. As previously described, the CHI type can be defined in two ways depending on whether the ATS is testing basic or primary rate access. To avoid duplicate types and thereby duplicate test cases the CHI type is defined in ASN.1. This operation is used to assign a value to an element of CHI type. It takes three parameters:

primary:a constraint of type CHI valid for primary rate access;basic:a constraint of type CHI valid for basic access;basic_flag:a Boolean value: TRUE if basic access is applicable, FALSE otherwise.

This operation returns the correct constraint according to the Boolean flag basic_flag. That constraint will then be assigned to the specific element of type CHI.

Page 18 ETS 300 182-6: September 1996

6.2 Constraints part

6.2.1 Structured type constraint declaration

For every structured type definition there exists one or more structured type constraint.

6.2.2 ASN.1 type constraint declaration

Constraints of this type are used to assign the corresponding type a specific value. These constraints are used for the purpose of modelling unordered data or specific types that cannot be expressed in TTCN.

A value assigned to an element of type SET OF differs depending on whether it is a send or receive constraint.

Table 9: ASN.1 type constraint declaration fIEs (send constraint)

Constraint Name : fIEs(comp : Component) ASN.1 Type : FIE	ASN.1 Type Constraint Declaration			
ASN.1 Type : FIE	Constraint Name : fIEs(comp : C	omponent)		
	ASN.1 Type : FIE			
Derivation Path :	Derivation Path :			
Comments : Send FIE which will contain one component "comp".	Comments : Send FIE whic	h will contain one component "comp".		
Description		Description		
<pre>{ informationElementIdentifier '00011100'B, length</pre>	length extBit spareBits protocolProfile	CALC_FIE_LENGTH(comp), '1'B, '00'B, '10001'B,		

NOTE 1: The last element in the constraint, *components*, is of type *SET OF Component* where *Component* is structured data of some type.

If the constraint is a send constraint (as in table 9) the value for the component element is stated as "{comp}" where comp is an argument received as a parameter. The "{" and "}" turns the value into a SET OF value which is correct according to that element's type definition.

Table 10: ASN.1 type constraint declaration fIEr (receive constraint)

	ASN.1 Type Constraint Declaration
Constraint Name : fIEr(comp : (Component)
ASN.1 Type : FIE	
Derivation Path :	
Comments : A received FI	IE which can contain several components, but which contains at
least "comp".	
	Description
informationElementIdentifier length extBit spareBits protocolProfile components	'00011100'B, '???????'B, '1'B, '00'B, '10001'B, SUPERSET({comp})

NOTE 2: The last element in the constraint, *components*, is of type *SET OF Component* where *Component* is structured data of some type.

If the constraint is a receive constraint (as in table 10) the corresponding matching value is assigned by using SUPERSET. The key-word SUPERSET has an argument that is type compatible with the type definition of that field. In table 10, the element named *components* is defined as "SET OF Component" and this implies that the argument to SUPERSET should be of type SET OF Component. This is achieved the same way as for send constraints, enclosing the value in curly brackets.

The semantic of SUPERSET is stated in ISO/IEC 9646-3 [8], subclause 11.6.4.7. In short it defines the semantic as follows: "A value that uses SUPERSET matches the incoming value if, and only if, the incoming value contains at least all of the elements defined within the SUPERSET, and may contain more elements." This is exactly the semantic definition used in this ATS.

6.2.2.1 Specification of encoding rules

At the time of specifying this ATS the mechanisms related to encoding of ASN.1 types, specified in DAM-2 of ISO/IEC 9646-3 [8], were not yet stable. Nevertheless as there is a variation in the encoding rules as applied to ASN.1 types and constraints specified in this ATS, a mechanism is used to differentiate the different encoding rules. Given the non-finalized status of DAM-2, a solution which is broadly in the spirit of DAM-2 has been created. Comment fields have been used as a means of including the encoding rules.

For ASN.1 used in this ATS, two variations of encoding rules are used. One is the commonly known Basic Encoding Rules (BER) as specified in CCITT Recommendation X.209 [12]. In the second case the encoding is according to ISDN, i.e. the ASN.1 data types are a representation of structures contained within the ISDN specification (basic call, Generic functional protocol or individual supplementary service). For example, if octets of an information element are specified in ASN.1 as a SEQUENCE then this should be encoded in an Executable Test Suite (ExTS) as any other ISDN information element specified using tabular TTCN. This ISDN encoding variation is the default encoding rule for this ATS. This means that all ASN.1 constraint tables are encoded using ISDN (non-BER) encoding unless stated otherwise. BER encoding should never be applied to an ASN.1 constraint where BER encoding has not been specified.

For BER encoding, an indication is given in the comments field of the table header. For this ATS such indications appear in the ASN.1 type constraint declaration tables only. In the first line of the table header comment field, the notation "ASN1_Encoding: *BER*" is used.

Note that within BER, there are a number of variations for the encoding of lengths of fields. According to ETS 300 196-1 [5], an IUT should be able to interpret all length forms within BER for received PDUs. When sending PDUs containing BER encoding, ETS 300 196-1 [5] gives guidelines but makes no restrictions on the length forms within BER which an IUT may apply.

In relation to components sent by the tester to the IUT, implementors of this ATS shall use a variety of length forms such that at least one of each of the length forms is sent to the IUT during a test campaign. The variations of length forms to be used are indefinite, short definite and long definite.

In this particular ATS all ASN.1 type constraints which are of type "Component" are to be encoded using BER.

		ASN.1 Type Constraint Declaration			
Constraint Name	:	Beg3PTYinv			
ASN.1 Type	:	Component			
Derivation Path	:				
Comments	:	ASN1_Encoding: BER			
		Receive component: Begin3PTY invoke component			
	Description				
begin3PTY_Compor	ıer	nts			
begin3PTY_Invo	oke	2Comp			
{ invokeID		? ,			
operation_	_va	lue localValue 4}			
Detailed comment	s	:			

Table 11: ASN.1 type constraint declaration showing use of encoding variation

Page 20 ETS 300 182-6: September 1996

6.2.3 ASP type constraint declaration

6.2.3.1 ASN.1 ASP type constraint declaration

No ASN.1 ASP type constraint declarations exist in this ATS.

6.2.3.2 TTCN ASP type constraint declaration

For TTCN ASP constraint declarations there is a one-to-one relationship between its type and the constraint. That is, there is only one constraint for each TTCN ASP Type Declaration. The reason for this is that the ASPs are used only for carrying a specific PDU value. The many ASP constraints (and types) could have been avoided by using the meta type **PDU**, but that was not suitable as values inside a specific PDU have to be referenced. To reference elements inside a value of meta type **PDU** is not allowed according to ISO/IEC 9646-3 [8], so each ASP has to be defined as having a parameter of a specific PDU type.

In all ASP constraints the embedded PDU constraint is either chained static or "semi-dynamic". That is, the PDU constraint is always fixed to a specific ASP constraint but it (the PDU) may be parameterized.

All ASP constraints have a specific value for its parameter. No matching symbols are used in ASPs.

6.2.4 PDU type constraint declaration

6.2.4.1 ASN.1 PDU type constraint declaration

No ASN.1 PDU type constraint declaration exists in this ATS.

6.2.4.2 TTCN PDU type constraint declaration

PDU constraints are used for assigning values or patterns to the data being sent or received.

6.2.5 Chaining of constraints

6.2.5.1 Static chaining

Static chaining, that is a fixed reference to a specific constraint, is used in this ATS. The static chaining is used for static binding of both variables and sub-structures.

6.2.5.2 Dynamic chaining

Dynamic chaining is achieved when having a reference to a value which is unknown. The only thing known (before run-time) is the type of that reference. The reference is passed as a parameter. Strict dynamic chaining is not used in this ATS. What is used is something that is called "semi-dynamic chaining". The definition of semi-dynamic chaining is that the fixed reference is parameterized with an unknown value. That value is received as a parameter.

Table 12: TTCN ASP constraint declaration A_RST1

	TTCN ASP	Constraint Declaration	
Constraint Name : A_R	RST1(FLAG : INTEGER)		
ASN.1 Type : DL_	_DAT_IN_RESTARTr		
Derivation Path :			
Comments :			
Parameter Na	ame I	Parameter Value	Comments
mun	RST1(FLAG	+)	RST1(FLAG)
Detailed comments :			

Table 12 is an example of semi-dynamic chaining. The TTCN ASP constraint is parameterized with an INTEGER value named FLAG. That value is passed further down in the structure as a parameter to a static named PDU constraint reference.

6.2.6 Derived constraints

No derivation of any constraint is used. All constraints are considered to be base constraints.

6.2.7 Parameterized constraints

Parameterized constraints are used in this ATS.

6.2.8 Value assignment

6.2.8.1 Specific values

For specific value assignment both explicit values and references to explicit values are used.

6.2.8.2 Matching values

As matching values the following mechanisms are used:

Instead of Value:

AnyOrOmit "*" AnyValue "?" SuperSet SUPERSET Omit "-" Inside value: AnyOne "?" AnyOrNone "*"

6.3 Dynamic part

6.3.1 Test cases

Each test case contains the test purpose text from ETS 300 182-5 [4]. To be able to read and understand the test case dynamic behaviour it is recommended that the test steps are understood first.

6.3.2 Test steps

6.3.2.1 PTC1_IN

This test step describes the behaviour of the PTC1 for support of an incoming call at the MTC (served user side). Thus PTC1 is the originator of the call. The PTC1 receives a CM from the MTC in order to send the SETUP message which begins the call establishment. The test step is terminated by receipt of a RELEASE message or by appropriate CM from the MTC.

6.3.2.2 PTC1_OUT

This test step describes the behaviour of the PTC1 for support of an outgoing call at the MTC (served user side). Thus PTC1 is at the destination side of the call. The test step is terminated by receipt of a RELEASE message or by appropriate CM from the MTC.

The behaviour is regulated from the MTC by means of CMs sent via CPA1 co-ordination point. Thus if the PTC is expected to receive a message it receives a CM beforehand telling it what message to expect. On the other hand if the MTC wishes to receive a message from the IUT it may do this by first sending a CM to PTC1. Depending on the contents of the CM PTC1 may then send a message to the IUT eventually provoking the IUT to send a message at the side of the MTC.

6.3.3 Defaults

Note the use of the RETURN statement which is defined in DAM1 of ISO/IEC 9646-3 [8]. This allows valid background behaviour to be handled in the default tree with a possibility to return to the original set of alternatives in the test case.

7 ATS to TP map

The identifiers used for the TPs are reused as test case names. Thus there is a straightforward one-toone mapping.

8 PCTR conformance

A test laboratory, when requested by a client to produce a PCTR, is required, as specified in ISO/IEC 9646-5 [10], to produce a PCTR conformant with the PCTR template given in annex B of ISO/IEC 9646-5 [10].

Furthermore, a test laboratory, offering testing for the ATS specification contained in annex C, when requested by a client to produce a PCTR, is required to produce a PCTR conformant with the PCTR proforma contained in annex A of this ETS.

A PCTR which conforms to this PCTR proforma specification shall preserve the content and ordering of the clauses contained in annex A. Clause A.6 of the PCTR may contain additional columns. If included, these shall be placed to the right of the existing columns. Text in italics may be retained by the test laboratory.

9 **PIXIT** conformance

A test realizer, producing an executable test suite for the ATS specification contained in annex C, is required, as specified in ISO/IEC 9646-4 [9], to produce an augmented partial PIXIT proforma conformant with this partial PIXIT proforma specification.

An augmented partial PIXIT proforma which conforms to this partial PIXIT proforma specification shall, as a minimum, have contents which are technically equivalent to annex B. The augmented partial PIXIT proforma may contain additional questions that need to be answered in order to prepare the Means Of Testing (MOT) for a particular IUT.

A test laboratory, offering testing for the ATS specification contained in annex C, is required, as specified in ISO/IEC 9646-5 [10], to further augment the augmented partial PIXIT proforma to produce a PIXIT proforma conformant with this partial PIXIT proforma specification.

A PIXIT proforma which conforms to this partial PIXIT proforma specification shall, as a minimum, have contents which are technically equivalent to annex B. The PIXIT proforma may contain additional questions that need to be answered in order to prepare the test laboratory for a particular IUT.

10 ATS conformance

The test realizer, producing MOT and ExTS for this ATS specification, shall comply with the requirements of ISO/IEC 9646-4 [9]. In particular, these concern the realization of an ExTS based on each ATS. The test realizer shall provide a statement of conformance of the MOT to this ATS specification.

An ExTS which conforms to this ATS specification shall contain test groups and test cases which are technically equivalent to those contained in the ATS in annex C. All sequences of test events comprising an abstract test case shall be capable of being realized in the executable test case. Any further checking which the test system might be capable of performing is outside the scope of this ATS specification and shall not contribute to the verdict assignment for each test case.

Test laboratories running conformance test services using this ATS shall comply with ISO/IEC 9646-5 [10].

A test laboratory which claims to conform to this ATS specification shall use an MOT which conforms to this ATS.

Annex A (normative): Protocol Conformance Test Report (PCTR) proforma

Notwithstanding the provisions of the copyright clause related to the text of this ETS, ETSI grants that users of this ETS may freely reproduce the PCTR proforma in this annex so that it can be used for its intended purposes and may further publish the completed PCTR.

A.1 Identification summary

A.1.1 Protocol conformance test report

PCTR number:	
PCTR date:	
Corresponding SCTR number:	
Corresponding SCTR date:	
Test laboratory identification:	
Test laboratory manager:	
Signature:	

A.1.2 IUT identification

Name:	
Version:	
Protocol specification:	ETS 300 182-1
PICS:	
Previous PCTRs (if any):	

A.1.3 Testing environment

PIXIT Reference number:	
ATS Specification:	ETS 300 182-6
Abstract Test Method:	Multi-party test method (see ISO/IEC 9646-2)
Means of Testing identification:	
Dates of testing:	
Conformance log reference(s):	
Retention date for log reference(s):	

Page 24 ETS 300 182-6: September 1996

A.1.4 Limits and reservations

Additional information relevant to the technical contents or further use of the test report, or to the rights and obligations of the test laboratory and the client, may be given here. Such information may include restriction on the publication of the report.

A.1.5 Comments

Additional comments may be given by either the client or the test laboratory on any of the contents of the PCTR, for example, to note disagreement between the two parties.

A.2 IUT conformance status

This IUT has / has not been shown by conformance assessment to be non-conforming to the specified protocol specification.

Strike the appropriate words in this sentence. If the PICS for this IUT is consistent with the static conformance requirements (as specified in clause A.3 of this report) and there are no "FAIL" verdicts to be recorded (in clause A.6) strike the word "has", otherwise strike the words "has not".

A.3 Static conformance summary

The PICS for this IUT is / is not consistent with the static conformance requirements in the specified protocol.

Strike the appropriate words in this sentence.

A.4 Dynamic conformance summary

The test campaign did / did not reveal errors in the IUT.

Strike the appropriate words in this sentence. If there are no "FAIL" verdicts to be recorded (in clause A.6 of this report) strike the word "did", otherwise strike the words "did not".

Summary of the results of groups of tests:

A.5 Static conformance review report

If clause A.3 indicates non-conformance, this clause itemizes the mismatches between the PICS and the static conformance requirements of the specified protocol specification.

A.6 Test campaign report

ATS reference	Selected? (Y/N)	Run? (Y/N)	Verdict	Observations
AOC_N01_001	(1/14)	(1/14)		
AOC N01 002				
AOC N01 003				
AOC_N01_004				
AOC_N01_005				
AOC_N01_006				
AOC_N01_007				
AOC_N01_008				
AOC_N01_009				
AOC_N02_001				
AOC_N02_002				
AOC_N02_003				
AOC_N03_001				
AOC_N03_002				
AOC_N03_003				
AOC_N03_004				
AOC_N03_005				
AOC_N03_006				
AOC_N03_007				
AOC_N03_008				
AOC_N03_009				
AOC_N03_010				
AOC_N03_011				
AOC_N04_001				
AOC_N04_002				
AOC_N04_003				
AOC_N04_004				
AOC_N05_001				
AOC_N05_002				
AOC_N05_003				
		(continu	led)	

Page 26 ETS 300 182-6: September 1996

AOC NO6 001	ATS reference	Selected? (Y/N)	Run? (Y/N)	Verdict	Observations
AOC. NO6.003	AOC_N06_001				
AOC, NO6, 004 AOC, NO6, 006 AOC, NO7, 001 AOC, NO7, 003 AOC, NO7, 003 AOC, NO7, 003 AOC, NO7, 003 AOC, NO7, 004 AOC, NO7, 005 AOC, NO7, 006 AOC, NO7, 007 AOC, NO7, 008 AOC, NO7, 009 AOC, NO7, 008 AOC, NO7, 010 AOC, NO7, 011 AOC, NO7, 012 AOC, NO7, 013 AOC, NO7, 014 AOC, NO7, 015 AOC, NO7, 016 AOC, NO7, 018 AOC, NO7, 021 AOC, NO7, 022 AOC, NO7, 023 AOC, NO7, 024 AOC, NO7, 025 AOC, NO7, 026 AOC, NO7, 028 AOC, NO7, 031	AOC_N06_002				
AOC. NO6 005	AOC_N06_003				
AOC. NOF. 006	AOC_N06_004				
AOC. NOF. 006					
AOC. N07.001 Image: Constraint of the second s					
AOC. N07.002 AOC AOC. N07.004 AOC AOC. N07.004 AOC AOC. N07.006 AOC AOC. N07.006 AOC AOC. N07.007 AOC AOC. N07.008 AOC AOC. N07.009 AOC AOC. N07.009 AOC AOC. N07.010 AOC AOC. N07.011 AOC AOC. N07.012 AOC AOC. N07.013 AOC AOC. N07.014 AOC AOC. N07.015 AOC AOC. N07.016 AOC AOC. N07.017 AOC AOC. N07.018 AOC AOC. N07.020 AOC AOC. N07.021 AOC AOC. N07.022 AOC AOC. N07.023 AOC AOC. N07.024 AOC AOC. N07.025 AOC AOC. N07.026 AOC AOC. N07.028 AOC AOC. N07.030 AOC AOC. N07.031 AOC AOC. N07.032 AOC					
AOC. N07.003 AOC. N07.004 AOC. N07.005 AOC. N07.005 AOC. N07.006 AOC. N07.007 AOC. N07.008 AOC. N07.008 AOC. N07.009 AOC. N07.009 AOC. N07.009 AOC. N07.010 AOC. N07.010 AOC. N07.010 AOC. N07.011 AOC. N07.012 AOC. N07.013 AOC. N07.014 AOC. N07.014 AOC. N07.015 AOC. N07.015 AOC. N07.016 AOC. N07.018 AOC. N07.018 AOC. N07.018 AOC. N07.019 AOC. N07.020 AOC. N07.021 AOC. N07.021 AOC. N07.021 AOC. N07.022 AOC. N07.023 AOC. N07.023 AOC. N07.024 AOC. N07.026 AOC. N07.027 AOC. N07.027 AOC. N07.028 AOC. N07.033 AOC. N07.034 AOC. N07.033 AOC. N07.034 AOC. N07.034 AOC. N07.034 AOC. N07.038 AOC. N07.044 AOC. N07.038 AOC. N07.043 AOC. N07.043 AOC. N07.043 AOC. N07.043 AOC. N07.043					
AOC. N07. 004					
AOC. N07.005 AOC. N07.006 AOC. N07.006 AOC. N07.008 AOC. N07.008 AOC. N07.009 AOC. N07.010 AOC. N07.010 AOC. N07.010 AOC. N07.011 AOC. N07.011 AOC. N07.012 AOC. N07.012 AOC. N07.012 AOC. N07.013 AOC. N07.014 AOC. N07.016 AOC. N07.015 AOC. N07.017 AOC. N07.016 AOC. N07.018 AOC. N07.018 AOC. N07.019 AOC. N07.019 AOC. N07.022 AOC. N07.021 AOC. N07.023 AOC. N07.024 AOC. N07.024 AOC. N07.025 AOC. N07.025 AOC. N07.026 AOC. N07.028 AOC. N07.028 AOC. N07.029 AOC. N07.030 AOC. N07.030 AOC. N07.031 AOC. N07.033 AOC. N07.034 AOC. N07.034 AOC. N07.038 AOC. N07.038 AOC. N07.040 AOC. N07.041 AOC. N07.041 AOC. N07.042 AOC. N07.043 AOC. N07.043 AOC. N07.044 AOC. N07.044 AOC. N07.043					
AOC. N07. 006 AOC. N07. 008 AOC. N07. 008 AOC. N07. 009 AOC. N07. 009 AOC. N07. 010 AOC. N07. 010 AOC. N07. 011 AOC. N07. 011 AOC. N07. 012 AOC. N07. 012 AOC. N07. 013 AOC. N07. 014 AOC. N07. 014 AOC. N07. 015 AOC. N07. 016 AOC. N07. 016 AOC. N07. 017 AOC. N07. 017 AOC. N07. 018 AOC. N07. 018 AOC. N07. 019 AOC. N07. 019 AOC. N07. 020 AOC. N07. 021 AOC. N07. 021 AOC. N07. 022 AOC. N07. 021 AOC. N07. 023 AOC. N07. 024 AOC. N07. 024 AOC. N07. 025 AOC. N07. 025 AOC. N07. 026 AOC. N07. 026 AOC. N07. 028 AOC. N07. 028 AOC. N07. 030 AOC. N07. 032 AOC. N07. 032 AOC. N07. 033 AOC. N07. 033 AOC. N07. 034 AOC. N07. 038 AOC. N07. 038 AOC. N07. 038 AOC. N07. 038 AOC. N07. 038 AOC. N07. 044 AOC. N07. 044 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
AOC. NO7_007 AOC AOC_NO7_008 AOC AOC_NO7_010 AOC AOC_NO7_010 AOC AOC_NO7_011 AOC AOC_NO7_012 AOC AOC_NO7_013 AOC AOC_NO7_014 AOC AOC_NO7_015 AOC AOC_NO7_016 AOC AOC_NO7_017 AOC AOC_NO7_018 AOC AOC_NO7_020 AOC AOC_NO7_021 AOC AOC_NO7_023 AOC AOC_NO7_023 AOC AOC_NO7_024 AOC AOC_NO7_025 AOC AOC_NO7_026 AOC AOC_NO7_027 AOC AOC_NO7_028 AOC AOC_NO7_030 AOC AOC_NO7_031 AOC AOC_NO7_034 AOC AOC_NO7_038 AOC AOC_NO7_044 AOC AOC_NO7_038 AOC AOC_NO7_044 AOC AOC_NO7_044 AOC AOC_NO7_043					
AOC. NO7_008					
AOC. NO7_009					
AOC_N07_010 AOC_N07_011 AOC_N07_011 AOC_N07_012 AOC_N07_013 AOC_N07_014 AOC_N07_014 AOC_N07_015 AOC_N07_016 AOC_N07_016 AOC_N07_017 AOC_N07_018 AOC_N07_018 AOC_N07_020 AOC_N07_020 AOC_N07_021 AOC_N07_021 AOC_N07_021 AOC_N07_022 AOC_N07_023 AOC_N07_024 AOC_N07_025 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_027 AOC_N07_028 AOC_N07_030 AOC_N07_030 AOC_N07_031 AOC_N07_031 AOC_N07_033 AOC_N07_034 AOC_N07_036 AOC_N07_036 AOC_N07_038 AOC_N07_039 AOC_N07_039 AOC_N07_040 AOC_N07_041 AOC_N07_041 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N09_001 AOC_N07_040 AOC_N09_003 AOC_N03_04 AOC_N09_005 AOC_N00_005					
AOC_N07_011					
AOC_N07_012					
AOC_N07_013 AOC_N07_014 AOC_N07_015 AOC_N07_015 AOC_N07_016 AOC_N07_017 AOC_N07_017 AOC_N07_019 AOC_N07_020 AOC_N07_020 AOC_N07_021 AOC_N07_022 AOC_N07_022 AOC_N07_023 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_026 AOC_N07_028 AOC_N07_028 AOC_N07_028 AOC_N07_028 AOC_N07_030 AOC_N07_031 AOC_N07_031 AOC_N07_031 AOC_N07_033 AOC_N07_035 AOC_N07_038 AOC_N07_038 AOC_N07_041 AOC_N07_04 AOC_N07_041 AOC_N07_04 AOC_N09_001 AOC_N09_002 AOC_N09_003 AOC_N09_005 AOC_N09_006 AOC_N07_005					
AOC_N07_014				+	
AOC_N07_015 AOC_N07_016 AOC_N07_016 AOC_N07_017 AOC_N07_018 AOC_N07_019 AOC_N07_020 AOC_N07_021 AOC_N07_021 AOC_N07_022 AOC_N07_022 AOC_N07_023 AOC_N07_024 AOC_N07_024 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_027 AOC_N07_027 AOC_N07_028 AOC_N07_029 AOC_N07_029 AOC_N07_030 AOC_N07_031 AOC_N07_031 AOC_N07_034 AOC_N07_034 AOC_N07_037 AOC_N07_038 AOC_N07_038 AOC_N07_039 AOC_N07_040 AOC_N07_040 AOC_N07_041 AOC_N07_041 AOC_N07_043 AOC_N07_043 AOC_N09_001 AOC_N07_043 AOC_N09_002 AOC_N07_040 AOC_N09_003 AOC_N03_OO					
AOC_N07_016					
AOC_N07_017 AOC_N07_018 AOC_N07_019 AOC_N07_020 AOC_N07_021 AOC_N07_022 AOC_N07_022 AOC_N07_023 AOC_N07_024 AOC_N07_025 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_027 AOC_N07_028 AOC_N07_028 AOC_N07_029 AOC_N07_030 AOC_N07_031 AOC_N07_031 AOC_N07_033 AOC_N07_033 AOC_N07_034 AOC_N07_036 AOC_N07_036 AOC_N07_037 AOC_N07_037 AOC_N07_038 AOC_N07_041 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N09_001 AOC_N07_043 AOC_N09_002 AOC_N07_043 AOC_N09_003 AOC_N09_003 AOC_N09_004 AOC_N09_005					
AOC_N07_018 AOC_N07_019 AOC_N07_020 AOC_N07_021 AOC_N07_021 AOC_N07_022 AOC_N07_023 AOC_N07_023 AOC_N07_024 AOC_N07_025 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_028 AOC_N07_029 AOC_N07_029 AOC_N07_030 AOC_N07_030 AOC_N07_031 AOC_N07_032 AOC_N07_033 AOC_N07_034 AOC_N07_035 AOC_N07_036 AOC_N07_037 AOC_N07_038 AOC_N07_039 AOC_N07_041 AOC_N07_041 AOC_N07_043 AOC_N07_043 AOC_N09_001 AOC_N07_043 AOC_N09_001 AOC_N07_043 AOC_N09_002 AOC_N07_043 AOC_N09_003 AOC_N09_004 AOC_N09_004 AOC_N09_005					
AOC_N07_019 AOC_N07_020 AOC_N07_021 AOC_N07_022 AOC_N07_023 AOC_N07_024 AOC_N07_024 AOC_N07_025 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_028 AOC_N07_029 AOC_N07_029 AOC_N07_030 AOC_N07_030 AOC_N07_031 AOC_N07_032 AOC_N07_033 AOC_N07_033 AOC_N07_034 AOC_N07_035 AOC_N07_036 AOC_N07_038 AOC_N07_039 AOC_N07_039 AOC_N07_041 AOC_N07_041 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N09_001 AOC_N09_003 AOC_N09_005 AOC_N09_006					
AOC_N07_020 AOC_N07_021 AOC_N07_021 AOC_N07_023 AOC_N07_023 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_028 AOC_N07_028 AOC_N07_029 AOC_N07_029 AOC_N07_030 AOC_N07_030 AOC_N07_031 AOC_N07_031 AOC_N07_032 AOC_N07_033 AOC_N07_034 AOC_N07_036 AOC_N07_036 AOC_N07_038 AOC_N07_038 AOC_N07_039 AOC_N07_030 AOC_N07_038 AOC_N07_040 AOC_N07_040 AOC_N07_041 AOC_N07_041 AOC_N07_042 AOC_N07_043 AOC_N07_043 AOC_N09_001 AOC_N03 AOC_N09_001 AOC_N09_003 AOC_N09_005 AOC_N09_006					
AOC_N07_021 AOC_N07_022 AOC_N07_023 AOC_N07_024 AOC_N07_025 AOC_N07_026 AOC_N07_026 AOC_N07_027 AOC_N07_028 AOC_N07_029 AOC_N07_029 AOC_N07_030 AOC_N07_030 AOC_N07_031 AOC_N07_032 AOC_N07_033 AOC_N07_034 AOC_N07_035 AOC_N07_038 AOC_N07_038 AOC_N07_039 AOC_N07_034 AOC_N07_038 AOC_N07_038 AOC_N07_041 AOC_N07_041 AOC_N07_042 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N07_044 AOC_N07_043 AOC_N07_040 AOC_N07_043 AOC_N07_040 AOC_N07_043 AOC_N07_040 AOC_N07_043 AOC_N07_040 AOC_N07_043 AOC_N09_001 AOC_N09_002 AOC_N09_002 AOC_N09_003 AOC_N09_005 AOC_N09_006					
AOC_N07_022					
AOC_N07_023					
AOC_N07_024					
AOC_N07_025					
AOC_N07_026					
AOC_N07_027					
AOC_N07_028	AOC_N07_026				
AOC_N07_029 AOC_N07_030 AOC_N07_031 AOC_N07_032 AOC_N07_033 AOC_N07_034 AOC_N07_035 AOC_N07_036 AOC_N07_037 AOC_N07_038 AOC_N07_039 AOC_N07_040 AOC_N07_041 AOC_N07_042 AOC_N07_043 AOC_N09_001 AOC_N09_002 AOC_N09_003 AOC_N09_005	AOC_N07_027				
AOC_N07_030	AOC_N07_028				
AOC_N07_030	AOC_N07_029				
AOC_N07_031 AOC_N07_032 AOC_N07_033 AOC_N07_033 AOC_N07_034 AOC_N07_035 AOC_N07_036 AOC_N07_037 AOC_N07_038 AOC_N07_039 AOC_N07_040 AOC_N07_040 AOC_N07_041 AOC_N07_043 AOC_N07_043 AOC_N07_043 AOC_N08_001 AOC_N09_001 AOC_N09_002 AOC_N09_003 AOC_N09_005 AOC_N09_006					
AOC_N07_032					
AOC_N07_033 AOC_N07_034 AOC_N07_035 AOC_N07_036 AOC_N07_037 AOC_N07_038 AOC_N07_039 AOC_N07_040 AOC_N07_041 AOC_N07_042 AOC_N07_043 AOC_N08_001 AOC_N09_002 AOC_N09_003 AOC_N09_005					
AOC_N07_034					
AOC_N07_035					
AOC_N07_036 AOC_N07_037 AOC_N07_038 AOC_N07_039 AOC_N07_040 AOC_N07_041 AOC_N07_042 AOC_N07_043 AOC_N08_001 AOC_N09_001 AOC_N09_002 AOC_N09_003 AOC_N09_005 AOC_N09_006					
AOC_N07_037				1	
AOC_N07_038				1	
AOC_N07_039					
AOC_N07_040				+	
AOC_N07_041					
AOC_N07_042				+	
AOC_N07_043				+	
AOC_N08_001 AOC_N09_001 AOC_N09_002 AOC_N09_002 AOC_N09_003 AOC_N09_004 AOC_N09_005 AOC_N09_006					
AOC_N09_001 AOC_N09_002 AOC_N09_003 AOC_N09_003 AOC_N09_004 AOC_N09_005 AOC_N09_006 AOC_N09_006					
AOC_N09_002				-	
AOC_N09_003					
AOC_N09_004					
AOC_N09_005 AOC_N09_006					
AOC_N09_006					
AOC_N09_007					
	AOC_N09_007				

A.7 Observations

Additional information relevant to the technical content of the PCTR are given here.

Page 28 ETS 300 182-6: September 1996

Annex B (normative): Partial PIXIT proforma

Notwithstanding the provisions of the copyright clause related to the text of this ETS, ETSI grants that users of this ETS may freely reproduce the partial PIXIT proforma in this annex so that it can be used for its intended purposes and may further publish the completed PIXIT.

B.1 Identification summary

PIXIT number:				
Test la	aboratory name:			
Date o	of issue:			
Issued	d to:			
B.2	Abstract test suite s	ummary		
Protoc	col specification:	ETS 300 182-1		
ATS s	pecification:	ETS 300 182-6		
Abstra	act test method:	Multi-party test method (see ISO/IEC 9646-2)		
B.3	Test laboratory			
Test la	aboratory identification:			
Accre	ditation status of the test ser	vice:		
Accre	ditation reference:			
Test la	aboratory manager:			
Test la	aboratory contact:			
Means	s of testing:			
Test la	aboratory instructions for cor	npletion:		

B.4 Client (of the test laboratory)

Client identification:

.....

Client test manager:

.....

Client contact:

.....

Test facilities required:

.....

B.5 System Under Test (SUT)

B.6 Protocol information

B.6.1 Protocol identification

Specification reference: ETS 300 182-1

Protocol version:

PICS reference:

NOTE: The PICS reference should reference a completed PICS which is conformant with the PICS proforma contained in ETS 300 182-2.

B.6.2 Parameter values

Table B.1: Parameter values

ltem	Question	Supported? (Y/N)	Allowed values	Value
1.1	Does the IUT support Basic Access?		N/A	N/A
1.2	What length of Call Reference is used?		1, 2	
1.3	Is it possible to control the availability of charging information?		N/A	N/A

B.6.3 Actions required to stimulate IUT

Table B.2: Actions required to stimulate IUT

Item	Action: What actions, if possible, have to be taken to cause the IUT to	Supported? (Y/N)	Stimulus (action taken)
2.1	invoke a supplementary service or take other action to cause a charge to be incurred independent of a bearer (see subclause 9.2.4.1 of ETS 300 182)?		

B.6.4 Configuration of IUT

Table B.3: Actions required to configure the IUT

ltem	Action:	Supported?	Stimulus (action taken)
	What actions, if possible, have to be	(Y/N)	
	taken to configure the IUT		
3.1	for AOC-S subscribed on a per call basis		
3.2	for AOC-D subscribed on a per call basis		
3.3	for AOC-E subscribed on a per call basis		
3.4	for AOC-S subscribed for all calls		
3.5	for AOC-D subscribed for all calls		
3.6	for AOC-E subscribed for all calls		
3.7	so that charging information is available		
3.8	so that charging information is NOT available		
3.9	so that charging information is not available or incomplete and based on currency units or only one type of charging unit		
3.10	so that charging information is incomplete and based on more than one type of charging unit		

B.7 Basic call PIXIT items

B.7.1 Parameter values - information element codings

Table B.4: Codings of information elements

Item	Information element:	Supported?	Value	
	provide, if possible,	(Y/N)		
N1.1	a coding of a Bearer Capability information			
	element, which the IUT is compatible with,			
	for the purpose of accepting received			
	SETUP messages and which may be used			
	in SETUP messages to be transmitted			
N1.2	a coding of a High layer compatibility			
	information element, which the IUT is			
	compatible with, for the purpose of			
	accepting received SETUP messages and			
	which may be used in SETUP messages to			
	be transmitted			
N1.3	a coding of a Low layer compatibility			
	information element, which the IUT is			
	compatible with, for the purpose of			
	accepting received SETUP messages and			
	which may be used in SETUP messages to			
N1.4	be transmitted	which the UIT is	eenenetikle with fer	
-	a Called party number information element, v		compatible with, for	
N1.4.1	served user access			
N1.4.2	first remote user access			
N1.4.3	second remote user access			
N1.4.4	third remote user access			
N1.5	preferred channel number to be used for the	purpose of acce	pting received SETUP	
	messages, for (note 1)	1		
N1.5.1	single call at served user side			
N1.5.2	second call at served user side			
N1.5.3	first call at remote user side			
N1.5.4	second call at remote user side			
N1.5.5	third call at remote user side			
NOTE 1:	Items N1.5.1 to N1.5.5 are applicable for primary rate access only.			
NOTE 2:	As this is a general table used for all supplementary services, all items N1.4.1 to N1.4.4, and			
	N1.5.1 to N1.5.5 (if primary rate access is supported), are not always required, but should be			
	supplied if possible.			

Annex C (normative): Abstract Test Suite (ATS)

This ATS has been produced using the Tree and Tabular Combined Notation (TTCN) according to ISO/IEC 9646-3 [8].

The ATS was developed on a separate TTCN software tool and therefore the TTCN tables are not completely referenced in the contents table. The ATS itself contains a test suite overview part which provides additional information and references (see also annex D).

C.1 The TTCN Graphical form (TTCN.GR)

The TTCN.GR representation of this ATS is contained in a Postscript file (AOC_N14.PS¹) which accompanies this ETS.

C.2 The TTCN Machine Processable form (TTCN.MP)

The TTCN.MP representation corresponding to this ATS is contained in an ASCII file (AOC_N14.MP¹)) which accompanies this ETS.

NOTE: According to ISO/IEC 9646-3 [8], in case of a conflict in interpretation of the operational semantics of TTCN.GR and TTCN.MP, the operational semantics of the TTCN.GR representation takes precedence.

¹⁾ This file is located in an archive file named 1826_E1.LZH. Other file formats are available on request.

Annex D (informative): General structure of ATS

This annex gives a simple listing of the order of types of tables which appear in a typical supplementary service ATS. This is intended as an aid in helping readers find particular sections quickly.

Test Suite Overview

Test Suite Structure Test Case Index Test Step Index Default Index Declarations Part Simple Type Definitions Structured Type Definitions ASN.1 Type Definitions **Test Suite Operation Definitions Test Suite Parameter Declarations Test Case Selection Expression Definitions Test Suite Constant Declarations Test Case Variable Declarations** PCO Declarations **Co-ordination Point Declarations Timer Declarations Test Component Declarations Test Components Configuration Declarations TTCN ASP Type Definition TTCN PDU Type Definition TTCN CM Type Definition** Alias Definitions **Constraints Part** Structured Type Constraint Declarations ASN.1 Type Constraint Declarations **TTCN ASP Constraint Declarations TTCN PDU Constraint Declarations TTCN CM Constraint Declarations Dynamic Part** Test Case Dynamic Behaviour Test Step Dynamic Behaviour Default Dynamic Behaviour

Page 34 ETS 300 182-6: September 1996

History

Document history			
November 1995	Public Enquiry	PE 95:	1995-11-06 to 1996-03-01
May 1996	Vote	V 103:	1996-05-20 to 1996-08-23
September 1996	First Edition		