



AMENDMENT

ETS 300 224

pr **A1**

June 1996

Source: ETSI TC-RES

Reference: RE/RES-04012

ICS: 33.060.20, 33.060.50

Key words: Paging, radio, testing

**This draft amendment A1, if approved, will modify
the European Telecommunication Standard ETS 300 224 (1994)**

**Radio Equipment and Systems (RES);
On-site paging service;
Technical and functional characteristics
for on-site paging systems,
including test methods**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

*

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Foreword

This draft amendment to ETS 300 224 (1994) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Unified Approval Procedure phase of the ETSI standards approval procedure.

Proposed transposition dates	
Date of latest announcement of this amendment (doa):	3 months after ETSI publication
Date of latest publication or endorsement of this amendment (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Amendments

Page 12, subclause 3.1

Add the following after the definition of "base station transmitter":

transcoder: A transmitter and encoder combined in a single housing and operated in a fixed location indoors.

Page 19, subclause 6.3.2

Replace subclause with:

For tests at extreme temperatures, measurements shall be made in accordance with procedures specified in subclause 6.3.1 over an ambient temperature range of:

- base station equipment: -25°C to +55°C;
- transcoders used in temperature-controlled environments: -10°C to +55°C;
- pocket unit equipment: -10°C to +55°C.

History

Document history			
April 1992	Public Enquiry	PE 28:	1992-04-13 to 1992-09-04
February 1994	Vote	V 52:	1994-02-07 to 1994-04-01
May 1994	First Edition		
June 1996	Unified Approval Procedure	UAP 49:	1996-06-24 to 1996-10-18