



# AMENDMENT

**ETS 300 263**

pr **A1**

October 1995

---

Source: ETSI TC-NA

Reference: RE/NA-010037

ICS: 33.020

**Key words:** ISDN, telephony, teleservice

**This draft amendment A1, if approved, will modify  
the European Telecommunication Standard ETS 300 263 (1994)**

## **Integrated Services Digital Network (ISDN); Telephony 7 kHz teleservice Service description**

### **ETSI**

European Telecommunications Standards Institute

#### **ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1995. All rights reserved.



## Foreword

This draft amendment to ETS 300 263 (1994) has been produced by the Network Aspects (NA) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Unified Approval Procedure phase of the ETSI standards approval procedure.

This amendment replaces the occurrences of references to ETS 300 281 with I-ETS 300 245-5 throughout the document, following the withdrawal of ETS 300 281.

<b>Proposed transposition dates</b>	
Date of latest announcement of this amendment (doa):	3 months after ETSI publication
Date of latest publication or endorsement of this amendment (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

## Amendments

### Page 8, clause 2

Replace normative reference [13] as follows:

~~[13] prETS 300 281: "Integrated Services Digital Network (ISDN); Telephony 7 kHz teleservice Terminal requirements necessary for end-to-end compatibility".~~

[13] prI-ETS 300 245-5 (1995): "Integrated Services Digital Network (ISDN); Technical characteristics for telephony terminals; Part 5: Wideband (7 kHz) handset telephony".

### Page 10, subclause 6.2.4

Replace reference to ETS 300 281 with I-ETS 300 245-5, as follows:

Depending on the terminal capabilities, it shall be possible to change between different communication modes according to ~~ETS 300 281 [13]~~ I-ETS 300 245-5 [13].

### Page 13, clause 8

In the 3rd paragraph, replace reference to ETS 300 281 with I-ETS 300 245-5, as follows:

Prior to invoking supplementary services which interrupt the in-band signalling communication (e.g. the call hold supplementary service), the in-band communication shall revert to mode 0, as described in ~~ETS 300 281 [13]~~ I-ETS 300 245-5 [13].

### Page 15, table 3

Replace reference to ETS 300 281 with I-ETS 300 245-5, as follows:

	Signalling
	- ETS 300 011, ETS 300 012, ETS 300 125, ETS 300 102, ETS 300 267, <del>ETS 300 281</del> I-ETS 300 245-5

### Page 16, annex A

Delete the bibliographic reference to ETS 300 281.

**History**

<b>Document history</b>	
March 1994	First Edition
October 1995	Unified Approval Procedure UAP 37: 1995-10-23 to 1996-02-16
March 1996	Converted into Adobe Acrobat Portable Document Format (PDF)