



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 290**

January 1994

---

Source: ETSI TC-BTC

Reference: DE/BTC-02026

ICS: 33.020, 33.040.40

**Key words:** ONP, leased line

**Business TeleCommunications (BTC);  
64 kbit/s digital unrestricted leased line with octet integrity  
(D64U)  
Terminal equipment interface**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1994. All rights reserved.



## Contents

Foreword.....	5
Introduction .....	5
1 Scope .....	7
2 Normative references .....	7
3 Definitions.....	7
4 Symbols and abbreviations.....	8
5 Requirements.....	8
5.1 Physical characteristics .....	9
5.2 Electrical characteristics .....	9
5.2.1 Output port .....	9
5.2.1.1 Signal coding.....	9
5.2.1.2 Waveform shape .....	10
5.2.1.3 Output timing.....	11
5.2.1.4 Output jitter .....	11
5.2.1.5 Output return loss .....	12
5.2.1.6 Impedance towards ground .....	12
5.2.1.7 Longitudinal conversion loss.....	12
5.2.2 Input port.....	13
5.2.2.1 Signal coding.....	13
5.2.2.2 Input clock tolerance .....	13
5.2.2.3 Input jitter tolerance .....	13
5.2.2.4 Input return loss.....	14
5.2.2.5 Input loss tolerance.....	14
5.2.2.6 Immunity against reflections.....	14
5.2.2.7 Impedance towards ground .....	15
5.2.2.8 Longitudinal conversion loss.....	15
5.3 Safety .....	15
5.3.1 General requirements .....	15
5.3.2 Touch current.....	15
5.4 Overvoltage protection .....	16
5.4.1 Surge simulation, common mode .....	16
5.4.2 Surge simulation, transverse mode between transmit and receive pairs .....	16
5.4.3 Mains simulation, common mode .....	16
5.4.4 Mains simulation, transverse mode .....	16
5.4.5 Impulse transfer from mains, common mode .....	16
5.4.6 Impulse transfer from mains, transverse mode .....	17
5.4.7 Conversion of common mode to transverse mode.....	17
5.5 Electro-magnetic compatibility .....	17
Annex A (normative): Test methods .....	18
A.1 General.....	18
A.1.1 Additional information to support the test.....	18
A.1.2 Equipment connection.....	18
A.2 Test methods.....	19
A.2.1 Signal coding at output port.....	19
A.2.2 Waveform shape at output port .....	19

A.2.3	Input coding, loss tolerance and immunity against reflections .....	20
A.2.4	Return loss at input port.....	21
A.2.5	Input and output jitter .....	21
A.2.6	Longitudinal conversion loss .....	23
A.2.7	Impedance towards ground.....	24
Annex B (normative):	Code conversion rules .....	25
Annex C (informative):	Bibliography.....	26
History .....		27

## Foreword

This European Telecommunication Standard (ETS) has been produced by the Business TeleCommunications (BTC) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS results from a mandate from the Commission of the European Community (CEC) to provide harmonised standards for the support of the Directive on Open Network Provision (ONP) of leased lines (92/44/EEC).

There are two other standards directly related to this ETS:

ETS 300 288: "Business TeleCommunications (BTC); 64 kbit/s digital unrestricted leased line with octet integrity (D64U), Network interface presentation";

ETS 300 289: "Business TeleCommunications (BTC); 64 kbit/s digital unrestricted leased line with octet integrity (D64U), Connection characteristics".

This ETS is based on information from CCITT Recommendations and ETSI publications and the relevant documents are quoted where appropriate.

## Introduction

The Council Directive on the application of Open Network Provision (ONP) to leased lines (92/44/EEC) concerns the harmonisation of conditions for open and efficient access to, and use of, the leased lines provided over public telecommunications networks and the availability throughout the Community (EEC) of a minimum set of leased lines with harmonised technical characteristics.

The consequence of the Directive is that Telecommunications Organisations within the EEC shall make available a set of leased lines between points in these countries with specified connection characteristics and specified interfaces.

Two classes of standard will be used for the interfaces of terminal equipment designed for connection to the ONP leased lines. European Telecommunication Standards (ETSs), which are voluntary, give the full technical specifications for these interfaces, whereas Technical Basis for Regulations (TBRs) give the essential requirements under the Second Phase Directive (91/263/EEC) for attachment to the leased lines. This standard, which is an ETS, belongs to the first category. The TBR (TBR 14) is a subset of this corresponding ETS.

ETS 300 166 and CCITT Recommendation G.703 are used as the basis for the terminal interface.

Blank page

## 1 Scope

This ETS specifies the full physical and electrical characteristics and corresponding test principles for a terminal equipment interface for connection to the network termination points of ONP 64 kbit/s digital unrestricted leased lines with octet integrity.

This ETS is not written for regulatory purposes. A separate TBR (TBR 14) covers the essential requirements for attachment under the Second Phase Directive (91/263/EEC).

This ETS is to ensure that the interface of the terminal equipment is compatible with the ONP 64 kbit/s digital unrestricted leased line with octet integrity. It is applicable to all interfaces designed for connection to the leased line, however in the cases of apparatus that carries a particular service, of complex apparatus and of apparatus in private networks, other ETSs may apply in addition to this ETS.

Customer premises wiring and installation between the terminal equipment and the Network Termination Point (NTP) are outside the scope of this ETS.

## 2 Normative references

This ETS incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] CCITT Recommendation G.703 (1991): "Physical/electrical characteristics of hierarchical digital interfaces".
- [2] CCITT Recommendation O.152 (1988): "Error performance measuring equipment for 64 kbit/s paths".
- [3] EN 60950 (1992): "Safety of information technology equipment including electrical business equipment".
- [4] ETS 300 046-2 (1992): "Integrated Services Digital Network (ISDN); Primary rate access - safety and protection, Part 2: Interface Ia - safety".
- [5] ETS 300 046-3 (1992): "Integrated Services Digital Network (ISDN); Primary rate access - safety and protection, Part 3: Interface Ia - protection".
- [6] ISO/IEC 10173 (1991): "Information technology - Integrated Services Digital Network (ISDN) primary access connector at reference points S and T".

NOTE: This ETS also contains a number of informative references which have been included to indicate the sources from which various material has been derived, hence they do not have an associated normative reference number. Details of these publications are given in Annex C. In some cases the same publication may have been referenced in both a normative and an informative manner.

## 3 Definitions

For the purposes of this ETS, the following definitions apply:

**Leased lines:** the telecommunications facilities provided by a public telecommunications network that provide defined transmission characteristics between network termination points and that do not include switching functions that the user can control, (e.g. on-demand switching).

**Network Termination Point (NTP):** all physical connections and their technical access specifications which form part of the public telecommunications network and are necessary for access to and efficient communication through that public network.

**Safety Extra-Low Voltage (SELV) circuit:** a secondary circuit which is so designed and protected that under normal and single fault conditions, the voltage between any two accessible parts and, for class 1 equipment, between any accessible part and the equipment protective earthing terminal does not exceed a safe value (subclause 1.2.8.5 of EN 60950 [3]).

**Terminal Equipment (TE):** equipment intended to be connected to the public telecommunications network, i.e.:

- a) to be connected directly to the termination of a public telecommunication network; or,
- b) to interwork with a public telecommunications network being connected directly or indirectly to the termination of a public telecommunications network,

in order to send, process, or receive information.

## 4 Symbols and abbreviations

For the purposes of this ETS, the following abbreviations apply:

D64U	64 kbit/s digital unrestricted ONP leased line with octet integrity
dc	direct current
EMC	Electro-Magnetic Compatibility
NTP	Network Termination Point
ONP	Open Network Provision
ppm	parts per million
PRBS(2 <sup>11</sup> -1)	Pseudo Random Bit Sequence (as defined in § 2.1 of CCITT Recommendation O.152 [2])
rms	root mean square
RX	Receive (a signal input at either the leased line interface or the test equipment, see figure 1)
SELV	Safety Extra-Low Voltage
TE	Terminal Equipment
TX	Transmit (a signal output at either the leased line interface or the test equipment, see figure 1)
UI	Unit Interval

## 5 Requirements

The terminal equipment interface is for use with 64 kbit/s unrestricted leased lines with octet integrity, which provide bidirectional, point-to-point digital connections with a usable bit rate of 64 kbit/s where the leased line output timing is provided from the network. The interface timing arrangements are codirectional.



## 5.1 Physical characteristics

**Requirement:** The terminal equipment shall provide an 8-contact plug of the type specified in ISO/IEC 10173 [6] with contact assignments as specified in table 1. In addition, the terminal equipment may provide an alternative method of connection.

NOTE 1: The use of a shielded cord or cable may be necessary to meet radiation and immunity requirements defined in Electro-Magnetic Compatibility (EMC) standards. The common reference point does not necessarily need to be earth.


NOTE 2: The alternative connection method is primarily for the purpose of permitting hardwired presentations of the leased line using insulation displacement terminals and wire with solid conductors having diameters in the range from 0,4 to 0,6 mm.

**Table 1: Contact assignment**

Contact	Terminal interface
1 & 2	Receive pair
3	Shield reference point (if provided)
4 & 5	Transmit pair
6	Shield reference point (if provided)
7	Unused
8	Unused

NOTE 1: The transmit pair is the output from the terminal equipment interface. The receive pair is the input to the terminal equipment interface, as shown in figure 1. Where the terms "output" and "input" are used without qualification in this ETS, they refer to the terminal equipment interface.

NOTE 2: For connection of the shield, or shields, to the common reference point at the NTP contacts 3 and 6 shall be used.



**Figure 1**

**Test:** There shall be a visual inspection that the plug is of the correct type. The contact assignments are tested indirectly through the tests in Annex A.

## 5.2 Electrical characteristics

### 5.2.1 Output port

#### 5.2.1.1 Signal coding

**Requirement:** The signal transmitted at the output port shall comply with the encoding rules given in Annex B.


**Test:** The test shall be conducted according to Annex A, subclause A.2.1.

5.2.1.2 Waveform shape

**Requirement:** The pulse at the output port shall comply with the requirements given in table 2 and figures 2 and 3, taken from CCITT Recommendation G.703 [1].

**Table 2: Waveform shape at output port**

Pulse shape (nominally rectangular)	All pulses of a valid signal shall conform with the masks (see figures 2 and 3) irrespective of the polarity.
Test load impedance	120 Ω non-reactive
Nominal peak voltage V of a mark (pulse)	1 V
Peak voltage of a space (no pulse)	0 ± 0,1 V
Nominal pulse width	3,9 μs for a single pulse 7,8 μs for a double pulse
Ratio of the amplitudes of positive and negative pulses at the centre of the pulse interval	0,95 to 1,05
Ratio of the widths of positive and negative pulses at the nominal half amplitude	0,95 to 1,05



**Figure 2: Pulse mask for single pulse**




Figure 3: Pulse mask for double pulse

**Test:** The test shall be according to Annex A, subclause A.2.2.

### 5.2.1.3 Output timing

**Requirement:** The terminal equipment shall be capable of:

- a) synchronizing the output timing to the timing received at the receive side of the interface; or
- b) synchronizing the output timing to an external reference (plesiochronous working).

**Test:** The test for the synchronisation of the output timing is covered by the test of Annex A, subclause A.2.5.

### 5.2.1.4 Output jitter

This requirement applies when the terminal equipment is producing the timing from an internal clock source or when the terminal equipment is deriving the output timing from an external source (including derivation from the input signal).

**Requirement:**<sup>1)</sup> The peak-to-peak output jitter shall not exceed the limits of table 3 when measured with first order linear filters with the defined cut-off frequencies. For the purpose of testing, any signal input

1) This requirement differs from that in ETR 005 which defines maximum output jitter in terms of intrinsic jitter and a jitter transfer characteristic. Intrinsic jitter is limited to 0,05 UI from 20 Hz to 20 kHz. The jitter transfer characteristic is limited to 0,5 dB from 20 Hz to 3 kHz, decreasing to -16 dB at 20 kHz.

from which the output timing is derived shall be provided with the maximum tolerable input jitter and with the maximum tolerable input frequency deviation as specified by the manufacturer.

Where the output timing of the terminal equipment is taken from the leased line, the input to the terminal equipment shall be provided with components of sinusoidal jitter at points on the curve of figure 4 and table 5.

**Table 3: Maximum output jitter**

Measurement filter bandwidth		Output jitter
Lower cut-off (high pass)	Upper cut-off (low pass)	UI peak-to-peak (maximum)
20 Hz	20 kHz	0,25 UI
3 kHz	20 kHz	0,05 UI

**Test:** The test shall be conducted according to Annex A, subclause A.2.5.

#### 5.2.1.5 Output return loss

There are no requirements for output return loss under this ETS.

NOTE: A requirement for output return loss may be added to this ETS when appropriate specifications become available.

#### 5.2.1.6 Impedance towards ground

**Requirement:** Where the terminal equipment has a ground, the impedance towards ground of the output port shall be greater than 1 000  $\Omega$  for frequencies in the range from 10 Hz to 1 MHz when measured with a sinusoidal test voltage of 2 V rms. For the purpose of this requirement, ground shall be the terminal equipment common reference point or test reference point.

NOTE: This requirement is included to allow transformerless implementations.

**Test:** The test shall be according to Annex A, subclause A.2.7.

#### 5.2.1.7 Longitudinal conversion loss

**Requirement:** Where the terminal equipment has a ground, the longitudinal conversion loss of the terminal output port shall be greater than or equal to the figures given in table 4. For the purpose of this requirement, ground shall be the terminal equipment common reference point or test reference point.

NOTE: This requirement is included to allow transformerless implementations.

**Table 4: Output port longitudinal conversion loss**

Frequency	Longitudinal conversion loss
3,4 kHz	40 dB
3,4 kHz to 34 kHz	decreasing 20 dB/decade from 40 dB to 20 dB
34 kHz to 256 kHz	20 dB

**Test:** The test shall be conducted according to Annex A, subclause A.2.6.

## 5.2.2 Input port

### 5.2.2.1 Signal coding

**Requirement:** The input port shall decode without errors signals encoded in accordance with encoding rules of Annex B.

**NOTE:** When there is no input signal or octet timing is not present at the leased line distant input or when there is a failure in the leased line connection, the octet timing at the leased line output will not be meaningful.

**Test:** The test shall be according to Annex A, subclause A.2.3.


### 5.2.2.2 Input clock tolerance

**Requirement:** The terminal equipment shall operate without errors with signals encoded as in Annex B over the frequency range  $64 \text{ kbit/s} \pm 100 \text{ ppm}$ .

**Test:** By declaration.

### 5.2.2.3 Input jitter tolerance

**Requirement<sup>2)</sup>:** The terminal equipment shall function as specified without errors with the maximum sinusoidal input jitter as shown in figure 4 and table 5.



**Figure 4: Input jitter tolerance**

2) This requirement differs from that in ETR 005 which specifies an input jitter tolerance below 20 Hz (i.e. wander tolerance). The requirement is for 1,15 UI at  $1,2 \times 10^{-5}$  Hz, decreasing to 0,25 UI at 20 Hz.

**Table 5: Input jitter tolerance**

Peak-to-peak amplitude (UI)		Frequency (Hz)			
A1	A2	f1	f2	f3	f4
0,25	0,05	20	600	3 000	20 000
NOTE: 0,25 UI = 3,9 µs; 0,05 UI = 0,78 µs.					

**Test:** The test shall be according to Annex A, subclause A.2.5.

#### 5.2.2.4 Input return loss

**Requirement:** The input return loss with respect to 120 Ω at the interface shall be greater than or equal to the values given in table 6 taken from CCITT Recommendation G.703 [1].

**Table 6: Input port minimum return loss**

Frequency range		Return loss
4 kHz	to 13 kHz	12 dB
13 kHz	to 256 kHz	18 dB
256 kHz	to 384 kHz	14 dB

**Test:** The test shall be according to Annex A, subclause A.2.4.

#### 5.2.2.5 Input loss tolerance

**Requirement:** The input port shall correctly interpret a 64 kbit/s signal as defined in subclauses 5.2.1.1 and 5.2.1.2 above but modified by an intervening pair with the following characteristics:

- a) attenuation that follows a  $f^{-1}$  law with values throughout the range from 0 dB to 3 dB at 128 kHz; and
- b) characteristic impedance of 120 Ω with a tolerance of  $\pm 20\%$  in the frequency range from 200 kHz to 1 MHz, and  $\pm 10\%$  at 1 MHz.

**Test:** The test shall be according to Annex A, subclause A.2.3.

#### 5.2.2.6 Immunity against reflections

**Requirement:** When a signal comprising a combination of a normal signal and an interfering signal is applied to the input port, via an artificial cable with a loss in the range from 0 dB to 3 dB at 128 kHz, no errors shall result due to the interfering signal.

The normal signal shall be a signal encoded according to Annex B, shaped according to the masks of figures 2 and 3, with a binary content in accordance with a Pseudo Random Bit Sequence as defined in § 2.1 of CCITT Recommendation O.152 [2] (PRBS(211-1)).

The interfering signal shall be the same as the normal signal except that the level shall be attenuated by 20 dB, the bit rate shall be within 64 kbit/s  $\pm 100$  ppm, and the timing shall not be synchronised to the normal signal.

**Test:** The test shall be according to Annex A, subclause A.2.3.

### 5.2.2.7 Impedance towards ground

**Requirement:** Where the terminal equipment has a ground, the impedance towards ground of the input port shall be greater than 1 000  $\Omega$  for frequencies in the range from 10 Hz to 1 MHz when measured with a sinusoidal test voltage of 2 V rms. For the purpose of this requirement, ground shall be the terminal equipment common reference point or test reference point.

NOTE: This requirement is included to allow transformerless implementations.

**Test:** The test shall be according to Annex A, subclause A.2.7.

### 5.2.2.8 Longitudinal conversion loss

**Requirement:** Where the terminal equipment has a ground, the longitudinal conversion loss of the terminal input port shall be greater than or equal to the figures given in table 7. For the purpose of this requirement, ground shall be the terminal equipment common reference point or test reference point.

NOTE: This requirement is included to allow transformerless implementations.

**Table 7: Input port longitudinal conversion loss**

Frequency	Longitudinal conversion loss
3,4 kHz	40 dB
3,4 kHz to 34 kHz	decreasing 20 dB/decade from 40 dB to 20 dB
34 kHz to 256 kHz	20 dB

**Test:** The test shall be conducted according to Annex A, subclause A.2.6.

## 5.3 Safety

### 5.3.1 General requirements

**Requirement:** The terminal equipment interface shall comply with the requirements for accessible parts of an SELV circuit.

NOTE: Designers should take into account the minimum impedance towards ground specified in this ETS.

**Test:** The test shall be conducted according to EN 60950 [3].

### 5.3.2 Touch current

This requirement recognises the fact that the terminal equipment is likely to have a mains electricity supply interface. If the terminal equipment does not have a mains supply, this requirement is not applicable.

For the purpose of the following requirement, the term referred to as  $I_a$  in ETS 300 046-2 [4] shall be deemed to be the point of test referred to in Annex A, subclause A.1.2.

For the purpose of the following requirement the connection to the interface cable shield as defined in ETS 300 046-2 [4] shall only be made when a shielded cable is provided with the terminal equipment.

**Requirement:** The touch current measured across the terminal equipment interface shall not exceed 0,25 mA.

**Test:** The test shall be conducted according to ETS 300 046-2 [4].

## 5.4 Overvoltage protection

Overvoltage protection shall be in accordance with the methods described in ETS 300 046-3 [5] as detailed below. Compliance criteria for the overvoltage protection tests of subclauses 5.4.1 to 5.4.7, based on definitions used in CCITT Recommendations in the K-series, shall be:

The terminal equipment shall operate properly within the limits of this specification after the test without:

- the need for resetting the fault protection facilities; or
- the need to change any hardware component; or
- reloading of data other than data of a type declared in the operating instructions to be unprotected data.

For the purpose of the following subclauses on protection, the term "interface" refers to the connection made by the terminal equipment to the leased line.

For the purpose of the following subclauses on protection, the term referred to as Ia in ETS 300 046-3 [5] shall be deemed to be the point of test referred to in Annex A, subclause A.1.2.

For the purpose of the following subclauses on protection, the connection to the interface cable shield as defined in ETS 300 046-3 [5] shall only be made when a shielded cable is provided with the terminal equipment.

### 5.4.1 Surge simulation, common mode

**Requirement:** The interface shall meet the compliance criteria after 10 common mode surges of 1 kV (1,2/50  $\mu$ s) on the terminal equipment interface.

**Test:** The test shall be conducted according to subclause 5.5.1 of ETS 300 046-3 [5].

### 5.4.2 Surge simulation, transverse mode between transmit and receive pairs

**Requirement:** The interface shall meet the compliance criteria after 10 transverse mode surges of 250 V (1,2/50  $\mu$ s) on the terminal equipment interface between transmit and receive pairs.

**Test:** The test shall be conducted according to subclause 5.5.2 of ETS 300 046-3 [5].

### 5.4.3 Mains simulation, common mode

**Requirement:** If the terminal equipment is supplied from the mains, the interface shall meet the compliance criteria after 10 common mode surges of 2,5 kV (10/700  $\mu$ s).

**Test:** The test shall be conducted according to subclause 5.6.1 of ETS 300 046-3 [5].

### 5.4.4 Mains simulation, transverse mode

**Requirement:** If the terminal equipment is supplied from the mains, the interface shall meet the compliance criteria after 10 transverse mode surges of 2,5 kV (10/700  $\mu$ s).

**Test:** The test shall be conducted according to subclause 5.6.2 of ETS 300 046-3 [5].

### 5.4.5 Impulse transfer from mains, common mode

**Requirement:** If the terminal equipment is supplied from the mains, it shall transfer less than 1 kV common mode voltage and less than 250 V transverse voltage to the terminal equipment interface when a common mode surge of either polarity and of 2,5 kV (10/700  $\mu$ s) is applied to the mains supply port.



**Test:** The test shall be conducted according to subclause 5.7.1 of ETS 300 046-3 [5].

#### **5.4.6 Impulse transfer from mains, transverse mode**

**Requirement:** If the terminal equipment is supplied from the mains, it shall transfer less than 1 kV common mode voltage and less than 250 V transverse voltage to the terminal equipment interface when a transverse mode surge of either polarity and of 2,5 kV (10/700  $\mu$ s) is applied to the mains supply port.

**Test:** The test shall be conducted according to subclause 5.7.1 of ETS 300 046-3 [5].

#### **5.4.7 Conversion of common mode to transverse mode**

**Requirement:** The transverse mode voltage shall not be more than 250 V peak when 2 common mode surges of 1 kV (1,2/50  $\mu$ s) (one of each polarity) are applied to the terminal equipment interface.

**Test:** The test shall be conducted according to subclause 5.7.3 of ETS 300 046-3 [5].

### **5.5 Electro-magnetic compatibility**

There are no EMC requirements under this ETS.

NOTE: General EMC requirements are imposed under the EMC Directive (89/336/EEC). Requirements specific to terminal equipment will be added to this ETS when appropriate specifications become available.

## **Annex A (normative): Test methods**

### **A.1 General**

This annex describes the test principles to determine the compliance of a terminal equipment against the requirements of this ETS.

It is outside the scope of this ETS to identify the specific details of the implementation of the tests.

A terminal equipment may be designed for through-connecting and may fulfil the electrical requirements only if through-connected. In these cases the requirements of this ETS are valid and the tests are carried out with the through-connection terminated as defined by the equipment supplier.

Details of test equipment accuracy and the specification tolerance of the test devices are not included in all cases. Where such details are provided they shall be complied with, but the way they are expressed shall not constrain the method of implementing the test.

NOTE: Attention is drawn to the issue of measurement uncertainty which may be addressed in future documents. Not all the required test results make allowance for spurious events during testing (e.g. errors due to EMC effects), which may make it necessary to repeat a test.

The test configurations given do not imply a specific realisation of the test equipment or test arrangement, or the use of specific test devices. However any test configuration used shall provide those test conditions specified under "interface state", "stimulus" and "monitor" for each individual test.

The test equipment shall be a device, or a group of devices, that is capable of generating a stimulus signal conforming to this ETS and capable of monitoring the signal received from the interface.

#### **A.1.1 Additional information to support the test**

The following facilities shall be provided by the terminal equipment interface under test:

- a) an ability to configure the terminal equipment such that it provides a transparent loopback of the input to the output; and
- b) an ability to transmit a given bit pattern, e.g. PRBS(2<sup>11</sup>-1);
- or
- c) where a) or b) cannot be provided, an alternative means of performing the test.

#### **A.1.2 Equipment connection**

The tests shall normally be applied at the plug for connection to the NTP. However, in the case of the tests specified in subclauses A.2.2, A.2.4 and A.2.7, an alternative method of connection may be provided by the terminal equipment supplier for test purposes. In this case, this method of connection shall be used for these tests because the requirements do not make allowances for the electrical characteristics of any cord.

NOTE: This alternative method of connection is for test purposes only and has been introduced because the characteristics in subclauses A.2.2, A.2.4 and A.2.7 are based on CCITT Recommendation G.703 [1] which makes no allowance for the normal plug and cord. This alternative method may not be the same as the alternative method of connection referred to in subclause 5.1 which is for operational use.

## A.2 Test methods

One test may cover more than one requirement. The scope of each test is defined under the heading "purpose".

### A.2.1 Signal coding at output port

Purpose: To test the correct signal coding at the terminal equipment output port.

Test configuration: Figure A.1.




Figure A.1: Signal coding at output port

Interface state: Powered.

Stimulus: The terminal shall transmit a bit stream including both binary ONEs and binary ZEROs, for example a PRBS( $2^{11}-1$ ).


Monitor: The output bit stream.

Results: Within a test duration of up to 5 minutes there shall be at least one period of one minute during which there are no errors in the decoded bit stream.

### A.2.2 Waveform shape at output port

Purpose: To verify the output waveform for both single and double pulses.

Test configuration: Figure A.2.



T = TERMINATING RESISTOR  
 $120 \Omega \pm 0,25 \%$

Figure A.2: Waveform shape at output port

Interface state: Powered.

Stimulus: Undefined.

Monitor: Marks and spaces transmitted by the terminal equipment, measuring the amplitude and shape of positive and negative pulses (measured at the centre of the pulse interval) and the time duration of positive and negative pulses (measured at the nominal half of the pulse amplitude, i.e. 0,5 V).

The overall measurement accuracy shall be better than 30 mV. All the measurements shall be performed using measuring equipment capable of recording dc. A bandwidth of 200 MHz or greater shall be used to ensure the capture of overshoot or undershoot of the pulse.

Results: Both positive and negative pulses shall be within the masks of figures 2 and 3 as appropriate where  $V = 100\%$  shall be 1 V.

The bit interval corresponding to a space shall not present voltages higher than  $\pm 0,1$  V.

The ratio between the amplitude of positive and negative pulses shall be contained in the range from 0,95 to 1,05.

The ratio between the pulse widths of positive and negative pulses shall be in the range from 0,95 to 1,05.

### A.2.3 Input coding, loss tolerance and immunity against reflections

Purpose: To check the input port coding, input loss with a cable attenuation of maximum 3 dB and immunity against an interfering signal combined with the input signal.

Test configuration: Figure A.3.

The output signals of the test equipment and the pattern generator shall be encoded as in § 1.2.1.1.5 of CCITT Recommendation G.703 [1] and conform to a pulse shape as defined in table 1/G.703 and figure 5/G.703 of CCITT Recommendation G.703 [1]. The binary content shall be a PRBS(2<sup>11</sup>-1). The bit rates shall be within the limits 64 kbit/s  $\pm$  100 ppm and the output signal of the pattern generator shall not be synchronised to the output signal of the test equipment.




Figure A.3: Immunity against reflections

The interfering signal shall be combined with the main signal in a combining network of impedance 120  $\Omega$ , with 0 dB loss in the main path and an attenuation in the interference path of 20 dB.

The cable simulator shall have an attenuation of 3 dB measured at 128 kHz and an attenuation characteristic that follows a 'f law.

The conformance of the interface shall be verified in the following test conditions:

- a) without cable simulator and without interfering tone, with the test equipment generating a PRBS; and
- b) with cable simulator and without interfering tone; and
- c) without cable simulator and with interfering tone; and

d) with cable simulator and with interfering tone.

The test shall be repeated with the wires at the terminal equipment interface reversed.

Interface state: Powered, with received data looped back to the output port.

Stimulus: A PRBS(2<sup>11</sup>-1) bit stream.

Monitor: Data at output port.

Results: Within a test duration of up to 5 minutes there shall be at least one period of one minute during which the data received from the equipment under test is identical with the generated sequence.

NOTE: The  $f$  law of the cable simulator shall apply over the frequency range from 100 kHz to 1 MHz.

#### A.2.4 Return loss at input port

Purpose: To measure the return loss with respect to 120  $\Omega$  of the receive pair of the terminal equipment interface.

Test configuration: Figure A.4.




Figure A.4: Return loss at input port

Interface state: Powered.

Stimulus: Sinusoidal signal of 1 V peak at the input port of the terminal equipment with a frequency variable between 4 kHz and 384 kHz.

Monitor: Voltage measured across the bridge, representing a terminating resistor of 120  $\Omega$ , using a selective voltmeter with a bandwidth of less than 1 kHz.

Results: The measured return loss shall be greater than or equal to the values in table 6 (subclause 5.2.2.4).

NOTE: The characteristics of the generator and of the voltmeter may be different depending on the implementation of the bridge however the total error of the test set-up should be less than 0,5 dB in the range between 10 dB and 20 dB. When connected to a 120  $\Omega$   $\pm$  0,25 % resistor, the measured return loss of the bridge should be 20 dB higher than the limits specified for the interface.


#### A.2.5 Input and output jitter

Purpose: This test is used to measure tolerance to input jitter and maximum output jitter.

Test Configuration: Figure A.5.

The terminal equipment shall be configured (where these modes of operation are supported):

- a) with output timing referenced to the internal clock; and
- b) with output timing referenced to any external clock source from which timing can be derived.



NOTE: The modulation source may be included in the clock generator and/or the pattern generator, or it may be provided separately.

**Figure A.5: Jitter measurement**

Interface state: Powered.

Stimulus: The output signal of the pattern generator shall be encoded as in § 1.2.1.1.5 of CCITT Recommendation G.703 [1] and conform to a pulse shape as defined in table 1/G.703 and figure 5/G.703 of CCITT Recommendation G.703 [1]. The binary content shall be a PRBS(2<sup>11</sup>-1). If this signal causes the equipment to operate in such a manner that the test is not valid, the supplier shall declare how a suitable test signal shall be applied.

Measurements shall be made at the nominal digital rate of 64 kbit/s.

It may be necessary to synchronize the pattern generator:

- a) to the output of the terminal equipment when the terminal equipment is running from its own internal clock; or
- b) to the external clock source when the terminal equipment is running from this clock source;

in order to avoid a high occurrence of slips.

The modulation source for the terminal equipment signal input shall generate individual components of sinusoidal jitter at points on the curve of figure 4 and table 5 of this ETS.


The modulation source for the external timing (if needed) shall be independent from that for the input signal and shall generate the maximum tolerable jitter defined by the manufacturer of the terminal equipment.

- Monitor:
- a) The signal transmitted by the terminal equipment; and
  - b) the jitter extracted from this signal.
- Results:
- a) There shall be no bit errors reported by the test equipment within the period of the test; and
  - b) the peak-to-peak jitter shall comply with table 3 (subclause 5.2.1.4) when measured with first order linear filters with the defined cut-off frequencies.

### A.2.6 Longitudinal conversion loss

Purpose: To measure the longitudinal conversion loss of the input and output ports.

Test configuration: Figure A.6.



- NOTE 1: The  $60\ \Omega$  resistors shall be within 1 % and matched to better than 0,1 %.
- NOTE 2: This point is connected to the terminal equipment common reference point or test reference point.
- NOTE 3: The impedance of the generator shall be  $120\ \Omega$ .


**Figure A.6: Longitudinal conversion loss**

- Interface state: Powered.
- Stimulus: Generator output ( $V_{gen}$ )  $1\ \text{V rms} \pm 10\ \text{mV}$  shall be applied at any frequency in the range from 3,4 kHz to 256 kHz.
- Monitor: Voltages  $V_{gen}$  and  $V_{test}$ .
- Results: The longitudinal conversion loss  $20\ \log_{10} (|V_{gen}/V_{test}|)$  shall be greater than or equal to the values given in table 4 (subclause 5.2.1.7) or table 7 (subclause 5.2.2.8) as applicable.

### A.2.7 Impedance towards ground

Purpose: To check the terminal equipment interface input and output ports impedance towards ground.

Test configuration: Figure A.7.



NOTE 1: The 60 Ω resistors shall be within 1 % and matched to better than 0,1 %.

NOTE 2: This point is connected to the terminal equipment common reference point or to the equipment test reference point.

**Figure A.7: Impedance towards ground**

Interface state: Powered.

Stimulus: Sinusoidal test signal ( $V_{gen}$ ) of 2 V rms  $\pm$  20 mV applied over the frequency range from 10 Hz to 1 MHz.

Monitor: Voltage of  $V_{test}$ .

Results: Voltage  $V_{test}$  shall be less than 19,2 mV rms.



## Annex B (normative): Code conversion rules

This annex specifies the code conversion rules for the 64 kbit/s codirectional interface, defined in § 1.2.1.1.5 of CCITT Recommendation G.703 [1].

Step 1: A 64 kbit/s bit period is divided into four unit intervals.

Step 2: A binary 1 is encoded as a block of the following four bits:

1 1 0 0

Step 3: A binary 0 is encoded as a block of the following four bits:

1 0 1 0

Step 4: The binary signal is converted into a three-level signal by alternating the polarity of consecutive blocks.

Step 5: The alteration in polarity of the blocks is violated every 8th block. The violation marks the last bit in an octet.

These conversion rules are illustrated in figure B.1.




Figure B.1: 64 kbit/s code conversion

**Annex C (informative): Bibliography**

- 1) 89/336/EEC: "Council Directive of 3 May 1989 on the approximation of the laws of Member States relating to electromagnetic compatibility".
- 2) 91/263/EEC: "Council Directive of 29 April 1991 on the approximation of the laws of Member States concerning telecommunications terminal equipment, including the mutual recognition of their conformity".
- 3) 92/44/EEC: "Council Directive of 5 June 1992 on the application of Open Network Provision to leased lines".
- 4) CCITT Recommendation K.22 (1988): "Overvoltage resistibility of equipment connected to an ISDN T/S bus".
- 5) ETR 005 (1990): "Terminal Equipment (TE); Technical requirements for data terminal equipment for connection to high speed digital fixed connection services".
- 6) ETS 300 166 (1993): "Transmission and Multiplexing (TM); Physical/electrical characteristics of hierarchical digital interfaces for equipment using the 2 048 kbit/s-based plesiochronous or synchronous digital hierarchies".

## History

Document history	
January 1994	First Edition
December 1995	Converted into Adobe Acrobat Portable Document Format (PDF)