

EUROPEAN TELECOMMUNICATION STANDARD

Source: ETSI TC-NA

ICS: 33.040

Key words: ATM, B-ISDN

FINAL DRAFT pr ETS 300 298-2

August 1996

Second Edition

Reference: RE/NA-052811

Broadband Integrated Services Digital Network (B-ISDN); Asynchronous Transfer Mode (ATM); Part 2: B-ISDN ATM layer specification

[ITU-T Recommendation I.361 (1995)]

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE **Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE **X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Page 2 Final draft prETS 300 298-2: August 1996

Foreword

This final draft European Telecommunication Standard (ETS) has been produced by the Network Aspects (NA) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Voting phase of the ETSI standards approval procedure.

This ETS consists of 2 parts as follows:

Part 1: "B-ISDN ATM functional characteristics [ITU-T Recommendation I.150 (1995)]";

Part 2: "B-ISDN ATM layer specification [ITU-T Recommendation I.361 (1995)]".

NOTE: With respect to edition 1 of ETS 300 298-1 and ETS 300 298-2, this ETS provides a new specification of the preassigned combination of the routeing field in the cell header, specifies how a cell with a reserved Virtual Channel Identifier (VCI) value is conveyed between the end points of the Virtual Path Connection (VPC) and specifies the Generic Flow Control (GFC) protocol procedures across the interface at S_B and T_B reference points.

Proposed transposition dates			
Date of latest announcement of this ETS (doa):	3 months after ETSI publication		
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	6 months after doa		
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa		

Endorsement notice

The text of ITU-T Recommendation I.361 (1995) was approved by ETSI as an ETS without any modification.

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

History

Document history			
March 1995	First Edition		
December 1995	Public Enquiry	PE 98:	1995-12-18 to 1996-04-12
August 1996	Vote	V 108:	1996-08-05 to 1996-09-27