



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 374-5

November 1996

Source: ETSI TC-SPS

Reference: DE/SPS-03032-1

ICS: 33.080, 35.100.70

Key words: IN, CS1, INAP

**Intelligent Network (IN);
Intelligent Network Capability Set 1 (CS1);
Core Intelligent Network Application Protocol (INAP);
Part 5: Protocol specification for the Service Control
Function (SCF) - Service Data Function (SDF) interface**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Abbreviations.....	7
4 Segmentation and re-assembly of INAP messages.....	8
5 IN X.500 directory access protocol subset.....	8
6 SCF and SDF Finite State Machines (FSMs).....	8
7 SDF operations and errors	8
8 SDL diagrams for SCF and SDF FSMs	8
History.....	9

Blank page

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is based on the latest version of ITU-T Recommendation Q.1218.

This ETS is part 5 of a multi-part standard covering the Capability Set 1 (CS1) core Intelligent Network Protocol (INAP) as described below:

- Part 1: "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for Service Switching Function (SSF) and Specialized Resource Function (SRF)";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for SSF and SRF";
- Part 5: "Protocol specification for the Service Control Function (SCF) - Service Data Function (SDF) interface";**
- Part 6: "PICS proforma specification for the SCF-SDF interface".

NOTE: Further parts may be identified after the publication of this ETS.

Transposition dates	
Date of adoption	22 November 1996
Date of latest announcement of this ETS (doa):	28 February 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 August 1997
Date of withdrawal of any conflicting National Standard (dow):	31 August 1997

Blank page

1 Scope

This fifth part of ETS 300 374 provides an extension of the core Intelligent Network Application Protocol (INAP) of Intelligent Network (IN) Capability Set 1 (CS1) as specified in ETS 300 374-1 [4]. It supports interactions between the following two Functional Entities (FEs), as defined in the IN functional model:

- Service Control Function (SCF);
- Service Data Function (SDF).

This ETS is intended as a guide to implementors and network operators to ensure interworking between different manufacturers equipment for the IN CS1 SCF-SDF interface and between network operators for the same interface.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ITU-T Recommendation Q.1218 (1995): "Interface Recommendation for intelligent network CS-1".
- [2] ETS 300 009-1: "Integrated Services Digital Network (ISDN); Signalling System No.7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection; Part 1: Protocol specification [ITU-T Recommendations Q.711 to Q.714 and Q.716 (1993), modified]".
- [3] ETS 300 287-1: "Integrated Services Digital Network (ISDN); Signalling System No.7; Transaction Capabilities (TC) version 2; Part 1: Protocol specification [ITU-T Recommendations Q.771 to Q.775 (1993), modified]".
- [4] ETS 300 374-1 (1994): "Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent Network Application Protocol (INAP); Part 1: Protocol specification".

3 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

CS1	Capability Set 1
FE	Functional Entity
FSM	Finite State Machine
IN	Intelligent Network
INAP	Intelligent Network Application Protocol
SCF	Service Control Function
SDF	Service Data Function
SDL	Specification and Description Language

4 Segmentation and re-assembly of INAP messages

If segmentation and re-assembly of INAP messages is required on the SCF-SDF interface due to the length of messages, the segmentation and re-assembly procedures for SCCP connectionless messages as specified in ETS 300 009-1 [2] shall be used.

5 IN X.500 directory access protocol subset

The text of ITU-T Recommendation Q.1218 [1] subclause 2.2 is endorsed by ETSI with the following modifications:

All references to ITU-T Recommendations Q.771, Q.772, Q.773, Q.774 and Q.775 shall be replaced by references to ETS 300 287-1 [3].

6 SCF and SDF Finite State Machines (FSMs)

The text of ITU-T Recommendation Q.1218 [1] subclauses 3.1.2.5.5 and 3.1.4 is endorsed by ETSI with the following modifications:

All references to ITU-T Recommendation Q.771 shall be replaced by references to ETS 300 287-1 [3] and all references to ITU-T Recommendation Q.711 shall be replaced by references to ETS 300 009-1 [2].

7 SDF operations and errors

The text of ITU-T Recommendation Q.1218 [1] subclauses 3.2.1.1, 3.2.1.8, 3.2.1.11, 3.2.1.12, 3.2.1.21, 3.3.3, 3.3.9, 3.3.27, 3.3.35, 3.3.42 and 3.3.54 is endorsed by ETSI.

8 SDL diagrams for SCF and SDF FSMs

The text of ITU-T Recommendation Q.1218 [1] annex B is endorsed by ETSI.

History

Document history			
August 1995	Public Enquiry	PE 89:	1995-08-07 to 1995-12-01
September 1996	Vote	V 111:	1996-09-23 to 1996-11-15
November 1996	First Edition		