



EUROPEAN
TELECOMMUNICATION
STANDARD

FINAL DRAFT
pr **ETS 300 374-6**

June 1998

Source: SPS

Reference: DE/SPS-03032-2

ICS: 33.020

Key words: IN, INAP, protocol, CS1, PICS

**Intelligent Network (IN);
Intelligent Network Capability Set 1 (CS1);
Core Intelligent Network Application Protocol (INAP);
Part 6: Protocol Implementation Conformance Statement (PICS)
proforma specification for the Service Control Function (SCF) -
Service Data Function (SDF) interface**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Internet: secretariat@etsi.fr - <http://www.etsi.fr> - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998. All rights reserved.

Contents

Foreword	5
Introduction	5
1 Scope	7
2 Normative references	7
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	8
4 Conformance to this PICS proforma specification	8
Annex A (normative): PICS proforma for ETS 300 374-5	9
A.1 Guidance for completing the PICS proforma	9
A.1.1 Purposes and structure	9
A.1.2 Abbreviations and conventions	9
A.1.3 Instructions for completing the PICS proforma	11
A.2 Identification of the implementation	11
A.2.1 Date of the statement	11
A.2.2 Implementation Under Test (IUT) identification	11
A.2.3 System Under Test (SUT) identification	11
A.2.4 Product supplier	12
A.2.5 Client	12
A.2.6 PICS contact person	13
A.3 Identification of the protocol	13
A.4 PICS proforma tables	13
A.4.1 Global statement of conformance	13
A.4.2 System definition	14
A.4.2.1 System implementation	14
A.4.2.2 SDF implementation and/or system	14
A.4.2.3 SCF implementation and/or system	15
A.4.3 IN Directory information objects supported	15
A.4.4 Operations and extensibility supported (SDF)	15
A.4.4.1 Operations	15
A.4.4.2 Extensibility	16
A.4.5 Parameters (SDF)	16
A.4.5.1 DirectoryBind Parameters	16
A.4.5.1.1 DirectoryBindArgument	16
A.4.5.1.2 DirectoryBindResult	17
A.4.5.1.3 DirectoryBindError	17
A.4.5.2 Search	17
A.4.5.2.1 SearchArgument	17
A.4.5.2.2 SearchResult	18
A.4.5.3 AddEntry	18
A.4.5.3.1 AddEntryArgument	18
A.4.5.3.2 AddEntryResult	18
A.4.5.4 RemoveEntry	19
A.4.5.4.1 RemoveEntryArgument	19
A.4.5.4.2 RemoveEntryResult	19
A.4.5.5 ModifyEntry	19

	A.4.5.5.1	ModifyEntryArgument.....	19
	A.4.5.5.2	ModifyEntryResult	20
A.4.5.6		Errors	20
A.4.5.7		Common arguments.....	21
A.4.5.8		Common results	21
A.4.5.9		ServiceControls	21
A.4.5.10		EntryInformationSelection.....	22
A.4.5.11		EntryInformation	22
A.4.5.12		FilterElements.....	22
A.4.5.13		FilterItemElements.....	23
A.4.6		Operations and extensibility supported (SCF).....	23
A.4.6.1		Operations	23
A.4.6.2		Extensibility	24
A.4.7		Parameters (SCF)	24
A.4.7.1		DirectoryBind Parameters.....	24
	A.4.7.1.1	DirectoryBindArgument.....	24
	A.4.7.1.2	DirectoryBindResult	25
	A.4.7.1.3	DirectoryBindError.....	25
A.4.7.2		Search	26
	A.4.7.2.1	SearchArgument	26
	A.4.7.2.2	SearchResult.....	26
A.4.7.3		AddEntry	27
	A.4.7.3.1	AddEntryArgument.....	27
	A.4.7.3.2	AddEntryResult	27
A.4.7.4		RemoveEntry	27
	A.4.7.4.1	RemoveEntryArgument.....	27
	A.4.7.4.2	RemoveEntryResult	27
A.4.7.5		ModifyEntry	28
	A.4.7.5.1	ModifyEntryArgument.....	28
	A.4.7.5.2	ModifyEntryResult	28
A.4.7.6		Errors	29
A.4.7.7		Common Arguments.....	29
A.4.7.8		Common Results	30
A.4.7.9		Service Controls	30
A.4.7.10		EntryInformationSelection.....	30
A.4.7.11		EntryInformation	31
A.4.7.12		FilterElements.....	31
A.4.7.13		FilterItemElements.....	31
A.4.8		Directory schema	32
A.4.8.1		Supported object classes.....	32
	A.4.8.1.1	Standard object classes.....	32
A.4.8.2		Supported attribute types.....	32
	A.4.8.2.1	Standard attribute types.....	32
A.4.8.3		Standard matching rules.....	33
A.4.8.4		Standard contexts.....	33
A.4.8.5		Information framework.....	33
	A.4.8.5.1	Information framework object classes	34
	A.4.8.5.2	Information framework attributes	34
	A.4.8.5.3	Information framework matching rules.....	34
A.4.8.6		Subschema administration	34
	A.4.8.6.1	Subschema administration object classes.....	34
	A.4.8.6.2	Subschema administration attributes.....	35
	A.4.8.6.3	Subschema administration matching rules	35
A.4.8.7		Access control	35
	A.4.8.7.1	Access control object classes.....	35
	A.4.8.7.2	Access control attributes.....	35
	A.4.8.7.3	Access control matching rules	35
History			36

Foreword

This final draft European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Voting phase of the ETSI standards approval procedure.

The present document is part 6 of a multi-part standard covering the Capability Set 1 (CS1) core Intelligent Network Application Protocol (INAP) as described below:

- Part 1: "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification for Service Switching Function (SSF), Specialized Resource Function (SRF) and Service Control Function (SCF)";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for Service Switching Function (SSF) and Specialized Resource Function (SRF)";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for Service Switching Function (SSF) and Specialized Resource Function (SRF)";
- Part 5: "Protocol specification for the Service Control Function (SCF) - Service Data Function (SDF) interface";
- Part 6: "Protocol Implementation Conformance Statement (PICS) proforma specification for the Service Control Function (SCF) - Service Data Function (SDF) interface";**
- Part 9: "Test Suite Structure and Test Purposes (TSS&TP) specification for the Service Control Function (SCF) to Service Switching Function (SSF) and the SCF to Specialized Resource Function (SRF) interfaces".

NOTE: Parts 7 and 8 are currently not planned.

Proposed transposition dates	
Date of latest announcement of this ETS (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called a Protocol Implementation Conformance Statement (PICS).

This ETS has been produced to facilitate the interconnection of telecommunication systems to provide directory services as part of the core Intelligent Network Application Protocol (INAP). The set of all such systems, together with the directory information which they hold, can be viewed as an integrated whole, called the Directory. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities of the Intelligent Network (IN) Capability Set 1 (CS1) Service Control Function (SCF) - Service Data Function (SDF) interface.

The Directory plays a significant role in Open Systems Interconnection (OSI), whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of telecommunication systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

1 Scope

This sixth part of ETS 300 374 provides the Protocol Implementation Conformance Statement (PICS) proforma for the Intelligent Network (IN) Capability Set 1 (CS1) core Intelligent Network Application Protocol (INAP) for the Service Control Function (SCF) - Service Data Function (SDF) interface as defined in ETS 300 374-5 [1] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [9] and in ETS 300 406 [2].

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 374-5 (1996): "Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent Network Application Protocol (INAP); Part 5: Protocol specification for the Service Control Function (SCF) - Service Data Function (SDF) interface".
- [2] ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [3] ITU-T Recommendation X.501 (1997) | ISO/IEC 9594-2 (1997): "Information technology - Open systems interconnection - The Directory: The Models".
- [4] ITU-T Recommendation X.509 (1997) | ISO/IEC 9594-8 (1997): "Information technology - Open systems interconnection - The Directory: Authentication Framework".
- [5] ITU-T Recommendation X.511 (1997) | ISO/IEC 9594-3 (1997): "Information technology - Open systems interconnection - The Directory: Abstract Service Definition".
- [6] ITU-T Recommendation X.519 (1997) | ISO/IEC 9594-5 (1997): "Information technology - Open systems interconnection - The Directory: Protocol Specifications".
- [7] ITU-T Recommendation X.520 (1997) | ISO/IEC 9594-6 (1997): "Information technology - Open systems interconnection - The Directory: Selected Attribute Types".
- [8] ISO/IEC 9646-1: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [9] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [10] ITU-T Recommendation Q.1218 (1995): "Interface Recommendation for intelligent network CS-1".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

- terms defined in ETS 300 374-5 [1];
- terms defined in ISO/IEC 9646-1 [8] and in ISO/IEC 9646-7 [9].

In particular, the following terms defined in ISO/IEC 9646-1 [8] apply:

Protocol Implementation Conformance Statement (PICS): A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented.

PICS proforma: A document, in the form of a questionnaire, which when completed for an implementation or system becomes an PICS.

The following definitions also apply:

centralized DSA: A DSA that is not capable of holding knowledge information about other DSAs. Such a DSA is not capable of returning referrals.

co-operating DSA: A DSA that is capable of holding knowledge references. Such a DSA is capable of returning referrals, and may also be a chaining DSA.

chaining DSA: A co-operating DSA that is capable of invoking chained operations, functioning as a DSP invoker. A chaining DSA is also a co-operating DSA.

For the INAP SCF-SDF interface, the DUA is the SCF, and the DSA is the SDF (this is a centralized DSA).

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

DSA	Directory System Agent
DSP	Directory System Protocol
DUA	Directory User Agent
IUT	Implementation Under Test
PICS	Protocol Implementation Conformance Statement
SCF	Service Control Function
SCS	System Conformance Statement
SDF	Service Data Function
SUT	System Under Test
TBS	To Be Supplied ("?" in the status has similar meaning)

4 Conformance to this PICS proforma specification

If it claims to conform to this PICS proforma specification, the actual PICS proforma to be filled in by a supplier shall be technically equivalent to the text of the PICS proforma given in annex A, and shall preserve the numbering/naming and ordering of the proforma items.

A PICS which conforms to this PICS proforma specification shall be a conforming PICS proforma completed in accordance with the guidance for completion given in annex A, clause A.1.

Annex A (normative): PICS proforma for ETS 300 374-5

Notwithstanding the provisions of the copyright clause related to the text of this ETS, ETSI grants that users of this ETS may freely reproduce the PICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed PICS.

A.1 Guidance for completing the PICS proforma

A.1.1 Purposes and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in ETS 300 374-5 [1] may provide information about the implementation in a standardized manner.

The PICS proforma is subdivided into subclauses for the following categories of information:

- instructions for completing the PICS proforma;
- identification of the implementation;
- identification of the reference specification;
- PICS proforma tables;
 - global statement of conformance;
 - IN Directory information objects supported;
 - operations and extensibility supported;
 - parameters;
 - Directory schema.

A.1.2 Abbreviations and conventions

The PICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [9] and ETS 300 406 [2].

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Status column

The following notations, defined in ISO/IEC 9646-7 [9], are used for the status column:

m	mandatory - the capability is required to be supported.
o	optional - the capability may be supported or not.
n/a	not applicable - in the given context, it is impossible to use the capability.
i	irrelevant or out-of-scope - this capability is outside the scope of this specification, and hence irrelevant and not subject to conformance testing for this specification.
x	prohibited (excluded) - there is a requirement not to use this capability in the given context.
o.i	qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies an unique group of related optional items and the logic of their selection which is defined immediately following the table.

ci	conditional - the requirement on the capability ("m", "o", "x" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying an unique conditional status expression which is defined immediately following the table.
c:o	conditional optional - the capability may be supported or not if the hierarchically preceding capability is supported.
c:m	conditional mandatory - the capability is required to be supported if the hierarchically preceding capability is supported.

Reference column

The reference column gives reference to the requirements defined in ETS 300 374-5 [1], except where explicitly stated otherwise.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [9], are used for the support column:

Y or y	supported by the implementation.
N or n	not supported by the implementation.
N/A, n/a or -	no answer required (allowed only if the status is n/a or i, directly or after evaluation of a conditional status).

If this PICS proforma is completed in order to describe a multiple-profile support in a system, it is necessary to be able to answer that a capability is supported for one profile and not supported for another. In that case, the supplier shall enter the unique reference to a conditional expression, preceded by "?" (e.g. ?3). This expression shall be given in the cell provided at the bottom of the table. It uses predicates defined in the SCS, each of which refers to a single profile and which takes the value TRUE if and only if that profile is to be used.

EXAMPLE: ?3: IF prof1 THEN Y ELSE N

It is also possible to provide a comment to an answer in the space provided at the bottom of the table.

NOTE: As stated in ISO/IEC 9646-7 [9], support for a PDU requires the ability to parse all valid parameters of that PDU. Supporting a PDU while having no ability to parse a valid parameter is non-conformant. Support for a parameter on a PDU means that the semantics of that parameter are supported.

Values allowed column

The values allowed column contains the values or the ranges of values allowed.

Values supported column

The values supported column shall be filled in by the supplier of the implementation. In this column, the values or the ranges of values supported by the implementation shall be indicated.

References to items

For each possible item answer (answer in the support column) within the PICS proforma exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table. If there is more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.), respectively.

EXAMPLE 1: A.5/4 is the reference to the answer of item 4 in table 5 of annex A.

EXAMPLE 2: A.6/3b is the reference to the second answer (i.e. in the second support column) of item 3 in table 6 of annex A.

Prerequisite line

A prerequisite line takes the form: Prerequisite: <predicate>.

A prerequisite line after a clause or table title indicates that the whole clause or the whole table is not required to be completed if the predicate is FALSE.

A.1.3 Instructions for completing the PICS proforma

The supplier of the implementation shall complete the PICS proforma in each of the spaces provided.

More detailed instructions are given at the beginning of the different subclauses of the PICS proforma.

A.2 Identification of the implementation

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS should be named as the contact person.

A.2.1 Date of the statement

.....

A.2.2 Implementation Under Test (IUT) identification

IUT name:

.....

.....

IUT version:

.....

A.2.3 System Under Test (SUT) identification

SUT name:

.....

.....

Hardware configuration:

.....

.....

.....

Operating system:

.....

A.2.4 Product supplier

Name:

.....

Address:

.....

.....

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

.....

A.2.5 Client

Name:

.....

Address:

.....

.....

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....
.....
.....

A.2.6 PICS contact person

Name:

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....
.....
.....

A.3 Identification of the protocol

This PICS proforma applies to the following standard:

ETS 300 374-5 (1996): "Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent Network Application Protocol (INAP); Part 5: Protocol Specification for the Service Control Function (SCF) - Service Data Function (SDF) interface".

A.4 PICS proforma tables

An explicit answer shall be entered, in each of the support or supported column boxes provided, using the notation described in subclause A.1.2.

A.4.1 Global statement of conformance

Are all mandatory capabilities implemented? (Yes/No)

NOTE: Answering "No" to this question indicates non-conformance to ETS 300 374-5 [1] specification. Non-supported mandatory capabilities are to be identified in the PICS, with an explanation of why the implementation is non-conforming, on pages attached to the PICS proforma.

A.4.2 System definition

A.4.2.1 System implementation

Table A.1: Identification of the system

Item	Question	Status	Support
1	The supplied implementation is an SDF	o.1	
2	The supplied implementation is an SCF	o.1	

o.1 At least on of the implementations should be supplied.

A.4.2.2 SDF implementation and/or system

Table A.2: SDF implementation and/or system

Prerequisite: A.1/1

Item	Question	Reference	Status	Support
1	Are all mandatory First-level SDF/DSA requirements implemented? (ITU-T Recommendation X.501, 18.5, page 73)	[3] ; 18.5	m	
2	Supported Security	none	[3] ; 15	m
3	Level(s)	simple	[3] ; 15	o
4	Does the SDF follow the rules of extensibility as defined in section 7.5 of ITU-T Recommendation X.519?	[6] ; 7.5	m	
5	Is the alias mechanism implemented? (ITU-T Recommendation X.501)	[3] ; 9.3	m	
6	Does the SDF support the inDirectoryAccessAC application-context? (ITU-T Recommendation Q.1218)	[10] ; 2.2.2.2.2.1	o	
7	Supported Access Controls	Simplified Access Control	[3] ; 16	o
8	(ITU-T Recommendation X.501, 16)	Basic Access Control	[3] ; 16	o
9	Is the SDF capable of supporting collective attributes? (ITU-T Recommendation X.501, 12.4)	[3] ; 12.4	o	
10	Is the SDF capable of supporting operational attributes? (ITU-T Recommendation X.501, 12.4)	[3] ; 12.4	m	
11	Is the SDF capable of supporting hierarchical attributes? (ITU-T Recommendation X.501, 12.4)	[3] ; 12.4	o	
12	Is the SDF capable of supporting auxiliary object classes? (ITU-T Recommendation X.501, 12.3)	[3] ; 12.3	o	
13	Is the SDF capable of supporting the subschema for its portion of the DIT? (ITU-T Recommendation X.501, 14)	[3] ; 14	o	

A.4.2.3 SCF implementation and/or system

Table A.3: SCF implementation and/or system

Prerequisite: A.1/2

Item	Question	Reference	Status	Support
1	Is the inDirectoryAccessAC application-context supported?	[10] ; 2.2.2.2.2.1	m	
2	Supported Security Level(s)	none	[3] ; 15	m
3		simple	[3] ; 15	o
4	Does the SCF/DUA follow the rules of extensibility as define in section 7.5 of ITU-T Recommendation X.519?	[6] ; 7.5	m	

A.4.3 IN Directory information objects supported

Table A.4: Application contexts supported

Item	Name	Reference	Status	Support	Values	
					Allowed	Supported
1	directoryAccessAC	[6] ; 7.2.1	m		in-ds*) 3	1

*) in-ds = ITU-T Recommendation Q.1218 sdf-object

Table A.5: Abstract syntaxes supported

Item	Name	Reference	Status	Support	Values	
					Allowed	Supported
1	directoryOperationsAS	[10] ; 2.2.2.2.2.1.1	m		in-ds*) 5	1
2	directoryBindingAS	[10] ; 2.2.2.2.2.1.1	m		in-ds*) 5	2

*) in-ds = ITU-T Recommendation Q.1218 sdf-object

A.4.4 Operations and extensibility supported (SDF)

A.4.4.1 Operations

Table A.6: Operations supported (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Operation	Receiving (SDF)		
		Reference	Status	Support
1	DirectoryBind	[5] ; 8.1	m	
2	DirectoryUnbind	[5] ; 8.2	m	
3	Search	[5] ; 10.2	m	
4	AddEntry	[5] ; 11.1	m	
5	RemoveEntry	[5] ; 11.2	m	
6	ModifyEntry	[5] ; 11.3	m	

A.4.4.2 Extensibility

This table defines a number of extensions which are available in the 1993 edition of the Directory. The supplier of the implementation shall indicate in the following table, which conformance is claimed.

Table A.7: Extensibility

Prerequisite A.1/1 -- if SDF implemented

Item	Parameters	Receiving (SDF)		
		Reference	Status	Support
1	subentries	[5] ; 7.3.1	o	
2	copyShallDo	[5] ; 7.3.1	i	
3	attributeSizeLimit	[5] ; 7.3.1	o	
4	extraAttributes	[5] ; 7.3.1	o	
5	modifyRightsRequest	[5] ; 7.3.1	i	
6	pagedResultsRequest	[5] ; 7.3.1	i	
7	matchedValuesOnly	[5] ; 7.3.1	m	
8	extendedFilter	[5] ; 7.3.1	o	
9	targetSystem	[5] ; 7.3.1	i	
10	useAliasOnUpdate	[5] ; 7.3.1	m	
11	newSuperior	[5] ; 7.3.1	i	
12	useContexts	[10] ; 2.2.2.4.6	m	
13	reverseMatch	[10] ; 2.2.2.4.6	m	
14	selectionOnModify	[10] ; 2.2.2.4.6	m	
15	extendedEntryMods	[10] ; 2.2.2.4.6	m	

A.4.5 Parameters (SDF)

This clause needs only to be completed if SDF is implemented.

A.4.5.1 DirectoryBind Parameters

A.4.5.1.1 DirectoryBindArgument

Table A.8: DirectoryBindArgument Parameters (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	DirectoryBindArg	[5] ; 8.1.1	m			
1.1	credentials	[5] ; 8.1.1	c:m			
1.1.1	simple	[5] ; 8.1.1	c802			
1.1.1.1	name	[5] ; 8.1.1	c:m			
1.1.1.2	validity	[5] ; 8.1.1	c:m			
1.1.1.3	password	[5] ; 8.1.1	c:m			
1.1.1.3.1	unprotected	[5] ; 8.1.1	c:m			
1.1.1.3.2	protected	[5] ; 8.1.1	c:m			
1.2	versions	[5] ; 8.1.1	c:m		v1	

c802: IF A.2/3 then m else N/A --simple security

A.4.5.1.2 DirectoryBindResult

Table A.9: DirectoryBindResult Parameters (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	DirectoryBindResult	[5] ; 8.1.1	m			
1.1	credentials	[5] ; 8.1.1	c:m			
1.1.1	simple	[5] ; 8.1.1	c902			
1.1.1.1	name	[5] ; 8.1.1	c:m			
1.1.1.2	validity	[5] ; 8.1.1	c:m			
1.1.1.3	password	[5] ; 8.1.1	c:m			
1.1.1.3.1	unprotected	[5] ; 8.1.1	c:m			
1.1.1.3.2	protected	[5] ; 8.1.1	c:m			
1.2	versions	[5] ; 8.1.1	c:m		v1	

c902: IF A.2/3 then m else N/A --simple security

A.4.5.1.3 DirectoryBindError

Table A.10: DirectoryBindError Parameters (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	DirectoryBindError	[5] ; 8.1.1	m			
1.1	versions	[5] ; 8.1.1	c:m		d({v1})	
1.2	ServiceError	[5] ; 8.1.1	c:m		2	
1.3	SecurityError	[5] ; 8.1.1	c:m		1,2,7	

A.4.5.2 Search

A.4.5.2.1 SearchArgument

Table A.11: SearchArgument Parameters (SDF)

Prerequisite A.1/1 AND A.27/3 then m else N/A -- if SDF and Search implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	SearchArgument	[5] ; 10.2.1	m			
1.1	SIGNED SearchArgument	[5] ; 10.2.1	c:o			
1.2	baseObject	[5] ; 10.2.1	c:m		d(baseobject)	
1.3	subset	[5] ; 10.2.1	c:m			
1.4	filter	[5] ; 10.2.1	c:m			
1.5	searchAliases	[5] ; 10.2.1	c:m			
1.6	selection	[5] ; 10.2.1	c:m		d({})	
1.7	matchedValuesOnly	[5] ; 10.2.1	c1101		d(FALSE)	
1.8	CommonArguments	[5] ; 7.3	c:m			

c1101: IF A.28/7 then m else N/A --

A.4.5.2.2 SearchResult

Table A.12: SearchResult Parameters (SDF)

Prerequisite A.1/1 AND A.27/3 then m else N/A -- if SDF and Search implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	SearchResult
1.1	SIGNED SearchResult	[5] ; 10.2.1	c:o			
1.2	searchInfo	[5] ; 10.2.1	c:m			
1.2.1	name	[5] ; 10.2.1	c:o			
1.2.2	entries	[5] ; 10.2.1	c:m			
1.2.3	PartialOutcome-Qualifier	[5] ; 10.2.1	c:o			
1.2.3.1	limitProblem	[5] ; 10.1.3	c:o			
1.2.3.2	unavailableCriticalExt	[5] ; 10.1.3	c:m			
1.2.4	CommonResults	[5] ; 7.4	c:m			

A.4.5.3 AddEntry

A.4.5.3.1 AddEntryArgument

Table A.13: AddEntryArgument Parameters (SDF)

Prerequisite A.1/1 AND A.27/4 then m else N/A -- if SDF and AddEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	AddEntryArgument
1.1	SIGNED AddEntryArgument	[5] ; 11.1.1	c:o			
1.2	object	[5] ; 11.1.1	c:m			
1.3	entry	[5] ; 11.1.1	c:m			
1.4	CommonArguments	[5] ; 7.3	c:m			

A.4.5.3.2 AddEntryResult

Table A.14: AddEntryResult Parameters (SDF)

Prerequisite A.1/1 AND A.27/4 then m else N/A -- if SDF and AddEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	AddEntryResult

A.4.5.4 RemoveEntry

A.4.5.4.1 RemoveEntryArgument

Table A.15: RemoveEntryArgument Parameters (SDF)

Prerequisite A.1/1 AND A.27/5 then m else N/A -- if SDF and RemoveEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	RemoveEntryArgument	[5] ; 11.2.1	m			
1.1	SIGNED Remove-EntryArgument	[5] ; 11.2.1	c:o			
1.2	object	[5] ; 11.2.1	c:m			
1.3	CommonArguments	[5] ; 7.3	c:m			

A.4.5.4.2 RemoveEntryResult

Table A.16: RemoveEntryResult Parameters (SDF)

Prerequisite A.1/1 AND A.27/5 then m else N/A -- if SDF and RemoveEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	RemoveEntryResult	[5] ; 11.2.1	m			

A.4.5.5 ModifyEntry

A.4.5.5.1 ModifyEntryArgument

Table A.17: ModifyEntryArgument Parameters (SDF)

Prerequisite A.1/1 AND A.27/6 -- if SDF and ModifyEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	ModifyEntryArgument	[5] ; 11.3.1	m			
1.1	SIGNED ModifyEntryArgument	[5] ; 11.3.1	c:o			
1.2	object	[5] ; 11.3.1	c:m			
1.3	selection	[5] ; 11.3.1	c:m			
1.4	changes	[5] ; 11.3.1	c:m			
1.4.1	addAttribute	[5] ; 11.3.1	c:m			
1.4.2	removeAttribute	[5] ; 11.3.1	c:m			
1	ModifyEntryArgument	[5] ; 11.3.1	m			
1.4.3	addValues	[5] ; 11.3.1	c:m			
1.4.4	removeValues	[5] ; 11.3.1	c:m			
1.4.5	alterValues	[5] ; 11.3.2	c:m			
1.4.6	resetValues	[5] ; 11.3.2	c:m			
1.5	Common-Arguments	[5] ; 7.3	c:m			

A.4.5.5.2 ModifyEntryResult

Table A.18: ModifyEntryResult Parameters (SDF)

Prerequisite A.1/1 AND A.27/6 -- if SDF and ModifyEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	ModifyEntryResult
1.1	information	[5] ; 11.3.1	c:m			
1.2	CommonResults	[5] ; 7.4	c:m			

A.4.5.6 Errors

Table A.19: Errors elements (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	Abandoned
2	AbandonFailed	[5] ; 12.3	i			
3	AttributeError	[5] ; 12.4	m			
3.1	object	[5] ; 12.4	c:m			
3.1.1	problems	[5] ; 12.4	c:m			
3.1.2	problem	[5] ; 12.4	c:m		1,2,3,4,5,6	
3.1.3	type	[5] ; 12.4	c:m			
3.1.4	value	[5] ; 12.4	c:m			
4	NameError	[5] ; 12.5	m			
4.1	problem	[5] ; 12.4	c:m		1,2,3,4	
4.2	matched	[5] ; 12.4	c:m			
5	Referral	[5] ; 12.6	i			
6	SecurityError	[5] ; 12.7	m			
6.1	problem	[5] ; 12.7	c:m		1,2,3,6,7	
7	ServiceError	[5] ; 12.8	m			
7.1	problem	[5] ; 12.8	c:m		1,2,3,5,8,9,12	
8	UpdateError	[5] ; 12.9	c1901			
8.1	problem	[5] ; 12.9	c:m		1,2,3,5,7	

c1901: IF (A.28/4 OR A.28/5 OR A.28/6) then m else N/A
 -- if at least one of operations (AddEntry, RemoveEntry, ModifyEntry) is supported

A.4.5.7 Common arguments

Table A.20: Common arguments elements (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	ServiceControls
2	SecurityParameters	[5] ; 7.10	i			
3	requestor	[5] ; 7.10	i			
4	operationProgress	[5] ; 7.10	m		d(notStarted)	
4.1	aliasedRDNs	[5] ; 7.10	x			
5	criticalExtensions	[5] ; 7.10	i			
6	referenceType	[5] ; 7.10	i			
7	entryOnly	[5] ; 7.10	i			
8	exclusions	[5] ; 7.10	i			
9	nameResolveOnMaster	[5] ; 7.10	i			

A.4.5.8 Common results

Table A.21: Common results elements (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	SecurityParameters
2	performer	[5] ; 7.4	i			
3	aliasedDereferenced	[5] ; 7.4	m		d(FALSE)	

A.4.5.9 ServiceControls

Table A.22: ServiceControls (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	ServiceControls
1.1	options	[5] ; 7.5	c:m		d{ }	
1.2	priority	[5] ; 7.5	c:m		d(medium)	

A.4.5.10 EntryInformationSelection

Table A.23: EntryInformationSelection (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	EntryInformationSelection
2	attributes	[3]	m			
2.1	infoTypes	[3]	c:m		d(attr types&values)	
3	extraAttributes	[3]	c2301			
4	contextAssertions	[3]	m			
5	returnContexts	[3]	m		d(FALSE)	

c2301: if A.7/4 then m else o.

A.4.5.11 EntryInformation

Table A.24: EntryInformation (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	EntryInformation
1.1	name	[5] ; 7.7	c:m			
1.2	fromEntry	[5] ; 7.7	c:m		d(TRUE)	
1.3	Information	[5] ; 7.7	c:m			
1.3.1	attributeType	[5] ; 7.7	c:m			
1.3.2	attribute	[5] ; 7.7	c:m			
1.4	incompleteEntry	[5] ; 7.7	c:m		d(FALSE)	

A.4.5.12 FilterElements

Table A.25: FilterElements (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	item
2	and	[5] ; 7.8.1	m			
3	or	[5] ; 7.8.1	m			
4	not	[5] ; 7.8.1	m			

A.4.5.13 FilterItemElements

Table A.26: FilterItemElements (SDF)

Prerequisite A.1/1 -- if SDF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	equality	[5] ; 7.8.1	m			
2	substrings	[5] ; 7.8.1	m			
2.1	type	[5] ; 7.8.1	c:m			
2.2	strings	[5] ; 7.8.1	c:m			
2.1.1	initial	[5] ; 7.8.1	c:m			
2.1.2	any	[5] ; 7.8.1	c:m			
2.1.3	final	[5] ; 7.8.1	c:m			
3	greaterOrEqual	[5] ; 7.8.1	m			
4	lessOrEqual	[5] ; 7.8.1	m			
5	present	[5] ; 7.8.1	m			
6	approximateMatch	[5] ; 7.8.1	m			
7	extensibleMatch	[5] ; 7.8.1	c2601			

c2601: if A.7/8 then m else o.

A.4.6 Operations and extensibility supported (SCF)

This clause needs only to be completed if the SCF is implemented.

A.4.6.1 Operations

Table A.27: Operations supported

Prerequisite A.1/2 -- if SCF implemented

Item	Operation	Sending (SCF)		
		Reference	Status	Support
1	DirectoryBind	[5] ; 8.1	m	
2	DirectoryUnbind	[5] ; 8.2	m	
3	Search	[5] ; 10.2	o	
4	AddEntry	[5] ; 11.1	o	
5	RemoveEntry	[5] ; 11.2	o	
6	ModifyEntry	[5] ; 11.3	o	

A.4.6.2 Extensibility

This table defines a number of extensions which are available in the 1993 edition of the Directory. The supplier of the implementation shall indicate in the following table, which conformance is claimed.

Table A.28: Extensibility (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameters	Sending (SCF)		
		Reference	Status	Support
1	subentries	[5] ; 7.3.1	o	
2	copyShallDo	[5] ; 7.3.1	i	
3	attributeSizeLimit	[5] ; 7.3.1	o	
4	extraAttributes	[5] ; 7.3.1	o	
5	modifyRightsRequest	[5] ; 7.3.1	i	
6	pagedResultsRequest	[5] ; 7.3.1	i	
7	matchedValuesOnly	[5] ; 7.3.1	o	
8	extendedFilter	[5] ; 7.3.1	o	
9	targetSystem	[5] ; 7.3.1	i	
10	useAliasOnUpdate	[5] ; 7.3.1	c2801	
11	newSuperior	[5] ; 7.3.1	i	
12	useContexts	[10] ; 2.2.2.4.6	o	
13	reverseMatch	[10] ; 2.2.2.4.6	o	
14	selectionOnModify	[10] ; 2.2.2.4.6	o	
15	extendedEntryMods	[10] ; 2.2.2.4.6	c2801	

c2801: IF (A.27/5 OR A.27/6) THEN m ELSE n/a -- if RemoveEntry or ModifyEntry supported.

A.4.7 Parameters (SCF)

This clause needs only to be completed if the SCF is implemented.

A.4.7.1 DirectoryBind Parameters

A.4.7.1.1 DirectoryBindArgument

Table A.29: DirectoryBindArgument Parameters (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	DirectoryBindArg
1.1	credentials	[5] ; 8.1.1	c:c2901			
1.1.1	simple	[5] ; 8.1.1	c:c2902			
1.1.1.1	name	[5] ; 8.1.1	c:m			
1.1.1.2	validity	[5] ; 8.1.1	c:c2903			
1.1.1.3	password	[5] ; 8.1.1	c:m			
1.1.1.3.1	unprotected	[5] ; 8.1.1	c:o.1			
1.1.1.3.2	protected	[5] ; 8.1.1	c:o.1			
1.2	versions	[5] ; 8.1.1	c:m		v1	

c2901: IF A.3/3 then m else N/A --simple security

c2902: IF A.29/8 then m else N/A -- protected passwd

c2903: IF A.3/3 OR A.29/8 then m else N/A

o.1: at least one shall be implemented

A.4.7.1.2 DirectoryBindResult

Table A.30: DirectoryBindResult Parameters (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	DirectoryBindResult
1.1	credentials	[5] ; 8.1.1	o			
1.1.1	simple	[5] ; 8.1.1	o			
1.1.1.1	name	[5] ; 8.1.1	o			
1.1.1.2	validity	[5] ; 8.1.1	o			
1.1.1.3	password	[5] ; 8.1.1	o			
1.1.1.3.1	unprotected	[5] ; 8.1.1	c:o.1			
1.1.1.3.2	protected	[5] ; 8.1.1	c:o.1			
1.2	versions	[5] ; 8.1.1	c:m		v1	

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	DirectoryBindResult
1.3	versions	[5] ; 8.1.1	c:m			

A.4.7.1.3 DirectoryBindError

Table A.31: DirectoryBindError Parameters (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	DirectoryBindError
1.1	versions	[5] ; 8.1.1	c:m		d({v1})	
1.2	ServiceError	[5] ; 8.1.1	c:m		2	
1.3	SecurityError	[5] ; 8.1.1	c:m		1,2,7	

A.4.7.2 Search

A.4.7.2.1 SearchArgument

Table A.32: SearchArgument Parameters (SCF)

Prerequisite A.1/2 AND A.27/3 then m else N/A -- if SCF and Search implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	SearchArgument	[5] ; 10.2.1	m			
1.1	SIGNED SearchArgument	[5] ; 10.2.1	c:o			
1.2	baseObject	[5] ; 10.2.1	c:m			
1.3	subset	[5] ; 10.2.1	c:m			
1.4	filter	[5] ; 10.2.1	c:o			
1.5	searchAliases	[5] ; 10.2.1	c:m			
1.6	selection	[5] ; 10.2.1	c:o			
1.7	pagedResults	[5] ; 10.2.1	c:x			
1.8	matchedValuesOnly	[5] ; 10.2.1	c3201			
1.9	extendedFilter	[5] ; 10.2.1	c:x			
1.10	CommonArguments	[5] ; 7.3	c:m			

c3201: IF A.28/7 then m else N/A -- Extension matchedValuesOnly

A.4.7.2.2 SearchResult

Table A.33: SearchResult Parameters (SCF)

Prerequisite A.1/2 AND A.27/3 then m else N/A -- if SCF and Search implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	SearchResult	[5] ; 10.2.1	m			
1.1	SIGNED SearchResult	[5] ; 10.2.1	c:o			
1.2	searchInfo	[5] ; 10.2.1	c:m			
1.2.1	name	[5] ; 10.2.1	c:m			
1.2.2	entries	[5] ; 10.2.1	c:m			
1.2.3	PartialOutcome-Qualifier	[5] ; 10.2.1	c:m			
1.2.4	limitProblem	[5] ; 10.1.3	c:m			
1.3	unavailableCriticalExt	[5] ; 10.1.3	c:m			
1.3.5	CommonResults	[5] ; 7.4	c:m			

c3301: IF A.27/3 then m else N/A -- Search implemented

A.4.7.3 AddEntry

A.4.7.3.1 AddEntryArgument

Table A.34: AddEntryArgument Parameters (SCF)

Prerequisite A.1/2 AND A.27/4 then m else N/A -- if SCF and AddEntry implemented

Item	Parameter					
		Reference	Status	Support	Values	
					Allowed	Supported
1	AddEntryArgument	[5] ; 11.1.1	m			
1.1	SIGNED AddEntryArgument	[5] ; 11.1.1	c:o			
1.2	object	[5] ; 11.1.1	c:m			
1.3	entry	[5] ; 11.1.1	c:m			
1.4	CommonArguments	[5] ; 7.3	c:m			

A.4.7.3.2 AddEntryResult

Table A.35: AddEntryResult Parameters (SCF)

Prerequisite A.1/2 AND A.27/4 then m else N/A -- if SCF and AddEntry implemented

Item	Parameter					
		Reference	Status	Support	Values	
					Allowed	Supported
1	AddEntryResult	[5] ; 11.1.1	m			

A.4.7.4 RemoveEntry

A.4.7.4.1 RemoveEntryArgument

Table A.36: RemoveEntryArgument Parameters (SCF)

Prerequisite A.1/2 AND A.27/5 then m else N/A -- if SCF and RemoveEntry implemented

Item	Parameter					
		Reference	Status	Support	Values	
					Allowed	Supported
1	RemoveEntryArgument	[5] ; 11.2.1	m			
1.1	SIGNED Remove-EntryArgument	[5] ; 11.2.1	c:o			
1.2	object	[5] ; 11.2.1	c:m			
1.3	CommonArguments	[5] ; 7.3	c:m			

A.4.7.4.2 RemoveEntryResult

Table A.37: RemoveEntryResult Parameters (SCF)

Prerequisite A.1/2 AND A.27/5 then m else N/A -- if SCF and RemoveEntry implemented

Item	Parameter					
		Reference	Status	Support	Values	
					Allowed	Supported
1	RemoveEntryResult	[5] ; 11.2.1	m			

A.4.7.5 ModifyEntry

A.4.7.5.1 ModifyEntryArgument

Table A.38: ModifyEntryArgument Parameters (SCF)

Prerequisite A.1/2 AND A.27/6 -- if SCF and ModifyEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	ModifyEntryArgument
1.1	SIGNED ModifyEntryArgument	[5] ; 11.3.1	c:o			
1.2	object	[5] ; 11.3.1	c:m			
1.3	selection	[5] ; 11.3.1	c:o			
1.4	changes	[5] ; 11.3.1	c:m			
1.4.1	addAttribute	[5] ; 11.3.1	c:m			
1.4.2	removeAttribute	[5] ; 11.3.1	c:m			
1.4.3	addValues	[5] ; 11.3.1	c:c3802			
1.4.4	removeValues	[5] ; 11.3.1	c:m			
1.4.5	alterValues	[5] ; 11.3.1	c:m			
1.4.6	resetValues	[5] ; 11.3.1	c:c3802			
1.5	Common-Arguments	[5] ; 7.3	c:m			

c3802: IF (A.28.14 OR A.28.15) then m else N/A
 -- selectionOnModify or extendedEntryMods implemented

A.4.7.5.2 ModifyEntryResult

Table A.39: ModifyEntryResult Parameters (SCF)

Prerequisite A.1/2 AND A.27/6 -- if SCF and ModifyEntry implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	ModifyEntryResult
1.1	information	[5] ; 11.3.1	c:m			
1.2	CommonResults	[5] ; 7.4	c:m			

A.4.7.6 Errors

Table A.40: Errors elements (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	Abandoned	[5] ; 12.2	i			
2	AbandonFailed	[5] ; 12.3	i			
3	AttributeError	[5] ; 12.4	m			
3.1	object	[5] ; 12.4	c:m			
3.1.1	problems	[5] ; 12.4	c:m			
3.1.2	problem	[5] ; 12.4	c:m		1,2,3,4,5,6	
3.1.3	type	[5] ; 12.4	c:m			
3.1.4	value	[5] ; 12.4	c:m			
4	NameError	[5] ; 12.5	m			
4.1	problem	[5] ; 12.4	c:m		1,2,3,4	
4.2	matched	[5] ; 12.4	c:m			
5	Referral	[5] ; 12.6	i			
6	SecurityError	[5] ; 12.7	m			
6.1	problem	[5] ; 12.7	c:m		1,2,3,6,7	
7	ServiceError	[5] ; 12.8	m			
7.1	problem	[5] ; 12.8	c:m		1,2,3,5,8,9,12	
8	UpdateError	[5] ; 12.9	m			
8.1	problem	[5] ; 12.9	c:m		1,2,3,5,7	

A.4.7.7 Common Arguments

Table A.41: Common Arguments elements (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	ServiceControls	[5] ; 7.5	m			
2	SecurityParameters	[5] ; 7.10	i			
3	requestor	[5] ; 7.10	i			
4	operationProgress	[5] ; 7.10	i			
4.1	aliasedRDNs	[5] ; 7.10	x			
5	criticalExtensions	[5] ; 7.10	i			
6	referenceType	[5] ; 7.10	i			
7	entryOnly	[5] ; 7.10	i			
8	exclusions	[5] ; 7.10	i			
9	nameResolveOnMaster	[5] ; 7.10	i			

A.4.7.8 Common Results

Table A.42: Common Results elements (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	SecurityParameters
2	performer	[5] ; 7.4	i			
3	aliasedDereferenced	[5] ; 7.4	m		d(FALSE)	

A.4.7.9 Service Controls

Table A.43: Service Controls (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	ServiceControls
1.1	options	[5] ; 7.5	c:m		d({ })	
1.2	priority	[5] ; 7.5	c:o		d(medium)	

A.4.7.10 EntryInformationSelection

Table A.44: EntryInformationSelection (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
					1	EntryInformationSelection
2	attributes	[3]	o			
2.1	infoTypes	[3]	c:o		d(attr types&values)	
3	extraAttributes	[3]	o			
4	contextAssertions	[3]	o			
5	returnContexts	[3]	o		d(FALSE)	

A.4.7.11 EntryInformation

Table A.45: EntryInformation (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	EntryInformation	[5] ; 7.7	m			
1.1	name	[5] ; 7.7	c:m			
1.2	fromEntry	[5] ; 7.7	c:m		d(TRUE)	
1.3	Information	[5] ; 7.7	c:m			
1.3.1	AttributeType	[5] ; 7.7	c:m			
1.3.2	Attribute	[5] ; 7.7	c:m			
1.4	incompleteEntry	[5] ; 7.7	c:m		d(FALSE)	

A.4.7.12 FilterElements

Table A.46: FilterElements (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	item	[5] ; 7.8.1	o			
2	and	[5] ; 7.8.1	o			
3	or	[5] ; 7.8.1	o			
4	not	[5] ; 7.8.1	o			

A.4.7.13 FilterItemElements

Table A.47: FilterItemElements (SCF)

Prerequisite A.1/2 -- if SCF implemented

Item	Parameter	Reference	Status	Support	Values	
					Allowed	Supported
1	equality	[5] ; 7.8.1	o			
2	substrings	[5] ; 7.8.1	o			
2.1	type	[5] ; 7.8.1	c:o			
2.2	strings	[5] ; 7.8.1	c:o			
2.1.1	initial	[5] ; 7.8.1	c:o			
2.1.2	any	[5] ; 7.8.1	c:o			
2.1.3	final	[5] ; 7.8.1	c:o			
3	greaterOrEqual	[5] ; 7.8.1	o			
4	lessOrEqual	[5] ; 7.8.1	o			
5	present	[5] ; 7.8.1	o			
6	approximateMatch	[5] ; 7.8.1	o			
7	extensibleMatch	[5] ; 7.8.1	o			

A.4.8 Directory schema**A.4.8.1 Supported object classes****A.4.8.1.1 Standard object classes**

The supplier of the SDF implementation shall indicate, in the following table, the selected object classes defined in ISO/IEC 9594-2 [3] for which conformance is claimed. The supplier of the SCF implementation need not complete the following table:

Table A.48: Standard object classes

Item	Object class	Reference	Status	Support
1	top	[3] ; 12.3.3	m	
2	alias	[3] ; 12.3.3	m	

A.4.8.2 Supported attribute types**A.4.8.2.1 Standard attribute types**

The supplier of the implementation shall indicate, in the following table, the selected attribute types defined in ISO/IEC 9594-6 [7] for which conformance is claimed:

Table A.49: Standard attribute types

Item	Attribute type	Reference	Upperbound	Status	Support
1	objectClass	[3] ; 12.4.6		m	
2	aliasedEntryName	[3] ; 12.4.6		m	
3	commonName	[7] ; 5.2.2	64	c4901	
4	name	[7] ; 5.2.1		c4901	
5	userPassword	[4]	128	m	
6	ACIItem	[3] ; 16.4.1		c4902	
7	Subtrees	[3] ; 11.3		c4901	

c4901: IF A.28/1 then m else N/A

c4902: IF (A.2/7 OR A.2/8) then m else N/A

A.4.8.3 Standard matching rules

The supplier of the implementation shall indicate, in the following table, the matching rules defined in ISO/IEC 9594-6 [7] for which support is claimed:

Table A.50: Standard matching rules

Item	Matching rule	Reference	Status	Support
1	caseIgnoreMatch	[7] ; 6.1.1	m	
2	caseIgnoreOrderingMatch	[7] ; 6.1.2	m	
3	caseIgnoreSubstringMatch	[7] ; 6.1.3	m	
4	SubstringAssertion	[7] ; 6.1.3	m	
5	caseExactMatch	[7] ; 6.1.4	m	
6	caseExactSubstringMatch	[7] ; 6.1.6	m	
7	numericStringMatch	[7] ; 6.1.7	m	
8	numericStringOrderingMatch	[7] ; 6.1.8	m	
9	numericStringSubstringMatch	[7] ; 6.1.9	m	
10	caseIgnoreListMatch	[7] ; 6.1.10	m	
11	caseIgnoreListSubstringsMatch	[7] ; 6.1.11	m	
12	booleanMatch	[7] ; 6.2.1	m	
13	integerMatch	[7] ; 6.2.2	m	
14	integerOrderingMatch	[7] ; 6.2.3	m	
15	bitStringMatch	[7] ; 6.2.4	m	
16	octetStringMatch	[7] ; 6.2.5	m	
17	octetStringOrderingMatch	[7] ; 6.2.6	m	
18	octetStringSubStringsMatch	[7] ; 6.2.7	m	
19	octetSubStringAssertion	[7] ; 6.2.7	m	
20	telephoneNumberMatch	[7] ; 6.2.8	m	
21	presentationAddressMatch	[7] ; 6.2.10	o	
22	uniqueMemberMatch	[7] ; 6.2.11	o	
23	protocolInformationMatch	[7] ; 6.2.12	o	
24	uTCTimeMatch	[7] ; 6.3.1	m	
25	uTCTimeOrderingMatch	[7] ; 6.3.2	m	
26	generalizedTimeMatch	[7] ; 6.3.3	m	
27	generalizedTimeOrderingMatch	[7] ; 6.3.4	m	
28	integerFirstComponentMatch	[7] ; 6.4.1	m	
29	objectIdentifierFirstComponentMatch	[7] ; 6.4.2	m	
30	directoryStringFirstComponentMatch	[7] ; 6.4.3	m	
31	wordMatch	[7] ; 6.5.1	o	
32	keywordMatch	[7] ; 6.5.2	o	

A.4.8.4 Standard contexts

The supplier of the implementation shall indicate, in the following table, the contexts defined in ISO/IEC 9594-6 [7] for which support is claimed:

Table A.51: Standard contexts

Item	Matching Rule	Reference	Status	Support
1	language	[3]	o	
2	temporal	[3]	m	
3	override	[3]	m	

A.4.8.5 Information framework

The supplier of the implementation shall indicate, in the following table, the object class, attributes, and matching rules defined in ISO/IEC 9594-2 [3] for which support is claimed.

A.4.8.5.1 Information framework object classes**Table A.52: Information framework object classes**

Item	Object class	Reference	Status	Support
1	subentry	[3] ; 13.2.1	c5201	
2	accessControlSubentry	[3] ; 16.3.1	c5202	
3	collectiveAttributeSubentry	[3] ; 13.6	c5203	
4	contextAssertionSubentry	[3]	c5203	

c5201: IF A.28/1 then m else N/A

c5202: IF (A.28/1 AND A.2/7 AND A.2/8) then m else N/A

c5203: IF (A.28/1 AND A.2/9) then m else N/A

A.4.8.5.2 Information framework attributes**Table A.53: Information framework attributes**

Item	Attribute	Reference	Status	Support
1	createTimestamp	[3] ; 13.4.1	m	
2	modifyTimestamp	[3] ; 13.4.1	m	
3	creatorsName	[3] ; 13.4.2	o	
4	modifiersName	[3] ; 13.4.2	o	
5	administrativeRole	[3] ; 13.3	m	
6	collectiveExclusions	[3] ; 13.6	m	
7	contextAssertionDefault	[3]	m	

A.4.8.5.3 Information framework matching rules**Table A.54: Information framework matching rules**

Item	Matching rule	Reference	Status	Support
1	ObjectIdentifierMatch	[3] ; 12.5.2	m	
2	distinguishedNameMatch	[3] ; 12.5.2	m	

A.4.8.6 Subschema administration

If the supplied implementation supports the subschema for its portion of the SDF claimed in item A.2/13 then tables A.55 and A.56 are required to be answered by the supplier.

A.4.8.6.1 Subschema administration object classes**Table A.55: Subschema administration object classes**

Item	Object class	Reference	Status	Support
1	subschema	[3] ; 14.3	m	

A.4.8.6.2 Subschema administration attributes

Table A.56: Subschema administration attributes

Item	Attribute	Reference	Status	Support
1	dITStructureRules	[3] ; 14.7.1	m	
2	dITContentRules	[3] ; 14.7.2	m	
3	matchingRules	[3] ; 14.7.3	m	
4	attributeTypes	[3] ; 14.7.4	m	
5	objectClasses	[3] ; 14.7.5	m	
6	nameForms	[3] ; 14.7.6	m	
7	matchingRuleUse	[3] ; 14.7.7	m	
8	structuralObjectClass	[3] ; 14.7.8	m	
9	governingStructureRule	[3] ; 14.7.9	m	
10	attributeValueContext	[3]	m	

A.4.8.6.3 Subschema administration matching rules

None.

A.4.8.7 Access control

A.4.8.7.1 Access control object classes

None.

A.4.8.7.2 Access control attributes

Table A.57: Access control attributes

Item	Object class	Reference	Status	Support
1	accessControlScheme	[3] ; 15.2.2	m	
2	prescriptiveACI	[3] ; 16.5.1	c5701	
3	entryACI	[3] ; 16.5.2	c5701	
4	subentryACI	[3] ; 16.5.3	c5701	

c5701: IF (A.2/7 OR A.2/8) then m else N/A

A.4.8.7.3 Access control matching rules

Table A.58: Access control matching rules

Item	Object class	Reference	Status	Support
1	oidEqualityMatch		c5801	

c5801: IF (A.2/7 OR A.2/8) then m else N/A

History

Document history			
November 1997	Public Enquiry	PE 9813:	1997-11-28 to 1998-03-27
June 1998	Vote	V 9832:	1998-06-01 to 1998-08-14