



CORRIGENDUM

ETS 300 390

June 1996

Source: ETSI TC-RES

Reference: DE/RES-02-04-C1

ICS: 33.060.20, 33.060.50

Key words: Data, mobile, radio, testing

**This corrigendum modifies
the European Telecommunication Standard ETS 300 390 (1996)**

**Radio Equipment and Systems (RES);
Land mobile service;
Technical characteristics and test conditions
for radio equipment intended for the
transmission of data (and speech)
and using an integral antenna**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

*

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Foreword

This Corrigendum corrects editorial errors in the first edition of ETS 300 390.

Amendments

Page 20, subclause 5.1.3

Replace second paragraph with the following:

For channel separations of 20 kHz and 25 kHz, the adjacent channel power shall not exceed a value of 70,0 dB below the carrier power of the transmitter without the need to be below 0,20 μ W. For channel separations of 12,5 kHz, the adjacent channel power shall not exceed a value of 60,0 dB below the transmitter carrier power without the need to be below 0,20 μ W.

History

Document history			
February 1994	Public Enquiry	PE 57:	1994-02-21 to 1994-06-17
September 1995	Vote	V 87:	1995-09-11 to 1995-11-03
February 1996	First Edition		
June 1996	Corrigendum to First Edition		