

CORRIGENDUM

ETS 300 438-1

June 1996

Source: ETSI TC-SPS Reference: DE/SPS-02022-1-C1

ICS: 33.080

Key words: B-ISDN, ATM, AAL, SSCF, SSCOP, NNI

This corrigendum modifies the European Telecommunication Standard ETS 300 438-1 (1995)

Broadband Integrated Services Digital Network (B-ISDN);
Signalling ATM Adaptation Layer (SAAL);
Service Specific Co-ordination Function (SSCF) for support of signalling at the Network Node Interface (NNI);
Part 1: Specification of SSCF at NNI

[ITU-T Recommendation Q.2140 (1995), modified]

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - Internet: secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

4

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

ige 2 'S 300 438-1: Novem	nber 1995/Corrige	endum: June 19	96	

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

Foreword

This corrigendum corrects editorial differences between the officially published version of ITU-T Recommendation Q.2140 (1995) and ITU-T Study Group 11 Report R 70 (COM 11-R 70-E, October 1994).

Table 6/Q.2140 (a state transition table which comprises eight states) has been split into nine parts distributed over nine consecutive pages. The first four pages specify the transitions for states 1/1/1 Out of Service/Idle, 1/4/1 Out of Service/Outgoing Disconnection Pending, 2/1/2 Alignment/Idle and 2/2/2 Alignment/Outgoing Connection Pending. The last five pages specify the transitions for states 2/4/2 Alignment/Outgoing Disconnection Pending, 3/10/5 In Service/Data Transfer Ready, 2/10/3 Proving/Data Transfer Ready and 2/10/4 Aligned Ready/Data Transfer Ready.

ITU-T Recommendation Q.2140 (1995) does not contain the correct table headings for the last five pages showing the latter four states, and has misplaced one event.

Amendments

The following modifications to table 6/Q.2140 need to be applied:

Page 23, table 6/Q.2140 (continuation)

Delete the last row associated with the event AAL-START.request.

Page 24, table 6/Q.2140 (continuation)

Replace the table heading and insert the row associated with the event AAL-START.request, as follows:

State	Alignment/ Outgoing Disconnection Pending	In Service/ Data Transfer Ready	Proving/ Data Transfer Ready	Aligned Ready/ Data Transfer Ready
ad CE TE	2/4/2	3/10/5	2/10/3	2/10/4
SSCF Timers running	T2		T2, T3	T2
Event				
AAL-START-request	Illegal	Illegal	Illegal	Illegal
:	:			:

Pages 25 to 28, table 6/Q.2140 (continuations and end)

Replace the table heading by:

State	Alignment/ Outgoing Disconnection Pending 2/4/2	In Service/ Data Transfer Ready 3/10/5	Proving/ Data Transfer Ready 2/10/3	Aligned Ready/ Data Transfer Ready 2/10/4
SSCF Timers running	T2	3/10/3	T2, T3	T2
Event				

History

Document history				
August 1994	Public Enquiry	PE 68:	1994-08-08 to 1994-12-02	
September 1995	Vote	V 87:	1995-09-11 to 1995-11-03	
November 1995	First Edition			
June 1996	Corrigendum to First Edition			