

AMENDMENT

ETS 300 652 pr **A2**

February 1998

Source: Bran Reference: RE/BRAN-10-12

ICS: 33.020

Key words: HIPERLAN

This draft amendment A2, if approved, will modify the European Telecommunication Standard ETS 300 652 (1996)

Radio Equipment and Systems (RES); HIgh PErformance Radio Local Area Network (HIPERLAN) Type 1; Functional specification

URGENT TECHNICAL CORRECTION

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - Internet: secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2				
Page 2 ETS 300 652: October	1996/prA2: Februar	y 1998		
Whilet overv care has h	oon taken in the pr	operation and public	eation of this document	orrors in content

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

Foreword

This draft amendment to ETS 300 652 (1996) has been produced by the Broadband Radio Access Networks (BRAN) ETSI Project of the European Telecommunications Standards Institute (ETSI), and is now submitted for the One-step Approval Procedure.

Proposed transposition dates					
Date of latest announcement of this amendment (doa):	3 months after ETSI publication				
Date of latest publication or endorsement of this amendment (dop/e):	6 months after doa				
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa				

Page 4

ETS 300 652: October 1996/prA2: February 1998

Amendment

Page 93 Dear readers,

Subclause 9.7.3

Add the following text:

Within a HIPERLAN node the frequency sources for RF generation and derivation of modulation clocking for both high rate transmission and low rate transmission shall be synchronized to within \pm 2 ppm.

History

Document history					
February 1998	One-step Approval Procedure	OAP 9824:	1998-02-13 to 1998-06-12		