



EUROPEAN
TELECOMMUNICATION
STANDARD

FINAL DRAFT
pr **ETS 300 666-1**

June 1996

Source: ETSI TC-SPS

Reference: DE/SPS-05076-1

ICS: 33.080

Key words: B-ISDN, supplementary service

**Broadband Integrated Services Digital Network (B-ISDN);
Digital Subscriber Signalling System No. two (DSS2) protocol;
Connected Line Identification Restriction (COLR)
supplementary service;
Part 1: Protocol specification**

[ITU-T Recommendation Q.2951.6 (1995), modified]

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

*

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Foreword

This final draft European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Voting phase of the ETSI standards approval procedure.

This ETS is part 1 of a multi-part standard covering the Digital Subscriber Signalling System No. two (DSS2) protocol specification for the Broadband Integrated Services Digital Network (B-ISDN) Connected Line Identification Restriction (COLR) supplementary service, as described below:

- Part 1:** "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";
- Part 5: "TSS&TP specification for the network";
- Part 6: "ATS and partial PIXIT proforma specification for the network".

NOTE: The final structure of the parts containing the test specifications is currently under study.

In accordance with CCITT Recommendation I.130, the following three level structure is used to describe the supplementary telecommunication services as provided by European public telecommunications operators under the pan-European B-ISDN:

- Stage 1: is an overall service description, from the user's standpoint;
- Stage 2: identifies the functional capabilities and information flows needed to support the service described in stage 1; and
- Stage 3: defines the signalling system protocols and switching functions needed to implement the service described in stage 1.

This ETS details the stage 3 aspects (signalling system protocols and switching functions) needed to support the COLR supplementary service. The stage 1 and stage 2 aspects of the equivalent N-ISDN supplementary service are detailed in ETS 300 095 and ETS 300 096 respectively, and these have been assumed as appropriate to be the foundation for the equivalent B-ISDN supplementary service specifications.

| Proposed transposition dates | |
|---|---------------------------------|
| Date of latest announcement of this ETS (doa): | 3 months after ETSI publication |
| Date of latest publication of new National Standard or endorsement of this ETS (dop/e): | 6 months after doa |
| Date of withdrawal of any conflicting National Standard (dow): | 6 months after doa |

Endorsement notice

The text of ITU-T Recommendation Q.2951.6 (1995) is proposed by ETSI as an ETS with agreed modifications as given below.

NOTE: New or modified text is indicated using sidebars. In addition, underlining and/or strike-out are used to highlight detailed modifications where necessary.

subclause 6.1

Replace subclause 6.1 by:

6.1 Scope

This first part of ETS 300 666 specifies the stage three of the Connected Line Identification Restriction (COLR) supplementary service for the pan-European Broadband Integrated Services Digital Network (B-ISDN) as provided by European public telecommunications operators at the T_B reference point or coincident S_B and T_B reference point (as defined in ITU-T Recommendation I.413 [1]) by means of the Digital Subscriber Signalling System No. two (DSS2) protocol. Stage three identifies the protocol and procedures and switching functions needed to support a telecommunication service (see ITU-T Recommendation I.130 [2]).

In addition this ETS specifies the protocol requirements at the T_B reference point where the service is provided to the user via a private B-ISDN.

This ETS does not specify the additional protocol requirements where the service is provided to the user via a telecommunications network that is not a B-ISDN.

The COLR supplementary service enables the connected party to prevent presentation of its ISDN number to the calling party.

The COLR supplementary service is applicable to all telecommunication services.

Further parts of this ETS specify the method of testing required to identify conformance to this ETS.

This ETS is applicable to equipment, supporting the COLR supplementary service, to be attached at either side of a T_B reference point or coincident S_B and T_B reference point when used as an access to the public B-ISDN.

subclause 6.2, first paragraph

Replace the first paragraph of subclause 6.2 by:

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

subclause 6.2

Insert the following references at the end of subclause 6.2:

- [8] ETS 300 443-1: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 1: Protocol specification [ITU-T Recommendation Q.2931 (1995), modified]".
- [9] ETS 300 665-1: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Calling Line Identification Presentation (COLP) supplementary service; Part 1: Protocol specification [ITU-T Recommendation Q.2951.5 (1995), modified]".
- [10] ETS 300 669-1: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; Supplementary service interactions; Part 1: Protocol specification".

Throughout the text of ITU-T Recommendation Q.2951.6

Replace references as shown in the following table.

| Reference in ITU-T Recommendation Q.2951.6 | Modified reference |
|--|--|
| ITU-T Recommendation Q.2931 [3] | ITU-T Recommendation Q.2931 as modified by ETS 300 443-1 [8] |
| ITU-T Recommendation Q.2951.5 [6] | ITU-T Recommendation Q.2951.3 as modified by ETS 300 665-1 [9] |

subclause 6.12

Replace subclause 6.12 and all of its subclauses by:

The interaction of the COLR supplementary service with other supplementary services shall be as specified in ETS 300 669-1 [10].

appendix I

Appendix I has the status of an informative annex.

History

| Document history | | | |
|------------------|----------------|--------|--------------------------|
| September 1995 | Public Enquiry | PE 92: | 1995-09-25 to 1996-01-19 |
| June 1996 | Vote | V 106: | 1996-06-24 to 1996-08-30 |
| | | | |
| | | | |
| | | | |