



EUROPEAN
TELECOMMUNICATION
STANDARD

FINAL DRAFT
pr **ETS 300 685**

October 1996

Source: ETSI TC-SPS

Reference: DE/SPS-05080

ICS: 33.080

Key words: B-ISDN, DSS2, SS7, B-ISUP

**Broadband Integrated Services Digital Network (B-ISDN);
Usage of cause and location in
Digital Subscriber Signalling System No. two (DSS2) and
Signalling System No.7 B-ISDN User Part (B-ISUP)**

[ITU-T Recommendation Q.2610 (1995), modified]

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Foreword

This European Telecommunications Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Voting phase of the ETSI standards approval procedure.

Proposed transposition dates	
Date of latest announcement of this ETS (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Endorsement notice

The text of ITU-T Recommendation Q.2610 (1995) was approved by ETSI as an ETS with agreed modifications as given below.

NOTE: New or modified text is indicated using sidebars. In addition, underlining and/or strike-out are used to highlight detailed modifications where necessary.

Page 1, clause 2

Replace the complete text of clause 2 by:

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendments or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 485 (1995): "Integrated Services Digital Network (ISDN); Definition and usage of cause and location in Digital Subscriber Signalling System No. one (DSS1) and Signalling System No.7 ISDN User Part (ISUP) [ITU-T Recommendation Q.850 (1993), modified]".
- [2] ETS 300 443-1: "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 1: Protocol specification [ITU-T Recommendation Q.2931 (1995), modified]".
- [3] ETS 300 656: "Broadband Integrated Services Digital Network (B-ISDN); Signalling System No.7; B-ISDN User Part (B-ISUP) Capability Set 1 (CS1); Basic services [ITU-T Recommendations Q.2761 to Q.2764 (1995), modified]".

Throughout the text of ITU-T Recommendation Q.2610

Replace references as shown below.

Reference in ITU-T Recommendation Q.2610	Modified reference
ITU-T Recommendation Q.850	ITU-T Recommendation Q.850 as modified by ETS 300 485 [1]
ITU-T Recommendation Q.2931	ITU-T Recommendation Q.2931 as modified by ETS 300 443-1 [2]
ITU-T Recommendation Q.2764	ITU-T Recommendation Q.2764 as modified by ETS 300 656 [3]

History

Document history			
April 1996	Public Enquiry	PE 105:	1996-04-08 to 1996-08-30
October 1996	Vote	V 113:	1996-10-21 to 1996-12-13