



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 715

June 1997

Source: ETSI TC-TE

Reference: DE/MTA-001047

(formerly DE/TE-01047)

ICS: 33.020

Key words: AVI, MHEG, MHI, multimedia

**Terminal Equipment (TE);
MHEG script interchange representation (MHEG-SIR)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

Contents

Foreword	11
Introduction	11
1 Scope	13
2 Normative references	13
3 Definitions	14
3.1 Definitions	14
3.2 Abbreviations	17
4 General	18
5 Conformance	18
5.1 Information object conformance	18
5.1.1 Profiles	18
5.1.2 Encoding	19
5.1.3 Syntax	19
5.1.4 Semantics	19
5.2 Implementation conformance	19
5.2.1 Conformance requirements	19
5.2.2 Conformance documentation	20
5.3 Application conformance	20
5.4 Test Methods	20
6 Overview	20
6.1 Description methodology	20
6.2 Data processing operations	21
6.3 Access to external data and functions	21
7 MHEG/MHEG-3 relationship	22
7.1 MHEG entities	22
7.2 Functional entities	22
7.3 MHEG-SIR script interpreter	23
8 Elements of MHEG-SIR	23
8.1 Data types	23
8.1.1 Predefined types	24
8.1.1.1 Primitive types	25
8.1.1.1.1 void type	25
8.1.1.1.2 octet type	25
8.1.1.1.3 short type	25
8.1.1.1.4 long type	25
8.1.1.1.5 unsigned short type	25
8.1.1.1.6 unsigned long type	25
8.1.1.1.7 float type	26
8.1.1.1.8 double type	26
8.1.1.1.9 boolean type	26
8.1.1.1.10 character type	26
8.1.1.1.11 data identifier type	26
8.1.1.1.12 object reference type	26
8.1.1.2 Predefined constructed types	26
8.1.2 Declared constructed types	26
8.1.2.1 sequence types	27
8.1.2.2 string types	27

	8.1.2.3	array types.....	28	
	8.1.2.4	structure types.....	28	
	8.1.2.5	union types.....	28	
8.2	Data.....		29	
	8.2.1	Immediate values.....	29	
	8.2.2	Constants.....	29	
	8.2.3	Variables.....	30	
		8.2.3.1 Global variables.....	30	
		8.2.3.2 Local variables.....	30	
		8.2.3.2 Dynamic variables.....	30	
8.3	Functions.....		31	
	8.3.1	Routines.....	31	
	8.3.2	Services.....	32	
	8.3.3	Predefined functions.....	32	
8.4	Messages.....		32	
	8.4.1	Package exceptions.....	32	
	8.4.2	Predefined messages.....	33	
8.5	Instructions.....		33	
8.6	Identifiers.....		33	
	8.6.1	Type identifiers.....	33	
	8.6.2	Data identifiers.....	34	
	8.6.3	Function identifiers.....	34	
	8.6.4	Message identifiers.....	34	
9	The MHEG-SIR virtual machine.....		34	
9.1	Structure of the MHEG-SIR virtual machine.....		34	
9.2	Structures and notations.....		35	
	9.2.1	Table.....	35	
	9.2.2	Stack.....	35	
	9.2.3	Parameter stack.....	35	
	9.2.4	Queue.....	36	
	9.2.5	Data representation.....	36	
9.3	Memory areas.....		37	
	9.3.1	Mh-script memory areas.....	37	
		9.3.1.1 Data areas.....	37	
			9.3.1.1.1 Type definition table.....	37
			9.3.1.1.2 Constant table.....	37
			9.3.1.1.3 Global variable definition table.....	37
		9.3.1.2 Code areas.....	37	
			9.3.1.2.1 Routine definition table.....	38
			9.3.1.2.2 Package definition table.....	38
			9.3.1.2.3 Service definition table.....	38
			9.3.1.2.4 Exception definition table.....	39
			9.3.1.2.5 Handler definition table.....	39
			9.3.1.2.6 Program code area.....	39
	9.3.2	Rt-script memory areas.....	39	
		9.3.2.1 Dynamic memory areas.....	39	
			9.3.2.1.1 Variable table.....	40
			9.3.2.1.2 Call stack.....	40
			9.3.2.1.3 Parameter stack.....	40
			9.3.2.1.4 Message queue.....	41
			9.3.2.1.5 Heap.....	41
		9.3.2.2 Registers.....	41	
			9.3.2.2.1 Instruction pointer register.....	42
			9.3.2.2.2 Instruction register.....	42
			9.3.2.2.3 Error register.....	42
			9.3.2.2.4 Stack pointer register.....	42
			9.3.2.2.5 Frame pointer register.....	42
			9.3.2.2.6 Queue pointer register.....	42
			9.3.2.2.7 Function register.....	42
9.4	Script statuses.....		42	
	9.4.1	Mh-script statuses.....	42	
		9.4.1.1 Not available.....	42	

	9.4.1.2	Available	43		
9.4.2	Rt-script statuses.....		43		
	9.4.2.1	Not ready	43		
	9.4.2.2	Ready	43		
	9.4.2.3	Running	43		
	9.4.2.4	Erroneous	44		
9.5	Processing units.....		44		
	9.5.1	Message reception	44		
		9.5.1.1 MHEG-3 API operations	44		
		9.5.1.2 External exception	44		
		9.5.1.3 InstructionExecutionError exception.....	45		
		9.5.1.4 MHEG-3 API exception.....	45		
	9.5.2	Mh-script initialization	45		
	9.5.3	Rt-script initialization.....	45		
	9.5.4	Rt-script execution unit.....	45		
	9.5.5	MHEG-SIR instruction execution unit.....	46		
10	Provisions for run-time environment access		46		
	10.1	General model	46		
	10.2	Declaration of IDL interfaces	46		
	10.3	Invocation of external operations in an MHEG-SIR program.....	47		
	10.4	Handling of external exceptions in an MHEG-SIR program	47		
	10.5	Invocation of external operations by an MHEG-3 engine	48		
	10.6	Handling of external exceptions by an MHEG-3 engine	48		
	10.7	Platform mapping specifications	48		
11	Provisions for MHEG object manipulation.....		48		
	11.1	Invoking MHEG actions	48		
		11.1.1 Sending messages to other scripts	49		
		11.1.2 Exchange of information with MHEG objects.....	49		
	11.2	Receiving MHEG messages.....	49		
		11.2.1 MHEG-3 API run operations.....	49		
		11.2.2 MHEG API exceptions.....	49		
12	MHEG-SIR declarations		50		
	12.1	Type declaration	50		
		12.1.1 Type identifier	50		
		12.1.2 Type description	51		
			12.1.2.1 String description	51	
			12.1.2.2 Sequence description	51	
			12.1.2.3 Array description.....	51	
			12.1.2.4 Structure description.....	51	
			12.1.2.5 Union description	51	
	12.2	Constant declaration	52		
		12.2.1 Data identifier	52		
		12.2.2 Type identifier	52		
		12.2.3 Constant value	52		
	12.3	Global variable declaration	53		
		12.3.1 Data identifier	53		
		12.3.2 Type identifier.....	53		
		12.3.3 Constant reference.....	53		
	12.4	Package declaration	53		
		12.4.1 Package identifier.....	54		
		12.4.2 Name	54		
		12.4.3 Service description	54		
			12.4.3.1 Function identifier	54	
			12.4.3.2 Name	54	
			12.4.3.3 Calling mode.....	54	
			12.4.3.4 Type identifier	55	
			12.4.3.5 Parameter description	55	
				12.4.3.5.1 Passing mode	55
				12.4.3.5.2 Type identifier	55
		12.4.4 Exception description	55		

	12.4.4.1	Message identifier	55
	12.4.4.2	Name	56
	12.4.4.3	Parameter description	56
12.5	Handler declaration		56
	12.5.1	Message identifier	56
	12.5.2	Function identifier	56
12.6	Routine declaration		56
	12.6.1	Function identifier	57
	12.6.2	Type identifier	57
	12.6.3	Parameter description.....	57
		12.6.3.1 Passing mode	57
		12.6.3.2 Type identifier.....	57
	12.6.4	Local variable declaration	57
		12.6.4.1 Data identifier	57
		12.6.4.2 Type identifier.....	58
		12.6.4.3 Constant reference	58
	12.6.5	Program code	58
13	MHEG-SIR instructions.....		58
	13.1	Presentation methodology.....	58
		13.1.1 Error conditions.....	59
		13.1.2 Formal specification.....	59
		13.1.3 Data table notation.....	59
		13.1.4 Template instruction notation.....	60
		13.1.5 Primitives	60
	13.2	Classification of MHEG-SIR instructions.....	60
	13.3	Description of instructions	61
		13.3.1 No operation	61
		13.3.2 Yield	62
		13.3.3 Return	62
		13.3.4 Free	63
		13.3.5 Not	63
		13.3.6 Or.....	63
		13.3.7 Exclusive or	64
		13.3.8 And	64
		13.3.9 Equal reference	65
		13.3.10 Equal.....	65
		13.3.11 Less than	66
		13.3.12 Greater than.....	66
		13.3.13 Add	66
		13.3.14 Subtract	67
		13.3.15 Multiply.....	67
		13.3.16 Divide.....	67
		13.3.17 Negate	68
		13.3.18 Remainder	68
		13.3.19 Duplicate.....	69
		13.3.20 Convert	69
		13.3.21 Jump on true.....	69
		13.3.22 Jump on false	70
		13.3.23 Jump	70
		13.3.24 Shift.....	70
		13.3.25 Get object reference	71
		13.3.26 Long jump on true.....	71
		13.3.27 Long jump on false	72
		13.3.28 Long jump	72
		13.3.29 Call.....	72
		13.3.30 External call	73
		13.3.31 Push.....	74
		13.3.32 Push reference	75
		13.3.33 Push immediate.....	75
		13.3.34 Pop	76
		13.3.35 Pop reference	76
		13.3.36 Pop contents.....	76

	13.3.37	Allocate.....	77
	13.3.38	Increment	77
	13.3.39	Decrement.....	78
	13.3.40	Get.....	78
	13.3.41	Get contents	79
	13.3.42	Set	79
	13.3.43	Set contents	80
13.4		Type conversion rules.....	81
	13.4.1	Reversible conversions	81
	13.4.2	Lossless extensions	81
		13.4.2.1 Conversions from boolean.....	81
		13.4.2.2 Conversions from octet to a numeric type	82
		13.4.2.3 Lossless conversions from a numeric to a larger numeric type	82
	13.4.3	Lossy extensions.....	82
	13.4.4	Truncations to boolean.....	82
	13.4.5	Truncations between integer or between floating-point types	82
	13.4.6	Truncations from floating-point to integer.....	82
14		IDL mapping to MHEG-SIR.....	82
	14.1	IDL specifications.....	82
	14.2	IDL interfaces and modules	83
	14.3	IDL operations.....	83
		14.3.1 Operation name.....	83
		14.3.2 Operation parameters	83
		14.3.3 Implicit parameter.....	83
		14.3.4 Return value	83
	14.4	IDL attributes.....	83
		14.4.1 Accessor.....	84
		14.4.2 Modifier.....	84
		14.4.3 Readonly attribute	84
	14.5	IDL inherited operations.....	84
	14.6	IDL exceptions	84
		14.6.1 Exception name.....	84
		14.6.2 Exception members	84
		14.6.3 Implicit member.....	84
	14.7	IDL types.....	84
		14.7.1 char type.....	85
		14.7.2 enum type.....	85
		14.7.3 Constructed types	85
		14.7.4 any type	85
		14.7.5 Restrictions on types	86
	14.8	IDL constants.....	86
15		The MHEG-3 API	86
	15.1	ScriptInterpreter object	86
		15.1.1 kill operation	86
		15.1.2 prepare operation	87
	15.2	MhScript object	87
		15.2.1 destroy operation.....	87
		15.2.2 new operation.....	88
	15.3	RtScript object.....	88
		15.3.1 delete operation.....	88
		15.3.2 setPriority operation.....	88
		15.3.3 getPriority operation	89
		15.3.4 setData operation	89
		15.3.5 getData operation.....	90
		15.3.6 allocate operation	90
		15.3.7 free operation	91
		15.3.8 stop operation.....	91
		15.3.9 reInit operation	91
		15.3.10 getRtScriptStatus operation	92
		15.3.11 open operation	92

15.4	RoutineInvocation object.....	92
15.4.1	close operation	93
15.4.2	routine_id readonly attribute	93
15.4.3	setParameter operation	93
15.4.4	getPrototype operation.....	94
15.4.5	run operation.....	94
15.4.6	reset operation.....	95
15.4.7	getInvocationStatus operation	95
Annex A (normative):	ASN.1 specification of interchanged scripts	96
Annex B (normative):	Coded representation of interchanged scripts	99
B.1	Coding for interchanged scripts	99
B.2	Coding for the program code	99
B.2.1	Instruction op-codes	99
B.2.2	Instruction operands.....	99
B.2.2.1	Data identifier operands.....	99
B.2.2.2	Function identifier operands	99
B.2.2.3	Miscellaneous numeric operands	99
Annex C (normative):	MHEG-SIR predefined elements	104
C.1	Predefined types.....	104
C.1.1	Primitive types	104
C.1.2	MHEG API types	104
C.2	Predefined functions	105
C.2.1	MHEG API operations	105
C.2.2	MHEG-3 API operations.....	105
C.3	Predefined messages.....	105
C.3.1	MHEG-3 API operations.....	106
C.3.2	The InstructionExecutionError exception	106
C.3.3	MHEG-3 API exceptions	106
C.3.4	MHEG API exceptions.....	106
Annex D (normative):	IDL Platform mapping specification form.....	108
Annex E (normative):	MHEG API definition process	110
E.1	Generic API definition framework	110
E.1.1	MHEG elements input to MHEG API definition process	110
E.1.2	IDL elements output by MHEG API definition process.....	110
E.1.3	Requirements on the MHEG API definition process	110
E.1.3.1	Portability	110
E.1.3.2	Genericity.....	111
E.1.3.3	Conformance testability	111
E.1.3.4	Implementability	111
E.1.3.5	Fulfilment of technical requirements.....	111
E.1.4	General structure of the MHEG API.....	111
E.1.5	IDL non-object datatype definition.....	112
E.1.5.1	Name mapping	112
E.1.5.1.1	Data types	112
E.1.5.1.2	Components.....	112
E.1.5.1.3	Values	112
E.1.5.2	Type mapping	113
E.1.5.2.1	INTEGER	113
E.1.5.2.2	BOOLEAN.....	113
E.1.5.2.3	OCTET STRING	113
E.1.5.2.4	ENUMERATED	113
E.1.5.2.5	SEQUENCE OF	113

	E.1.5.2.6	CHOICE.....	114
	E.1.5.2.7	SEQUENCE.....	114
	E.1.5.3	Order of declarations.....	114
E.1.6		IDL interface definition.....	116
E.1.7		IDL attribute definition.....	116
	E.1.7.1	MHEG interchanged attributes.....	116
	E.1.7.2	MHEG internal attributes.....	117
E.1.8		IDL operation definition.....	117
	E.1.8.1	Operations mapping MHEG elementary actions.....	117
	E.1.8.2	Operations enabling the deletion of an interface instance.....	119
	E.1.8.3	Operations to attach and detach an interface instance to a MHEG entity.....	119
E.1.9		IDL exception definition.....	119
E.2		MHEG API mapping to MHEG-SIR.....	120
Annex F (normative):		IDL specification of the MHEG-3 API.....	121
Annex G (normative):		Relationships with other parts of ISO/IEC 13522.....	123
G.1		Relationships with ISO/IEC 13522-1.....	123
G.2		Relationships with ISO/IEC 13522-5.....	123
Annex H (informative):		MHEG-SIR syntax (EBNF notation).....	125
Annex J (informative):		Textual notation for MHEG-SIR scripts.....	127
Annex K (informative):		MHEG entities.....	130
K.1		MHEG objects.....	130
K.2		Mh-objects.....	130
K.3		Rt-objects.....	130
K.4		Interchanged MHEG objects.....	131
Annex L (informative):		Main features of MHEG-SIR.....	132
L.1		Features of using applications.....	132
	L.1.1	Manipulation of MHEG entities.....	132
	L.1.2	Computations, variable handling and control structures.....	132
	L.1.3	External device control.....	132
	L.1.4	Data acquisition.....	132
	L.1.5	Access to external data.....	132
	L.1.6	Access to arbitrary external run-time services.....	133
L.2		Functional features.....	133
	L.2.1	Data processing operations.....	133
	L.2.2	Access to external data and functions.....	133
L.3.1		Technical features.....	134
	L.3.1	Hardware independence.....	134
	L.3.2	Final form representation.....	134
	L.3.3	Compactness.....	135
	L.3.4	Ease of implementation.....	135
	L.3.5	Interpretation efficiency.....	135
	L.3.6	Openness and extensibility.....	135
	L.3.7	Non-revisability.....	135
	L.3.8	Provisions for real-time interchange.....	135
	L.3.9	Semantic validation for quality of service purposes.....	136
	L.3.10	Syntax checkability (with regard to contamination hazards).....	136
	L.3.11	Non-proprietary representation.....	136

L.3.12 Secure script processing.....	136
History	137

Foreword

This European Telecommunication Standard (ETS) has been produced by the Terminal Equipment (TE) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS was presented to ISO SC29 WG12 and has been approved for publication as an International standard under the number ISO/IEC 13522-3.

The title of this document in ISO is:

TITLE: Information technology - Coding of multimedia and hypermedia information - Part 3: - MHEG script interchange representation

This ETS was developed by ETSI PT63 jointly with ISO SC29 WG12.

Transposition dates	
Date of adoption:	18 April 1997
Date of latest announcement of this ETS (doa):	30 September 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 March 1998
Date of withdrawal of any conflicting National Standard (dow):	31 March 1998

Introduction

Multimedia and Hypermedia information coding Experts Group (MHEG) part 1 (ISO/IEC 13522-1 [5]) is a generic International Standard/Recommendation, which specifies the coded representation of multimedia/hypermedia information objects (MHEG objects) for interchange as final form units within or across services and applications, by any means of interchange including local area networks, wide area telecommunication or broadcast networks, storage media, etc.

ISO/IEC 13522 consists of the following parts, under the general title *Information technology - Coding of multimedia and hypermedia information*:

- Part 1: Base notation;
- Part 3: MHEG script interchange representation;
- Part 4: Registration procedure for MHEG format identifier;
- Part 5: Support for base-level interactive applications;
- Part 6: Support for enhanced interactive applications.

Annexes A to G form an integral part of this ETS.

Annexes H to L are for information only.

Blank page

1 Scope

The scope of this European Telecommunications Standard (ETS) is to extend the coded representation of the Multimedia and Hypermedia information coding Experts Group (MHEG) script object class defined by a part of ISO/IEC 13522, including ISO/IEC 13522-1 [5] and ISO/IEC 13522-5 [7].

This ETS specifies the MHEG script interchange representation (MHEG-SIR) for the contents of script objects, i.e. the encoding of the script data component of the MHEG script class.

MHEG engines are system or application components that handle, interpret and present MHEG objects. This ETS also specifies the semantics of interchanged scripts. These semantics are defined in terms of minimum requirements on the behaviour of MHEG engines that support the interpretation of interchanged scripts.

This ETS is applicable to all applications that interchange multimedia and hypermedia information.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ISO/IEC 8824-1 (1995)/ITU-T Recommendation X.680 (1995): "Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation".
- [2] ISO/IEC 8825-1 (1994)/ITU-T Recommendation X.690 (1995): "Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)".
- [3] ISO/IEC 9646 Parts 1 to 5 (1991): "Information Technology - Open Systems Interconnection - Conformance testing methodology and framework".
- [4] ISO/IEC 10646-1 (1993): "Information technology - Universal Multiple-Octet Character Set (UCS) - Part 1: Architecture and Basic Multilingual Plane".
- [5] ISO/IEC 13522-1/ITU-T Recommendation T.171: "Information technology - Coding of Multimedia and Hypermedia Information: - Part 1: MHEG object representation - Base Notation".
- [6] ISO/IEC 13522-4: "Information technology - Coding of Multimedia and Hypermedia Information: - Part 4: Registration procedure for MHEG format identifiers".
- [7] ISO/IEC 13522-5: "Information technology - Coding of multimedia and hypermedia information - Part 5: Support for base-level applications".
- [8] ISO/IEC 14750-1 Working Draft: "CORBA IDL as an Interface Definition Language for ODP Systems".
- [9] IEEE 754-1985: "IEEE Standard for Binary Floating-Point Arithmetic".

3 Definitions

3.1 Definitions

For the purposes of this ETS, the definitions given in ISO/IEC 8824-1 [1], ISO/IEC 8825-1 [2] and the following definitions apply:

Application Programming Interface (API): Boundary across which a software application uses facilities of programming languages to invoke software services. These facilities may include procedures or operations, shared data objects and resolution of identifiers.

attribute: (1) MHEG attribute (see ISO/IEC 13522-1 [5]);
(2) IDL attribute (q.v.).

conforming MHEG-3 engine: MHEG-3 engine whose implementation conforms to the provisions of this ETS.

conforming MHEG-3 interchanged script: Interchanged script that conforms to the provisions of this ETS.

conforming MHEG-3 object: MHEG script object whose coded representation conforms to the provisions of this ETS.

frame: Record of elements on the call stack that define an execution context; one such record is pushed onto the call stack everytime a routine is called, to memorize the current execution context; one is popped from the call stack when the routine is returned from, to restore the execution context at the time of calling.

hypermedia (ADJ.): Featuring access monomedia and multimedia information by interaction with explicit links.

interchanged script: The coded representation of the "script data" attribute of an MHEG script object.

Interface Definition Language (IDL): Formal notation that is used to specify types and objects through the definition of the interface that they provide, as defined by ISO/IEC 14750-1 [8].

IDL attribute: Named, typed association between an object and a value; it is declared as part of an IDL interface; it is made visible to clients as a pair of operations: an accessor (get) and a modifier (set); if it is read-only, it only provides an accessor.

IDL exception: Message that can be raised when an exceptional condition occurs during the performance of the request to an IDL operation; it is defined in an IDL module and may have members, which are returned to the caller together with the message identifier.

IDL instance: Object that provides the operations, signatures and semantics specified by an IDL interface; its creation and management is implementation-specific.

IDL interface: Description, using IDL, of a set of operations that a client may request of an IDL object.

IDL object: Identifiable, encapsulated entity that provides one or more services which can be requested by a client.

IDL operation: Service that can be requested and is provided by an IDL object; it is defined within an IDL interface by a name, a signature which defines the type of its parameters and return value, and the list of exceptions that its invocation may raise.

mh-script: Internal representation, within an MHEG engine, of an "available" MHEG script object.

MHEG action: Operation that applies to MHEG objects and consists of sequential and/or parallel combinations of MHEG elementary actions.

MHEG action object: MHEG object that describes MHEG actions.

MHEG application: Application that involves the interchange of MHEG objects within itself or with another application.

MHEG conforming object: Information object whose coded representation conforms to the provisions of another part of ISO/IEC 13522.

MHEG elementary action: One of the basic operations applying to MHEG objects; it maps one MHEG API primitive.

MHEG engine: Process or set of processes able to interpret MHEG objects.

MHEG entity: Any MHEG object, rt-object, content data, script data, socket, channel or other construction defined by ISO/IEC 13522.

MHEG link: MHEG object that defines spatio-temporal relationships among MHEG objects expressed in terms of trigger conditions and actions.

MHEG object: Coded representation of an instance of an MHEG object class.

MHEG script class: MHEG class defining a structure to interchange script data in a specified encoded form.

MHEG script object: The coded representation of an instance of an MHEG script class.

MHEG API: The API provided by an MHEG engine to MHEG applications for the manipulation of MHEG objects.

MHEG-3 (ADJ.): Applies to entities that conform to the provisions of this ETS.

MHEG-3 application: MHEG application that interchanges scripts within itself and/or with other applications as the "script data" component of MHEG script objects, according to the representation specified by this ETS.

MHEG-3 engine: MHEG engine that processes and interprets MHEG-SIR interchanged scripts.

MHEG-3 profile: Profile of this ETS.

MHEG-SIR: (1) The script interchange representation defined by this ETS;
(2) (adj). Applies to an entity defined as part of this Script Interchange Representation.

(MHEG-SIR) call stack: Stack that is associated with each running rt-script by the MHEG-SIR virtual machine and that contains a call frame for each active function invocation.

MHEG-SIR code: Encoded sequence of MHEG-SIR instructions.

(MHEG-SIR) constant: Static, typed, named value which is declared within an interchanged script and whose value is globally accessible and unchanged throughout the execution of the script.

(MHEG-SIR) constructed type: Type described as a combination of other types using one of the following constructors: sequence, string, array, union, structure.

(MHEG-SIR) data identifier: Integer that uniquely identifies the name of a data element of an interchanged script (constant, global variable, dynamic variable, local variable).

(MHEG-SIR) exception: Message triggered during the invocation of a service.

(MHEG-SIR) function: Named code sequence whose execution may be invoked by an interchanged script; it may be a routine, a predefined function or a service.

(MHEG-SIR) function identifier: Integer that uniquely identifies a function within an interchanged script.

(MHEG-SIR) global variable: Variable with global scope.

(MHEG-SIR) instruction: Elementary unit of code of an MHEG-SIR interchanged script; it consists of an op-code followed by zero or more operands.

(MHEG-SIR) instruction execution unit: Within an MHEG-SIR script interpreter, virtual processing unit that executes an MHEG-SIR instruction.

MHEG-SIR interchanged script: Interchanged script coded according to MHEG-SIR.

(MHEG-SIR) local variable: Variable with local scope within a routine.

(MHEG-SIR) message: Event that may be received by the script interpreter during the execution of the script; it may be either predefined (MHEG API exception, MHEG-3 API operation and exception, internal exception) or declared within an interchanged script (exception provided by an external interface).

(MHEG-SIR) message identifier: Integer that uniquely identifies a message within an interchanged script.

(MHEG-SIR) message queue: Queue that is associated with each running rt-script by the MHEG-SIR virtual machine and that contains the messages targeted at the rt-script.

(MHEG-SIR) object reference: MHEG-SIR value that represents an IDL instance and that is passed as the parameter of an external call to request a service from this instance.

(MHEG-SIR) operand: Parameter of an instruction; it is encoded next to the instruction's op-code.

(MHEG-SIR) package: Set of external functions that are provided by a module of the run-time environment and that are accessible to an rt-script and declared within an interchanged script; it is composed of services and exceptions.

(MHEG-SIR) parameter: Piece of data exchanged with a function call, a message or an instruction.

(MHEG-SIR) parameter stack: Stack that is associated with each running rt-script by the MHEG-SIR virtual machine and that is used to provide parameters to and retrieve results of instructions.

(MHEG-SIR) predefined type: A type whose description and identifier are predefined by this ETS and thus need not be declared within interchanged scripts; it may be either a primitive type or a constructed type.

(MHEG-SIR) primitive type: Basic predefined type, as opposed to constructed type.

(MHEG-SIR) routine: Function that is declared within an interchanged script together with the virtual machine code that defines its semantics.

(MHEG-SIR) rt-script execution unit: Within an MHEG-SIR script interpreter, virtual processing unit that executes script code.

(MHEG-SIR) script interpreter: The part of an MHEG-3 engine, that handles and interprets interchanged scripts.

(MHEG-SIR) service: External function that is declared within an interchanged script and whose implementation is made accessible to an rt-script by the run-time environment on the execution platform.

(MHEG-SIR) variable: Within the MHEG-SIR virtual machine, named, typed memory unit whose value may be changed at any time when its scope is active and whose most recent value may be read.

(MHEG-SIR) virtual machine: Abstract description of the memory units and instruction execution engine of an MHEG-SIR script interpreter.

multimedia (ADJ.): That handles several types of representation media.

multimedia and hypermedia application: Application that features presentation of multimedia information to the user and interactive navigation across this information by the user.

multimedia application: Application that features presentation of multimedia information to the user.

platform mapping specification: Specification of how MHEG-3 engine implementations shall map IDL specifications to run-time environment components on one type of platform.

queue: Collection of elements that are inserted and removed in first-in first-out (FIFO) order.

rt-script: Run-time instance (or copy) of an mh-script, created by an MHEG engine.

scope: Context of reference for a variable; if it is global, the variable may be referenced by any script instruction; if it is local, the variable may only be referenced in the local execution context.

scripting language: Programming language intended for easy and rapid design of applications by non-professional programmers.

Script Interchange Representation (SIR): Coded representation used by an application to interchange scripts for the purpose of implementing dynamic behaviour.

stack: Collection of elements that are inserted (pushed) and removed (popped) in last-in first-out (LIFO) order.

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

API	Application Programming Interface
ASN.1	Abstract Syntax Notation One
CORBA	Common Object Request Broker Architecture
CS	Call Stack
CT	Constant Table
DER	Distinguished Encoding Rules
DID	Data Identifier
DT	Data Table
EBNF	Extended Backus-Naur Form
ER	Error Register
ETR	ETSI Technical Report
FID	Function Identifier
FP	Frame Pointer
FR	Function Register
GT	Global variable definition Table
HT	Handler definition Table
IDL	Interface Definition Language
IEC	International Electrotechnical Commission
IP	Instruction Pointer
IR	Instruction Register
JTC	Joint Technical Committee
LIFO	Last In First Out
LT	Local variable Table
MHEG	Multimedia and Hypermedia information coding Experts Group
MID	Message Identifier
MPEG/DSM-CC	Moving Picture Experts Group - Digital Storage Media Command and Control
MQ	Message Queue
PID	Package Identifier
PS	Parameter Stack
PT	Package definition Table
QP	Queue Pointer
rt	Run-time

RT	Routine definition Table
SIR	Script Interchange Representation
SP	Stack Pointer
ST	Service definition Table
TID	Type IDentifier
TLV	Type-Length-Value
TT	Type definition Table
VT	Variable Table
XT	eXception definition Table

4 General

ISO/IEC 13522 [1] specifies the coded representation of multimedia/hypermedia information objects (MHEG objects) for interchange as final form units within or across services and applications, by any means of interchange including local area networks, wide area telecommunication or broadcast networks, storage media, etc.

MHEG objects are usually produced by computer tools taking as a source form multimedia applications designed using multimedia scripting languages. In this context, one of the MHEG object classes, the script class, is intended to complement the other MHEG classes in expressing the functionality commonly supported by scripting languages. Script objects express more powerful control mechanisms and describe more complex relationships among MHEG objects than can be expressed by MHEG action and link objects alone. Furthermore, script objects express access and interaction with external services provided by the run-time environment.

Other parts of this International Standard define the coded representation for script objects in an open manner so that script objects may encapsulate either standardized or proprietary script code. Script objects encapsulate scripts that may be encoded in any encoding format as registered according to ISO/IEC 13522-4 [6].

5 Conformance

This ETS defines conformance requirements:

- on information objects, i.e. MHEG script objects;
- on implementations, i.e. MHEG engine implementations.

5.1 Information object conformance

A conforming MHEG-3 script object shall meet all of the following criteria:

- 1) its coded representation shall conform to the provisions of another part of ISO/IEC 13522;
- 2) its coded representation shall encapsulate a conforming MHEG-3 interchanged script.

The information object conformance is evaluated on the information objects that are interchanged in the purpose of their execution on a terminal.

5.1.1 Profiles

This ETS defines no profiles.

NOTE 1: However, MHEG-3 profiles may be defined by other standards or by other parts of ISO/IEC 13522. In accordance with the profile definition framework, standardized MHEG-3 profiles should be at least as constraining; information objects claiming conformance to such profiles should at least conform to this ETS.

An MHEG-3 profile should define all of the following:

- a profile of the MHEG-SIR virtual machine defined by this ETS;
- a profile of IDL, together with its mapping to MHEG-SIR, for the expression of interface between scripts and the external environment;

- an API for the manipulation of MHEG objects defined by another part of ISO/IEC 13522, together with a mapping of this interface to MHEG-SIR.

NOTE 2: According to ISO recommendations, MHEG-3 profiles should ensure upward compatibility of the ASN.1 encoding, so that interchanged scripts conforming to an MHEG-3 profile also conform to this ETS.

5.1.2 Encoding

A conforming MHEG-3 interchanged script shall be encoded according to the encoding rules defined by annex B.

5.1.3 Syntax

A conforming MHEG-3 interchanged script shall conform to the ASN.1 syntax defined by annex A.

5.1.4 Semantics

A conforming MHEG-3 interchanged script shall only include semantically valid declarations and instruction sequences as defined by clauses 12 and 13.

5.2 Implementation conformance

An implementation of this ETS is an MHEG-3 engine.

A conforming MHEG-3 engine shall support the interpretation of conforming MHEG-3 script objects.

This ETS defines the semantics of MHEG-3 interchanged scripts. This implies conformance requirements not on information objects, but on the behaviour of MHEG-3 engines.

NOTE 1: Although a conforming script might not realize the semantics implied by its designer, the way conforming engines behave in interpreting this script is predictable.

NOTE 2: This ETS does not consider conformance for a system, an engine or a process as far as it is not related to the interpretation of interchanged scripts.

5.2.1 Conformance requirements

A conforming MHEG-3 engine shall meet all of the following criteria:

- 1) it shall parse and interpret conforming MHEG-3 interchanged scripts according to the virtual machine behaviour defined in this ETS (see clause 9);
- 2) it shall support communication with the run-time environment and with MHEG objects according to the IDL mapping behaviour defined in this ETS (see clauses 10, 11 and 14);
- 3) it shall provide the MHEG-3 API defined in this ETS (see clause 15 and annex F);
- 4) for the purpose of manipulation of MHEG objects by interchanged scripts, it shall support an MHEG API and its mapping according to the framework defined in this ETS (see annex E);
- 5) for the purpose of communication with the run-time environment, it shall support a platform mapping specification according to the framework defined in this ETS (see annex D);
- 6) it may provide additional functions or facilities not required by this ETS or by the platform mapping specification. Each such non-standard extension shall be identified as such in the system documentation.

5.2.2 Conformance documentation

A conformance document with the following information shall be available for an implementation claiming conformance to this ETS. The conformance document shall meet all of the following criteria:

- 1) it shall list all the mandatory features required by this ETS, with reference to the appropriate clauses and subclauses;
- 2) it shall either include the platform mapping specification to which the implementation conforms or reference a registered platform mapping specification in an unambiguous way;
- 3) it shall contain a statement that indicates the full names, numbers, and dates of the standards that apply;
- 4) it shall state which of the optional features defined in this ETS and in the platform mapping specification are supported by the implementation;
- 5) it shall describe the behaviour of the implementation for all implementation-defined features defined in this ETS and in the platform mapping specification. This requirement shall be met by listing these features and by providing either a specific reference to the system documentation or full syntax and semantics of these features. The conformance document may specify the behaviour of the implementation for those features where this ETS or the platform mapping specification states that implementations may vary or where features are identified as undefined or unspecified.

No specifications other than those specified by this ETS and the platform mapping specification shall be present in the conformance document.

5.3 Application conformance

An application of this ETS (called MHEG-3 application) is an MHEG application that interchanges scripts within itself and/or with other applications as the "script data" component of MHEG script objects according to the encoded representation specified by this ETS.

5.4 Test Methods

Any measurement of conformance to this ETS shall be performed using test methods that conform to ISO/IEC 9646 [3].

6 Overview

This ETS extends the provisions of other parts of ISO/IEC 13522 so that MHEG objects and applications support functionality of multimedia scripting languages in a standard way. Considering the functionality supported by other parts of ISO/IEC 13522, these extensions are divided in two main topics:

- data processing operations (see subclause 6.2);
- access to external data and functions (see subclause 6.3).

For the support of both topics, this ETS specifies:

- complete and detailed provisions for the encoding of interchanged scripts;
- the required behaviour of a script interpreter.

6.1 Description methodology

For the description of these provisions, this International Standard Recommendation follows a methodology that considers four description levels:

- level a): informal text description;
- level b): precise description of semantics;
- level c): formal description of syntax;
- level d): formal description of encoding.

These levels are used in the following clauses as follows:

- level a): clauses 8 to 11;
- level b): clauses 12 to 15;
- level c): annexes A, E, F, G;
- level d): annexes B, C.

NOTE: Informative annexes H and J also use level c) description.

6.2 Data processing operations

To deal with data processing operations, MHEG-SIR defines the structure of interchanged scripts that consist of data declarations and function declarations, the latter encapsulating sequences of instructions.

Clause 8 defines the elements of the MHEG-SIR virtual machine code.

Clause 9 specifies the MHEG-SIR virtual machine, i.e. a model of how MHEG-SIR script interpreters shall perform interpretation of MHEG-SIR script code. This virtual machine is used afterwards to describe the semantics of MHEG-SIR instructions. Clause 9 states requirements on the functionality that script interpreters shall provide; however, it does not specify how to implement this functionality.

Clause 12 defines the declarations of MHEG-SIR interchanged scripts. It specifies their structure, i.e. the way they shall be represented, and their semantics, i.e. the way they shall be interpreted by MHEG-SIR script interpreters. The semantics are specified using the virtual machine formalism introduced in clause 9.

Clause 13 defines the MHEG-SIR instructions. It specifies their structure, i.e. the way they shall be represented, and their semantics, i.e. the way they shall be interpreted by MHEG-SIR script interpreters. These semantics are specified using the virtual machine formalism introduced in clause 9.

Annex A formally defines the precise syntax of interchanged scripts using the ASN.1 notation.

Annex B formally defines the encoding of interchanged scripts.

Annex C lists the predefined elements of MHEG-SIR and defines their encoding.

Annex G formally defines the instantiation of this ETS to ISO/IEC 13522-1 and ISO/IEC 13522-5, i.e. the MHEG objects in these parts to which MHEG-SIR applies, and the way it applies to them.

6.3 Access to external data and functions

To deal with access to external data and functions, MHEG-SIR uses IDL to describe interfaces in an abstract, language-independent way and thus unify the way external data and functions are viewed by script interpreters.

In the MHEG-SIR context, IDL is used to separate clearly the way (MHEG-SIR specific) the use of external data or functions is expressed by interchanged scripts from the way (at least platform-dependent, and maybe application-dependent) these data or functions are provided by the external environment. MHEG-SIR thus defines how the interfaces are used, while the application is responsible for defining how they are provided.

To allow script interpreters to manipulate MHEG entities and exchange information with them, MHEG-3 engines provide script interpreters with access to the MHEG entities (data) and invocation of the MHEG actions (functions) through an MHEG API defined using IDL. The MHEG types and actions are predefined in MHEG-SIR to achieve compact coding and efficient interpretation of MHEG object manipulation.

To allow script interpreters to co-operate with the run-time environment, the run-time environment provides access to its data and functions according to a platform mapping specification of IDL. This specification describes how IDL operations need be provided on a particular platform so that MHEG-3 engines be able to use them as external services.

NOTE: Packages may be provided in the form of libraries, device drivers, operating system components, processes, telecommunication services, etc.

Clause 7 describes assumptions on the structure of MHEG-3 engines and their relationships with their environment.

Clause 10 describes the general mechanisms used to access to external data and functions provided by the run-time environment.

Clause 11 describes the general mechanisms used to manipulate MHEG objects.

Clause 14 specifies the IDL mapping for MHEG-SIR, i.e. the mechanisms used by the MHEG-SIR representation to describe IDL packages and invoke IDL operations.

Clause 15 specifies the structure and semantics of the MHEG-3 API, i.e. the set of operations that may be used to manipulate scripts.

Annex D specifies the IDL platform mapping specification form, i.e. the template for the document that need be filled in and registered for each platform type, to specify the platform-specific provisions that services provided by the run-time environment on this platform shall fulfil, and to which MHEG-3 engines shall conform so that they be able to co-operate with services provided by the run-time environment on this platform and therefore to interpret scripts that call upon such services.

Annex E specifies the framework that shall be used to define an MHEG API using IDL and the procedure that shall be followed to map it to MHEG-SIR.

Annex F defines the precise syntax of the MHEG-3 API using the IDL notation.

7 MHEG/MHEG-3 relationship

This clause introduces general assumptions about MHEG-3 engines, which are used afterwards to describe the performance of a script interpreter and its relationships with its external environment.

MHEG-3 engines shall provide the functionality described hereafter in some way, in order to behave as expected as far as interpretation of interchanged scripts is concerned.

However, there is no requirement on MHEG-3 engines to implement this functionality as described.

NOTE: For instance, the MHEG-3 engine functional components described thereafter need not correspond to actual (e.g. software) components of MHEG-3 engine implementations.

7.1 MHEG entities

MHEG-3 engines handle MHEG entities: MHEG objects, mh-objects, rt-objects, interchanged MHEG objects, sockets, channels.

NOTE: MHEG entities are described in more detail in annex K.

7.2 Functional entities

MHEG-3 engines may be viewed as consisting of the following functional components:

- MHEG object parser: parses interchanged MHEG objects and transforms them into mh-objects under control of the mh-object manager;
- mh-object manager: controls the life cycle and allows access to all mh-objects;
- rt-object manager: controls the life cycle and allows access to all rt-objects;
- reference resolver: transforms an MHEG reference into a usable identifier or handle;
- link handler: watches active links and triggers the corresponding actions when their conditions become true;
- action interpreter: interprets MHEG elementary actions;

- script interpreter: parses MHEG-SIR interchanged scripts and interprets rt-scripts; provides access to the run-time environment;
- presentation agent: interface with the presentation environment; orders presentation of rt-contents; receives user selections and modifications;
- access agent: interface with the communication environment; provides access to interchanged MHEG objects and to content data.

7.3 MHEG-SIR script interpreter

Within an MHEG-3 engine, the script interpreter shall be responsible for the following:

- parsing interchanged scripts (provided by the MHEG object parser);
- preparing the appropriate data structures for further execution of rt-scripts;
- executing script code;
- realizing the default effect of MHEG actions targeted at mh-scripts or rt-scripts;
- invoking the appropriate handler (in the script program) for these MHEG actions;
- forwarding MHEG elementary actions invoked by the script program to the action interpreter;
- managing interchange with the run-time environment (locating and loading packages, invoking services, receiving messages, passing data) using the appropriate platform-specific communication mechanisms.

8 Elements of MHEG-SIR

This clause describes the main elements of MHEG-SIR and how interchanged scripts shall use them.

The entities that are declared and manipulated by MHEG-SIR interchanged scripts are:

- data types;
- data;
- functions;
- messages.

These concepts are defined in the following subclauses; however, the detailed structure of their declarations is specified in clause 12.

8.1 Data types

Data types are used to describe the structure of:

- the script's own data (constants and variables);
- the parameters and return values of the script's routines;
- the parameters and return values of external functions;
- the parameters of messages handled by scripts.

As scripts need adapt themselves to the signature of functions that may be provided by the external environment, MHEG-SIR defines a wide range of types corresponding to the IDL data types.

The encoding of data type definitions in an interchanged script is defined by annex A. This ETS imposes no requirement on the way MHEG-3 engines represent these data types.

The MHEG-SIR uses two kinds of data types:

- predefined types (see subclause 8.1.1);
- declared types (see subclause 8.1.2).

All types may be referenced in a unique, unambiguous way by their type identifier.

8.1.1 Predefined types

Predefined types may be either primitive or constructed types.

Predefined types have predefined type identifiers and therefore need not be declared by interchanged scripts. The list of predefined types and their identifiers is given in annex C.

8.1.1.1 Primitive types

The primitive types correspond to the IDL primitive types. This is the list of MHEG-SIR primitive types:

- void;
- octet;
- short;
- long;
- unsigned short;
- unsigned long;
- float;
- double;
- boolean;
- character;
- data identifier;
- object reference.

For easier reference, primitive types have individual letter codes as indicated by table 1:

Table 1: Letter codes of primitive types

Type	Letter code
octet	O
short	S
long	L
unsigned short	W (as Word)
unsigned long	U
float	F
double	D
boolean	B
character	C
data identifier	I (as Identifier)
object reference	R (as Reference)

8.1.1.1.1 void type

The `void` type shall only be used to express the type of return value of a function. Functions whose type of return value is `void` do not return any data. An interchanged script shall have no constants or variables of `void` type. The `void` type shall not be used in the definition of constructed types.

8.1.1.1.2 octet type

Data whose type is `octet` shall take a numeric value within the range [0 to 255]. `Octet` variables without explicit initial value shall be initialized to 0.

8.1.1.1.3 short type

Data whose type is `short` shall take a signed integer value within the range [-32 768 to 32 767]. `Short` variables without explicit initial value shall be initialized to 0.

8.1.1.1.4 long type

Data whose type is `long` shall take a signed integer value within the range [-2147483648 to 2147483647]. `Long` variables without explicit initial value shall be initialized to 0.

8.1.1.1.5 unsigned short type

Data whose type is `unsigned short` shall take an unsigned integer value within the range [0 to 65535]. `Unsigned short` variables without explicit initial value shall be initialized to 0.

8.1.1.1.6 unsigned long type

Data whose type is `unsigned long` shall take an unsigned integer value within the range [0 to 4294967295]. `Unsigned long` variables without explicit initial value shall be initialized to 0.

8.1.1.1.7 float type

Data whose type is `float` shall take a single-precision floating point value within the range specified by IEEE 754 [9]. `Float` variables without explicit initial value shall be initialized to 0.

8.1.1.1.8 double type

Data whose type is `double` shall take a double-precision floating point value within the range specified by IEEE 754 [9]. `Double` variables without explicit initial value shall be initialized to 0.

8.1.1.1.9 boolean type

Data whose type is `boolean` shall have either 'true' or 'false' as their value. `Boolean` variables without explicit initial value shall be initialized to 'false'.

8.1.1.1.10 character type

Data whose type is `character` shall take a character value within the `BMPString` character set as defined by the Basic Multilingual Plane of ISO/IEC 10646-1 [4]. `Character` variables without explicit initial value shall have an undefined initial value.

Conforming MHEG-3 engines may state that they only adopt a restricted set of characters, e.g. based on the standard collections of annex A of ISO/IEC 10646-1 [4]. In this case, they shall document these adopted subsets and the level of implementation in the conformance document.

8.1.1.1.11 data identifier type

Data whose type is `data identifier` shall take an unsigned integer value within the range [0..65535]. This value is used to identify a constant, global variable, dynamic variable, local variable or routine parameter of the script, as defined by subclause 8.6.2 below. There shall be no constants of `data identifier` type. `Data identifier` variables without explicit initial value shall have an undefined initial value.

8.1.1.1.12 object reference type

Data whose type is `object reference` shall take as value a handle that references an IDL object to which services or predefined functions apply. Encoding of object references is defined by the platform mapping specification. There shall be no constants of `object reference` type. The `object reference` type shall not be used in the definition of constructed types. `Object reference` variables without explicit initial value shall have an undefined initial value.

Object references are used as the implicit first parameter of all external calls to specify the object to which the call applies. Object reference values shall be provided by the external environment, as an output parameter or return value of an **external call** (`XCALL`) instruction. The **get object reference** (`GETOR`) instruction is used to get a first object reference on the root object of a given package. The **null** object reference is used to refer to the original object of the MHEG-3 API (instance of `ScriptInterpreter`).

8.1.1.2 Predefined constructed types

To allow scripts to express manipulation of MHEG data more easily, the MHEG API data types are predefined.

Although they are not defined within interchanged scripts, predefined constructed types, like declared constructed types, can be expressed using type constructors and type identifiers, as described in subclause 8.1.2. Only predefined type identifiers shall be used to express the structure of predefined constructed types.

8.1.2 Declared constructed types

Constructed types shall be defined using one constructor and one or several type identifiers identifying either a declared or predefined type.

The constructor of a constructed type shall be one of the following:

- `sequence` (see subclause 8.1.2.1);
- `string` (see subclause 8.1.2.2);
- `array` (see subclause 8.1.2.3);
- `structure` (see subclause 8.1.2.4);
- `union` (see subclause 8.1.2.5).

Declared types are defined within interchanged scripts.

MHEG-SIR types shall not be redefined in an interchanged script. The structure of a declared type shall not match that of a predefined type or that of another declared type.

There shall not be more than 16 384 types declared in an interchanged script.

8.1.2.1 sequence types

Sequence types shall be defined by:

- their size (optional);
- their element type.

The size shall be an unsigned short value. It represents the maximum number of elements of the sequence. If the type definition specifies no size, the number of elements may be any size up to the maximum. Sequence types with an explicit size are called bounded sequence types.

The maximum size of any sequence type is 65 535 elements.

The element type may be any primitive, constructed or predefined type except `void` and `object reference`. The element type shall be referenced using its type identifier. Sequence type definitions shall not lead to infinite recursion.

NOTE: As a consequence, the type identifier of the `sequence` may be nested within the type definition only below a `union` constructor.

Data whose type is a defined sequence type shall take as their value an ordered list of zero or more values of the element type.

Variables of a sequence type without explicit initial value shall be initialized to a null list (sequence of zero element).

8.1.2.2 string types

String types are semantically equivalent to sequence types whose element type is `character`.

NOTE: To optimize their handling, string values may be implemented in a different way than sequences of character would. Therefore, strings and sequences of character remain distinct, although semantically equivalent, types.

String types shall be defined by their size (optional).

The size shall be an unsigned short value. It represents the maximum number of elements of the string. If the type definition specifies no size, the number of elements may be any size up to the maximum. String types with an explicit size are called bounded string types.

The maximum size of any string type is 65 535 characters.

Data whose type is a defined string type shall take as their value a string of zero or more characters.

Variables of a string type without explicit initial value shall be initialized to a null string (sequence of zero character).

8.1.2.3 array types

Array types shall be defined by:

- their size;
- their element type.

The size shall be an unsigned short value. It represents the exact number of elements in the array.

The element type may be any primitive, constructed or predefined type except `void` and `object reference`. The element type shall be referenced using its type identifier. Array type definitions shall not lead to infinite recursion.

NOTE: As a consequence, the type identifier of the `array` may be nested within the type definition only below a `union` constructor.

Data whose type is a defined `array` type shall take as their value an ordered list of values of the element type, the length of the list being specified by the size of the array.

Variables of an `array` type without explicit initial value shall be initialized to a list of elements whose initial value is determined by the element type.

8.1.2.4 structure types

Structure types shall be defined by an ordered list of 1 to 256 element types.

The element types may be any primitive, constructed or predefined type except `void` and `object reference`. The element types shall be referenced using their type identifiers. Structure type definitions shall not lead to infinite recursion.

NOTE: As a consequence, the type identifier of the `structure` may be nested within the type definition only below a `union` constructor.

Data whose type is a defined `structure` type shall take as their value an ordered list of values of the element type that corresponds to their rank in the type definition.

Variables of a `structure` type without explicit initial value shall be initialized to a list of elements whose initial value is determined by their element type.

8.1.2.5 union types

Union types shall be defined by an ordered list of element types.

There shall not be more than 256 choices (element types) in a `union` type.

The element types may be any primitive, constructed or predefined type except `void` and `object reference`. The element types shall be referenced using their type identifiers.

Data whose type is a defined `union` type shall take as their value:

- an integer which represents the index (starting at 0) in the choice list;
- a value of the element type whose rank in the type definition is the above index.

Variables of a `union` type without explicit initial value shall have an undefined initial value.

8.2 Data

The MHEG-SIR defines three kinds of data:

- immediate values (see subclause 8.2.1);
- constants (see subclause 8.2.2);
- variables (see subclause 8.2.3).

All data used by an interchanged script are of a definite data type, either predefined or declared.

Two data values shall be equal if and only if:

- they are of the same type, i.e. they have the same type identifier;
- if they are of a primitive type then they are identical;
- if they are of a `structure`, `sequence` or `array` type then every element of one list is equal to the element of the same rank in the other list;
- if they are of a `union` type then their tags are identical and their values are equal to each other.

As a consequence:

- values of a `string` type shall not be compared with values of a `sequence` of `character` type;
- values of a bounded `sequence` type shall not be compared with values of another bounded `sequence` type or with values of an unbounded `sequence` type, since they have different type identifiers;
- values of a bounded `string` type shall not be compared with values of another bounded `string` type or with values of an unbounded `string` type, since they have different type identifiers.

All variables and constants are referenced in a unique, unambiguous way by their Data Identifier (DID).

8.2.1 Immediate values

Immediate values are data that are not declared within the interchanged script, and may therefore only be used "immediately", i.e. as they are encountered. An immediate value may be encountered in an interchanged script:

- as a constant value;
- as the initial value of a variable;
- as the operand of a **push immediate** (`PUSHI`) instruction.

Besides, immediate values are used in the course of the script execution through the Parameter Stack (PS), as parameters for instructions or functions.

Unless the context restricts it otherwise, immediate values may be of any type except `void`.

The encoding of data values in an interchanged script is defined by annex A. This ETS imposes no requirement on the way MHEG-3 engines represent data values of a particular type.

8.2.2 Constants

Constants shall be declared within the interchanged script and defined by:

- a data type;
- a value of this data type.

Constants may be of any type except:

- `object reference`;
- `data identifier`;
- `void`.

Constants have a global scope and may be referenced using their data identifier throughout the interchanged script.

There shall not be more than 4 096 constants declared in an interchanged script.

8.2.3 Variables

Variables shall be declared within the interchanged script and defined by:

- a data type;
- optionally, a value of this data type, to be taken as the initial value for this constant.

Variables may be of any type except `void`.

Variables are referenced using their data identifier. A reference to a variable may be used with either of the following semantics:

- "right-hand" semantics: the same as if the value of this variable was provided instead;
- "left-hand" semantics: states that this variable has to be assigned a data value.

In the latter case, the value to be assigned to the variable may be an immediate value (including a computed value), the value of a constant or the value of a variable (including the future value of a function's output parameter).

The MHEG-SIR defines three kinds of variables:

- global variables;
- local variables;
- dynamic variables.

8.2.3.1 Global variables

Global variables have a global scope which covers the entire interchanged script. They may be referenced using their data identifier from any routine or variable. They may be assigned a new value at any time during execution of the rt-script.

There shall not be more than 28 672 global variables declared in an interchanged script.

8.2.3.2 Local variables

Local variables have a lexical scope which is restricted to the execution of the code of the routine to which they belong. They may be referenced using their data identifier only within the code of this routine.

There are two kinds of local variables:

- local variables that are declared within the routine declaration as part of the local variable declaration;
- actual parameters of the routine, whether passed by value or by reference, which are declared within the routine declaration as part of the routine signature.

There shall not be more than 256 local variables declared in each routine of an interchanged script.

8.2.3.2 Dynamic variables

Dynamic variables have a dynamic scope which extends from the time when they are created using an **allocate** (`ALLOC`) instruction up to the time when they are released using a **free** (`FREE`) instruction. At creation, they are given a data identifier by the script interpreter. They may be referenced using their data identifier at any time during the execution of the script. However, as the data identifier of a dynamic variable is only known at run-time, it can only be used as a parameter stack or a variable value, not as the operand of an instruction.

There shall not be more than 32 512 dynamic variables used at a given time during execution of an rt-script.

8.3 Functions

The MHEG-SIR defines three kinds of functions:

- routines (see subclause 8.3.1);
- services (see subclause 8.3.2);
- predefined functions (see subclause 8.3.3).

All functions shall have a signature (or prototype) which consists of:

- a type of return value;
- an ordered list of formal parameters defined by their type and passing mode.

All functions are referenced in a unique, unambiguous way using their Function IDentifier (FID).

Functions shall be either **synchronous** or **asynchronous**. When a synchronous function is called, the caller waits for the completion of the function execution and may therefore retrieve its result. When an asynchronous function is called, the caller only waits for an acknowledgement of reception of the request; it then resumes execution without waiting for the completion of the function.

As a consequence, asynchronous functions shall not have output parameters or a return value. Routines are always synchronous.

8.3.1 Routines

Routines are internal functions of interchanged scripts.

Routines shall be declared within the interchanged script. Routines shall consist of:

- a signature;
- local variables;
- program code.

There shall not be more than 4 096 routines declared in an interchanged script.

Execution of a routine may be triggered:

- by an explicit **call** (*CALL*) instruction, with the routine's function identifier being the operand of the instruction;
- upon reception of an exception during an **external call** (*XCALL*) instruction, where the message identifier of the received exception is mapped to the routine's function identifier by the handler definition table;
- upon examining the queue of received messages, either when no routine is executing or upon encountering a **yield** (*YIELD*) instruction, where the message identifier of the received message is mapped to the routine's function identifier by the handler definition table or is an MHEG-3 API *run* operation targeted at the routine.

Parameters may be passed to routines using either of the following modes:

- by **value**: a value of the parameter type is passed to the routine;
- by **reference**: a data identifier referencing a global variable, dynamic variable or constant whose type is the same as the parameter type is passed to the routine.

In both cases, the value of the passed parameter becomes the value of the local variable whose index corresponds to the parameter's index. The local variable corresponding to a parameter passed by reference shall be of the *data identifier* type.

Data identifiers to local variables shall not be passed by reference.

8.3.2 Services

Services are external functions provided by the run-time environment, that an interchanged script may invoke.

Services shall be declared within the interchanged script, as part of a package declaration, by:

- their signature;
- their IDL global operation name.

There shall not be more than 256 services declared in each package of an interchanged script.

There shall not be more than 192 packages declared in an interchanged script.

A service may be called by an **external call** (`XCALL`) instruction.

Parameters may be passed to services using one of the following modes:

- **in**: a data identifier referencing a variable or constant whose type is the same as the parameter type is passed to the service;
- **inout**: a data identifier referencing a variable whose type is the same as the parameter type is passed to the service; upon returning, the variable is updated with its new value;
- **out**: same as **inout**, however the value of the variable is not used by the service.

8.3.3 Predefined functions

Predefined functions correspond to the operations of the MHEG-3 engine's interface.

Predefined functions have predefined function identifiers and therefore shall not be declared within an interchanged script.

As this ETS is not specifically linked to another part of ISO/IEC 13522, the MHEG API operations used to manipulate MHEG objects are not explicitly defined. However, this ETS specifies the procedure that shall be used to define an MHEG API and to specify the mapping of operations of this MHEG API to predefined function identifiers. This is described in annex E.

In addition, this ETS defines the MHEG-3 API, i.e. the interface that MHEG-3 engines shall provide for the manipulation of scripts. This interface is described in clause 15 and annex F. This interface may be used from within scripts and is therefore mapped to predefined function identifiers. The list of these predefined functions and their identifiers is given in annex C.

Predefined functions may be called and passed parameters to using the same mechanisms as with services.

8.4 Messages

The MHEG-SIR defines two kinds of messages:

- package exceptions (see subclause 8.4.1);
- predefined messages (see subclause 8.4.2).

All messages shall have a signature (or prototype) which consists of an ordered list of formal parameters (members) defined by their type.

All messages are referenced in a unique, unambiguous way by their message identifier.

8.4.1 Package exceptions

Package exceptions are sent to an rt-script by the run-time environment as a consequence of the invocation of a service by this rt-script.

Package exceptions shall be declared within the interchanged script, as part of a package declaration, by:

- their signature;
- their IDL global exception name.

There shall not be more than 256 exceptions declared in each package of an interchanged script.

8.4.2 Predefined messages

Predefined messages sent to an rt-script may be one of the following:

- an exception of the MHEG-3 engine interface (i.e. the MHEG API), raised by the MHEG-3 engine as a consequence of the invocation of a predefined function by the rt-script;
- the consequence of invocation of an operation of the MHEG-3 API targeted at the rt-script;
- the `InstructionExecutionError` exception, which is raised as the consequence of an error occurring in the execution of an instruction of the rt-script.

Predefined messages have predefined message identifiers and therefore shall not be declared within an interchanged script.

As this ETS is not specifically linked to another part of ISO/IEC 13522, the MHEG API exceptions are not explicitly defined. However, this ETS specifies the procedure that shall be used to define an MHEG API and to specify the mapping of exceptions of this MHEG API to predefined message identifiers. This is described in annex E.

Annex C specifies how the `InstructionExecutionError` and the messages resulting from MHEG-3 API operations shall be mapped to predefined message identifiers.

8.5 Instructions

The program code part of routines consists of a sequence of instructions. Unlike the rest of an interchanged script, which is handled upon preparation of the script, instructions need only be dealt with after creation of an rt-script, when the routine to which they belong is activated.

An instruction shall consist of one op-code (operation code) followed by zero or more operands. The number, type and encoding of operands is fully determined by the op-code.

As a rule, operands complete the instruction, whereas parameter values are taken from the parameter stack.

The performance of the instruction execution unit is described in clause 9, whereas the precise semantics of each instruction are described in clause 13.

8.6 Identifiers

Identifiers are used to reference MHEG-SIR entities (i.e. types, data, functions and messages) in an unambiguous way, throughout interchanged scripts.

8.6.1 Type identifiers

Type identifiers (TIDs) shall be encoded on two bytes as follows:

- primitive types and predefined types shall have predefined TIDs as defined by annex C;
- declared types whose index (starting at 0) in the type declaration table is X shall have (X + 4000h) as TID.

Hence:

- TIDs between 0 and 3FFFh shall reference predefined types;
- TIDs between 4000h and 7FFFh shall reference declared types.

8.6.2 Data identifiers

Data identifiers (DIDs) shall be encoded on two bytes as follows:

- constants whose index (starting at 0) in the constant declaration table is X shall have X as DID;
- global variables whose index (starting at 0) in the global variable declaration table is X shall have (X + 1000h) as DID;
- local variables whose index (starting at 0) in the local variable declaration table is X shall have (X + 8000h) as DID;
- dynamic variables shall have DIDs starting at 8100h. The procedure for allocating data identifiers to dynamic variables is not specified; MHEG-3 engines may therefore have different allocation schemes.

Hence:

- DIDs between 0 and 0FFFh shall reference constants;
- DIDs between 1000h and 7FFFh shall reference global variables;
- DIDs between 8000h and 80FFh shall reference local variables;
- DIDs between 8100h and FFFFh shall reference dynamic variables.

8.6.3 Function identifiers

Function identifiers (FIDs) shall be encoded on two bytes as follows:

- routines whose index (starting at 0) in the routine declaration table is X shall have X as FID;
- predefined functions whose index (starting at 0) in the predefined function table is X shall have (X + 1000h) as FID;
- services whose index (starting at 0) in a package declaration is X and whose package index in the package declaration table is Y (starting at 0) shall have $((Y+64) \ll 8) + X$ as FID.

Hence

- FIDs between 0 and 0FFFh shall reference routines;
- FIDs between 1000h and 3FFFh shall reference predefined functions;
- FIDs between 4000h and FFFFh shall reference services.

8.6.4 Message identifiers

Message identifiers (MIDs) shall be encoded on two bytes as follows:

- predefined messages whose index (starting at 0) in the predefined message table is X shall have X as MID;
- exceptions whose index (starting at 0) in a package declaration table is X and whose package index (starting at 0) in the package declaration table is Y shall have $((Y+64) \ll 8) + X$ as MID.

Hence:

- MIDs between 0 and 3FFFh shall reference predefined messages;
- MIDs between 4000h and FFFFh shall reference package exceptions.

9 The MHEG-SIR virtual machine

This clause presents the MHEG-SIR virtual machine, i.e. the execution model for the MHEG-SIR code.

9.1 Structure of the MHEG-SIR virtual machine

The MHEG-SIR virtual machine is a set of logical, abstract components. The description of the MHEG-SIR virtual machine is intended for clarification of the operational semantics of the MHEG-SIR code.

An MHEG-3 engine shall have the same interpretation behaviour for MHEG-SIR code as the described virtual machine. It shall interpret MHEG-SIR declarations and instructions so as to produce similar external effects in all respects.

However, this implies no requirements on the technology or organization that may actually be used to implement an MHEG-3 engine. An actual script interpreter need not be designed as described by the virtual machine, as long as it provides equivalent functionality.

The MHEG-SIR virtual machine consists of:

- memory areas (see subclause 9.3);
- processing units (see subclause 9.5).

Some memory areas are associated with an mh-script and so shared by all the rt-scripts created from it. Other memory areas are associated with each rt-script.

Processing units only apply to one rt-script. However, an MHEG-3 engine may run several rt-scripts at the same time. In this case, it shall maintain a separate run-time context for each active rt-script.

NOTE: In other terms, the MHEG-SIR virtual machine is single-threaded. Multi-threaded applications can be achieved by associating each thread with a separate rt-script.

9.2 Structures and notations

9.2.1 Table

A table T consists of an array of homogeneous entries $T[i]$ that may be accessed via their index i . These entries have the same structure, but not necessarily the same size. Entries consist of one or several fields fld . Some entries may be void. Indices are MHEG-SIR identifiers, i.e. consecutive numeric values taken in a given range, not necessarily starting at 0 for a given table. The underlying access mechanism (sequential indexing, direct access, hashcoding etc.) is not specified. The notation uses the following primitives to express manipulation of a table T :

- $T[i]$ to access entry i ;
- $T[i] = VAL$ to assign value VAL to entry i ;
- $T[i].fld$ to access field fld of entry i ;
- $T[i].fld = VAL$ to assign value VAL to field fld of entry i .

9.2.2 Stack

A stack consists of an array of homogeneous elements. Elements are inserted on the top of the stack. Only the top element (last inserted) may be accessed at any time. When it is removed from the stack, it is lost, and the next element becomes the top of the stack. The notation uses the following primitives to express manipulation of the call stack CS :

- $CS.push(F)$: inserts frame F on the top of the stack, increments the Frame Pointer (FP) register;
- $CS.pop()$: decrements the FP, removes the top-of-stack frame, then returns it;
- $CS[FP]$: returns the value of the top-of-stack frame.

In the same way as for tables, the "." notation is used to access stack element fields.

9.2.3 Parameter stack

The parameter stack is a special case because it is a byte (untyped) stack used to store typed values. The notation uses the following primitives to express manipulation of the parameter stack PS , where tid is the type identifier of a primitive type, as indicated by table 1:

- $PS.push(VAL)$: inserts value VAL on the top of the stack;
- $PS.pop(tid)$: removes the top-of-stack value, whose type identifier is tid , then returns it;
- $PS[SP](tid)$: returns the value of the top-of-stack value, whose type identifier is tid .

9.2.4 Queue

A queue consists of an array of homogeneous elements. Elements are inserted at the end of the queue. Only the start element (first inserted) may be accessed at any time. When it is removed from the queue, it is lost, and the next element becomes the start of the queue. The notation uses the following primitives to express manipulation of the message queue MQ:

- MQ.insert(M): inserts message value M at the end of the queue;
- MQ.remove(): increments the queue pointer register (QP), removes the element at the start of the queue, and returns it;
- MQ[QP]: returns the value of the element at the start of the queue.

In the same way as for tables, the "." notation is used to access queue element fields.

9.2.5 Data representation

The representation of the structures and data is implementation-dependent. Although script interpreters may represent each value of a data type with a minimum number of bytes, they are not required to do so. table 2 states this minimum number:

Table 2: Minimum number of bytes to represent values

Type	Minimum number of bytes to represent a value of the type
octet	1
short	2
long	4
unsigned short	2
unsigned long	4
float	4
double	8
boolean	1
character	2 (1 for restricted character sets)
data identifier	2
object reference	implementation-dependent
string	character size x (string length+1)
sequence	size of element type x sequence length (actual number of elements) + 2
array	size of element type x array size
structure	sum of the sizes of the element types
union	size of the "biggest" element type + 1
type identifier	2
function identifier	2
message identifier	2
package identifier	1

NOTE: The notation makes no distinction between fixed-length values and variable-length values. Script interpreters may store variable-length values on the heap. VT[i].val is used to access the value of a variable even though it could actually be stored in the variable table as a handle to the heap.

When VAL is a value of a constructed type, access to its elements is noted as follows:

- VAL.tag: tag of a union;
- VAL.val: value of a union;
- VAL[n]: value of the nth element of a sequence, string, structure or array;
- VAL.lg: actual length of a sequence or string.

Execution semantics are expressed using a C-like syntax. Expressions within single quotes indicate the corresponding value, e.g. 'void' indicates TID value 0.

9.3 Memory areas

In the MHEG-SIR virtual machine, memory areas are used to hold all the necessary information used to interpret a particular interchanged script.

Memory areas may be associated with either an mh-script (see subclause 9.3.1) or an rt-script (see subclause 9.3.2).

9.3.1 Mh-script memory areas

Mh-script memory areas should be completely filled at load-time, i.e. upon initialization of an mh-script. They shall be accessible for use by all rt-scripts created from this mh-script. Mh-script memory areas shall not be modified at run-time until the mh-script is destroyed, unless otherwise specified (e.g. for the package definition table). Mh-script memory areas comprise:

- data areas (see subclause 9.3.1.1);
- code areas (see subclause 9.3.1.2).

9.3.1.1 Data areas

Data areas are used to store the definitions and values of the script's global data. Data areas comprise:

- the type definition table (TT) (see subclause 9.3.1.1.1);
- the Constant Table (CT) (see subclause 9.3.1.1.2);
- the global variable definition table (GT) (see subclause 9.3.1.1.3).

9.3.1.1.1 Type definition table

The type definition table maps all the script's defined types, represented by type identifiers, to their description:

- `TT[TID].val`: description of the type.

NOTE: The representation used for the type description is not specified; however, it should allow to check easily whether a value belongs to a type.

9.3.1.1.2 Constant table

The constant table maps all the script's constants, represented by data identifiers, to their type and value:

- `CT[DID].TID`: type of the constant (expressed as a type identifier);
- `CT[DID].val`: value of the constant (depending on its type).

9.3.1.1.3 Global variable definition table

The global variable definition table maps all the script's global variables, represented by data identifiers, to their type and initial value:

- `GT[DID].TID`: type of the global variable (expressed as a type identifier);
- `GT[DID].val`: initial value of the global variable (depending on its type).

9.3.1.2 Code areas

Code areas are used to store the addresses and program code of the script's functions. Code areas comprise:

- the routine definition table (RT) (see subclause 9.3.2.1);
- the package definition table (PT) (see subclause 9.3.2.2);
- the service definition table (ST) (see subclause 9.3.2.3);
- the exception definition table (XT) (see subclause 9.3.2.4);
- the handler definition table (HT) (see subclause 9.3.2.5);

- the program code area, consisting of the sequence of instructions of each routine (see subclause 9.3.2.6).

9.3.1.2.1 Routine definition table

The routine definition table maps all the script's routines, represented by function identifiers, to their signature description, their local variable declaration and their program code:

- a) `RT[FID].TID`: type of return value (expressed as a type identifier);
- b) `RT[FID].nbp`: number of parameters;
- c) `RT[FID].sig`: signature description, where:
 - 1) `RT[FID].sig[i].TID` is the type (expressed as a type identifier) of the *ith* parameter;
 - 2) `RT[FID].sig[i].mod` is the passing mode (**value** or **reference**) of the *ith* parameter;
- d) `RT[FID].LT`: declaration of the routine's local variables (whose `nbp` first elements are the actual parameters of the routine);
- e) `RT[FID].IP`: pointer to the first instruction in the routine code.

Local variables used to hold parameters passed by **reference** shall have `data identifier` as their type, while local variable used to hold parameters passed by **value** shall have the same type as in the signature description for the corresponding parameter.

9.3.1.2.2 Package definition table

The package definition table maps all the script's defined packages, represented by package identifiers (PIDs) as declared by the MHEG-SIR package declaration table, to package names and additional information:

- `PT[PID].name`: name of the package;
- `PT[PID].nbf`: number of services in the package;
- `PT[PID].nbm`: number of exceptions defined by the package;
- `PT[PID].sts`: current status of the package (**unchecked**, **available**, **ready**, **opened**);
- `PT[PID].or`: initial object reference of the package.

A package is initially at **unchecked** status. It becomes **available** once the **package availability** procedure has been performed successfully. It then becomes **ready** once the **package load** procedure has been performed successfully. Finally, it is **opened** when there is a valid initial object reference to the package, stored in the `PT[PID].or` field, for use by further service invocations.

As an exception to the rule stated in subclause 9.3.1:

- The `PT[PID].sts` fields may be modified at run-time, each time the status of a package changes;
- The `PT[PID].or` fields may be modified at run-time, when a package is loaded.

9.3.1.2.3 Service definition table

The service definition table maps all the script's defined external services, represented by MHEG-SIR function identifiers, to their signature description and to their IDL global operation name:

- a) `ST[FID].TID`: type of return value (expressed as a type identifier);
- b) `ST[FID].syn`: calling mode (**synchronous**, **asynchronous**);
- c) `ST[FID].nbp`: number of parameters;
- d) `ST[FID].sig`: signature description, where:
 - 1) `ST[FID].sig[i].TID` is the type (expressed as a type identifier) of the *ith* parameter;
 - 2) `ST[FID].sig[i].mod` is the passing mode (**in**, **inout** or **out**) of the *ith* parameter;
- e) `ST[FID].name`: the IDL global name of the operation which the service invokes.

The IDL platform-specific mapping specification shall be used to map `ST[MID].name` to a platform-specific name.

9.3.1.2.4 Exception definition table

The exception definition table maps all the interchanged script's defined messages, represented by message identifiers, to their signature description and their IDL global exception name:

- `XT[MID].name`: the IDL global name of the exception which causes the message;
- `XT[MID].nbm`: number of members;
- `XT[MID].sig`: signature description, where `XT[MID].sig[i].TID` is the type (expressed as a type identifier) of the *i*th member.

The IDL platform-specific mapping specification is used to map `XT[MID].name` to a platform-specific name.

9.3.1.2.5 Handler definition table

The handler definition table maps messages, represented by message identifiers, to routines represented by function identifiers:

- `HT[MID].FID`: identifier of routine to invoke for handling the message.

If a message is mapped to a routine in the handler table, the signature of this routine need match the signature of this message. Matching between the signatures shall be checked at load-time and non-matching entries shall be rejected.

The handler definition table is used by the rt-script execution unit. When the rt-script execution unit removes a message from the message queue, it invokes the routine that corresponds to the message, with the message parameters as its parameters.

9.3.1.2.6 Program code area

An instruction consists of one 1-byte op-code followed by zero to three operand bytes. The op-code completely determines the number and length of its operands, according to the instructions table. Both op-codes and operands are coded in an optimized fashion so as to ease switching.

NOTE: A script interpreter (especially on 32-bit machines) may align instructions at load-time, i.e. insert padding bytes in order to represent each instruction on four bytes; this makes it easy to increment the Instruction Pointer (IP). As a variant, a script interpreter may instead leave instructions packed, and determine the number of bytes to increment at run-time.

9.3.2 Rt-script memory areas

Rt-script memory areas are initialized upon creation of the rt-script and may be modified during its execution. Rt-script memory areas comprise:

- dynamic memory areas (see subclause 9.3.2.1);
- registers (see subclause 9.3.2.2).

9.3.2.1 Dynamic memory areas

Dynamic memory areas are used to represent the data and the current execution context of the rt-script.

Dynamic memory areas comprise:

- the Variable Table (VT) (see subclause 9.3.2.1.1);
- the Call Stack (CS) (see subclause 9.3.2.1.2);
- the Parameter Stack (PS) (see subclause 9.3.2.1.3);
- the Message Queue (MQ) (see subclause 9.3.2.1.4);
- the heap (see subclause 9.3.2.1.5).

9.3.2.1.1 Variable table

The variable table maps the rt-script's variables, represented by data identifiers, to their type and current value:

- `VT[DID].TID`: type of the variable (expressed as a type identifier);
- `VT[DID].val`: current value of the variable (depending on its type).

The variable table is initialized upon creation of the rt-script. It consists of two subtables:

- a copy of the global variable table associated with the mh-script;
- the local variable table of the currently executing routine.

`VT[DID].val` fields are modified every time a variable is assigned by the execution of a variable assignment instruction.

When the current routine changes (following execution of a `CALL`, `RET` or `YIELD` instruction), the local variable table is stored and replaced in the VT by the local variable table of the new routine. The first entries of a local variable table are the parameters passed to the function.

9.3.2.1.2 Call stack

The CS is used to store the current invocation context.

The CS is an array of call frames. Every frame shall correspond to the context at the time of invocation of an active function (routine, external function or MHEG action). Frames shall be stored on the CS in order of invocation. The top frame of the CS, if any, shall describe the execution context of the routine that called the currently executing function.

Each frame shall consist of the following elements:

- `CS[i].FID`: function identifier of the caller;
- `CS[i].IP`: pointer to the instruction to return to after the current function returns;
- `CS[i].LT`: local variable table of the caller (at invocation time);
- `CS[i].SP`: pointer to the top of the parameter stack (at invocation time).

The LT field of a call frame shall have the structure of a variable table:

- `CS[i].LT[DID].TID`: type identifier of the variable whose identifier is DID;
- `CS[i].LT[DID].val`: value of the variable.

The call stack is modified by certain control flow instructions. Initially the call stack shall be empty. When a function is invoked, a frame describing this call shall be pushed onto the call stack. When a function is returned from, this frame shall be popped from the call stack. The address of the top frame of the call stack shall be stored at all times in the FP register.

9.3.2.1.3 Parameter stack

The parameter stack is used to store the parameters and return values of instructions. The parameter stack is an array of data values. The type of the data value is determined by the operation sequence that pushes the value on the stack.

The parameter stack is used by the MHEG-SIR instruction execution unit. Initially the parameter stack shall be empty. It is modified by most instructions (arithmetic operators, logical operators, comparison operations, stack manipulation, variable assignment, conditional jumps, calls). When an instruction is executed, it shall pop its parameters from the parameter stack and push its return value back onto the parameter stack. The address of the top frame of the parameter stack shall be stored at all times in the stack pointer (SP) register.

9.3.2.1.4 Message queue

The message queue is used to buffer the messages that are received by the script interpreter. Each item in the queue shall consist of the following elements:

- `MQ[i].MID`: message identifier;
- `MQ[i].LT`: list of message parameters.

The LT field of a message queue item shall have the structure of a variable table:

- `MQ[i].LT[j].TID`: type identifier of the jth parameter;
- `MQ[i].LT[j].val`: value of the jth parameter.

Messages shall be inserted into the message queue by the script interpreter asynchronously as they are generated in the external environment. The message queue shall be processed by the rt-script execution unit when either of the following occurs:

- the rt-script is not running, i.e. there is no currently executing routine;
- a `YIELD` instruction is encountered.

The start of the message queue (next message to pop) shall be stored at all times in the QP (queue pointer) register. Initially the message queue shall be empty.

9.3.2.1.5 Heap

The heap is used to store dynamic variables, represented by data identifiers, as their type and current value:

- `VT[DID].TID`: type of the variable (expressed as a type identifier);
- `VT[DID].val`: current value of the variable (depending on its type).

Dynamic variables are referenced by handles of an opaque type, whose representation is not specified. Data identifiers are internally mapped to these handles so that dynamic variables be accessed in the same way as other variables.

`VT[DID].val` fields are modified every time a variable is assigned by the execution of a variable assignment instruction.

The application is responsible for explicit allocation and deallocation of dynamic variables using the `ALLOC` and `FREE` instructions.

NOTE: Script interpreters may also use the heap to store the values of global or local variables of a variable-length type. In this case, a heap handle is stored in the table instead of the data itself.

9.3.2.2 Registers

Registers hold specific states of the virtual machine and need be frequently modified during the execution of an rt-script.

The registers maintained by the MHEG-SIR virtual machine are:

- the Instruction Pointer (IP) or program counter (see subclause 9.3.2.2.1);
- the Frame Pointer (FP) (see subclause 9.3.2.2.2);
- the Stack Pointer (SP) (see subclause 9.3.2.2.3);
- the Queue Pointer (QP) (see subclause 9.3.2.2.4);
- the Instruction Register (IR) (see subclause 9.3.2.2.5);
- the Error Register (ER) (see subclause 9.3.2.2.6);
- the Function Register (FR) (see subclause 9.3.2.2.7).

The representation of data held by pointer registers is not specified. All registers shall be initialized to a null value whose representation is not specified.

9.3.2.2.1 Instruction pointer register

The IP register points to the next instruction to be executed within a routine's program code. This register shall be modified by the rt-script execution unit and by the MHEG-SIR instruction execution unit as part of the execution of instructions.

9.3.2.2.2 Instruction register

The IR register holds the code for the instruction which is currently executing. This register shall be updated by the rt-script execution unit each time a new instruction is loaded, and accessed by the MHEG-SIR instruction execution unit.

NOTE: The IR need not be more than 4-bytes long, but its actual size is not specified.

9.3.2.2.3 Error register

The ER holds the code of the last error encountered during execution of an instruction. This register shall be updated by the MHEG-SIR instruction execution unit, every time it encounters an error. The null value indicates that up to the current time no error has been encountered during the execution of the rt-script.

The error codes are predefined. The error codes raised by each instruction are defined in clause 13.

When an error is raised during execution of an instruction, ER shall be set to a non-null value and an `InstructionExecutionError` exception shall be raised. This results in the corresponding message being inserted into the message queue.

9.3.2.2.4 Stack pointer register

The SP register points to the top of the parameter stack. The value of this register shall be updated by the MHEG-SIR instruction execution unit as follows:

- it shall be incremented every time data is pushed onto the parameter stack;
- it shall be decremented every time data is popped off the parameter stack.

9.3.2.2.5 Frame pointer register

The FP register points to the top frame of the call stack. The value of this register shall be updated by the MHEG-SIR instruction execution unit as follows:

- it shall be incremented every time a function is called;
- it shall be decremented every time a function is returned from.

9.3.2.2.6 Queue pointer register

The QP register points to the next message to be removed from the message queue. The value of this register shall be decremented by the script interpreter every time a message is removed.

9.3.2.2.7 Function register

The FR register holds the FID of the currently executing function. The value of this register shall be updated by the script interpreter every time a function is called or returned from.

9.4 Script statuses

9.4.1 Mh-script statuses

The status of an mh-script shall be either **available** or **not available**.

9.4.1.1 Not available

The status of an mh-script shall be **not available** if it is in one of the following cases:

- mh-script initialization (i.e. the effect of the MHEG-3 API `prepare` operation) has not been achieved on this mh-script;
- mh-script destruction (i.e. the effect of the MHEG-3 API `destroy` operation) has been requested on this mh-script.

9.4.1.2 Available

The status of an mh-script shall be **available** if mh-script initialization has been successfully achieved on this mh-script and if mh-script destruction has not yet been requested.

This implies that:

- the interchanged script has been parsed and the mh-script memory areas fully completed accordingly;
- the packages referenced in the mh-script are available and have been loaded according to the **package load** procedure.

9.4.2 Rt-script statuses

The status of an rt-script shall be one of the following: **not ready**, **ready**, **running**, **erroneous**.

9.4.2.1 Not ready

The status of an rt-script shall be **not ready** if it is in one of the following cases:

- rt-script initialization (i.e. the effect of the MHEG-3 API `new` operation) has not been achieved on this rt-script;
- rt-script destruction (i.e. the effect of the MHEG-3 API `delete` operation) has been requested on this rt-script.

The status of an rt-script is initially **not ready**. Otherwise, it changes to **not ready** when a **delete** operation is invoked on this rt-script.

9.4.2.2 Ready

The status of an rt-script shall be **ready** if all of the following conditions are met:

- rt-script initialization has been successfully achieved on this mh-script;
- rt-script destruction has not yet been requested on this rt-script;
- the IP register is set to 'null', i.e. there is no currently executing routine;
- the ER register is set to 'null'.

This implies that the calling stack, message queue and parameter stack are void.

However, the global variable values need not be the same as the initial values; once it has no more instruction to execute and no message in the message queue, an rt-script goes back to **ready** status.

The status of an rt-script changes:

- from **not ready** to **ready** when a `new` operation is invoked on this rt-script;
- from **running** to **ready** when the rt-script execution unit no longer has instructions to execute or as the result of invoking a `stop` or `reinit` operation;
- from **erroneous** to **ready** as the result of invoking a `stop` or `reinit` operation.

9.4.2.3 Running

The status of an rt-script shall be **running** if all of the following conditions are met:

- rt-script initialization has been achieved without error on this mh-script;
- rt-script destruction has not yet been requested on this rt-script;
- the IP register is not 'null', i.e. there is a currently executing routine;
- the ER register is set to 'null'.

The status of an rt-script changes from **ready** to **running** when there is a message in the message queue and the rt-script execution unit is activated. This may occur as the result of invoking a `run` operation.

9.4.2.4 Erroneous

The status of an rt-script shall be **erroneous** if the ER register is not 'null', i.e. if an error has occurred during the rt-script execution.

The status of an rt-script changes from **running** to **erroneous** when an instruction execution error is raised by the rt-script instruction execution unit.

9.5 Processing units

This subclause describes the MHEG-SIR virtual machine's flow of control and the semantics of instructions.

For the purposes of the virtual machine description, the script interpreter's main process is assumed to run in parallel with all active rt-script execution units. Scheduling of the different tasks is not specified.

9.5.1 Message reception

The script interpreter's main process receives and handles events. In the absence of any events, it is idle. Events received by the script interpreter may be:

- MHEG-3 API operation invocations;
- messages corresponding to the occurrence of an exception raised as the result of invoking either a service or predefined function.

9.5.1.1 MHEG-3 API operations

MHEG-3 API operations may be invoked by an rt-script execution unit, by another component of the MHEG-3 engine or by external processes outside the MHEG-3 engine.

When an MHEG-3 API operation is invoked, the main process shall proceed as specified by the semantics of the MHEG-3 API described in clause 15.

9.5.1.2 External exception

When a message coming from either the action interpreter (MHEG API exception) or the run-time environment is targeted at an rt-script, then if this message actually corresponds to an exception raised by the MHEG API or the run-time environment as a consequence of the invocation of an operation resulting from an `XCALL` instruction by this rt-script, the main process shall parse the exception's parameters and construct a message structure consisting of the message identifier of the exception followed by its actual members (starting with the object reference of the originating object). Then:

- if the exception results from the invocation of a currently executing synchronous operation, the main process shall request the rt-script execution unit to terminate the `XCALL` instruction (therefore popping its frame from the call stack) without looking for output parameters or a return value, then immediately afterwards to trigger the routine corresponding to the exception's message identifier, with the exception's members as its actual parameters; the effect shall be the same as if this routine had been invoked by a `CALL` instruction;
- if the exception results from the invocation of a previously terminated synchronous operation (whether successfully or not), the main process shall ignore the exception;
- if the exception results from the invocation of an asynchronous operation, the main process shall insert the constructed message into the message queue of the target rt-script.

9.5.1.3 InstructionExecutionError exception

When the internal `InstructionExecutionError` exception is raised by the execution of an instruction, the main process shall construct a message structure consisting of the message identifier corresponding to this exception, followed by one member set to the value of the error register, then insert it into the message queue of the rt-script whose execution raised the exception.

9.5.1.4 MHEG-3 API exception

When an exception resulting from the invocation of an MHEG-3 API operation is returned to an rt-script, the main process shall construct a message structure consisting of the message identifier corresponding to the exception, followed by its members, then insert it into the message queue of the rt-script that invoked the operation.

9.5.2 Mh-script initialization

When the MHEG-3 API `prepare` operation is invoked, the script interpreter shall access the stream or file using the provided system identifier and parse the script. The script interpreter shall then:

- parse the declarations part and initialize the CT, GT, TT, RT, ST, PT, XT, HT and the `RT[i].LT` for each routine `i`; this includes the appropriate checks (handler verification, **package availability** procedure);
- parse the structure of the instructions part to fill in the program code area of each routine;
- perform the **package load** procedure, establishing static links with packages according to the platform mapping specification;
- put the mh-script to **available** status.

NOTE: The semantics of package loading need be defined by the platform mapping specification. The MHEG-3 engine may take the responsibility to optimize its resource management strategy, e.g. by unloading packages temporarily in order to release memory, or by loading packages only as rt-scripts are created or even as services are invoked.

9.5.3 Rt-script initialization

When the MHEG-3 API `new` operation is invoked, the script interpreter shall create a context for the target rt-script, i.e. the script interpreter shall:

- initialize the dynamic memory areas;
- initialize all registers to null values;
- create an rt-script execution unit for the rt-script;
- put the rt-script to **ready** status.

9.5.4 Rt-script execution unit

When activated and unless requested to stop the current rt-script, the rt-script execution unit shall perform as follows:

```
rt-script-execution-unit ()
{
FID fid = 'null';
if (IP == 'null') // no next instruction
{
while (fid == 'null')
{
if (QP == 'null') then exit; // return
fid= HT[MQ[QP].MID].FID; // find handler for message
if (fid != 'null') then // handler found
{
CS.push({IP, FR, SP, 'null'}); // stack routine call
FR = fid;
IP = RT[FR].IP; // branch to start of routine
}
MQ.remove(); // remove message
}
}
}
// endif
```

```
while (IP != 'null'):  
{  
    IR = *IP++;          // load next instruction and increment program counter  
    instruction-execution-unit(); // call the MHEG-SIR instruction execution unit  
}  
// endwhile  
return;                // return to script interpreter  
}
```

9.5.5 MHEG-SIR instruction execution unit

When called by the rt-script execution unit, the MHEG-SIR instruction execution unit of an rt-script shall decode the op-code contained in the first byte of the IR, then interpret the instruction corresponding to this op-code as specified by clause 13, then return.

The instruction execution unit pops from the parameter stack those parameters that are used to perform the instruction (if any). It pushes on the parameter stack those parameters that are the result of the instruction (if any).

Table 3 summarizes the effects of the instructions on the various elements of the MHEG-SIR virtual machine as defined by this clause.

10 Provisions for run-time environment access

This clause describes the mechanisms defined by this ETS to make it possible for rt-scripts to access and interchange data with external functions provided by the run-time environment on the execution platform.

10.1 General model

The interface that external software available in the run-time environment provides need be declared in the interchanged script as part of its package declaration, so that the script interpreter know how to access this interface when the script invokes it.

A package declaration describes a set of services (i.e. external functions) by their signature, i.e. the type and passing mode of each parameter.

MHEG-SIR specifies how calling external functions, passing parameters, getting back return values and handling exceptions shall be expressed within interchanged scripts.

This ETS also specifies how these expressions shall be interpreted by MHEG-3 engines.

This ETS also deals with interchange (i.e. function call, parameters passing, return value retrieval and exception handling) between an MHEG-3 engine and the run-time environment. For this purpose, this ETS contains provisions for specifying how access to these functions should be provided to MHEG-3 engines by external software. Such a convention, called a platform mapping specification, is dependent on the run-time platform.

Platform mapping specifications conforming to the provisions of this ETS need to be registered to ensure the interoperability of run-time environment services with any compliant MHEG-3 engine on this platform. If a platform mapping specification exists for the platform, MHEG-3 engines shall conform to this platform mapping specification in order to access run-time environment services.

MHEG-3 engine implementations shall document in their conformance document the platform mapping specification(s) to which they conform.

NOTE: If existing software does not comply with the platform mapping specification and need be accessed from MHEG-SIR scripts, it may be embedded into an interface that translates its own interface conventions into those of the platform mapping specification.

10.2 Declaration of IDL interfaces

The interface of external software intended for use by an interchanged script may contain:

- operation declarations;
- exception declarations;
- type declarations.

Types shall be declared in the type declaration of this interchanged script.

Operations and exceptions shall be declared in the package declaration of this interchanged script. This package declaration shall be assigned a package identifier and shall consist of:

- the name of the package;
- a set of service descriptions;
- a set of exception descriptions.

Service descriptions shall be assigned a function identifier and shall consist of:

- the name of the operation;
- the function signature, i.e. the type and passing mode of each parameter and the type of the return value.

Exception descriptions shall be assigned a message identifier and shall consist of:

- the name of the exception;
- the exception signature, i.e. the type of each member.

Identifiers (package identifiers, type identifiers, function identifiers) are used by MHEG-SIR scripts to refer to types and functions; a function identifier for an external operation can be built from a package identifier and the index of the service declaration in this package, while a message identifier for an external exception can be built from a package identifier and the index of the exception declaration in this package.

Names (package names, operation names, exception names) shall be used by the script interpreter to link with the actual implementation of the external software.

An MHEG-SIR package declaration lies at the same abstraction level as an IDL specification. This ETS defines the rules for mapping an IDL specification into a package declaration. Clause 14 specifies:

- how an IDL data type description shall be mapped to an MHEG-SIR data type description;
- how an IDL operation description shall be mapped to an MHEG-SIR service description;
- how an IDL exception description shall be mapped to an MHEG-SIR exception description.

10.3 Invocation of external operations in an MHEG-SIR program

A service described in a package declaration shall be invoked from an MHEG-SIR program as follows:

- variables of expected types corresponding to the return value (if any) and to each parameter shall be declared within the interchanged script (except the originating object's object reference, which shall be implicit);
- the program shall assign those variables which correspond to input or input/output parameters;
- the program shall push onto the stack the data identifiers of all these variables in right-to-left order (the identifier of the variable corresponding to the return value is pushed first, then the actual parameters, with the object reference (implicit parameter) of the target being pushed last);
- the program shall invoke the operation using an **external call** (`XCALL`) instruction with the function identifier of the invoked operation as operand;
- the program shall exploit the function results using the variables corresponding to the return value, the **inout** parameters and the **out** parameters.

10.4 Handling of external exceptions in an MHEG-SIR program

An exception described in a package declaration shall be handled by an MHEG-SIR program as follows:

- variables of expected types corresponding to each member shall be declared within the interchanged script (except the originating object's object reference, which shall be implicit);
- a routine whose parameters correspond to the exception members shall be declared within the routine declaration part of the interchanged script;

- the mapping between the identifiers of this handling routine and the exception shall be declared in the handler declaration part of the interchanged script.

10.5 Invocation of external operations by an MHEG-3 engine

When an interchanged script expresses invocation of an operation as described in subclause 10.3, the script interpreter shall behave as described by the semantics of the `XCALL` instruction in clause 13. As part of this performance, it shall interpret the mechanisms described in subclause 10.3 in translating them into the run-time environment access mechanisms as defined by the platform mapping specifications.

NOTE: For instance, an MHEG-3 engine may translate a variable identifier pushed onto the stack as a service parameter into either a value or a real memory address to be passed to the external software that provides the service.

10.6 Handling of external exceptions by an MHEG-3 engine

When an exception is raised by an external service, this results in a message being transmitted to the MHEG-3 engine according to the run-time environment access mechanisms defined by the platform mapping specifications.

The script interpreter shall then behave as described in subclause 9.5.1.2.

10.7 Platform mapping specifications

A platform mapping specification shall contain all of the following:

- the description of the platform to which the specification applies;
- the **package availability** procedure, which MHEG-3 engines shall use to check the availability of a given package within the run-time environment;
- the **package load** procedure, which MHEG-3 engines shall use to make the operations of a given package accessible to an rt-script;
- the **package unload** procedure, which MHEG-3 engines shall use to unload a package;
- the **operation invocation** procedure, which MHEG-3 engines shall use to invoke a given operation;
- the **data encoding** rules, which MHEG-3 engines shall use to encode the value of **in** or **inout** parameters of an operation and to decode the value of **out** or **inout** parameters of an operation or exception members;
- the **parameter passing** procedures, which MHEG-3 engines shall use to pass **in**, **inout** and **out** parameters to an operation;
- the **return value retrieval** procedure, which MHEG-3 engines shall use to retrieve the return value of an operation;
- the **exception retrieval** procedure, which MHEG-3 engines shall use to retrieve exceptions raised by an operation.

The contents of a platform mapping specification are defined in annex D.

11 Provisions for MHEG object manipulation

This clause describes the mechanisms defined by this ETS to make it possible for rt-scripts to manipulate MHEG objects.

11.1 Invoking MHEG actions

MHEG-SIR is used to express invocation of MHEG actions as defined by the MHEG API.

The MHEG API is defined using IDL. The mapping from an IDL definition to an MHEG-SIR package declaration and type declaration is defined in clause 14. However, the MHEG API package is considered as a predefined one. So its declaration shall not be included explicitly in interchanged scripts. The mapping mechanism is similar to the external function declaration mechanism described in clause 10, except that the IDL types and operations defined by the MHEG API shall not be declared as part of the MHEG-SIR code, but are instead dealt with as predefined types and predefined external functions.

The mechanism used to invoke an MHEG action is similar to the invocation of a service provided by the run-time environment. An `XCALL` instruction is used. Types defined in the MHEG API package are referred to using a predefined type identifier. Functions described in the MHEG API package are referred to using a predefined function identifier.

11.1.1 Sending messages to other scripts

The MHEG-3 API package is considered as a predefined one. Within an interchanged script, messages may be efficiently targeted at other scripts using the predefined functions mapping MHEG-3 API operations. An rt-script can thus pass and receive parameters and call routines from another rt-script.

NOTE: This may be used to implement the concept of "library" or "utility" scripts. This may also be used to synchronize rt-scripts.

11.1.2 Exchange of information with MHEG objects

Exchange of information between an rt-script and other MHEG entities (including other rt-scripts) may be expressed using the MHEG API operations mapping the MHEG "set data" and "get data" actions. MHEG content objects embedding generic values may be used to constitute a shared memory area among MHEG objects.

Waiting for a signal from another object may be translated by a loop including a call to the MHEG API operation mapping the MHEG "get data" action until the expected value is retrieved.

Generating a signal may be translated by a call to the MHEG API operation corresponding to the "set data" MHEG action.

NOTE: As far as exchange of information among rt-scripts is concerned, use of the mechanism described in subclause 11.1.1 is recommended.

11.2 Receiving MHEG messages

MHEG-SIR is used to express handling of messages resulting from MHEG actions. These messages may be either of the following:

- MHEG-3 API `run` operations;
- MHEG API exceptions.

11.2.1 MHEG-3 API `run` operations

The MHEG "set parameters" and "run" actions that may be targeted to an rt-script should result in the MHEG-3 API `setParameter` and `run` operations. Invocation of the `run` operation results in a message being inserted into the rt-script's message queue with:

- as message identifier, a predefined message identifier which is mapped to the routine identifier of the targeted routine;
- as members, the parameters previously set by the `setParameter` operation.

11.2.2 MHEG API exceptions

The MHEG API exceptions are considered as messages which are sent to the script interpreter as the result of invoking an MHEG API operation. These exceptions have predefined message identifiers. The script interpreter shall process these messages in the same way as it would process an exception coming from the run-time environment, as described in subclause 9.5.1.2.

12 MHEG-SIR declarations

This clause defines the structure of interchanged scripts. This clause also specifies the way the virtual machine deals with parsing of an interchanged script.

The following notations conventions are used:

- non-terminals are written as normal text;
- terminal types are written in uppercase;
- enumerated values are enclosed in single quotes;
- ":"=" indicates a definition;
- "|" indicates a choice in a production;
- "*" indicates zero or more occurrences of the preceding type;
- "+" indicates one or more occurrences of the preceding type;
- "?" indicates zero or one occurrence of the preceding type (optional type).

NOTE: The complete grammar of interchanged scripts is described in annex H.

An interchanged script shall consist of:

- a sequence of type declarations;
- a sequence of constant declarations;
- a sequence of global variable declarations;
- a sequence of package declarations;
- a sequence of message handler declarations;
- a sequence of routine declarations.

```
InterchangedScript ::= TypeDeclaration*  
                    ConstantDeclaration*  
                    VariableDeclaration*  
                    PackageDeclaration*  
                    HandlerDeclaration*  
                    RoutineDeclaration*
```

12.1 Type declaration

Type declarations are used to describe the types of the interchanged script.

A type declaration shall consist of:

- a type identifier (optional);
- a type description.

```
TypeDeclaration ::= TypeIdentifier?  
                  TypeDescription
```

12.1.1 Type identifier

Type identifiers are used to reference the type description throughout the interchanged script.

The type identifier shall be a positive integer within the range allowed for declared types. It shall correspond to the maximum number of predefined types incremented by the index (starting at 0) of the declaration in the type declarations part.

If the type identifier is not provided, it shall be computed by the script parser.

```
TypeIdentifier ::= INTEGER
```

12.1.2 Type description

Type descriptions describe the structure of a declared type.

The type description shall be one of the following:

- a string description;
- a sequence description;
- an array description;
- a structure description;
- a union description.

```
TypeDescription ::= SequenceDescription
                | StringDescription
                | ArrayDescription
                | StructureDescription
                | UnionDescription
```

12.1.2.1 String description

A string description shall consist of an integer (optional).

```
StringDescription ::= INTEGER? // String (max) size
```

The integer represents the maximum size of the string; if it is not provided, the string shall be unbounded.

12.1.2.2 Sequence description

A sequence description shall consist of:

- an integer (optional);
- a type identifier.

```
SequenceDescription ::= INTEGER? // Sequence (max) size
                    TypeIdentifier
```

The integer represents the maximum size of the sequence; if it is not provided, the sequence shall be unbounded.

The type identifier represents the type of element of the sequence.

12.1.2.3 Array description

An array description shall consist of:

- an integer;
- a type identifier.

```
ArrayDescription ::= INTEGER // Array size
                 TypeIdentifier
```

The integer represents the size of the array.

The type identifier represents the type of element of the array.

12.1.2.4 Structure description

A structure description shall consist of a sequence of type identifiers.

```
StructureDescription ::= TypeIdentifier+
```

Each type identifier represents the type of one of the fields of the structure.

12.1.2.5 Union description

A union description shall consist of a sequence of one or more type identifiers.

```
UnionDescription ::= TypeIdentifier+
```

Each type identifier represents the type of one of the choices of the union.

12.2 Constant declaration

Constant declarations are used to describe the types and values of the constants of the interchanged script.

A constant declaration shall consist of:

- a data identifier (optional);
- a type identifier;
- a constant value.

```
ConstantDeclaration ::= DataIdentifier?  
                    TypeIdentifier  
                    ConstantValue
```

12.2.1 Data identifier

Data identifiers are used to reference data throughout the interchanged script.

The data identifier shall be a positive integer within the range allowed for constants. It shall correspond to the index (starting from 0) of the declaration in the constant declarations part.

If the data identifier is not provided, it shall be computed by the script parser.

```
DataIdentifier ::= INTEGER
```

12.2.2 Type identifier

The type identifier represents the type to which the value of the constant belongs.

12.2.3 Constant value

The constant value represents the value to which the constant corresponds throughout the script.

If the type of the constant is a primitive or *string* type, the constant value shall consist of an immediate value expressed in this type.

If the type of the constant is a *sequence* type, the constant value shall consist of a sequence of constant values, whose length is less or equal to the size of the *sequence* type and whose type is the element type of the sequence description.

If the type of the constant is an *array* type, the constant value shall consist of a sequence of constant values, whose length equal to the size of the *array* type and whose type is the element type of the array description.

If the type of the constant is a *structure* type, the constant value shall consist of a sequence of constant values, whose length is equal to the number of elements in the *structure* type; each of these values shall be of the same type as the corresponding element type in the structure description.

If the type of the constant is a *union* type, the constant value shall consist of an integer representing the index (starting from 0) of the choice in the *union* type and a constant value whose type is the type of element of the corresponding rank in the union description.

```
ConstantValue ::= BOOLEAN  
              | OCTET  
              | INTEGER // all numeric types  
              | REAL // float or double  
              | STRING // character or string  
              | DataIdentifier  
              | ConstantValue* // sequence, array or structure  
              | UnionValue
```

```
UnionValue      ::= INTEGER    // Tag index
ConstantValue
```

12.3 Global variable declaration

Global variable declarations are used to describe the types and initial values of the global variables of the interchanged script.

A global variable declaration shall consist of:

- a data identifier (optional);
- a type identifier;
- a constant reference (optional).

```
VariableDeclaration ::= DataIdentifier?
                    TypeIdentifier
                    ConstantReference? // Initial value
```

12.3.1 Data identifier

Data identifiers are used to reference data throughout the interchanged script.

The data identifier shall be a positive integer within the range allowed for global variables. It shall correspond to the maximum number of constants incremented by the index (starting from 0) of the declaration in the global variable declarations part.

If the data identifier is not provided, it shall be computed by the script parser.

12.3.2 Type identifier

The type identifier represents the type to which the value of the global variable belongs.

12.3.3 Constant reference

The constant reference represents the initial value of the global variable.

The constant reference shall be one of the following:

- a data identifier referencing a constant;
- a constant value as described in subclause 12.2.3.

In any case, the value to which this constant reference refers shall be of the type of the global variable.

If the constant reference is not provided, the script interpreter shall assign the global variable a default value if its type allows for it. Otherwise, it shall remain undefined until assigned by an instruction.

```
ConstantReference ::= DataIdentifier
                  | ConstantValue
```

12.4 Package declaration

Package declarations are used to describe the external services and exceptions used by the interchanged script.

A package declaration shall consist of:

- a package identifier (optional);
- a string representing the package name;
- a sequence of service descriptions;
- a sequence of exception descriptions.

```
PackageDeclaration ::= PackageIdentifier?
                   VisibleString // Package name
                   ServiceDescription*
                   ExceptionDescription*
```

12.4.1 Package identifier

Package identifiers are used to reference packages throughout the interchanged script.

The package identifier shall be a positive integer within the range allowed for packages. It shall correspond to the index (starting at 0) of the declaration in the package declarations part.

If the package identifier is not provided, it shall be computed by the script parser.

```
PackageIdentifier ::= INTEGER
```

12.4.2 Name

A package name is used by the script interpreter to access the package within the run-time environment, according to the **package availability** procedure described by the platform mapping specification.

12.4.3 Service description

Service descriptions describe external function prototypes.

A service description shall consist of:

- a function identifier (optional);
- a string representing the operation name;
- a calling mode (optional);
- a type identifier (optional);
- a sequence of parameter descriptions.

```
ServiceDescription ::= FunctionIdentifier?  
VisibleString? // IDL global name  
CallingMode?  
TypeIdentifier? // return value  
ServiceParameterDescription*
```

12.4.3.1 Function identifier

Function identifiers are used to reference functions throughout the interchanged script.

The function identifier shall be a positive integer within the range allowed for services. It shall correspond to the maximum number of routines plus the maximum number of predefined functions plus the package identifier multiplied by 256, incremented by the index (starting from 0) of the service in the package declaration.

If the function identifier is not provided, it shall be computed by the script parser.

```
FunctionIdentifier ::= INTEGER
```

12.4.3.2 Name

The operation name is used by the script interpreter to access the operation within the run-time environment, according to the **operation invocation** procedure described by the platform mapping specification.

12.4.3.3 Calling mode

The calling mode represents the way the operation shall be invoked.

The calling mode shall be either 'synchronous' or 'asynchronous'.

If the value is not specified, the calling mode shall be 'synchronous'.

```
CallingMode ::= 'SYNCHRONOUS' | 'ASYNCHRONOUS'
```

12.4.3.4 Type identifier

The type identifier represents the type of return value of the service.

If the type identifier is not specified, it shall be interpreted as a `void` type, i.e. the function shall have no return value.

If the calling mode of the operation is 'asynchronous', the type identifier shall be either 'void' or not specified.

12.4.3.5 Parameter description

Parameter descriptions are used to specify the type and passing mode of service parameters.

A parameter description shall consist of:

- a passing mode;
- a type identifier.

```
ServiceParameterDescription ::= ServicePassingMode?  
                               TypeIdentifier
```

12.4.3.5.1 Passing mode

The passing mode indicates whether the value of the parameter at the time of invocation of the service is used by the service (input parameter) and whether this parameter is modified by the service for use by its caller (output parameter).

The passing mode shall be one of the following: 'in', 'inout' or 'out'.

If the passing mode is not specified, it shall be interpreted as an **in** parameter.

NOTE: The object reference parameter is implicit, so it should not be specified as part of the declaration. It is dealt with as an **in** parameter.

If the calling mode of the operation is 'asynchronous', the passing mode shall be either 'in' or not specified.

```
ServicePassingMode ::= 'IN' | 'OUT' | 'INOUT'
```

12.4.3.5.2 Type identifier

The type identifier represents the type of the considered service parameter.

12.4.4 Exception description

Exception descriptions describe prototypes of exceptions that may be raised during the execution of external functions.

An exception description shall consist of:

- a message identifier (optional);
- a string representing the exception name;
- a sequence of type identifiers representing the members of the exception.

```
ExceptionDescription ::= MessageIdentifier?  
                        VisibleString? //IDL exception global name  
                        TypeIdentifier* //Parameter types
```

12.4.4.1 Message identifier

Message identifiers are used to reference messages throughout the interchanged script.

The message identifier shall be a positive integer within the range allowed for exceptions. It shall correspond to the maximum number of predefined messages plus the package identifier multiplied by 256, incremented by the index (starting at 0) of the exception in the package declaration.

If the message identifier is not provided, it shall be computed by the script parser.

```
MessageIdentifier ::= INTEGER
```

12.4.4.2 Name

An exception name is used by the script interpreter to retrieve the exception within the run-time environment, according to the **exception retrieval** procedure described by the platform mapping specification.

12.4.4.3 Parameter description

Each parameter of the message corresponds to one member of the exception. It is described by its type identifier.

12.5 Handler declaration

Handler declarations are used to associate a message with the function that handles it.

A handler declaration shall consist of:

- a message identifier;
- a function identifier.

```
HandlerDeclaration ::= MessageIdentifier  
                    FunctionIdentifier
```

12.5.1 Message identifier

The message identifier indicates the message to be handled.

The message identifier shall be a positive integer within the whole range allowed to messages, representing either a predefined message or an exception.

12.5.2 Function identifier

The function identifier indicates the function to be triggered when the message is removed from the message queue.

The function identifier shall be a positive integer within the whole range allowed to function, representing a routine, a predefined function or a service.

The description of the formal parameter types for the function shall be the same as for the message, so that the function may be called with the message actual parameters as its parameters. If signatures do not match, the handler shall be rejected by the script parser.

12.6 Routine declaration

Routine declarations are used to describe the structure and program code of the internal functions of the interchanged script.

A routine declaration shall consist of:

- a function identifier (optional);
- a type identifier (optional);
- a sequence of parameter descriptions;
- a sequence of local variable declarations;
- MHEG-SIR program code.


```
RoutineDeclaration ::= FunctionIdentifier?  
                    TypeIdentifier?      // for return value  
                    RoutineParameterDescription*  
                    LocalVariableDeclaration*  
                    OCTET STRING        // program code
```

12.6.1 Function identifier

The function identifier shall be a positive integer within the range allowed for routines. It shall correspond to the index (starting from 0) of the routine in the routine declarations part.

If the function identifier is not provided, it shall be computed by the script parser.

12.6.2 Type identifier

The type identifier represents the type of return value of the routine.

If the type identifier is not specified, it shall be interpreted as a `void` type, i.e. the function shall have no return value.

12.6.3 Parameter description

Parameter descriptions are used to specify the type and passing mode of routine parameters.

A parameter description shall consist of:

- a passing mode (optional);
- a type identifier.

```
RoutineParameterDescription ::= RoutinePassingMode?  
                               TypeIdentifier
```

12.6.3.1 Passing mode

The passing mode indicates whether the parameter shall be passed to the routine using its **value** (input parameter) or a **reference** to the variable that holds its value (input/output parameter).

The passing mode shall be one of the following: 'value' or 'reference'.

```
RoutinePassingMode ::= 'VALUE' | 'REFERENCE'
```

12.6.3.2 Type identifier

The type identifier represents the type of the considered routine parameter.

12.6.4 Local variable declaration

Local variable declarations are used to describe the types and initial values of variables whose scope is limited to one execution of a routine.

A local variable declaration shall have the same structure as a global variable declaration, as defined in subclause 12.3. It shall consist of:

- a data identifier (optional);
- a type identifier;
- a constant reference (optional).

12.6.4.1 Data identifier

The data identifier shall be a positive integer within the range allowed for local variables. It shall correspond to the maximum number of constants plus the maximum number of global variables incremented by the index (starting from 0) of the declaration in the local variable declarations of the routine, incremented by the number of formal parameters of the routine.

If the data identifier is not provided, it shall be computed by the script parser.

12.6.4.2 Type identifier

The type identifier represents the type to which the value of the local variable belongs.

12.6.4.3 Constant reference

The constant reference represents the initial value of the local variable.

The constant reference shall be one of the following:

- a data identifier referencing a constant;
- a constant value as defined in subclause 12.2.3.

In any case, the value to which this constant reference refers shall be of the type of the local variable.

If the constant reference is not provided, the script interpreter shall assign the local variable a default value if its type allows for it. Otherwise, it shall remain undefined until assigned by an instruction.

12.6.5 Program code

The program code consists of the sequence of instructions of the routine, intended for execution by the script interpreter when the routine is triggered. The syntax and semantics of the MHEG-SIR instructions is described in clause 13.

The last instruction of a routine shall be a RET instruction.

13 MHEG-SIR instructions

This clause defines the semantics of the MHEG-SIR instructions.

13.1 Presentation methodology

Each instruction is defined in the corresponding subclause by a set of entries as follows:

Short description:	A brief description of the instruction's semantics.
Synopsis:	Mnemonic Operand1 ... OperandN
Operands:	A description of the types and semantics of each operand carried with the instruction (if any).
Stack:	A visual synopsis of the instruction's effect on the parameter stack, e.g. ..., Parameter1, Parameter2 ⇔ ..., Result
Types:	A list of the types of parameters to which the instruction applies (if it is a template instruction).
Parameters:	A description of the semantics of each element of the parameter stack which is popped, pushed or otherwise effected by the instruction (if any).
Effect:	A textual specification of the interpretation semantics of the instruction.
Formal specification:	A formal specification of the interpretation semantics of the instruction using the notation described in this subclause.
Errors:	A list of the errors that may be raised during execution of the instruction.

13.1.1 Error conditions

The semantics of the instruction, as described by the formal specification, shall apply only if the operands are valid. Otherwise, an `InstructionExecutionError` exception shall be raised and the error register shall be set to `InvalidOperand`. The result of the instruction execution is unspecified.

When the parameter stack is looked up, i.e. on a `PS.pop` or a `PS[SP]` primitive, if the parameter stack does not hold enough parameters then an `InstructionExecutionError` exception shall be raised and the error register shall be set to `StackUnderflow`. The resulting state of the parameter stack is unspecified.

If the result of an arithmetic operation falls in a range that exceeds that of the target type, arithmetic operations shall raise an `InstructionExecutionError` exception and the error register shall be set to `ArithmeticOverflow` or `DivisionByZero`, as applicable.

If a identifier does not refer to a valid entity (type, data, function, message, package) then when its value in the corresponding table is accessed (e.g. using `DT[i]`), an `InstructionExecutionError` exception shall be raised and the error register shall be set to `InvalidIdentifier`.

If IP is set to an invalid pointer then an `InstructionExecutionError` exception shall be raised and the error register shall be set to `JumpOutOfRange`.

When a dynamic variable is allocated and allocation is impossible due to lack of memory space or data identifiers then the `new()` primitive shall raise an `InstructionExecutionError` exception and set the error register to `AllocationFailed`.

Triggering of the other error conditions is specified explicitly throughout subclause 13.3. The error code values are defined in annex C.

13.1.2 Formal specification

The "formal specification" entry of an instruction description gives a concise formal notation of the effect that the instruction execution unit shall produce as it interprets the instruction; however, as this specification is expressed in terms of a sequence of operations, there may be other methods to lead to the same result, so this formal specification does not require the instruction execution unit to perform as expressed as long as the effect is the same.

The error cases described in subclause 13.1.1 are implicit and are not expressed in the formal specification. The other error cases are explicitly mentioned.

To specify the semantics of an instruction in a formal way, a C-like syntax is used. It uses the notations and concepts defined in clauses 8 and 9, plus the following notations:

- Data Table (DT) notation (see subclause 13.1.3);
- template instruction notation (see subclause 13.1.4);
- primitives (see subclause 13.1.5).

13.1.3 Data table notation

The notation `DT(i)`, where `i` stands for a data identifier, corresponds to:

- the entry whose key is `i` in the constant table, if `i` is the data identifier of a constant;
- the entry whose key is `i` in the global variable table, if `i` is the data identifier of a global variable;
- the entry whose key is `i` in the local variable table of the currently executing routine, if `i` is the data identifier of a local variable;
- the dynamic variable whose handle is mapped to `i`, if `i` is the data identifier of a dynamic variable.

This macro may be expressed as follows:

```
#define DT(i) (i < 4096) ? CT[i] : VT[i])
```

13.1.4 Template instruction notation

A number of instructions (e.g. arithmetic and logical instruction) operate on values of a given type and produce a result with the same type. The `<T>` notation is used to express a template instruction. `<Mnemonic>_<T>` represents all instructions `<Mnemonic>` with `<T>` being replaced by the type letter of any primitive type to which the instruction is applicable, as described by the "Types" entry in the instruction description.

NOTE: Operations on mixed types should be handled by explicitly inserting type conversion instructions in the instruction sequence.

13.1.5 Primitives

The following primitive notations are used in the formal specification of the instructions:

- `DID new(tid)`: allocates a dynamic variable of the type identifier by `tid`;
- `void raise(exc)`: raises an `InstructionExecutionError` exception and sets ER to error code `exc`;
- `void delete(did)`: releases the dynamic variable identified by `did`;
- `int sizeof(tid)`: returns the size of values of the type identified by `tid`, expressed in the same units as the PS pointer addresses;
- `type(<T>)`: macro to be replaced by the C type name.

13.2 Classification of MHEG-SIR instructions

The MHEG-SIR instructions may be clustered into categories according to their effect on the control flow, on the variable tables or on the parameter stack, and according to the types of stack parameters that they accept:

- a) instructions that affect the control flow:
 - 1) unconditional jump instructions: `JMP`, `LJMP`;
 - 2) conditional jump instructions: `JT`, `JF`, `LJT`, `LJF`;
 - 3) function invocations: `CALL`, `XCALL`;
 - 4) miscellaneous control flow instructions: `RET`, `YIELD`.
- b) instructions that do not affect the control flow, but affect the value of variables:
 - 1) complex variable modifiers: `SET`, `SETC`;
 - 2) arithmetic operators on variables: `INC`, `DEC`;
 - 3) stack pop instructions: `POPR`, `POP`, `POPC`;
 - 4) memory management instructions: `ALLOC`, `FREE`.
- c) instructions that do not affect the control flow or the variables, but affect the parameter stack:
 - 1) conversion instructions: `CVT`;
 - 2) arithmetic operators: `ADD`, `SUB`, `MUL`, `DIV`, `REM`, `NEG`;
 - 3) logical operators: `AND`, `OR`, `XOR`, `NOT`;
 - 4) logical shift operators: `SHIFT`;
 - 5) comparison operators: `EQ`, `GT`, `LT`, `EQR`;
 - 6) complex data accessors: `GET`, `GETC`;
 - 7) miscellaneous stack manipulation instructions: `PUSHI`, `PUSHR`, `PUSH`, `DUP`, `GETOR`.
- d) instructions that have no effect: `NOP`.

NOTE: Most instructions only operate on primitive type values. Only the following instructions are used to manipulate constructed values: `EQR`, `GET`, `GETC`, `SET`, `SETC`, `ALLOC`, `FREE`, `CALL`, `XCALL`.

The effect of instructions is summarized in table 3. The operations are listed in canonical order, i.e. by ascending op-code number. Some mnemonics represent template instructions and therefore have type suffixes.

Table 3: Synopsis of MHEG-SIR instructions and their effect

Mnemonics	Ref.	Opcode (hexa)	Op. size	Op. type	Parameter types	PS effect	VT effect	Control flow effect
NOP	14.3.1	00	0					
YIELD	14.3.2	02	0					x
RET	14.3.3	03	0			0 1 ⇨ 0 1		x
FREE	14.3.4	08	0			1 ⇨ 0	x	
NOT_<T>	14.3.5	10 – 13	0		BOWU	1 ⇨ 1		
OR_<T>	14.3.6	14 – 17	0		BOWU	2 ⇨ 1		
XOR_<T>	14.3.7	18 – 1B	0		BOWU	2 ⇨ 1		
AND_<T>	14.3.8	1C – 1F	0		BOWU	2 ⇨ 1		
EQR	14.3.9	20	0			2 ⇨ 1		
EQ_<T>	14.3.10	21 – 2B	0		OSLWUFDBCIR	2 ⇨ 1		
LT_<T>	14.3.11	30 – 37	0		COSLWUFD	2 ⇨ 1		
GT_<T>	14.3.12	38 – 3F	0		COSLWUFD	2 ⇨ 1		
ADD_<T>	14.3.13	40 – 47	0		OSLWUFD	2 ⇨ 1		
SUB_<T>	14.3.14	48 – 4F	0		OSLWUFD	2 ⇨ 1		
MUL_<T>	14.3.15	50 – 57	0		OSLWUFD	2 ⇨ 1		
DIV_<T>	14.3.16	58 – 5F	0		OSLWUFD	2 ⇨ 1		
NEG_<T>	14.3.17	62 – 67	0		SLFD	1 ⇨ 1		
REM_<T>	14.3.18	79 – 7D	0		OSLWU	2 ⇨ 1		
DUP_<T>	14.3.19	81 – 8B	0		OSLWUFDBCIR	1 ⇨ 2		
CVT_<TT>	14.3.20	94 – BE	0		OSLWUFDBC	1 ⇨ 1		
JT	14.3.21	C0	1	offset		1 ⇨ 0		x
JF	14.3.22	C1	1	offset		1 ⇨ 0		x
JMP	14.3.23	C2	1	offset				x
SHIFT_<T>	14.3.24	C5 – C7	1	offset	OWU	1 ⇨ 1		
GETOR	14.3.25	C9	1	PID		0 ⇨ 1		
LJT	14.3.26	D0	2	offset		1 ⇨ 0		x
LJF	14.3.27	D1	2	offset		1 ⇨ 0		x
LJMP	14.3.28	D2	2	offset				x
CALL	14.3.29	D4	2	FID		n ⇨ 0 1		x
XCALL	14.3.30	D6	2	FID		n ⇨ 0 1		x
PUSH	14.3.31	E0	2	DID		0 ⇨ 1		
PUSHR	14.3.32	E1	2	DID		0 ⇨ 1		
PUSHI	14.3.33	E3	2	value		0 ⇨ 1		
POP	14.3.34	E4	2	DID		1 ⇨ 0	x	
POPR	14.3.35	E5	2	DID		1 ⇨ 0	x	
POPC	14.3.36	E6	2	DID		1 ⇨ 0	x	
ALLOC	14.3.37	E8	2	TID		0 ⇨ 1	x	
INC	14.3.38	EA	2	DID		1 ⇨ 0	x	
DEC	14.3.39	EB	2	DID		1 ⇨ 0	x	
GET	14.3.40	F0	3	DID, idx		idx ⇨ 1		
GETC	14.3.41	F2	3	DID, idx		idx+1 ⇨ 0	x	
SET	14.3.42	F4	3	DID, idx		idx+1 ⇨ 0	x	
SETC	14.3.43	F6	3	DID, idx		idx+1 ⇨ 0	x	

13.3 Description of instructions

13.3.1 No operation

Short description: Do nothing.

Synopsis: NOP

Operands: None.

Types: Not applicable.

Parameters: None.

Stack: ... ⇨ ...

Effect: None.

Formal specification: 0;

Errors:

13.3.2 Yield

Short description: Handle pending messages.

Synopsis: YIELD

Operands: None.

Stack: ... ⇨ ...

Types: Not applicable.

Parameters: None.

Effect: If there is a pending message in the message queue, handle it by calling the corresponding routine.
Upon returning, iterate the process until the message queue is empty.

Formal specification:

```
while (QP != 'null')
{
  FID fid = HT[MQ[QP].MID].FID;
  if (fid == 'null') then raise('HandlerNotFound');
  else
  {
    CS.push({IP-1, FR, SP, LT});
    // IP-1: allows to re-iterate the YIELD instruction
    FR = fid;
    IP = RT[FR].IP;
    LT = MQ[QP].LT;
  }
  MQ.remove();
}
```

Errors: HandlerNotFound

13.3.3 Return

Short description: Return to caller.

Synopsis: RET

Operands: None.

Stack: ..., (Val) ⇨ ..., (Val)

Types: Not applicable.

Parameters: If the current routine signature has a return value, Val shall be interpreted as of the type of this return value.
Otherwise, no stack parameter shall be considered.

Effect: Return to the calling routine. Pop the call stack and restore the context of the previous frame. If the current routine has a return value, check that there is a value of the same type on the top of the parameter stack.
If there is no calling function to return to, stop and go back to **ready** status.

Formal specification:

```
if (sizeof(RT[FR].TID) != (SP - CS[FP].SP))
    then raise('InvalidReturnValue');
IP = CS[FP].IP;
FR = CS[FP].FR;
LT = CS[FP].LT;
CS.pop();
```

Errors: InvalidReturnValue

13.3.4 Free

Short description: Release dynamic variable.

Synopsis: FREE

Operands: None

Stack: ..., Did ⇨ ...

Types: Not applicable.

Parameters: Did shall be interpreted as a data identifier.

Effect: Check that Did is the data identifier of a dynamic variable. Release the dynamic memory associated with Did, and make the data identifier invalid.

Formal specification:

```
if (did < 8100h) then raise('InvalidParameter');
delete(VT[PS.pop('data identifier')]);
```

Errors: StackUnderflow
InvalidIdentifier

13.3.5 Not

Short description: Logical negation.

Synopsis: NOT_<T>

Operands: None.

Stack: ..., Val ⇨ ..., Neg

Types: Boolean or any unsigned integer (B, O, W, U).

Parameters: Val shall be interpreted as of type <T>.
Neg shall be of type <T>.

Effect: Replace the top element of the parameter stack by its logical negation if <T> is B, its bitwise negation otherwise (i.e. its complement-to-one):
Neg = ~Val

Formal specification:

```
type(<T>) buf = PS.pop(<T>);
if (<T> == 'boolean') then PS.push(! buf);
else PS.push(~ buf);
```

Errors: StackUnderflow

13.3.6 Or

Short description: Logical disjunction.

Synopsis: OR_<T>

Operands: None.

Stack: ..., Val1, Val2 ⇨ ..., Disj

Types: Boolean or any unsigned integer (B, O, W, U).

Parameters: Val1 and Val2 shall be interpreted as of type <T>.
Disj shall be of type <T>.

Effect: Replace the top two elements of the parameter stack by their logical disjunction
if <T> is B, their bitwise disjunction otherwise:
 Disj = Val1 | Val2

Formal specification: type(<T>) buf = PS.pop(<T>);
 if (<T> == 'boolean') then buf = buf || PS.pop('boolean');
 else buf |= PS.pop(<T>);
 PS.push(buf);

Errors: StackUnderflow

13.3.7 Exclusive or

Short description: Logical exclusion.

Synopsis: XOR_<T>

Operands: None.

Stack: ..., Val1, Val2 ⇨ ..., Excl

Types: Boolean or any unsigned integer (B, O, W, U).

Parameters: Val1 and Val2 shall be interpreted as of type <T>.
Excl shall be of type <T>.

Effect: Replace the top two elements of the parameter stack by their logical exclusion if
<T> is B, their bitwise exclusion otherwise:
 Excl = Val1 ^ Val2

Formal specification: type(<T>) buf = PS.pop(<T>);
 if (<T> == 'boolean') then buf = (buf != PS.pop('boolean'));
 else buf ^= PS.pop(<T>);
 PS.push(buf);

Errors: StackUnderflow

13.3.8 And

Short description: Logical conjunction.

Synopsis: AND_<T>

Operands: None.

Stack: ..., Val1, Val2 ⇨ ..., Conj

Types: Boolean or any unsigned integer (B, O, W, U).

Parameters: Val1 and Val2 shall be interpreted as of type <T>.
Conj shall be of type <T>.

Effect: Replace the top two elements of the parameter stack by their logical conjunction if $\langle T \rangle$ is B, their bitwise conjunction otherwise:

$$\text{Conj} = \text{Val1} \ \& \ \text{Val2}$$

Formal specification:

```
type(<T>) buf = PS.pop(<T>);
if (<T> == 'boolean') then buf = buf && PS.pop('boolean');
else buf &= PS.pop(<T>);
PS.push(buf);
```

Errors: StackUnderflow

13.3.9 Equal reference

Short description: Compare constructed values.

Synopsis: EQR

Operands:

Stack: $\dots, \text{Did1}, \text{Did2} \Leftrightarrow \dots, \text{Bool}$

Types: Not applicable.

Parameters: Did1 and Did2 shall be interpreted as of data identifier type.
Bool shall be of boolean type.

Effect: Check that Did1 and Did2 identify data of the same type.
Return 'true' if the data identified by Did1 and Did2 are equal (see subclause 8.2), 'false' otherwise:

$$\text{Bool} = (\text{DT}(\text{Did1}) == \text{DT}(\text{Did2}))$$

Formal specification:

```
DID did2 = PS.pop('data identifier');
DID did1 = PS.pop('data identifier');
if (DT(did1).tid != DT(did2).tid) then raise('TypeMismatch');
if (DT(did1).val == DT(did2).val) then PS.push('true');
else PS.push('false');
```

Errors: TypeMismatch
StackUnderflow
InvalidIdentifier

13.3.10 Equal

Short description: Equality.

Synopsis: EQ_<T>

Operands: None.

Stack: $\dots, \text{Val1}, \text{Val2} \Leftrightarrow \dots, \text{Comp}$

Types: Any primitive type except void (O, S, L, W, U, F, D, B, C, I, R).

Parameters: Val1 and Val2 shall be interpreted as of type $\langle T \rangle$.
Comp shall be of boolean type.

Effect: Replace the top two elements of the parameter stack by 'true' if they are equal and 'false' otherwise:

$$\text{Comp} = (\text{Val1} == \text{Val2})$$

Formal specification:

```
type(<T>) buf = PS.pop(<T>);
if (buf == PS.pop(<T>)) then PS.push('true');
else PS.push('false');
```

Errors: StackUnderflow

13.3.11 Less than

Short description: Strict inferiority.

Synopsis: `LT_<T>`

Operands: None.

Stack: `..., Val1, Val2 ⇨ ..., Comp`

Types: Character or any numeric (C, O, S, L, W, U, F, D).

Parameters: `Val1` and `Val2` shall be interpreted as of type `<T>`.
`Comp` shall be of boolean type.

Effect: Replace the top two elements of the parameter stack by 'true' if the top element is greater than the next, and 'false' otherwise:
`Comp = (Val1 < Val2)`
To compare characters, the numeric order shall be used.

Formal specification:

```
type(<T>) buf = PS.pop(<T>);  
if (PS.pop<T> < buf) then PS.push('true');  
else PS.push('false');
```

Errors: `StackUnderflow`

13.3.12 Greater than

Short description: Strict superiority.

Synopsis: `GT_<T>`

Operands: None.

Stack: `..., Val1, Val2 ⇨ ..., Comp`

Types: Character or any numeric (C, O, S, L, W, U, F, D).

Parameters: `Val1` and `Val2` shall be interpreted as of type `<T>`.
`Comp` shall be of boolean type.

Effect: Replace the top two elements of the parameter stack by 'true' if the top element is less than the next, and 'false' otherwise:
`Comp = (Val1 > Val2)`
To compare characters, the numeric order shall be used.

Formal specification:

```
type(<T>) buf = PS.pop(<T>);  
if (PS.pop<T> > buf) then PS.push('true');  
else PS.push('false');
```

Errors: `StackUnderflow`

13.3.13 Add

Short description: Arithmetic addition.

Synopsis: `ADD_<T>`

Operands: None.

Stack: `..., Num1, Num2 ⇨ ..., Sum`

Types: Any numeric (O, S, L, W, U, F, D).

Parameters: Num1 and Num2 shall be interpreted as of type <T>.
Sum shall be of type <T>.

Effect: Replace the top two elements of the parameter stack by their sum:
Sum = Num1 + Num2

Formal specification: `type(<T>) buf = PS.pop(<T>);
buf += PS.pop(<T>);
PS.push(buf);`

Errors: StackUnderflow
ArithmeticOverflow

13.3.14 Subtract

Short description: Arithmetic subtraction.

Synopsis: SUB_<T>

Operands: None.

Stack: ..., Num1, Num2 \Rightarrow ..., Diff

Types: Any numeric (O, S, L, W, U, F, D).

Parameters: Num1 and Num2 shall be interpreted as of type <T>.
Diff shall be of type <T>.

Effect: Replace the top two elements of the parameter stack by their difference:
Diff = Num1 - Num2

Formal specification: `type(<T>) buf = PS.pop(<T>);
buf = PS.pop(<T>) - buf;
PS.push(buf);`

Errors: StackUnderflow
ArithmeticOverflow

13.3.15 Multiply

Short description: Arithmetic multiplication.

Synopsis: MUL_<T>

Operands: None.

Stack: ..., Num1, Num2 \Rightarrow ..., Prod

Types: Any numeric (O, S, L, W, U, F, D).

Parameters: Num1 and Num2 shall be interpreted as of type <T>.
Prod shall be of type <T>.

Effect: Replace the top two elements of the parameter stack by their product:
Prod = Num1 * Num2

Formal specification: `type(<T>) buf = PS.pop(<T>);
buf *= PS.pop(<T>);
PS.push(buf);`

Errors: StackUnderflow
ArithmeticOverflow

13.3.16 Divide

Short description: Arithmetic division.

Synopsis: `DIV_<T>`

Operands: None.

Stack: `..., Num1, Num2 ⇨ ..., Quot`

Types: Any numeric (O, S, L, W, U, F, D).

Parameters: `Num1` and `Num2` shall be interpreted as of type `<T>`.
`Quot` shall be of type `<T>`.

Effect: Replace the top two elements of the parameter stack by their quotient:
$$\text{Quot} = \text{Num1} / \text{Num2}$$

Formal specification: `type(<T>) buf = PS.pop(<T>);`
`buf = PS.pop(<T>) / buf;`
`PS.push(buf);`

Errors: `StackUnderflow`
`DivisionByZero`

13.3.17 Negate

Short description: Sign change.

Synopsis: `NEG_<T>`

Operands: None.

Stack: `..., Num ⇨ ..., Opp`

Types: Any signed numeric (S, L, F, D).

Parameters: `Num` shall be interpreted as of type `<T>`.
`Opp` shall be of type `<T>`.

Effect: Replace the top element of the parameter stack by its opposite:
$$\text{Opp} = -\text{Num1}$$

Formal specification: `type(<T>) buf = PS.pop<T>;`
`PS.push(- buf);`

Errors: `StackUnderflow`

13.3.18 Remainder

Short description: Arithmetic remainder.

Synopsis: `REM_<T>`

Operands: None.

Stack: `..., Num1, Num2 ⇨ ..., Rem`

Types: Any integer (O, S, L, W, U).

Parameters: `Num1` and `Num2` shall be interpreted as of type `<T>`.
`Rem` shall be of type `<T>`.

Effect: Replace the top two elements of the parameter stack by their remainder:
$$\text{Rem} = \text{Num1} \% \text{Num2}$$

Formal specification: `type(<T>) buf = PS.pop(<T>);`
`buf = PS.pop(<T>) \% buf;`
`PS.push(buf);`

Errors: StackUnderflow
DivisionByZero

13.3.19 Duplicate

Short description: Duplicate value

Synopsis: DUP_<T>

Operands: None

Stack: ..., Val ⇨ ..., Val, Val

Types: Any primitive type except void (O, S, L, W, U, F, D, B, C, I, R).

Parameters: Val shall be interpreted as of type <T>.

Effect: Duplicate the value on the top of stack.

Formal specification: type(<T>) buf = PS[SP](<T>);
PS.push(buf);

Errors: StackUnderflow

13.3.20 Convert

Short description: Convert value

Synopsis: CVT_<T1><T2>

Operands: None

Stack: ..., Val ⇨ ..., Res

Types: Boolean, character or any numeric (O, S, L, W, U, F, D, B, C); see allowed combinations in subclause 13.4.

Parameters: Val shall be interpreted as of type <T1> (source type).
Res shall be of type <T2> (destination type).

Effect: Replace the value on the top of stack by an equivalent value in the destination type. Conversion rules defined in subclause 13.4 apply.

Formal specification: type(<T2>) buf = (type(<T2>)) (PS.pop(<T1>));
PS.push(buf);

Errors: StackUnderflow

13.3.21 Jump on true

Short description: "If" conditional short jump.

Synopsis: JT Off

Operands: Off shall be a one-byte signed offset (in complement-to-two notation) specifying the number of instructions to move forwards or backwards within the current routine.

Stack: ..., Test ⇨ ...

Types: Not applicable.

Parameters: Test shall be interpreted as of boolean type.

Effect: If the top element of the stack is 'true' then
if `Off` is positive, jump `Off` instructions forwards;
if `Off` is negative, jump `-Off` instructions backwards.

Formal specification: `if (PS.pop('boolean')) then IP += Off;`

Errors: `StackUnderflow`
`JumpOutOfRange`

13.3.22 Jump on false

Short description: "Else" conditional short jump.

Synopsis: `JF Off`

Operands: `Off` shall be a one-byte signed offset (in complement-to-two notation) specifying the number of instructions to move forwards or backwards within the current routine.

Stack: `..., Test ⇨ ...`

Types: Not applicable.

Parameters: `Test` shall be interpreted as of `boolean` type.

Effect: If the top element of the stack is 'false' then
if `Off` is positive, jump `Off` instructions forwards;
if `Off` is negative, jump `-Off` instructions backwards.

Formal specification: `if ! (PS.pop('boolean')) then IP += Off;`

Errors: `StackUnderflow`
`JumpOutOfRange`

13.3.23 Jump

Short description: Unconditional short jump.

Synopsis: `JMP Off`

Operands: `Off` shall be a one-byte signed offset (in complement-to-two notation) specifying the number of instructions to move forwards or backwards within the current routine.

Stack: `... ⇨ ...`

Types: Not applicable.

Parameters: None.

Effect: If `Off` is positive, jump `Off` instructions forwards;
if `Off` is negative, jump `-Off` instructions backwards.

Formal specification: `IP += Off;`

Errors: `JumpOutOfRange`

13.3.24 Shift

Short description: Logical shift.

Synopsis: `SHIFT_<T> Off`

Operands: `Off` shall be a one-byte signed offset (in complement-to-two notation) specifying the number of bit places to shift the parameter leftwards or rightwards.

Stack: `..., Val ⇨ ..., Pwr`

Types: Any unsigned integer (O, W, U).

Parameters: `Val` shall be interpreted as of type `<T>`.
`Pwr` shall be of type `<T>`.

Effect: Replace the top element of the stack by its value shifted right `Off` bits if `Off` is positive, or left `-Off` bits if `Off` is negative. If `Off` is beyond range, the result is unspecified.

Formal specification:

```
type(<T>) buf = PS.pop(<T>);
if (Off >=0) then buf >>= Off;
else if (buf < 0)
    buf = -(-buf << -Off);
else buf <<= -Off;
PS.push(buf);
```

Errors: `StackUnderflow`
`ShiftOutOfRange`

13.3.25 Get object reference

Short description: Get initial object reference to package.

Synopsis: `GETOR Pid`

Operands: `Pid` shall be the one-byte representation of a package identifier specifying the package to access.

Stack: `... ⇨ ..., Obref`

Types: Not applicable.

Parameters: `Obref` shall be of object reference type.

Effect: Retrieve an object reference to the initial object of the package.

Formal specification:

```
if (PT[PID].sts = 'not available') then raise('BadPackageStatus');
PS.push(PT[PID].or);
```

Errors: `InvalidIdentifier`
`BadPackageStatus`

13.3.26 Long jump on true

Short description: "If" conditional long jump.

Synopsis: `LJT Off`

Operands: `Off` shall be a two-byte signed offset (in complement-to-two notation) specifying the number of instructions to move forwards or backwards within the current routine.

Stack: `..., Test ⇨ ...`

Types: Not applicable.

Parameters: `Test` shall be interpreted as of boolean type.

Effect: If the top element of the stack is 'true' then
if `Off` is positive, jump `Off` instructions forwards;
if `Off` is negative, jump `-Off` instructions backwards.

Formal specification: `if (PS.pop('boolean')) then IP += Off;`

Errors: `StackUnderflow`
`JumpOutOfRange`

13.3.27 Long jump on false

Short description: "Else" conditional long jump.

Synopsis: `LJF Off`

Operands: `Off` shall be a two-byte signed offset (in complement-to-two notation) specifying the number of instructions to move forwards or backwards within the current routine.

Stack: `..., Test ⇨ ...`

Types: Not applicable.

Parameters: `Test` shall be interpreted as of `boolean` type.

Effect: If the top element of the stack is 'false' then
if `Off` is positive, jump `Off` instructions forwards;
if `Off` is negative, jump `-Off` instructions backwards.

Formal specification: `if ! (PS.pop('boolean')) then IP += Off;`

Errors: `StackUnderflow`
`JumpOutOfRange`

13.3.28 Long jump

Short description: Unconditional long jump.

Synopsis: `LJMP Off`

Operands: `Off` shall be a two-byte signed offset (in complement-to-two notation) specifying the number of instructions to move forwards or backwards within the current routine.

Stack: `... ⇨ ...`

Types: Not applicable.

Parameters: None.

Effect: If `Off` is positive, jump `Off` instructions forwards;
if `Off` is negative, jump `-Off` instructions backwards.

Formal specification: `IP += Off;`

Errors: `JumpOutOfRange`

13.3.29 Call

Short description: Call routine.

Synopsis: `CALL Fid`

Operands:	Fid shall be the two-byte representation of a function identifier specifying the routine to invoke.
Stack:	..., ParN, ... , Par1 ⇨ ...
Types:	Not applicable.
Parameters:	Par1, ..., ParN (where N is the number of parameters of the routine) are the actual parameters of the routine. They shall be interpreted as of the same type as the formal parameters of the routine when those are passed by value, and they shall be interpreted as of <code>data identifier</code> type and reference a variable of the same type of the formal parameters of the routine when those are passed by reference.
Effect:	Pop the top elements of the parameter stack and invoke the routine specified by Fid with these elements as actual parameters. For parameters passed by reference, check that the data identifier does not reference a local variable and points to data of the same type as in the signature. Push one frame onto the call stack with the current context. Initialize the local variable table for the routine. Set the instruction pointer to the first instruction of the routine.
Formal specification:	<pre> TID tid; CS.push(IP, FR, SP, LT); FR = Fid; LT = RT[Fid].LT; for (short i = 0; i < RT[Fid].nbp; i--) { switch (RT[Fid].sig[i].mod) { case 'value': tid = RT[Fid].sig[i].TID; break; case 'reference': tid == 'data identifier'; if (8000h <= PS[SP](tid) < 8100h) then raise('InvalidParameter'); if (RT[Fid].sig[i].TID != DT(PS[SP](tid)).TID) then raise('TypeMismatch'); break; }; LT[i+0x8000].val = PS.pop(tid); }; IP = RT[Fid].IP; </pre>
Errors:	<pre> InvalidIdentifier StackUnderflow TypeMismatch InvalidParameter </pre>

13.3.30 External call

Short description:	Call external function.
Synopsis:	XCALL Fid
Operands:	Fid shall be the two-byte representation of a function identifier specifying the service or predefined function to invoke.
Stack:	..., ParN, ... , Par1 ⇨ ..., (Ret)
Types:	Not applicable.
Parameters:	<p>Par1 shall be interpreted as of <code>object reference</code> type. It indicates the reference of the IDL instance to which to apply the operation.</p> <p>Par2, ..., ParN (where N is the number of parameters of the function, plus 1) are the actual parameters of the function. Whatever the passing mode, they shall be interpreted as of <code>data identifier</code> type.</p> <p>If the function has a return value type other than <code>void</code>, Ret shall be of this type.</p>

Effect: Check that the parameters reference data of the same type as in the function's signature. Pop the top elements of the parameter stack and invoke the external function specified by Fid with these elements as actual parameters. Push one frame onto the call stack with the current context. Pass parameters to and invoke the external function. If the invocation is asynchronous, pop the call stack as soon as the request is acknowledged. If the invocation is synchronous, wait for completion of the request. If an exception is raised, activate the handler of the exception. Otherwise, retrieve the function's output parameters and return value, push the return value onto the parameter stack and pop the call stack.

Formal specification:

```
DID buf[ST[Fid].nbp];
Object obref = PS.pop('object reference');
for (short i = 0; i < ST[Fid].nbp; i++)
{
    if (ST[Fid].sig[i].TID != DT(PS[SP]('data identifier')).TID)
        then raise('TypeMismatch');
    buf[i] = PS.pop('data identifier');
};
CS.push(IP, FR, SP, LT);
FR = Fid;
LT[0].tid = 'object reference';
LT[0].val = obref;
for (short i = 1; i < ST[Fid].nbp; i++)
    LT[i].TID = 'data identifier';
    LT[i].val = buf[i];
}
short Pid = (Fid>>8)-64;
if (PT[Pid].sts != 'available') then raise('BadPackageStatus');
_open_package(PT[Pid].name);
// open a context to invoke the service
_pass_in_parameter(LT[0]);
// according to the platform mapping specification procedure
for (short i=1; i<ST[Fid].nbp; i++)
    switch(ST[Fid].sig[i].mod)
    {
        case 'in': _pass_in_parameter (LT[i]);
        case 'out': _pass_out_parameter (LT[i]);
        case 'inout': _pass_inout_parameter (LT[i]);
    };
if (ST[Fid].mod == 'asynchronous') then
{
    _invoke_operation(PT[Pid].name, ST[Fid].name);
    {IP, FR, SP, LT} = CS.pop();
}
else
{
    result = _invoke_operation(PT[Pid].name, ST[Fid].name);
    if (result == 'ok') then
    {
        _retrieve_out_parameter();
        {IP, FR, SP, LT} = CS.pop();
        if (ST[Fid].TID != 'void') then
            PS.push(_retrieve_return_value());
    }
    else // the result is an exception formatted as a message
    {
        FR = HT[result.MID];
        LT = result.LT;
        IP = RT[FT].IP;
    }
}
_close_package(PT[Pid].name);
// close service invocation context
```

Errors: InvalidIdentifier
StackUnderflow
TypeMismatch
BadPackageStatus
InvalidObjectReference

13.3.31 Push

Short description: Push data value.

Synopsis: PUSH Did

Operands: `Did` shall be the two-byte representation of a data identifier holding the value to push onto the stack.

Stack: `... ⇨ ..., Val`

Types: Not applicable.

Parameters: `Val` shall be of the same type as the constant or variable identified by `Did`.

Effect: Check that `Did` identifies a constant or variable of a primitive type. Push the value of the constant or variable whose data identifier is `Did` onto the parameter stack.

Formal specification:

```
if (DT(Did).tid > 'object reference') then raise('InvalidType');  
PS.push(DT(Did).val);
```

Errors: `InvalidIdentifier`
`InvalidType`

13.3.32 Push reference

Short description: Push data identifier.

Synopsis: `PUSHR Did`

Operands: `Did` shall be the two-byte representation of a data identifier to push onto the stack.

Stack: `... ⇨ ..., Val`

Types: Not applicable.

Parameters: `Val` shall be of data identifier type.

Effect: Push `Did` onto the parameter stack.

Formal specification: `PS.push(Did);`

Errors: None.

13.3.33 Push immediate

Short description: Push short integer.

Synopsis: `PUSHI Int`

Operands: `Int` shall be the two-byte representation of a signed short integer value (in complement-to-two notation) specifying the value to push onto the stack.

Stack: `... ⇨ ..., Val`

Types: Not applicable.

Parameters: `Val` shall be of `short` type.

Effect: Push `Int` onto the parameter stack.

Formal specification: `PS.push(Int);`

Errors: None.

13.3.34 Pop

Short description: Pop value and assign it to a variable.

Synopsis: POP Did

Operands: Did shall be the two-byte representation of the data identifier of the variable to which to assign the top element of the stack.

Stack: ..., Val ⇨ ...

Types: Not applicable.

Parameters: Val shall be interpreted as of the type of the variable identified by Did.

Effect: Check that Did identifies a variable of a primitive type. Pop Val from the parameter stack into the variable identified by Did.

Formal specification:

```
TID tid = VT(Did).TID;
if (tid > 'object reference') then raise('InvalidType')
VT(Did).val = PS.pop(tid);
```

Errors: InvalidIdentifier
StackUnderflow
InvalidType

13.3.35 Pop reference

Short description: Pop value and assign it to the variable referenced by a variable.

Synopsis: POPR Did

Operands: Did shall be the two-byte representation of the data identifier of a variable of data identifier type, whose value identifies the variable to which to assign the value of the top element of the stack.

Stack: ..., Val ⇨ ...

Types: Not applicable.

Parameters: Val shall be interpreted as of the type of VT(Did).val.

Effect: Check that Did identifies a variable of data identifier type. Pop Val from the parameter stack and assign it to the variable identified by Did.

Formal specification:

```
TID tid = type(VT(Did).val.TID);
if (tid != 'data identifier') then raise('InvalidType');
VT(VT(Did).val).val = PS.pop(tid);
```

Errors: InvalidIdentifier
StackUnderflow
InvalidType

13.3.36 Pop contents

Short description: Pop variable and assign its value to a variable.

Synopsis: POPC Did1

Operands: Did1 shall be the two-byte representation of the data identifier of the variable to which to assign the value of the data identified by the top element of the stack.

Stack: ..., Did2 ⇨ ...

Types: Not applicable.

Parameters: Did2 shall be interpreted as of data identifier type. The data identified by Did2 shall be interpreted as of the type of the data identified by Did1.

Effect: Check that Did1 and Did2 identify data of the same type. Pop Did2 from the parameter stack and assigns the value of Did2 to the variable identified by Did1.

Formal specification:

```
DID did2 = PS.pop('data identifier');
if (VT(Did1).TID != DT(did2).TID) then raise('TypeMismatch');
VT(Did1).val = DT(did2).val;
```

Errors:

```
InvalidIdentifier
StackUnderflow
TypeMismatch
```

13.3.37 Allocate

Short description: Create dynamic variable.

Synopsis: `ALLOC Tid`

Operands: Tid shall be the two-byte representation of a type identifier specifying the type of the dynamic variable to allocate.

Stack: `..., ⇨ ..., Did`

Types: Not applicable.

Parameters: Did shall be of data identifier type.

Effect: Generate a dynamic variable whose type is identified by Tid. Push its data identifier onto the parameter stack.

Formal specification:

```
DID did = new(Tid);
VT[did].val = 'null'; // default value for the type
VT[did].TID = Tid;
PS.push(did);
```

Errors:

```
AllocationFailed
InvalidIdentifier
```

13.3.38 Increment

Short description: Increment variable.

Synopsis: `INC Did`

Operands: Did shall be the two-byte representation of the data identifier of the variable which to increment.

Stack: `..., Val ⇨ ...,`

Types: Not applicable.

Parameters: Val shall be interpreted as of the type of the variable identified by Did.

Effect: Check that Did identifies a variable of a numeric type. Pop the parameter stack and increment the value of the variable identified by Did by the popped value.

Formal specification:

```
TID tid = VT(Did).TID;
if (VT(Did).TID > 'double') raise('InvalidType');
VT(Did).val += PS.pop(<T>);
```

Errors:

```
InvalidIdentifier
StackUnderflow
InvalidType
ArithmeticOverflow
```

13.3.39 Decrement

Short description: Decrement variable.

Synopsis: `DEC Did`

Operands: `Did` shall be the two-byte representation of the data identifier of the variable which to decrement. The variable identified by `Did` shall be of a numeric type.

Stack: `..., val ⇨ ...`

Types: Not applicable.

Parameters: `Val` shall be interpreted as of the type of the variable identified by `Did`.

Effect: Check that `Did` identifies a variable of a numeric type. Pop the parameter stack and decrement the value of the variable identified by `Did` by the popped value.

Formal specification:

```
TID tid = VT(Did).TID;
if (VT(Did).TID > 'double') raise('InvalidType');
VT(Did).val -= PS.pop(<T>);
```

Errors: `InvalidIdentifier`
`StackUnderflow`
`InvalidType`
`ArithmeticOverflow`

13.3.40 Get

Short description: Get value of element of data of constructed type.

Synopsis: `GET Did Lvl`

Operands: `Did` shall be the two-byte representation of the data identifier of the data to access.
`Lvl` shall be a one-byte unsigned quantity representing the number of nested levels to go to access the sought value.

Stack: `..., Idx(Lvl), ..., Idx(1) ⇨ ..., Val`

Types: Not applicable.

Parameters: `Idx(1), ... Idx(Lvl)` shall be interpreted as of unsigned short type.
`Val` shall be of the same type as the accessed element.

Effect: Replace a list of indices on the parameter stack by the value of the element addressed by the popped indices within the constructed type data identified by:
`Did`:
`Val = DT(Did)[Idx(1), ..., Idx(Lvl)]`
Check that the accessed element is of a primitive type. If `Lvl` equals 0, perform as a PUSH instruction.

Formal specification:

```
void *buf = &DT(Did);
unsigned short idx;
for (;Lvl>0; Lvl--;)
{
    if (buf->TID <= 'object reference') then raise('InvalidLevel');
    idx = PS.pop('unsigned short');
    if (buf->lg < idx) then raise('InvalidIndex');
    buf = &buf->.val[idx];
}
if (buf->TID > 'object reference') then raise('InvalidType');
PS.push(buf->val);
```

Errors: InvalidIdentifier
InvalidLevel
StackUnderflow
InvalidIndex
InvalidType

13.3.41 Get contents

Short description: Set data contents to element of data of constructed type.

Synopsis: GETC Did1 Lvl

Operands: Did1 shall be the two-byte representation of the data identifier of the data to access.
Lvl shall be a one-byte unsigned quantity representing the number of nested levels to go to access the element to access.

Stack: ..., Did2, Idx(Lvl), ..., Idx(1) ⇨ ...

Types: Not applicable.

Parameters: Idx(1), ... Idx(Lvl) shall be interpreted as of unsigned short type.

Effect: Pop a list of indices and a data identifier Did2 from the parameter stack. Within the constructed type data identified by Did1, assign the variable identified by Did2 to the element addressed by the popped list of indices:
VT(Did2).Val = DT(Did1)[Idx(1), ..., Idx(Lvl)]
Check that the element to access is of the same type as the data identified by Did2.

Formal specification:

```
void *buf = &DT(Did1);
unsigned short idx;
for (;Lvl>0; Lvl--;)
{
    if (buf->TID <= 'object reference') then raise('InvalidLevel');
    idx = PS.pop('unsigned short');
    if (buf->lg < idx) then raise ('InvalidIndex');
    buf = &buf->.val[idx];
}
DID did2 = PS.pop('data identifier');
if (VT(did2).TID != buf->TID) then raise('TypeMismatch');
VT(did2).val = buf->val;
```

Errors: InvalidIdentifier
InvalidLevel
StackUnderflow
InvalidIndex
TypeMismatch

13.3.42 Set

Short description: Set element of variable of constructed type to value.

Synopsis: SET Did Lvl

Operands: Did shall be the two-byte representation of the data identifier of the variable to modify.
Lvl shall be a one-byte unsigned quantity representing the number of nested levels to go to access the element to modify.

Stack: ..., Val, Idx(Lvl), ..., Idx(1) ⇨ ...

Types: Not applicable.

Parameters: Idx(1), ... Idx(Lvl) shall be interpreted as of unsigned short type.
Val shall be interpreted as of the same type as the element to modify.

Effect: Pop a list of indices and a value from the parameter stack. Within the structured variable identified by *Did*, assign the element addressed by the popped list of indices to the popped value:
$$VT(Did)[Idx(1), \dots, Idx(Lvl)] = Val$$

Check that the element to modify is of a primitive type. If *Lvl* equals 0, perform as a POP instruction.

Formal specification:

```
void *buf = &VT(Did);
unsigned short idx;
for (;Lvl>0; Lvl--;)
{
    if (buf->TID <= 'object reference') then raise('InvalidLevel');
    idx = PS.pop('unsigned short');
    if (buf->lg < idx) then raise ('InvalidIndex');
    buf = &buf->.val[idx];
}
if (buf->TID > 'object reference') then raise('InvalidType');
buf->val = PS.pop(buf->TID);
```

Errors: Invalid Identifier
InvalidLevel
StackUnderflow
InvalidIndex
InvalidType

13.3.43 Set contents

Short description: Set element of variable of constructed type to data contents.

Synopsis: SETC *Did1* *Lvl*

Operands: *Did1* shall be the two-byte representation of the data identifier of the variable to modify.
Lvl shall be a one-byte unsigned quantity representing the number of nested levels to go to access the element to modify.

Stack: $\dots, Did2, Idx(Lvl), \dots, Idx(1) \Leftrightarrow \dots$

Types: Not applicable.

Parameters: *Idx(1), ... Idx(Lvl)* shall be interpreted as of unsigned short type.
Did2 shall be interpreted as of data identifier type.

Effect: Pop a list of indices and a data identifier from the parameter stack. Within the structured variable identified by *Did1*, assign the element addressed by the popped list of indices to the value identified by the popped data:
$$VT(Did1)[Idx(1), \dots, Idx(Lvl)] = DT(Did2).$$

Check that *Did2* identifies a data of the type of the element to modify. If *Lvl* equals 0, perform as a POPC instruction.

Formal specification:

```
void *buf = VT(Did1);
unsigned short idx;
for (;Lvl>0; Lvl--;)
{
    if (buf->TID <= 'object reference') then raise('InvalidLevel');
    idx = PS.pop('unsigned short');
    if (buf->lg < idx) then raise ('InvalidIndex');
    buf = &buf->.val[idx];
}
DID did2 = PS.pop('data identifier');
if (DT(did2).TID != buf->TID) then raise('TypeMismatch');
buf->val = DT(did2).val;
```

Errors: InvalidIdentifier
InvalidLevel
StackUnderflow
InvalidIndex
TypeMismatch

13.4 Type conversion rules

This subclause defines the rules that shall apply when a **convert** (CVT) instruction is used to convert a parameter stack value (hence a value of a primitive type) from a source type to a destination type.

Values of the `data identifier` and `object reference` types shall not be converted to or from a value of another type.

As regards the other primitive types, not all type conversions are allowed; however, any of them can be converted to any other using sequences of conversions.

Table 4 shows the allowed type conversions together with the number of the subclause in which they are defined:

Table 4: Type conversions

Source/Destination	O	S	L	W	U	F	D	B	C
O	N/A	13.4.2.2	N/A	13.4.2.2	N/A	N/A	N/A	13.4.4	N/A
S	N/A	N/A	13.4.2.3	13.4.1	13.4.3	N/A	N/A	13.4.4	N/A
L	N/A	13.4.5	N/A	N/A	13.4.1	13.4.2.3	N/A	13.4.4	N/A
W	13.4.5	13.4.1	13.4.2.3	N/A	13.4.2.3	N/A	N/A	13.4.4	13.4.1
U	N/A	N/A	13.4.1	13.4.5	N/A	13.4.2.3	N/A	13.4.4	N/A
F	N/A	N/A	13.4.6	N/A	13.4.6	N/A	13.4.2.3	N/A	N/A
D	N/A	N/A	N/A	N/A	N/A	13.4.5	N/A	N/A	N/A
B	13.4.2.1	13.4.2.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A
C	N/A	N/A	N/A	13.4.1	N/A	N/A	N/A	N/A	N/A

13.4.1 Reversible conversions

The following conversions are lossless (i.e. preserve information) when reversed:

- between unsigned short and character (WC, CW);
- between short and unsigned short (SW, WS);
- between long and unsigned long (LU, UL).

For all these conversions, the result of the conversion shall be the value of the target type that has the same complement-to-two notation as the source value.

13.4.2 Lossless extensions

The following conversions extend the source value in a lossless fashion:

- from `boolean` (BO, BS) (see subclause 13.4.2.1);
- from `octet` to a numeric type (OS, OW) (see subclause 13.4.2.2);
- from a signed numeric type to a signed numeric type with a larger range (SL, LF, FD) (see subclause 13.4.2.3);
- from an unsigned numeric type to any numeric type with a larger range (WL, WU, UF) (see subclause 13.4.2.3).

13.4.2.1 Conversions from boolean

If the value of the source `boolean` is false, the value in the destination type shall be 0.

If the value of the source `boolean` is true, the value in the destination type shall be the value which corresponds to all bits set at 1 (in complement-to-two notation), i.e.:

- 255 for an `octet` destination type;
- -1 for a `short` destination type.

13.4.2.2 Conversions from octet to a numeric type

The value in the destination type shall be the octet value.

13.4.2.3 Lossless conversions from a numeric to a larger numeric type

The value in the destination type shall be the same numeric value as the value in the source type.

13.4.3 Lossy extensions

The conversion from `short` to `unsigned long` (SU) shall perform as follows:

- if the source value is positive or null, the destination value shall be the same numeric value as the source value;
- if the source value is strictly negative, the destination value is unspecified.

13.4.4 Truncations to boolean

Truncations from an `octet` or numeric type to `boolean` (OB, SB, WB, LB, UB) shall perform as follows:

- if the source value is 0, the destination value shall be 'false';
- if the source value is different from 0, the destination value shall be 'true'.

13.4.5 Truncations between integer or between floating-point types

Truncations from an integer type to an `octet` or integer type (WO, LS, UW) or from a floating-point type to another floating-point type (DF) shall perform as follows:

- if the source value is within the range of the destination type, then the destination value shall be the same numeric value as the source value;
- otherwise, the destination value is unspecified.

13.4.6 Truncations from floating-point to integer

Truncations from a floating-point type to an integer type (FL, FU) shall perform as follows:

- first the decimal part of the source value shall be truncated to an integer value (rounding down);
- then the rules defined in subclause 13.4.5 shall apply to the truncated value.

14 IDL mapping to MHEG-SIR

This clause specifies how an IDL specification shall be mapped to the declarations of an interchanged script, when this IDL specification is intended for use by the script as an external service provider.

This clause defines the mapping to MHEG-SIR declarations for:

- IDL interfaces and modules;
- IDL types;
- IDL constants;
- references to IDL objects;
- IDL operations;
- IDL attributes;
- IDL exceptions.

14.1 IDL specifications

An IDL specification shall be mapped to an MHEG-SIR `PackageDeclaration` declared as a component of an `external-package-declarations` component of the `InterchangedScript`. The name of the IDL specification shall be mapped to the `name` component of this package declaration.

NOTE: Examples of IDL specifications are MHEG API, MPEG/DSM-CC.

If the number of operations or exceptions of an IDL specification exceed the size of a package, the specification shall be splitted into several packages sharing the same name, but having different MHEG-SIR identifiers.

14.2 IDL interfaces and modules

As the package declaration is a "flat" organization, there is neither a mapping for an IDL module nor for an IDL interface. However, a reference to the embedding interface (i.e. a parameter of type `Object`) shall be provided as an implicit parameter to each invocation of function describing an IDL operation.

14.3 IDL operations

An IDL operation shall be mapped to an MHEG-SIR `services` component of the package declaration that maps the IDL specification to which the operation belongs.

14.3.1 Operation name

The global name for an IDL operation shall be mapped to the MHEG-SIR `name` component of this service description.

14.3.2 Operation parameters

The parameters of an IDL operation shall be mapped to the `parameters-description` component of the service description. In a `ServiceParameterDescription`, each IDL parameter type shall be mapped to the `type` component which identifies a type declared according to the type mapping rules defined in this clause. The IDL passing mode for a parameter shall be mapped to the `passing-mode` component of the corresponding MHEG-SIR service parameter description.

If the operation has neither an output parameter nor a return value and is specifically designed to return several exceptions in sequence (e.g. for notification purposes), the value of its `calling-mode` component should be 'asynchronous'. Otherwise, the value of the `calling-mode` component shall be 'synchronous'.

If a semantically synchronous operation is intended to raise several exceptions in sequence, it should be splitted into two MHEG-SIR operations: a **synchronous** one and an **asynchronous** one.

14.3.3 Implicit parameter

When an IDL operation is mapped to an MHEG-SIR service description, the object instance to which the operation applies shall remain an implicit parameter, i.e. shall not be expressed as part of the signature of the service.

NOTE: However, upon invoking the operation, this parameter is provided as the leading actual parameter as if its `type` were 'object reference' and its `passing-mode` were 'in'.

14.3.4 Return value

The return value type of an IDL operation shall be mapped to the `return-value-type` component of the service description.

14.4 IDL attributes

An IDL attribute shall be mapped to two service descriptions within a package declaration: one accessor service, whose function is to get the value of the attribute, and one modifier service, whose function is to set the value of the attribute.

14.4.1 Accessor

As concerns the accessor service, the global IDL attribute name whose final identifier is prefixed with "get_" shall be mapped to the MHEG-SIR `name` component of the service description. An accessor service shall have no explicit parameter. The IDL attribute type shall be mapped to the `return-value-type` component of the service description.

EXAMPLE: In the MHEG-3 API, the `routine_id` attribute of the `RoutineInvocation` object shall be mapped to the IDL global name `MHEG_3::RoutineInvocation::get_RoutineId`

14.4.2 Modifier

As concerns the modifier service, the global IDL attribute name whose final identifier is prefixed with "set_" shall be mapped to the MHEG-SIR `name` component of the service description. A modifier service shall have one parameter with `in` passing mode and such that the IDL attribute type shall be mapped to the `type` component of the parameters description for this service. A modifier service shall have no return value.

14.4.3 Readonly attribute

If an IDL attribute is defined as `readonly`, only the accessor service shall be provided as part of the package declaration.

14.5 IDL inherited operations

Inherited IDL operations shall be mapped as if they were defined in the specific interface.

14.6 IDL exceptions

An IDL exception shall be mapped to an MHEG-SIR `exception-description` component of the package declaration that maps the IDL specification to which the exception belongs.

14.6.1 Exception name

The IDL global name of the exception shall be mapped to the MHEG-SIR `name` component of this exception description.

14.6.2 Exception members

Members of an IDL exception shall be mapped to the `parameters-description` component of this exception description. In this parameters description, each IDL member type shall be mapped to the `type` component which identifies a type declared according to the type mapping rules defined in this clause.

14.6.3 Implicit member

When an IDL exception is mapped to an MHEG-SIR exception description, the object instance from which the exception originates shall remain an implicit member, i.e. shall not be expressed as part of the signature of the exception.

NOTE: However, upon raising the exception, this member is provided as the leading actual member as if its `type` were 'object reference'.

14.7 IDL types

An IDL type shall be mapped to an MHEG-SIR `TypeDeclaration` declared as a component of the `type-declarations` component of the `InterchangedScript`. A type declaration shall have a global scope in the interchanged script.

IDL basic types and constructors shall be mapped to MHEG-SIR primitive types and constructors as summarized in table 4:

Table 4: Type mapping

IDL	MHEG-SIR
void	void
octet	octet
short	short
unsigned short	unsigned short
long	long
unsigned long	unsigned long
float	float
double	double
boolean	boolean
char	character
enum	unsigned long
string	string
sequence	sequence
array	array
struct	structure
union	union
(object)	object reference
any	data identifier (see below)

14.7.1 char type

Mapping IDL `char` types to MHEG-SIR `character` types shall involve transcoding values from ISO 8859-1 to ISO 10646-1.

14.7.2 enum type

The range checking of `enum` values need not be preserved.

14.7.3 Constructed types

An IDL type definition shall be mapped to an MHEG-SIR `TypeDescription`. If the IDL type is a basic type or if it has already been the subject of another type declaration, this type description shall consist of a type identifier. Otherwise, it shall be constructed according to the following mapping rules:

- an IDL `struct` field shall be mapped to its rank in the MHEG-SIR `structure` description; its name shall not be preserved;
- an IDL `union` tag value shall be mapped to its rank in the MHEG-SIR `union` description; its name and value shall not be otherwise preserved;
- a multidimensional IDL `array` shall be mapped to an MHEG-SIR `array` whose element type is `array`.

14.7.4 any type

The IDL `any` type shall be mapped to MHEG-SIR `data identifier` provided that the `any` type is used with an associated key to determine the actual type:

```
struct { Key the_key; any value }
```

where `Key` is a `string`, `numeric` or `enum` type whose value completely determines the type of the `value` field.

The above IDL type shall be mapped to an MHEG-SIR `structure` of two elements:

- an `unsigned short` representing a valid TID within the script, to map the key;

- a `data identifier` representing a variable of the type identified by the first element and which holds the value.

Any other use of the `any` type is not guaranteed to have its semantics preserved when mapped to MHEG-SIR.

14.7.5 Restrictions on types

If two IDL constructed types have the same structure, they shall be mapped to a single MHEG-SIR type.

14.8 IDL constants

IDL constants shall be mapped to an MHEG-SIR `ConstantDeclaration` declared as a component of the `constant-declarations` component of the `InterchangedScript`. A constant declaration shall have a global scope in the interchanged script.

15 The MHEG-3 API

This clause specifies the syntax and semantics of the MHEG-3 API.

Interchanged scripts shall use the MHEG-3 API according to the IDL interface syntax defined in this clause and in annex F.

MHEG-SIR script interpreters shall provide the MHEG-3 API according to the IDL interface syntax defined in this clause and in annex F, with the semantics defined in this clause. The invocation of the operations shall have the effect specified in this clause.

All MHEG-SIR predefined functions that map MHEG-3 API operations shall be **synchronous**.

The MHEG-3 API definition consists of a unique IDL module called `MHEG_3`. This module defines predefined types, three exceptions and four object interfaces; there is no inheritance relationship among the four objects.

15.1 `ScriptInterpreter` object

The `ScriptInterpreter` object represents the script interpreter. It shall be unique. It is used as a factory for `MhScript` objects.

To invoke operations on the `ScriptInterpreter` object, interchanged scripts shall use 'null' as the value of the implicit object reference parameter.

15.1.1 `kill` operation

Synopsis:

Interface:	<code>ScriptInterpreter</code>
Operation:	<code>kill</code>
Result:	<code>void</code>

Description:

The `kill` operation is used to kill the `ScriptInterpreter` object and terminate the script interpreter process.

When the operation is invoked, the main process shall invoke a `destroy` operation on all available `MhScript` objects then terminate the script interpreter process.

Unlike the other MHEG-3 API operations, this operation is not an MHEG-SIR predefined function. Therefore, it shall not be available for use by MHEG-SIR interchanged scripts.

15.1.2 `prepare` operation

Synopsis:

Interface: `ScriptInterpreter`
Operation: `prepare`
Result: `MhScript`
In: `ContentReference` `content_reference`
Exception: `InvalidParameter`
Exception: `InvalidScript`
Exception: `OperationFailed`

Description:

The `prepare` operation is used to create an `MhScript` object from an interchanged script and request the script interpreter to initialize that mh-script.

The `content_reference` parameter specifies the location of the interchanged script. It consists of two strings: a public identifier and a system identifier. If any one of these strings is null, it shall be ignored. At least one of both string field values shall be non-null.

When the operation is invoked, the main process shall perform the mh-script initialization operations as specified by subclause 9.5.2. As soon as this has been achieved, the status of the mh-script shall become **available**.

The result of the operation shall be an object reference to the created `MhScript`.

The `InvalidParameter` exception shall be raised if the `content_reference` parameter does not allow to access an interchanged script. Then the `rank` member shall be 1.

The `InvalidScript` exception shall be raised if an illegal statement is detected during parsing of the interchanged script. Then the `the_entity` member shall represent the type of the first entity in the declarations part on which an error has been detected, whereas the `identifier` member shall represent the identifier of this entity as follows:

- a TID for a type declaration;
- a DID for a constant declaration or a variable declaration;
- a FID for a service declaration or a routine declaration;
- a MID for an exception declaration or a handler declaration;
- a PID for a package declaration.

The `OperationFailed` exception shall be raised if the mh-script initialization operations cannot be completed although no error has been detected in the syntax of the interchanged script.

Whenever an exception is raised, the `MhScript` object shall not be created and the status of the mh-script shall remain **not available**.

15.2 `MhScript` object

The `MhScript` object represents an available mh-script. It is used as a factory for `RtScript` objects.

15.2.1 `destroy` operation

Synopsis:

Interface: `MhScript`
Operation: `destroy`
Result: `void`

Description:

The `destroy` operation is used to kill the `MhScript` object and destroy the corresponding mh-script.

When the operation is invoked, the main process shall perform the following steps in the specified order:

- put the target mh-script to **not available** status;
- invoke a `delete` operation on all existing `RtScript` objects that have been created by this mh-script;
- perform the **package unload** procedure for all packages;
- release all the mh-script memory areas attached to the mh-script.

15.2.2 new operation

Synopsis:

Interface: `MhScript`
Operation: `new`
Result: `RtScript`
Exception: `OperationFailed`

Description:

The `new` operation is used to create an `RtScript` object from the mh-script and request the script interpreter to initialize that rt-script.

When the operation is invoked, the main process shall perform the rt-script initialization operations as specified by subclause 9.5.3. After successful initialization, the status of the rt-script shall become **ready**.

The result of the operation shall be an object reference to the created `RtScript`.

The `OperationFailed` exception shall be raised if the rt-script initialization operations cannot be completed. Then the `RtScript` object shall not be created and the status of the rt-script shall remain **not ready**.

15.3 RtScript object

The `RtScript` object represents an rt-script whose status is **ready**, **running** or **erroneous**. It is used as a factory for `RoutineInvocation` objects.

15.3.1 delete operation

Synopsis:

Interface: `RtScript`
Operation: `delete`
Result: `void`

Description:

The `delete` operation is used to kill the `RtScript` object and destroy the corresponding rt-script.

When the operation is invoked, the main process shall perform the following steps in the specified order:

- put the target rt-script to **not ready** status;
- invoke a `close` operation on all `RoutineInvocation` objects that have been created by the rt-script;
- terminate all processing units;
- release all rt-script memory areas attached to the rt-script.

15.3.2 setPriority operation

Synopsis:

Interface: `RtScript`

Operation: `setPriority`
Result: `void`
In: `unsigned short` `priority`

Description:

The `setPriority` operation is used to modify the scheduling priority associated with the rt-script.

The `priority` parameter specifies the new priority value.

When the operation is invoked, the main process may modify its scheduling policy accordingly. The precise effect of this operation is not specified by this ETS. Depending on the implementation, it may have no effect. However, the execution unit of an rt-script with a lower priority value than another rt-script shall not be given more CPU time than the execution unit of the latter.

15.3.3 `getPriority` operation

Synopsis:

Interface: `RtScript`
Operation: `getPriority`
Result: `unsigned short`

Description:

The `getPriority` operation is used to retrieve the current value of the scheduling priority associated with the rt-script. If no priority has been explicitly set to this rt-script, the default value specified by the script interpreter shall be used.

15.3.4 `setData` operation

Synopsis:

Interface: `RtScript`
Operation: `setData`
Result: `void`
In: `DID` `variable_id`
In: `any` `variable_value`
Exception: `InvalidParameter`
Exception: `OperationFailed`

Description:

The `setData` operation is used to assign a value to a global or dynamic variable of the rt-script.

The `variable_id` parameter specifies the data identifier of the data to modify.

The `variable_value` parameter specifies the value to assign to the variable. The type of the actual parameter is determined by the type of the variable.

When the operation is invoked, the main process shall request the rt-script execution unit to assign the target variable to the provided value.

The `InvalidParameter` exception shall be raised:

- if the `variable_id` parameter references a constant, a local variable or a non-existing constant or variable. Then the `rank` member shall be 1;
- if the `variable_value` parameter is not of an IDL type that matches the MHEG-SIR type of the target variable. Then the `rank` member shall be 2.

The `OperationFailed` exception shall be raised if the status of the rt-script is **running** or **erroneous**.

15.3.5 `getData` operation

Synopsis:

Interface: `RtScript`
Operation: `getData`
Result: any
In: `DID` `data_id`
Exception: `InvalidParameter`
Exception: `OperationFailed`

Description:

The `getData` operation is used to retrieve the current value of a constant or variable.

The `data_id` parameter specifies the data identifier of the data to access.

When the operation is invoked, the rt-script execution unit shall return the current value of the constant or variable.

The result of the operation shall be the requested value and shall be of an IDL type that matches the MHEG-SIR type of the target constant or variable.

The `InvalidParameter` exception shall be raised if the `data_id` parameter references a non-existing constant or variable. Then the `rank` member shall be 1.

The `OperationFailed` exception shall be raised if the status of the rt-script is **running** or **erroneous**.

15.3.6 `allocate` operation

Synopsis:

Interface: `RtScript`
Operation: `allocate`
Result: `DID`
In: `TID` `variable_type_id`
Exception: `InvalidParameter`
Exception: `OperationFailed`

Description:

The `allocate` operation is used to create a dynamic variable of a given type within the rt-script.

The `variable_type_id` parameter specifies the MHEG-SIR type identifier of the target variable, as declared within the rt-script.

When the operation is invoked, the rt-script execution unit shall perform as if it would execute an `ALLOC` instruction with `variable_type_id` as operand, i.e. it shall reserve appropriate heap memory, generate a new `DID` and return it.

The result of the operation shall be the data identifier of the new dynamic variable.

The `InvalidParameter` exception shall be raised if the value of the `variable_type_id` parameter is neither a predefined type nor a type declared within the rt-script. Then the `rank` member shall be 1.

The `OperationFailed` exception shall be raised wherever the `ALLOC` instruction would raise an error. Then the variable shall not be allocated and the error register shall not be modified.

15.3.7 free operation

Synopsis:

Interface: RtScript
Operation: free
Result: void
In: DID variable_id
Exception: InvalidParameter

Description:

The `free` operation is used to destroy a dynamic variable of the rt-script.

The `variable_id` parameter specifies the data identifier of the variable to be released.

When the operation is invoked, the rt-script execution unit shall perform as if it would execute a `FREE` instruction with `variable_id` as parameter, i.e. it shall release the dynamic variable and make its identifier invalid.

The `InvalidParameter` exception shall be raised if the `variable_id` parameter does not refer to an existing dynamic variable previously allocated through the MHEG-3 API. Then the `rank` member shall be 1.

NOTE: A script interpreter may use a data identifier allocation policy that allows to distinguish easily variables allocated through the MHEG-3 API from variables allocated using an instruction, for instance by the range to which their data identifier belongs.

15.3.8 stop operation

Synopsis:

Interface: RtScript
Operation: stop
Result: void
Exception: OperationFailed

Description:

The `stop` operation is used to put the rt-script back into ready status.

When the operation is invoked, the script interpreter shall request the rt-script execution unit to stop, flush the calling stack, message queue and parameter stack and reset all registers. It shall then put the rt-script to **ready** status. Unlike the `reInit` operation, the global and dynamic variables shall not be changed.

The `OperationFailed` exception shall be raised if the operation could not be performed successfully, for instance if the rt-script memory areas have been corrupted due to an execution error.

15.3.9 reInit operation

Synopsis:

Interface: RtScript
Operation: reInit
Result: void
Exception: OperationFailed

Description:

The `reInit` operation is used to put the rt-script back into its initial state, i.e. just after initialization.

When the operation is invoked, the script interpreter shall:

- terminate the rt-script execution unit;
- release all dynamic variables;
- set the global variables back to their initial values (as in the mh-script global variable definition table);
- flush the parameter stack, the message queue and the calling stack, releasing local variable tables;
- reset all registers;
- finally, put the rt-script to **ready** status.

The `OperationFailed` exception shall be raised if the operation could not be performed successfully, for instance if the rt-script memory areas have been corrupted due to an execution error.

15.3.10 `getRtScriptStatus` operation

Synopsis:

Interface: `RtScript`
Operation: `getRtScriptStatus`
Result: `RtScriptStatus`

Description:

The `getRtScriptStatus` operation is used to retrieve the current status of the rt-script.

The result of the operation shall be one of the following: `READY`, `RUNNING` or `ERRONEOUS`.

15.3.11 `open` operation

Synopsis:

Interface: `RtScript`
Operation: `open`
Result: `RoutineInvocation`
In: `FID` `routine_id`
Exception: `InvalidParameter`

Description:

The `open` operation is used to create an `RoutineInvocation` object from the rt-script.

The `routine_id` parameter specifies the function identifier of the routine with which the new `RoutineInvocation` object is associated.

The script interpreter may opt for either of the following policies:

- a) to retrieve the signature of the target routine when the `open` operation is invoked, so as to check the validity of the passed parameters "on the fly", i.e. as soon as a `setParameter` operation is invoked;
- b) to check the validity of parameters only upon invocation of the `run` operation.

The result of the operation shall be an object reference to the created `RoutineInvocation`.

The `InvalidParameter` exception shall be raised if the `routine_id` parameter does not identify a valid routine of the rt-script. In this case, the `rank` member shall be 1.

15.4 `RoutineInvocation` object

The `RoutineInvocation` object represents an invocation context of a routine. This invocation context is used to pass parameters to and to request execution of a given routine of the rt-script.

15.4.1 `close` operation

Synopsis:

Interface: `RoutineInvocation`
Operation: `close`
Result: `void`

Description:

The `close` operation is used to kill the `RoutineInvocation` object and close the corresponding routine invocation context.

15.4.2 `routine_id` readonly attribute

Synopsis:

Interface: `RoutineInvocation`
Attribute: `FID` `routine_id`

Description:

The `routine_id` attribute is a readonly attribute that is set at creation of the `RoutineInvocation` object by the `open` operation. Its value shall be the function identifier of the routine that the `RoutineInvocation` object addresses.

Interchanged scripts shall access the value of this attribute using the `get_RoutineId` predefined function.

15.4.3 `setParameter` operation

Synopsis:

Interface: `RoutineInvocation`
Operation: `setParameter`
Result: `void`
In: `unsigned short` `rank`
In: `TID` `parameter_type_id`
In: `any` `parameter_value`
Exception: `InvalidParameter`

Description:

The `setParameter` operation is used to pass the value of a parameter of the routine for use by the next `run` operation.

The `rank` parameter specifies the rank of the passed parameter in the routine signature description, where 0 indicates the first parameter. It therefore corresponds to the index of the parameter in the routine's local variable table.

The `parameter_type_id` parameter specifies the MHEG-SIR type identifier of the passed parameter, as declared within the `rt-script`.

The `parameter_value` parameter specifies the value of the passed parameter. The type of the value is determined by the `parameter_type_id` parameter.

When the operation is invoked, the script interpreter shall buffer the parameter for use by the next `run` operation on this routine. If the script interpreter opts for policy a) defined in subclause 15.3.11, it shall check the validity of the `parameter_type_id` and `parameter_value` parameters with regard to the routine's signature.

If the script interpreter opts for policy a) defined in subclause 15.3.11, the `InvalidParameter` exception shall be raised:

- if the operation's `rank` parameter exceeds the number of the last parameter of the routine. Then the exception's `rank` member shall be 1;
- if the `parameter_type_id` parameter does not correspond to the type of parameter in the routine's signature. Then the exception's `rank` member shall be 2;
- if the `parameter_value` parameter is not of an appropriate type, i.e. an IDL type that matches the type described by the `parameter_type_id` parameter, when the passing mode is by **value**, and a DID type when the passing mode is by **reference**. Then the exception's `rank` member shall be 3;
- when the passing mode is by reference, if the `parameter_value` parameter is a DID that does not identify an existing global or dynamic variable whose type matches the parameter type defined by the routine's signature. Then the exception's `rank` member shall be 3.

15.4.4 `getPrototype` operation

Synopsis:

Interface: `RoutineInvocation`
Operation: `getPrototype`
Result: `Prototype`

Description:

The `getPrototype` operation is used to retrieve the signature of the routine.

When the operation is invoked, the script interpreter shall return the signature of the routine.

The result of the operation shall be a description of the routine signature:

- a) the `return_value_type` field shall be set to `RT[routine_id].TID`;
- b) the `n`th item of the signature field shall correspond to `RT[routine_id].sig[n]`:
 - 1) the `passing_mode` field shall be set to `BY_VALUE`, or `BY_REFERENCE` respectively, when `RT[routine_id].sig[n].mod` is 'value', 'reference' respectively;
 - 2) the `parameter_type_id` field shall be set to `RT[routine_id].sig[n].TID`.

15.4.5 `run` operation

Synopsis:

Interface: `RoutineInvocation`
Operation: `run`
Result: `void`
Exception: `OperationFailed`

Description:

The `run` operation is used to request the execution of the routine with the parameter values previously provided using the `setParameter` operation.

When the operation is invoked, the main process shall:

- create a message whose message identifier is the index of the routine (i.e. the value of the `routine_id` attribute) and whose parameters are the parameters set by the preceding `setParameter` operations;
- insert this message into the message queue of the target rt-script;
- if the current status of the rt-script is **ready**, put it to **running**.

If the script interpreter opts for policy b) defined in subclause 15.3.11, it shall check the validity, with regard to the routine's signature, of all the type identifiers and values of the parameters previously provided using the `setParameter` operation.

The `OperationFailed` exception shall be raised if any of the provided parameters does not map the routine's signature.

15.4.6 `reset` operation

Synopsis:

Interface: `RoutineInvocation`
Operation: `reset`
Result: `void`

Description:

The `reset` operation is used to clear the routine invocation context to prepare a new invocation.

When the operation is invoked, the parameters previously buffered as the result of a `setParameter` operation shall be cleared.

NOTE: Using this operation after each `run` avoids any risk of collision. Not using it allows to repeat the same invocation without supplying the parameters again.

15.4.7 `getInvocationStatus` operation

Synopsis:

Interface: `RoutineInvocation`
Operation: `getInvocationStatus`
Result: `InvocationStatus`

Description:

The `getInvocationStatus` operation is used to retrieve the current routine invocation status.

The result of the operation shall be one of the following values:

- `NOT_STARTED`: no `run` operation has been invoked since the creation of the object or since the last `reset` operation;
- `PROCESSING`: a `run` operation has been invoked but the routine execution has not been completed by the rt-script execution unit (either the request is in the message queue or the routine is currently under execution);
- `TERMINATED`: the routine execution triggered by the last invoked `run` operation has been completed by the rt-script execution unit;
- `ABORTED`: the routine execution triggered by the last invoked `run` operation has resulted in an instruction execution error.

Annex A (normative): ASN.1 specification of interchanged scripts

This annex specifies the ASN.1 notation, according to ISO/IEC 8824-1 [1], for the syntax of the "script data" component of the MHEG "script" class.

Interchanged scripts shall have the syntax defined by the ASN.1 ISOMHEG-sir module.

```
-- Module: MHEG-SIR (sir)--
--
-- Copyright statement:
-- -----
-- (c) ETSI, 1997.
--   Permission to copy in any form is granted for use with conforming
--   MHEG-3 engines and applications as defined by this ETS
--   provided this notice is included in all copies.

ISOMHEG-sir {joint-iso-itu-t (2) mheg (19) version (1) script-interchange-representation (11)}
DEFINITIONS IMPLICIT TAGS ::= BEGIN

EXPORTS      InterchangedScript;

InterchangedScript ::= SEQUENCE
{
  type-declarations      SEQUENCE (SIZE (1.. max-nb-declared-types)) OF
                          TypeDeclaration OPTIONAL,
  constant-declarations  [0] SEQUENCE (SIZE (1 .. max-nb-constants)) OF
                          ConstantDeclaration OPTIONAL,
  global-variable-declarations [1] SEQUENCE (SIZE (1 .. max-nb-global-variables)) OF
                          VariableDeclaration OPTIONAL,
  external-package-declarations [2] SEQUENCE (SIZE (1 .. max-nb-packages)) OF
                          PackageDeclaration OPTIONAL,
  handler-declarations   [3] SEQUENCE (SIZE (1 .. max-nb-messages)) OF
                          HandlerDeclaration OPTIONAL,
  routine-declarations   [4] SEQUENCE (SIZE (1 .. max-nb-routines)) OF
                          RoutineDeclaration OPTIONAL
}

TypeDeclaration ::= SEQUENCE
{
  identifier      [0] TypeIdentifier OPTIONAL,
  description     TypeDescription
}

TypeDescription ::= CHOICE
{
  string-description      [1] INTEGER (0..max-size-string) OPTIONAL,
  sequence-description    [2] SequenceDescription,
  array-description       [3] ArrayDescription,
  structure-description   [4] StructureDescription,
  union-description       [5] UnionDescription
}

SequenceDescription ::= SEQUENCE
{
  bound            INTEGER (0 .. max-size-sequence),
  element-type     TypeIdentifier
}

ArrayDescription ::= SEQUENCE
{
  size            INTEGER (1 .. max-size-array),
  element-type    TypeIdentifier
}

UnionDescription ::= SEQUENCE (SIZE (1 .. max-size-union)) OF TypeIdentifier

StructureDescription ::= SEQUENCE (SIZE (1 .. max-size-structure)) OF TypeIdentifier

ConstantDeclaration ::= SEQUENCE
{
  identifier      [0] DataIdentifier OPTIONAL,
  type            TypeIdentifier ALL EXCEPT 0,
  value           ConstantValue
}

ConstantValue ::= CHOICE
{
  octet           [1] OctetValue,
  short           [2] ShortValue,
  long            [3] LongValue,
  unsigned-short [4] UnsignedShortValue,
  unsigned-long  [5] UnsignedLongValue,
  float           [6] FloatValue,
}
```



```
RoutineParameterDescription ::= SEQUENCE
{
    passing-mode          ENUMERATED {value (1), reference (3)} DEFAULT value,
    type                  TypeIdentifier ALL EXCEPT 0
}

ConstantReference ::= CHOICE
{
    identifier            [16] DataIdentifier,
    value                 ConstantValue
}

max-size-sequence      INTEGER ::= 65535
max-size-string        INTEGER ::= 65535
max-size-array         INTEGER ::= 65536
max-size-union         INTEGER ::= 256
max-size-structure     INTEGER ::= 256
max-nb-global-variables INTEGER ::= 28672
max-nb-constants       INTEGER ::= 4096
max-nb-local-variables INTEGER ::= 256
max-nb-dynamic-variables INTEGER ::= 32512
max-nb-data            INTEGER ::= 65536
-- max-nb-constants+max-nb-global-variables+max-nb-local-variables+max-nb-dynamic-
-- variables
max-nb-packages        INTEGER ::= 192
max-nb-services        INTEGER ::= 256
max-nb-routines        INTEGER ::= 4096
max-nb-predef-functions INTEGER ::= 12288
max-nb-functions       INTEGER ::= 65536
-- max-nb-packagesxmax-nb-services+max-nb-predef-functions+max-nb-routines
max-nb-exceptions     INTEGER ::= 256
max-nb-predef-messages INTEGER ::= 16384
max-nb-messages       INTEGER ::= 65536
-- max-nb-packagesxmax-nb-exceptions+max-nb-predef-messages
max-nb-declared-types  INTEGER ::= 16384
max-nb-predef-types    INTEGER ::= 16384
max-nb-types           INTEGER ::= 32768
-- max-nb-predef-types + max-nb-declared-types

OctetValue             ::= OCTET STRING (SIZE (1))
ShortValue             ::= INTEGER (-32768 .. 32767)
LongValue              ::= INTEGER (-2147483648 .. 2147483647)
UnsignedShortValue     ::= INTEGER (0 .. 65535)
UnsignedLongValue      ::= INTEGER (0 .. 4294967295)
FloatValue             ::= REAL
DoubleValue            ::= REAL
BooleanValue           ::= BOOLEAN
CharacterValue         ::= BMPString (SIZE (1))
StringValue            ::= BMPString (SIZE (0.. max-size-string))

TypeIdentifier         ::= INTEGER (0 .. < max-nb-types)
DataIdentifier         ::= INTEGER (0 .. < max-nb-data)
FunctionIdentifier     ::= INTEGER (0 .. < max-nb-functions)
MessageIdentifier     ::= INTEGER (0 .. < max-nb-messages)
PackageIdentifier     ::= INTEGER (0 .. < max-nb-packages)

END
```

Annex B (normative): Coded representation of interchanged scripts

B.1 Coding for interchanged scripts

Interchanged scripts shall be encoded according to the ASN.1 Distinguished Encoding Rules (DER) as specified by ISO/IEC 8825-1 [2].

NOTE: This is intended to make the MHEG-3 engine's decoding task as efficient as possible by removing all ASN.1 encoding options that might delay or complicate it.

B.2 Coding for the program code

The value of the `program-code` component of the `RoutineDeclaration` type defined by `ISOMHEG-sir` (see annex A) shall be encoded according to the rules defined in this clause.

The sequence of instructions that make up the program code of a routine shall be encoded as a sequence of octets. The order of encoding will be the same as the order in which the instructions are intended to be executed.

Each instruction shall be encoded using one octet for the op-code, followed by zero to three octets for the operands, depending on the op-code.

B.2.1 Instruction op-codes

The op-codes shall be encoded using the bitstring defined by Table B.1.

B.2.2 Instruction operands

According to the op-code of the instruction, the operands shall have the length and encoding defined by Table B.1. All multiple-byte operands shall be encoded in big-endian order, i.e. most significant byte first.

B.2.2.1 Data identifier operands

DID operands shall be encoded using two octets as follows:

- if bit 16 is '1' and bits 15 to 9 are '0', the DID shall reference a local variable, where bits 8 to 1 represent the local variable index (from 0 to 255);
- if bit 16 is '1' otherwise, the DID shall reference a dynamic variable, where bits 15 to 1 represent the dynamic variable index (from 0 to 32 511) incremented by 256;
- if bits 16 to 13 are '0000', the DID shall reference a constant, where bits 12 to 1 represent the constant index (from 0 to 4 095);
- otherwise, the DID shall reference a global variable, where bits 15 to 1 represent the global variable index (from 0 to 28 671) incremented by 4 096.

B.2.2.2 Function identifier operands

FID operands shall be encoded on two octets as follows:

- if bits 16 to 13 are '0000', the FID shall reference a routine, where bits 12 to 1 represent the routine index (from 0 to 4 095);
- if bits 16 and 15 are '00' otherwise, the FID shall reference a predefined function, where bits 14 to 1 represent the predefined function index (from 0 to 12 287) incremented by 4 096;
- otherwise, the FID shall reference a service, where bits 16 to 9 represent the package identifier (from 0 to 191) incremented by 64, and where bits 8 to 1 represent the service index (from 0 to 255) within this package.

B.2.2.3 Miscellaneous numeric operands

1-octet "offset" operands shall be encoded in complement-to-one notation on 1 octet: bit 8 represents the direction of movement, bits 7 to 1 represent the number of units to shift in that direction.

2-octet "offset" operands shall be encoded in complement-to-one notation on 2 octets: bit 16 represents the direction of movement, bits 15 to 1 represent the number of units to shift in that direction.

"Value" operands shall be encoded in complement-to-two notation on two octets, for interpretation as signed integer values.

"Index" operands shall be encoded on one octet, for interpretation as unsigned integer values.

Table B.1: Encoding of MHEG-SIR instructions

Instruction mnemonics	Op-code (binary)	Opcode (hexa)	Op1 length	Op1 encoding	Op2 length	Op2 encoding
NOP	0000 0000	00	0			
YIELD	0000 0010	02	0			
RET	0000 0011	03	0			
FREE	0000 1000	08	0			
NOT_B	0001 0000	10	0			
NOT_O	0001 0001	11	0			
NOT_W	0001 0010	12	0			
NOT_U	0001 0011	13	0			
OR_B	0001 0100	14	0			
OR_O	0001 0101	15	0			
OR_W	0001 0110	16	0			
OR_U	0001 0111	17	0			
XOR_B	0001 1000	18	0			
XOR_O	0001 1001	19	0			
XOR_W	0001 1010	1A	0			
XOR_U	0001 1011	1B	0			
AND_B	0001 1100	1C	0			
AND_O	0001 1101	1D	0			
AND_W	0001 1110	1E	0			
AND_U	0001 1111	1F	0			
EQR	0010 0000	20	0			
EQ_O	0010 0001	21	0			
EQ_S	0010 0010	22	0			
EQ_L	0010 0011	23	0			
EQ_W	0010 0100	24	0			
EQ_U	0010 0101	25	0			
EQ_F	0010 0110	26	0			
EQ_D	0010 0111	27	0			
EQ_B	0010 1000	28	0			
EQ_C	0010 1001	29	0			
EQ_I	0010 1010	2A	0			
EQ_R	0010 1011	2B	0			
LT_C	0011 0000	30	0			
LT_O	0011 0001	31	0			
LT_S	0011 0010	32	0			
LT_L	0011 0011	33	0			
LT_W	0011 0100	34	0			
LT_U	0011 0101	35	0			
LT_F	0011 0110	36	0			
LT_D	0011 0111	37	0			
GT_C	0011 1000	38	0			
GT_O	0011 1001	39	0			
GT_S	0011 1010	3A	0			
GT_L	0011 1011	3B	0			
GT_W	0011 1100	3C	0			
GT_U	0011 1101	3D	0			
GT_F	0011 1110	3E	0			
GT_D	0011 1111	3F	0			
ADD_O	0100 0001	41	0			
ADD_S	0100 0010	42	0			
ADD_L	0100 0011	43	0			

(continued)

Table B.1 (continued): Encoding of MHEG-SIR instructions

Instruction mnemonics	Op-code (binary)	Opcode (hexa)	Op1 length	Op1 encoding	Op2 length	Op2 encoding
ADD_W	0100 0100	44	0			
ADD_U	0100 0101	45	0			
ADD_F	0100 0110	46	0			
ADD_D	0100 0111	47	0			
SUB_O	0100 1001	49	0			
SUB_S	0100 1010	4A	0			
SUB_L	0100 1011	4B	0			
SUB_W	0100 1100	4C	0			
SUB_U	0100 1101	4D	0			
SUB_F	0100 1110	4E	0			
SUB_D	0100 1111	4F	0			
MUL_O	0101 0001	51	0			
MUL_S	0101 0010	52	0			
MUL_L	0101 0011	53	0			
MUL_W	0101 0100	54	0			
MUL_U	0101 0101	55	0			
MUL_F	0101 0110	56	0			
MUL_D	0101 0111	57	0			
DIV_O	0101 1001	59	0			
DIV_S	0101 1010	5A	0			
DIV_L	0101 1011	5B	0			
DIV_W	0101 1100	5C	0			
DIV_U	0101 1101	5D	0			
DIV_F	0101 1110	5E	0			
DIV_D	0101 1111	5F	0			
NEG_S	0110 0010	62	0			
NEG_L	0110 0011	63	0			
NEG_F	0110 0110	66	0			
NEG_D	0110 0111	67	0			
REM_O	0111 1001	79	0			
REM_S	0111 1010	7A	0			
REM_L	0111 1011	7B	0			
REM_W	0111 1100	7C	0			
REM_U	0111 1101	7D	0			
DUP_O	1000 0001	81	0			
DUP_S	1000 0010	82	0			
DUP_L	1000 0011	83	0			
DUP_W	1000 0100	84	0			
DUP_U	1000 0101	85	0			
DUP_F	1000 0110	86	0			
DUP_D	1000 0111	87	0			
DUP_B	1000 1000	88	0			
DUP_C	1000 1001	89	0			
DUP_I	1000 1010	8A	0			
DUP_R	1000 1011	8B	0			
CVT_SW	1001 0100	94	0			
CVT_WS	1001 0101	95	0			
CVT_LU	1001 0110	96	0			
CVT_UL	1001 0111	97	0			
CVT_CW	1001 1010	9A	0			
CVT_WC	1001 1011	9B	0			
CVT_BS	1010 0000	A0	0			

(continued)

Table B.1 (concluded): Encoding of MHEG-SIR instructions

Instruction mnemonics	Op-code (binary)	Opcode (hexa)	Op1 length	Op1 encoding	Op2 length	Op2 encoding
CVT_OS	1010 0001	A1	0			
CVT_SL	1010 0010	A2	0			
CVT_LF	1010 0011	A3	0			
CVT_WL	1010 0100	A4	0			
CVT_UF	1010 0101	A5	0			
CVT_FD	1010 0110	A6	0			
CVT_BO	1010 1000	A8	0			
CVT_OW	1010 1001	A9	0			
CVT_SU	1010 1010	AA	0			
CVT_WU	1010 1100	AC	0			
CVT_OB	1011 0001	B1	0			
CVT_SB	1011 0010	B2	0			
CVT_LB	1011 0011	B3	0			
CVT_WB	1011 0100	B4	0			
CVT_UB	1011 0101	B5	0			
CVT_WO	1011 1001	B9	0			
CVT_LS	1011 1010	BA	0			
CVT_FL	1011 1011	BB	0			
CVT_UW	1011 1100	BC	0			
CVT_FU	1011 1101	BD	0			
CVT_DF	1011 1110	BE	0			
JT	1100 0000	C0	1	(signed) offset		
JF	1100 0001	C1	1	(signed) offset		
JMP	1100 0010	C2	1	(signed) offset		
SHIFT_O	1100 0101	C5	1	(signed) offset		
SHIFT_W	1100 0110	C6	1	(signed) offset		
SHIFT_U	1100 0111	C7	1	(signed) offset		
GETOR	1100 1001	C9	1	package identifier		
LJT	1101 0000	D0	2	(signed) offset		
LJF	1101 0001	D1	2	(signed) offset		
LJMP	1101 0010	D2	2	(signed) offset		
CALL	1101 0100	D4	2	function identifier		
XCALL	1101 0110	D6	2	function identifier		
PUSH	1110 0000	E0	2	data identifier		
PUSHR	1110 0001	E1	2	data identifier		
PUSHI	1110 0011	E3	2	(signed) value		
POP	1110 0100	E4	2	data identifier		
POPR	1110 0101	E5	2	data identifier		
POPC	1110 0110	E6	2	data identifier		
ALLOC	1110 1000	E8	2	type identifier		
INC	1110 1100	EA	2	data identifier		
DEC	1110 1101	EB	2	data identifier		
GET	1111 0000	F0	2	data identifier	1	(unsigned) index
GETC	1111 0010	F2	2	data identifier	1	(unsigned) index
SET	1111 0100	F4	2	data identifier	1	(unsigned) index
SETC	1111 0110	F6	2	data identifier	1	(unsigned) index

Annex C (normative): MHEG-SIR predefined elements

This annex lists the predefined types, functions and messages of MHEG-SIR, together with their corresponding indices.

Predefined types, functions and messages may be referenced by their identifier and used within interchanged scripts in the same way types, functions and messages declared within the global declarations part of interchanged scripts would.

C.1 Predefined types

MHEG-SIR predefined types comprise:

- primitive types;
- MHEG API types.

C.1.1 Primitive types

The primitive types defined by this ETS shall be encoded using predefined type identifiers as listed in table C.1:

Table C.1: Predefined type identifiers for primitive types

Type name	Type identifier
void	0
octet	1
short	2
long	3
unsigned short	4
unsigned long	5
float	6
double	7
boolean	8
character	9
data identifier	10
object reference	11

All types that may be expressed in MHEG-SIR (including predefined MHEG types) can be built using the MHEG-SIR primitive types and the following constructors:

- string;
- sequence;
- array;
- structure;
- union.

By convention, the unbounded `string` type (the only constructed type without an element or a parameter) shall be predefined and shall have 12 as its type identifier.

C.1.2 MHEG API types

The MHEG API types defined by the MHEG API shall be encoded using predefined type identifiers.

NOTE: MHEG API types are intended for use by interchanged scripts to express information which is exchanged between the script interpreter and MHEG entities.

The IDL definition of these types, as provided by an MHEG API, shall be mapped to MHEG-SIR type descriptions using the general IDL mapping rules defined in clause 14 and the specific MHEG API mapping rules defined in clause E.2.

C.2 Predefined functions

MHEG-SIR predefined functions comprise:

- MHEG API operations;
- MHEG-3 API operations.

C.2.1 MHEG API operations

The MHEG API operations defined by the MHEG API shall be encoded using predefined function identifiers.

Predefined message identifiers for the MHEG API operations shall start at 1100h.

The IDL definition of these operations, as provided by the MHEG-3 API, shall be mapped to MHEG-SIR function descriptions using the general IDL mapping rules defined in clause 14 and the specific MHEG API mapping rules defined in clause E.2.

C.2.2 MHEG-3 API operations

The MHEG-3 API operations defined by the MHEG-3 API, as defined in clause 15, shall be encoded using predefined function identifiers according to table C.2:

Table C.2: Predefined function identifiers for MHEG-3 API operations

Operation name	Predefined function index	Function identifier
prepare	0	1000h
destroy	1	1001h
new	2	1002h
delete	3	1003h
setPriority	4	1004h
getPriority	5	1005h
setData	6	1006h
getData	7	1007h
allocate	8	1008h
free	9	1009h
stop	10	100Ah
reInit	11	100Bh
getRtScriptStatus	12	100Ch
open	13	100Dh
close	14	100Eh
getRoutineId	15	100Fh
setParameter	16	1010h
getPrototype	17	1011h
run	18	1012h
reset	19	1013h
getInvocationStatus	20	1014h

The IDL definition of these operations, as defined in annex F, shall be mapped to MHEG-SIR function descriptions using the IDL mapping rules defined in clause 14.

C.3 Predefined messages

MHEG-SIR predefined messages targeted at an rt-script result from:

- invocation of the MHEG-3 API `run` operation;
- the `InstructionExecutionError` exception;
- MHEG-3 API exceptions;
- MHEG API exceptions.

C.3.1 MHEG-3 API operations

The identifier of the message resulting from the invocation of a `run` operation, as defined in subclause 15.4.5, shall be equal to the function identifier of the target routine.

Messages resulting from MHEG-3 API operations shall therefore have a message identifier value between 0 and 0FFFh.

C.3.2 The `InstructionExecutionError` exception

The `InstructionExecutionError` exception, as defined in subclause 9.5.2, shall have 1000h as its message identifier.

The `InstructionExecutionError` exception shall have one member of type `unsigned long`, whose value shall be set to the value of the ER.

The major error code shall determine the least significant byte of the member (and the ER) as defined by table C.3:

Table C.3: Instruction execution error codes

Error name	Error code
<code>InvalidOperand</code>	1
<code>InvalidParameter</code>	2
<code>InvalidType</code>	3
<code>InvalidIdentifier</code>	4
<code>InvalidLevel</code>	5
<code>InvalidIndex</code>	6
<code>StackUnderflow</code>	7
<code>ArithmeticOverflow</code>	8
<code>DivisionByZero</code>	9
<code>HandlerNotFound</code>	10
<code>InvalidReturnValue</code>	11
<code>BadPackageStatus</code>	12
<code>InvalidObjectReference</code>	13
<code>TypeMismatch</code>	14
<code>JumpOutOfRange</code>	15
<code>AllocationFailed</code>	16

C.3.3 MHEG-3 API exceptions

The MHEG-3 API exceptions, as defined in clause 15, shall have the message identifiers defined by table C.4:

Table C.4: Predefined message identifiers for the MHEG-3 API exceptions

Exception name	Predefined message index	Message identifier
<code>InvalidScript</code>	1	1001h
<code>InvalidParameter</code>	2	1002h
<code>OperationFailed</code>	3	1003h

The IDL definition of these exceptions, as defined in annex F, shall be mapped to MHEG-SIR message descriptions using the IDL mapping rules defined in clause 14.

C.3.4 MHEG API exceptions

The MHEG API exceptions defined by the MHEG API shall be encoded using predefined message identifiers.

Predefined message identifiers for the MHEG API exceptions shall start at 1100h.

The IDL definition of these exceptions, as provided by the MHEG API, shall be mapped to MHEG-SIR message descriptions using the general IDL mapping rules defined in clause 14 and the specific MHEG API mapping rules defined in clause E.2.

Annex D (normative): IDL Platform mapping specification form

MHEG-3 engines shall allow access to the services provided by the run-time environment of a given platform, provided this run-time environment complies with the registered "platform mapping specification" for this platform.

The registered "platform mapping specifications" shall be provided according to the template specified in this annex, with all fields being completed.

This MHEG-SIR platform-mapping specification defines the mechanisms that need be used by MHEG-3 engines to access the services provided by the run-time environment on the platform.

Platform description

The platform to which this specification applies is <platform_description>

Package availability procedure

To know whether an IDL specification is available within the run-time environment and to locate it, an MHEG-3 engine shall proceed as follows. <package_availability_procedure>

Package load procedure

To make the operations of an available IDL specification accessible, an MHEG-3 engine shall proceed as follows. <package_load_procedure>

Package unload procedure

To stop the operations of an available IDL specification from being accessible, an MHEG-3 engine shall proceed as follows. <package_unload_procedure>

Operation invocation procedure

To invoke an operation of an accessible IDL specification, an MHEG-3 engine shall proceed as follows. <operation_invocation_procedure>

Parameter passing procedure

When invoking an IDL operation, an MHEG-3 engine shall pass **in** parameters as follows. <in_parameter_passing_procedure>

When invoking an IDL operation, an MHEG-3 engine shall pass **out** parameters as follows. <out_parameter_passing_procedure>

When invoking an IDL operation, an MHEG-3 engine shall pass **inout** parameters as follows. <inout_parameter_passing_procedure>

Output parameter retrieval procedure

To retrieve the values of **out** or **inout** parameters after invoking an IDL operation, an MHEG-3 engine shall proceed as follows. <output_parameter_retrieval_procedure>

Return value retrieval procedure

To retrieve the return value of a previously invoked IDL operation, an MHEG-3 engine shall proceed as follows. <return_value_retrieval_procedure>

Data encoding rules

The values of data that are interchanged between the MHEG-3 engine and the run-time environment shall be encoded as follows. <data_encoding_rules>

Exception retrieval procedure

To retrieve exceptions that are raised by the run-time environment, an MHEG-3 engine shall proceed as follows. <exception_retrieval_procedure>

System exceptions

The system exceptions that may be raised by the run-time environment and retrieved by an MHEG-3 engine are defined as follows. <system_exception_definitions>

Resource limitations

When using the run-time environment on the platform, the following resource limitations apply. <resource_limitations_statement>

Annex E (normative): MHEG API definition process

As shown in subclause 8.3.3, this generic ETS does not define a specific MHEG API. It defines instead a generic set of rules and procedures applicable to the definition of the MHEG API to be provided by any ETS that describes presentation objects. This comprises:

- the rules that shall be used to produce the MHEG API definition (see clause E.1);
- the procedure that shall be used to define the MHEG-SIR mapping of this MHEG API (see clause E.2).

E.1 Generic API definition framework

Producing an MHEG API specification from another ETS that describes presentation objects (hereafter called an MHEG specification) is a process that consists in producing IDL elements from MHEG elements.

The MHEG elements on which this process applies are described in subclause E.1.1. The IDL elements to be produced from these MHEG elements are described in subclause E.1.2. The rules used to produce the IDL elements from the MHEG elements are described in subclause E.1.3 sq.

E.1.1 MHEG elements input to MHEG API definition process

The different parts of ISO/IEC 13522 share a number of key features. The following MHEG elements must be present in the source MHEG specification:

- MHEG data types, described using ASN.1 or Extended Backus-Naur Form (EBNF);
- MHEG entities (i.e. objects targeted by MHEG elementary actions), related to each other by inheritance relationships;
- static and dynamic attributes of MHEG entities;
- MHEG elementary actions applying to MHEG entities;
- MHEG exceptions raised as the MHEG effect of elementary actions.

E.1.2 IDL elements output by MHEG API definition process

The API definition process should consist in mapping these elements to a set of IDL elements:

- IDL non-object types shall map MHEG data types;
- IDL object interfaces, related to each other by inheritance relationships, shall map MHEG entities;
- IDL attributes, provided by IDL object interfaces, shall map static and dynamic attributes of MHEG entities;
- IDL operations, provided by IDL object interfaces, shall map MHEG elementary actions;
- IDL exceptions shall map MHEG exceptions raised as the effect of elementary actions.

E.1.3 Requirements on the MHEG API definition process

According to ISO/IEC JTC1 guidelines for API standardization, the MHEG API shall be defined as an abstract API specification, i.e. a language-independent description of the semantics of a set of functionality in an abstract syntax using abstract data types.

As an enforcement of the recommendations of ETR 225 "API and script representation for MHEG - Requirements and framework", an MHEG API definition shall meet the following requirements:

- portability (see subclause E.1.3.1);
- genericity (see subclause E.1.3.2);
- conformance testability (see subclause E.1.3.3);
- implementability (see subclause E.1.3.4).

E.1.3.1 Portability

The **portability** requirement states that MHEG applications need use the MHEG object manipulation and interchange service provided by MHEG engines (i.e. an MHEG API) in a manner independent of:

- the programming language used for the MHEG application;

- the underlying operating system.

To meet the portability requirement, an MHEG API shall be defined as an abstract API specification.

E.1.3.2 Genericity

The **genericity** requirement states that all the common requirements of MHEG applications need be supported by an MHEG API.

To meet the genericity requirement, an MHEG API shall be defined at the most primitive level, i.e. in terms of primitives that match MHEG elementary actions and data types that match MHEG data types. This guarantees to maximize the range of MHEG object manipulations made available to applications.

E.1.3.3 Conformance testability

The **conformance testability** requirement states that it should be as easy as possible to test:

- the conformance of an MHEG engine to an MHEG API specification, i.e. the correct provision of this API by an MHEG engine under test;
- the conformance of an MHEG application to an MHEG API specification, i.e. the correct use of this API by an MHEG application under test.

To meet the conformance testability requirement, an MHEG API shall express formally its requirements on conforming implementations and conforming applications and it shall use a formal description technique for the definition of the MHEG API.

E.1.3.4 Implementability

The **implementability** requirement states that implementation of MHEG engines that conform to the MHEG API specification need be as easy as possible. For this purpose, the MHEG API definition should take into account simplicity and clarity both in the definition and the formulation.

To meet the implementability requirement, an MHEG API shall provide or refer to guidelines to produce language mapping specifications and message encoding rules from the abstract API specification.

E.1.3.5 Fulfilment of technical requirements

The use of IDL contributes to the fulfilment of the portability and implementability technical requirements:

- IDL is independent from a programming language. Moreover, there are public specifications of IDL mappings to common programming languages such as C and C++;
- IDL provides a complete formal description language which allows a very concise, readable, efficient specification of an MHEG API. Moreover, IDL is also appropriate for automatic compilation, so that MHEG API implementations may be automatically generated for a given language and operating system using appropriate IDL compilers.

E.1.4 General structure of the MHEG API

The MHEG API shall be defined using IDL as defined in ISO/IEC 14750-1 [8]. The use of IDL does not imply a Common Object Request Broker Architecture (CORBA) environment. Therefore, beside its use of IDL, the MHEG API shall be defined in a way independent of the CORBA architecture.

The IDL interface definition shall consist of two modules providing different API functionality. The first module shall provide MHEG interpretation services. It shall be named module `MHEG_<part>` where `<part>` is a number designating the ETS targeted by the API. The second module shall provide accessor and modifier services for encoded MHEG entities. It shall be named module `MHEG_<part>_Access` where `<part>` is a number designating the ETS targeted by the API.

The API shall provide an interface enabling the creation of an interface object instance. This interface shall be named `MHEGEntityManager`. Operations enabling the deletion of an IDL instance shall be provided by the interfaces that map MHEG entities.

Each interface mapping a MHEG entity that provides a common reference scheme for its subclasses shall also provide the following operations:

- attach;
- detach;
- getIdentifier.

The `attach` operation binds an interface object instance with an MHEG entity and returns the identifier of the bound object. The `detach` operation cancels the binding. The `getIdentifier` operation retrieves the identifier of the MHEG entity bound with the interface object instance.

The IDL concepts used to design the interface shall map MHEG concepts according to the rules described in the following subclauses. IDL identifiers shall map MHEG ASN.1 identifiers according to the rules defined in the following subclauses.

The following operations shall be synchronous: create, bind, unbind operations, accessors and modifiers, GET operations. Other elementary actions shall be mapped to asynchronous operations.

The API definition shall not use nested scoping levels.

E.1.5 IDL non-object datatype definition

IDL non-object types shall map MHEG datatypes expressed using ASN.1.

E.1.5.1 Name mapping

E.1.5.1.1 Data types

ASN.1 data type names shall be mapped to IDL type names as follows:

- if the ASN.1 type name consists of more than one word, no separators shall be used in the IDL name;
- each word shall start with a capital letter, all other letters shall be in lower case.

EXAMPLE: The ASN.1 `type-name` shall be mapped to the IDL `TypeName`.

E.1.5.1.2 Components

ASN.1 component names shall be mapped to IDL field names as follows:

- if the ASN.1 name consists of more than one word, the underscore character ("_") shall be used as a separator;
- all letters shall be in lower case;
- as IDL is not case-sensitive, type names and field names may collide when single-word names are used. In such a case, the field name shall be prefixed by "the_". The same rule shall be used when a single-word component name collides with an IDL keyword.

EXAMPLE:

```
// regular field name
TypeName    field_name

// collision between field name and type name
Alias       the_alias

// collision between field name and IDL keyword ("string")
Type        the_string
```

E.1.5.1.3 Values

ASN.1 value names shall be mapped to IDL value names as follows:

- a) if the name consists of more than one word, the underscore character ("_") shall be used as a separator;

- b) all letters shall be in upper case;
- c) as an IDL enumeration does not create a new scope, values used within enumerations may collide. In such a case, for one of the colliding enumerations all value names (not only the one which collides) shall be prefixed by the name of the enumerated type. This type name shall be built using rules a) and b) (and not the regular rules for type names).

EXAMPLE:

```
// regular value name
FIRST_VALUE

// value name in case of a collision
FIRST_ENUMERATION_FIRST_VALUE
```

E.1.5.2 Type mapping

E.1.5.2.1 INTEGER

An ASN.1 `INTEGER` type shall be mapped to an IDL `long` type.

EXAMPLE:

```
-- ASN.1
Type ::= INTEGER

// IDL
typedef long Type;
```

E.1.5.2.2 BOOLEAN

An ASN.1 `BOOLEAN` type shall be mapped to an IDL `boolean` type.

EXAMPLE:

```
-- ASN.1
Type ::= BOOLEAN

// IDL
typedef boolean Type;
```

E.1.5.2.3 OCTET STRING

An ASN.1 `OCTET STRING` type shall be mapped to an IDL `sequence <octet>` type.

EXAMPLE:

```
-- ASN.1
Type ::= OCTET STRING

// IDL
typedef sequence <octet> Type;
```

E.1.5.2.4 ENUMERATED

An ASN.1 `ENUMERATED` type shall be mapped to an IDL `enum` type.

EXAMPLE:

```
-- ASN.1
Type ::= ENUMERATED {value_1 (1), value_2 (2)}

// IDL
enum Type (VALUE_1, VALUE_2);
```

E.1.5.2.5 SEQUENCE OF

An ASN.1 `SEQUENCE OF` type shall be mapped to an IDL `sequence` type.

EXAMPLE:

```
-- ASN.1
Type ::= SEQUENCE OF OtherType

// IDL
typedef sequence <OtherType> Type;
```

E.1.5.2.6 CHOICE

An ASN.1 CHOICE type shall be mapped to an IDL discriminated union by combining `enum` and `union`. The `enum` type name shall be derived from the name of the CHOICE type suffixed by “Tag” in order not to collide with the `union` type name. The `enum` value names shall be derived from the names of the CHOICE type fields suffixed by “_TAG” in order not to collide with field names within the `switch`. Within a CHOICE a NULL component shall be mapped on an empty `case`.

EXAMPLE:

```
-- ASN.1
Type ::= CHOICE
{
    a  A,
    b  B,
    c  NULL
}

// IDL
enum TypeTag { A_TAG, B_TAG, C_TAG };
union Type
switch TypeTag {
    case A_TAG:
        A the_a;
    case B_TAG:
        B the_b;
    // no 'case' for C_TAG
};
```

E.1.5.2.7 SEQUENCE

An ASN.1 SEQUENCE type shall be mapped to an IDL `struct` type. OPTIONAL ASN.1 components with or without DEFAULT values shall be mapped to an IDL `sequence` of at most one element of that type.

EXAMPLE:

```
-- ASN.1
Type ::= SEQUENCE
{
    a  A OPTIONAL,
    b  B,
    c  INTEGER DEFAULT 0
}

// IDL
struct Type {
    sequence <A,1> the_a;
    B the_b;
    sequence <long,1> c;
};
```

E.1.5.3 Order of declarations

The order of type declarations may be different between ASN.1 and IDL because IDL does not allow the use of a type before its declaration (and does not provide a forward declaration functionality). IDL type declarations shall be reordered to deal with this constraint.

To enable reordering, cross-references from the ASN.1 syntax shall be suppressed.

The following examples show cross-references commonly used in ASN.1 and how they should be removed.

EXAMPLE 1:

```
-- ASN.1 definition using a cross reference
-- Production rules used :
-- T = A | B
```

```

-- B = T C
-- Allowed values :
-- a c*

-- T refers to B
T ::= CHOICE
{
  a  A,
  b  B
}
-- B refers to T
B ::= SEQUENCE
{
  t  T,
  c  C
}

-- Equivalent ASN.1 definition without cross-reference
-- The information described remains the same, the structure has changed
-- Production rules used :
-- T = A C*

T ::= SEQUENCE
{
  a  A,
  s_o_c  SEQUENCE OF C OPTIONAL
}

```

EXAMPLE 2:

```

-- ASN.1 definition using a cross-reference
-- Production rules used :
-- T = A | B
-- B = C T
-- Allowed values :
-- c*a

-- T refers to B
T ::= CHOICE
{
  a  A,
  b  B
}
-- B refers to T
B ::= SEQUENCE
{
  c  C,
  t  T
}

-- Equivalent ASN.1 definition without cross-reference
-- The information described remains the same, the structure has changed
-- Production rules used :
-- T = C* A

T ::= SEQUENCE
{
  s_o_c  SEQUENCE OF C OPTIONAL,
  a  A
}

```

However, in most cases cross-referencing should be removed by the creation of nested types, as shown in example 3.

EXAMPLE 3:

```

-- ASN.1 definition using a cross-reference

-- T refers to A
T ::= CHOICE
{
  a  A,
  b  B
}

A ::= -- A definition that refers to T (either directly or indirectly)

-- Equivalent ASN.1 definition without cross-reference

T ::= CHOICE
{
  a  -- A definition
}

```

```
    b   B  
}
```

The disadvantage of the method shown in example 3 is that very complex datatypes may be created. Moreover part of the datatypes so created might duplicate types already defined in the syntax.

Another option is to translate the "A" ASN.1 datatype into an "A" IDL interface embedding the corresponding "A" IDL datatype. This allows to use a forward declaration of the "A" IDL interface as illustrated in example 4.

EXAMPLE 4:

```
interface A; // forward declaration  
  
enum TTag { A_TAG, B_TAG };  
union T  
switch TTag {  
    case A_TAG:  
        A   the_a;  
    case B_TAG:  
        B   the_b;  
};  
  
interface A {  
  
// this interface embeds the definition of type A which refers to type T  
  
};
```

E.1.6 IDL interface definition

MHEG entities shall be mapped on IDL interfaces according to the following rules:

- every element that may be designated as a target of an MHEG elementary action shall be considered as an entity. Not all entities are explicitly defined by the MHEG standard. Moreover not all of them exist in the MHEG object model. Therefore the MHEG object model shall be refined to integrate all the entities used;
- if an elementary action may target different types of entities, a new entity shall be created aggregating these entities;
- the name of the new created entity shall be the concatenation of the names of the entities it aggregates using "Or" as a separator;
- the obtained object model is the API object model. There shall be a one-to-one correspondence between entities and interfaces;
- the IDL inheritance hierarchy shall correspond to the hierarchy of the API object model;
- interface names shall be derived from entity names using the same rules as for datatypes.

E.1.7 IDL attribute definition

The following categories of MHEG attributes are identified:

- interchanged attributes;
- internal attributes.

E.1.7.1 MHEG interchanged attributes

MHEG interchanged attributes shall be mapped to IDL attributes in the module MHEG-<part>-access according to the following rules:

- a) every ASN.1 type whose name ends with "Class" shall be mapped to an interface;
- b) within the type (see a)), the ASN.1 COMPONENTS OF ASN.1 shall be mapped to the IDL inheritance functionality;

- c) within the type (see a)), every component shall be mapped to an attribute;
- d) the naming and typing of attributes shall follow the rules defined in subclause E.1.5.

EXAMPLE:

```
-- ASN.1

B-Class ::= SEQUENCE
{
    COMPONENTS OF A-Class,
    i      INTEGER,
    j      C-Type
}

// IDL

interface BClass : AClass {
    attribute long i;
    attribute CType j;
};
```

E.1.7.2 MHEG internal attributes

MHEG internal attributes shall not be mapped to IDL attributes. MHEG internal attributes are accessed and modified through the use of MHEG elementary actions which shall be mapped to IDL operations.

E.1.8 IDL operation definition

The MHEG API interfaces shall provide the following categories of operations:

- operations that map MHEG elementary actions targeting the MHEG entity to which the interface corresponds;
- operations used to delete an interface instance (see NOTE);
- operations used to attach and detach an interface instance to a MHEG entity.

NOTE: The creation of an interface instance is provided by the factory interface.

E.1.8.1 Operations mapping MHEG elementary actions

MHEG elementary actions shall be mapped to IDL operations according to the following rules:

- a) there shall be a one-to-one correspondence between elementary actions and operations;
- b) the interface that provides an operation shall correspond to the target entity of the elementary action;
- c) the name of the operation shall be derived from the name of the elementary action using the following rules:
 - 1) if an operation name consists of more than one word, no separators shall be used;
 - 2) the operation name shall start with a lower-case letter;
 - 3) each word (except the first) shall start with a capital letter.
- d) a "Set" elementary action shall be mapped to an operation according to the following rules:
 - 1) the return value of the operation shall be of type `void`;
 - 2) there shall be only input parameters;
 - 3) the datatypes and names of the parameters shall be derived from the ASN.1 elementary action definition using the rules defined in subclause E.1.5;
 - 4) the first parameter of the ASN.1 elementary action definition shall not be mapped (it represents the target of the elementary action);
 - 5) if the macro functionality is used for the definition of a parameter, the embedded datatype shall be used;
 - 6) if the embedded datatype referenced in d5) is not explicitly defined it shall be created as outlined in example 1.

- e) a "Get" elementary action shall be mapped to an operation according to the following rules:
- 1) the return value of the operation shall be the value evaluated by the elementary action;
 - 2) the datatype of the return value does not exist as such in the MHEG ASN.1 syntax because elementary actions are evaluating generic value. It shall therefore be one of the following:
 - i) a simple datatype;
 - ii) a complex datatype that is used in the corresponding "Set" elementary action;
 - iii) if a complex datatype is returned and no corresponding "Set" elementary action exists, the datatype shall be created.
 - 3) there shall be no output parameters, all results shall be passed using the return value;
 - 4) for input parameters, the rules defined in d3), d4), d5), d6) shall apply.

EXAMPLE:

```
Elementary-Action-N ::= SEQUENCE
{
    target      Target, -- to be skipped
    param1-param Param1-Parameter, -- replace
    param2-param Param2-Parameter -- replace
}

Param1-Parameter ::= CHOICE
{
    param1      Param1,
    param1-macro Param1-Macro
}

Param1-Macro ::= SEQUENCE
{
    -- ...
    -- ...
}
Param1 ::= -- ...

-- In "Elementary-Action-N" the "param1-parameter" parameter shall be replaced with the
-- "param1" parameter

Param2-Parameter ::= CHOICE
{
    a-param      A-Parameter,
    b-param      B-Parameter
}

A-Parameter ::= CHOICE
{
    a            A,
    a-macro      A-Macro
}

A-Macro ::= SEQUENCE
{
    -- ...
    -- ...
}
A ::= -- ...

B-Parameter ::= SEQUENCE
{
    -- ...
    -- ...
}

B-Macro ::= SEQUENCE
{
    -- ...
    -- ...
}
B ::= -- ...

-- In "Elementary-Action-N" the "param2-parameter" parameter cannot be replaced with the
-- "param2" parameter because it does not exist. Consequently an IDL datatype that
-- corresponds to the following ASN.1 datatype shall be created:

Param2 ::= CHOICE
{
    a            A,
    b            B
}
```

E.1.8.2 Operations enabling the deletion of an interface instance

Each interface shall provide an operation enabling the deletion of an interface instance. This operation shall have the following prototype:

```
void    kill();
```

E.1.8.3 Operations to attach and detach an interface instance to a MHEG entity

Each interface shall provide operations enabling to attach and detach an interface instance to a MHEG entity. These operations shall be named `attach` and `detach` respectively. The `attach` operation shall accept an MHEG entity reference as parameter, resolve this reference and return an MHEG entity identifier. The `detach` operation shall accept no parameter.

Each interface shall provide an operation to retrieve the identifier of the MHEG entity attached to an interface instance. This operation shall be named `getIdentifier`. It shall accept no parameter and return an MHEG entity identifier.

E.1.9 IDL exception definition

IDL exceptions shall map MHEG error conditions associated with elementary actions. Error conditions should be classified according to their nature so as to get a limited set of IDL exceptions.

The following set of exceptions is recommended:

```
-    InvalidTarget;
-    InvalidParameter;
-    NotBound;
-    AlreadyBound.
```

The `InvalidTarget` exception is raised when the targeted MHEG entity is not available. The `period` member returns the current state (life cycle period) of the target.

The `InvalidParameter` exception is raised when the value of one of the parameters prohibits the normal execution of the action. The `completion_status` member indicates whether the action has been completed (with a default value assigned to the inadequate parameter) or not. The `parameter_number` member identifies the rank of the invalid parameter.

The `NotBound` exception is raised when the interface object instance is not bound with an MHEG entity.

The `AlreadyBound` exception is raised when the interface object instance is already bound with an MHEG entity. The `entity_identifier` member identifies the bound entity.

The IDL definition of these exceptions is as follows:

```
exception InvalidTarget {
    unsigned short period;
};

enum CompletionStatus { YES, NO };

exception InvalidParameter {
    CompletionStatus completion_status;
    unsigned short parameter_number;
};

typedef long EntityIdentifier;

exception AlreadyBound {
    EntityIdentifier entity_identifier;
};

exception NotBound {};
```

The above mentioned exceptions shall be defined within the global scope.

If an error condition cannot be handled by the above mentioned exceptions, a specific exception shall be created at the appropriate interface scoping level.

The IDL exception names for specific exceptions shall be derived from the name of the MHEG error condition using the same rules as for datatypes:

- no separators shall be used;
- the exception name shall start with a capital letter;
- if an exception name consists of more than one word, no separators between words shall be used and each word shall start with a capital letter.

E.2 MHEG API mapping to MHEG-SIR

Producing the MHEG API mapping to MHEG-SIR is a process that consists in assigning predefined type identifiers, predefined function identifiers and predefined message identifiers to map MHEG API types, operations and exceptions.

This mapping process shall consist of three consecutive steps:

- a) extract intermediate types until all type definitions have only one level (see EXAMPLE 1);
- b) change IDL `enum` types to `unsigned long` (MHEG-SIR provides no enumerated datatype). Compute for each type definition its "level" number, i.e. its highest possible distance from the leaf. Unify equivalent types, starting with those with the lowest "level" number;
- c) scan the resulting IDL specification to allocate predefined IDs. Assign predefined TIDs and MIDs as soon as new types or exceptions are encountered. For each object, assign predefined FIDs for each explicitly defined operation, for each inherited operation that is not overridden by an explicitly defined one, for each attribute accessor and for each attribute modifier.

EXAMPLE:

```
struct A {
    int a;
    struct {
        int b;
        struct {
            int c;
            int d;
        } b;
    } c;
};

// after extraction of intermediate types (a)

struct A {
    int a;
    B b;
};
struct B {
    int b;
    C c;
};
struct C {
    int c;
    int d;
};
```


Annex F (normative): IDL specification of the MHEG-3 API

To express direct manipulation of other scripts, interchanged scripts shall use the MHEG-3 mapping (as defined in annex B) of the MHEG-3 API.

MHEG-3 engines shall provide the MHEG-3 API as specified by the IDL MHEG_3 module.

```

module MHEG_3 {

    enum RtScriptStatus {RUNNING, READY, ERRONEOUS};
    enum InvocationStatus {NOT_STARTED, PROCESSING, TERMINATED, ABORTED};
    enum PassingMode {BY_VALUE, BY_REFERENCE};
    enum Entity {TYPE, DATA, FUNCTION, MESSAGE, PACKAGE, HANDLER};

    typedef unsigned short FID;
    typedef unsigned short DID;
    typedef unsigned short TID;

    struct ContentReference {
        string public_id;
        string system_id;
    };
    struct ParameterDescription {
        PassingMode    passing_mode;
        TID            parameter_type_id;
    };
    struct Prototype {
        TID            return_value_type_id;
        sequence<ParameterDescription> signature;
    };

    exception InvalidParameter {
        unsigned short rank;
    };
    exception InvalidScript {
        Entity        the_entity;
        unsigned short identifier;
    };
    exception OperationFailed {};

    interface MhScript;
    interface RtScript;
    interface RoutineInvocation;

    interface ScriptInterpreter {
        MhScript prepare (in ContentReference content_reference)
            raises (InvalidScript, InvalidParameter, OperationFailed);
        void kill ();
    };

    interface MhScript {
        RtScript new ()
            raises (OperationFailed);
        void destroy ();
    };

    interface RtScript {
        RoutineInvocation open (in FID routine_id)
            raises (InvalidParameter);

        RtScriptStatus getRtScriptStatus();

        void setPriority (in unsigned short priority);
        unsigned short getPriority ();

        DID allocate (in TID variable_type_id)
            raises (InvalidParameter, OperationFailed);
        void free (in DID variable_id)
            raises (InvalidParameter);

        void setData (in DID variable_id, in any variable_value)
            raises (InvalidParameter, OperationFailed);
        any getData (in DID data_id)
            raises (InvalidParameter, OperationFailed);

        void stop ()
            raises (OperationFailed);
        void reInit ()
            raises (OperationFailed);
        void delete ();
    };
};

```

```
interface RoutineInvocation    {
    readonly attribute FID routine_id;

    void setParameter (in unsigned short rank, in TID parameter_type_id,
                      in any parameter_value)
        raises(InvalidParameter);

    Prototype getPrototype ();
    InvocationStatus getInvocationStatus ();

    void run ()
        raises (OperationFailed);

    void reset ();
    void close ();
};
```

Annex G (normative): Relationships with other parts of ISO/IEC 13522

G.1 Relationships with ISO/IEC 13522-1

This clause specifies the requirements that apply when this ETS is used to extend the provisions of ISO/IEC 13522-1 [5].

The statement "another part of ISO/IEC 13522" used in this ETS shall be interpreted to be "ISO/IEC 13522-1 [5]".

The MHEG-SIR defined by this ETS shall apply to the encoding of the `script-data` component of ISO/IEC 13522-1 [5] conforming objects of the `script` class, whose `script-classification` component is registered within the `registered-script-classification` catalogue to indicate "script" and whose `catalogued-script-encoding` component is registered within the `registered-script-classification` to indicate "MHEG-SIR", according to the values maintained by the MHEG registration authority.

NOTE: These values are registered according to the provisions of ISO/IEC 13522-4 [6].

In this framework, the `script-data` component shall be encoded according to the following restrictions on the `ISOMHEG-sc` module defined in ISO/IEC 13522-1 [5]:

- if the `script-inclusion` choice is selected for the `script-data` component then the `interchangedscript` choice shall be selected for the `script-inclusion` component;
- if the `data-reference` choice is selected for the `script-data` component then the referenced data shall be encoded as an `InterchangedScript` as specified by the `ISO-MHEG-sir` module.

Hence MHEG-3 script objects shall conform to the syntax defined by the `SIR-Script-Class` subtype hereafter.

```
-- ISOMHEG-sir {joint-iso-itu-t(2) mheg (19) version (1) script-interchanged-representation (11)}

IMPORTS
  MHEG-Identifier, Catalogued-Script-Classification
    FROM ISOMHEG-ud { joint-iso-itu(2) mheg(19) version(1) useful-definitions (9) }
  Registered-Script-Encoding, Registered-Script-Classification
    FROM ISOMHEG-cat { joint-iso-itu(2) mheg(19) version(1) catalogues (12) }
  Script-Class
    FROM ISOMHEG-sc { joint-iso-itu(2) mheg(19) version(1) script-class(3) }
;

SIR-Script-Class ::= Script-Class (WITH COMPONENTS
{
  ...,
  script-classification (WITH COMPONENTS
    { registered-script-classification ('script') }) PRESENT,
    -- registered value as provided by ISOMHEG-cat

  script-hook (WITH COMPONENTS
    {
      ...,
      catalogued-script-encoding (WITH COMPONENTS
        { registered-script-encoding ('MHEG-SIR') }) PRESENT,
        -- registered value as provided by ISOMHEG-cat
    }) PRESENT,

  script-data (WITH COMPONENTS
    {
      ...,
      script-inclusion (WITH COMPONENTS { interchangedscript } ),
      data-reference (WITH COMPONENTS { null-data ABSENT } )
    }) PRESENT
})
```

G.2 Relationships with ISO/IEC 13522-5

This clause specifies the requirements that apply when this ETS is used to extend the provisions of ISO/IEC 13522-5 [7].

The statement "another part of ISO/IEC 13522" used in this ETS shall be interpreted to be "ISO/IEC 13522-5 [7]".

The MHEG-SIR defined by this ETS shall apply to the encoding of the `original-content` attribute of ISO/IEC 13522-5 [7] conforming `InterchangedProgram` objects whose `content-hook` component indicates "MHEG-SIR", according to the application domain definition.

Within a value of the `InterchangedProgramClass` type, the following restrictions shall apply to the ISOMHEG-MHEG-5 module defined in ISO/IEC 13522-5 [7]:

- if the `included-content` is selected for the `original-content` component, then the `OCTET STRING` value of the `included-content` component shall be replaced by a value of the `InterchangedScript` type as specified by the `ISO-MHEG-sir` module;
- if the `referenced-content` is selected for the `original-content` component, then the referenced data shall be a value of the `InterchangedScript` type as specified by the `ISO-MHEG-sir` module.

Hence, MHEG-3 script objects shall conform to the syntax defined by the `SIR-Script-Class` subtype thereafter.

```
ISOMHEG-sir { joint-iso-itu-t(2) mheg (19) version (1) script-interchanged-representation (11) }  
  
IMPORTS  
  InterchangedProgramClass  
  FROM ISOMHEG-MHEG-5 { joint-iso-itu(2) mheg(19) version(1) MHEG-5 (17) }  
;  
  
SIR-Script-Class ::= InterchangedProgramClass (WITH COMPONENTS  
{  
  ...,  
  content-hook ('MHEG-SIR') PRESENT,  
  
  original-content PRESENT,  
  -- data encoded as InterchangedScript  
})
```

ISO/IEC 13522-5 [7] makes no distinction between `mh-objects` and `rt-objects`; both are called "MHEG-5 objects". Therefore, there shall be only one `rt-script` for each `mh-script`. As a consequence:

- `mh-script` initialization and `rt-script` initialization shall be performed in a single operation (corresponding to the invocation of the `prepare` and `new` operations);
- invoking several `new` operations on the same `mh-script` shall raise an exception;
- `rt-script` destruction and `mh-script` destruction shall be performed in a single operation (corresponding to the invocation of the `delete` and `destroy` operations).

Annex H (informative): MHEG-SIR syntax (EBNF notation)

This annex describes the syntax of MHEG-SIR interchanged scripts. This syntax is equivalent to the ASN.1 specification in annex A.

```
// Structure
InterchangedScript ::= TypeDeclaration*
                    ConstantDeclaration*
                    VariableDeclaration*
                    PackageDeclaration*
                    HandlerDeclaration*
                    RoutineDeclaration*

// Type declarations
TypeDeclaration ::= TypeIdentifier?
                TypeDescription

TypeDescription ::= SequenceDescription
                | StringDescription
                | ArrayDescription
                | StructureDescription
                | UnionDescription

SequenceDescription ::= INTEGER? // Sequence bound
                    TypeIdentifier

StringDescription ::= INTEGER? // String bound

ArrayDescription ::= INTEGER // Array size
                 TypeIdentifier

UnionDescription ::= TypeIdentifier+

StructureDescription ::= TypeIdentifier+

// Data declarations
ConstantDeclaration ::= DataIdentifier?
                    TypeIdentifier
                    ConstantValue

ConstantValue ::= BOOLEAN
              | OCTET
              | INTEGER // all numeric types
              | REAL // float or double
              | STRING // character or string
              | DataIdentifier
              | ConstantValue* // sequence, array or structure
              | UnionValue

UnionValue ::= INTEGER // Tag index
           ConstantValue

VariableDeclaration ::= DataIdentifier?
                    TypeIdentifier
                    ConstantReference? // Initial value

ConstantReference ::= DataIdentifier
                  | ConstantValue

// Package declarations
PackageDeclaration ::= PackageIdentifier?
                  VisibleString // Package name
                  ServiceDescription*
                  ExceptionDescription*

ServiceDescription ::= FunctionIdentifier?
                   VisibleString? // IDL global name
                   CallingMode?
                   TypeIdentifier? // return value
                   ParameterDescription*

ServiceParameterDescription ::= ServicePassingMode?
                             TypeIdentifier

CallingMode ::= 'SYNCHRONOUS' | 'ASYNCHRONOUS'
ServicePassingMode ::= 'IN' | 'OUT' | 'INOUT'

ExceptionDescription ::= MessageIdentifier?
                    VisibleString? //IDL exception global name
                    TypeIdentifier* //Parameter types
```

```
// Handler declarations
HandlerDeclaration ::= MessageIdentifier
                    FunctionIdentifier

// Routine declarations
RoutineDeclaration ::= FunctionIdentifier?
                    TypeIdentifier? // for return value
                    RoutineParameterDescription*
                    VariableDeclaration*
                    OCTET STRING // program code

RoutineParameterDescription ::= RoutinePassingMode?
                               TypeIdentifier

RoutinePassingMode ::= 'VALUE' | 'REFERENCE'

// Useful definitions
TypeIdentifier ::= INTEGER
DataIdentifier ::= INTEGER
FunctionIdentifier ::= INTEGER
MessageIdentifier ::= INTEGER
PackageIdentifier ::= INTEGER
```

Annex J (informative): Textual notation for MHEG-SIR scripts

This annex describes a human-readable, text notation for the expression of MHEG-SIR scripts. It may be useful to express MHEG-SIR examples. It is given using EBNF notation.

```

InterchangedScript      ::= "SCRIPT "
                          TypeDeclaration*
                          ConstantDeclaration*
                          VariableDeclaration*
                          PackageDeclaration*
                          HandlerDeclaration*
                          RoutineDeclaration*
                          "ENDSCRIPT "

// Type declarations
TypeDeclaration        ::= "TYPE "
                          Identification?
                          TypeDescription
                          "ENDTYPE "

TypeDescription        ::= "SEQUENCE "      SequenceDescription      "ENDSEQUENCE "
                          | "STRING "      StringDescription      "ENDSTRING "
                          | "ARRAY "      ArrayDescription      "ENDARRAY "
                          | "STRUCT "     StructureDescription    "ENDSTRUCT "
                          | "UNION "      UnionDescription      "ENDUNION "

SequenceDescription    ::= INTEGER          // Sequence bound
                          Reference        // Type identifier

StringDescription      ::= INTEGER?        // String bound

ArrayDescription       ::= INTEGER          // Array size
                          Reference        // Type identifier

UnionDescription       ::= Reference+      // Type identifiers

StructureDescription   ::= Reference+      // Type identifiers

// Data declarations
ConstantDeclaration    ::= "CONSTANT "
                          Identification?
                          Reference        // Type identifier
                          ConstantValue
                          "ENDCONSTANT "

ConstantValue          ::= "BOOLEAN "     BOOLEAN
                          | "OCTET "      OCTET
                          | "SHORT "      INTEGER
                          | "LONG "       INTEGER
                          | "WORD "       INTEGER
                          | "UNSIGNED "   INTEGER
                          | "FLOAT "      REAL
                          | "DOUBLE "     REAL
                          | "STRING "    STRING
                          | "IDENTIFIER " Reference // Data identifier
                          | "SEQUENCE "   ConstantValue*
                          | "STRUCT "    ConstantValue*
                          | "ARRAY "     ConstantValue*
                          | "UNION "     UnionValue

UnionValue             ::= INTEGER          // Tag index
                          ConstantValue

VariableDeclaration    ::= "VARIABLE "
                          Identification?
                          Reference        // Type identifier
                          ConstantReference? // Initial value (constant)
                          "ENDVARIABLE "

ConstantReference     ::= Reference        // Data identifier
                          | ConstantValue

// Package declarations
PackageDeclaration     ::= "PACKAGE "
                          IntegerIdentification?
                          STRING?        // Package name
                          ServiceDescription*
                          ExceptionDescription*
                          "ENDPACKAGE "

ServiceDescription     ::= "SERVICE "

```

```

IntegerIdentification?
STRING?           // IDL operation global name
CallingMode?
Reference?        // Return type identifier
ServiceParameterDescription*
"ENDSERVICE "

ServiceParameterDescription ::= "PARAM "
ServicePassingMode
Reference         // Type identifier

CallingMode      ::= "SYNC " | "ASYN "
ServicePassingMode ::= "IN " | "OUT " | "INOUT "

ExceptionDescription ::= "EXCEPTION "
IntegerIdentification?
STRING?           //IDL exception global name
Reference*        // Parameter type identifiers
"ENDEXCEPTION "

// Handler declarations
HandlerDeclaration ::= "HANDLER "
Reference          // Message identifier
Reference          // Function identifier
"ENDHANDLER "

// Routine declarations
RoutineDeclaration ::= "ROUTINE "
Identification?
Reference?         // Return type identifier
RoutineParameterDescription*
VariableDeclaration*
Instruction+
"ENDROUTINE "

RoutineParameterDescription ::= "PARAM "
RoutinePassingMode?
Reference         // Type identifier

RoutinePassingMode ::= "VAL " | "VAR "

// Useful definitions
Identification ::= "ID " Reference
IntegerIdentification ::= "ID " INTEGER

INTEGER        ::= DecimalInteger | HexaInteger
DecimalInteger ::= Sign? Digit+ " "
Sign           ::= "+" | "-"
Digit         ::= "0" | "1" | "2" | "3" | "4" | "5" | "6" | "7" | "8" | "9"
HexaInteger   ::= "h" Hex+
Hex           ::= Digit | "A" | "B" | "C" | "D" | "E" | "F"
BOOLEAN      ::= "TRUE " | "FALSE "
OCTET        ::= Hex Hex " "
STRING       ::= "" Character* ""
Character     ::= ... // visible character
REAL         ::= Sign? Digit+ "." Digit* "e" Sign? Digit+ " "

// Program code
Instruction ::= SimpleInstruction " "
| LogicalOperator LogicalTypeCode " "
| "EQ_" TypeCode " "
| ComparisonOperator ComparisonTypeCode " "
| ArithmeticOperator NumericTypeCode " "
| "NEG_" SignedTypeCode " "
| "REM_" IntegerTypeCode " "
| "DUP_" TypeCode " "
| "CVT_" ConvertibleTypes " "
| "SHIFT_" UnsignedTypeCode " " INTEGER
| JumpInstruction " " Destination
| UnaryInstruction " " Reference
| "PUSHI " INTEGER
| BinaryInstruction " " Reference INTEGER
| "LABEL " STRING // Label in routine code

IntegerTypeCode ::= SignedIntegerTypeCode | UnsignedTypeCode
SignedIntegerTypeCode ::= "S" | "L"
SignedTypeCode ::= SignedIntegerTypeCode | "F" | "D"
UnsignedTypeCode ::= "O" | "W" | "U"
LogicalTypeCode ::= "B" | UnsignedTypeCode
NumericTypeCode ::= SignedTypeCode | UnsignedTypeCode
ComparisonTypeCode ::= NumericTypeCode | "C"
ConvertibleTypes ::= "SW" | "WS" | "LU" | "UL" | "CW" | "WC" | "BS" | "OS"
| "SL" | "LF" | "WL" | "UF" | "FD" | "BO" | "OW" | "SU"

```



```

      | "WU" | "OB" | "SB" | "LB" | "WB" | "UB" | "WO" | "LS"
      | "FL" | "UW" | "FU" | "DF"
TypeCode ::= ComparisonTypeCode | "B" | "I" | "R"

Reference ::= INTEGER // Identifier
          | STRING // Logical name or IDL name
Destination ::= INTEGER // Offset
            | STRING // Label

SimpleInstruction ::= "EQR" | "YIELD" | "RET" | "NOP" | "FREE"

ComparisonOperator ::= "GT_" | "LT_"

LogicalOperator ::= "AND_" | "OR_" | "XOR_" | "NOT_"

ArithmeticOperator ::= "ADD_" | "SUB_" | "MUL_" | "DIV_"

JumpInstruction ::= "JMP" | "LJMP" | "JT" | "JF" | "LJT" | "LJF"

UnaryInstruction ::= "INC" | "DEC" | "PUSHR" | "PUSH" | "POPR" | "POP" | "POPC"
                | "GETOR" | "ALLOC" | "CALL" | "XCALL"

BinaryInstruction ::= "SET" | "SETC" | "GET" | "GETC"
```

Annex K (informative): MHEG entities

MHEG entities include MHEG objects, mh-objects, rt-objects, interchanged MHEG objects, sockets, channels.

K.1 MHEG objects

According to ISO/IEC 13522-1 [5], an MHEG object is defined as a coded representation. Therefore, MHEG objects are bitstrings. The identity of an MHEG object is its bitstring. MHEG objects are "form 1" objects as described in ISO/IEC 13522-1 [5], subclause 6.2.4. MHEG object A and MHEG object B are identical if and only if they **are** the same sequence of bits.

An MHEG object is not a physical object, but an abstraction (a specified sequence of bits) which may have many representations (i.e. different objects) of different types: interchanged MHEG objects, stored MHEG objects, mh-objects, etc. Such representations are handled by different software services.

An MHEG object may be identified by an MHEG identifier. MHEG identifiers are the **only** way to identify MHEG objects. The structure and coded representation of MHEG identifiers is defined by ISO/IEC 13522-1 [5]. The MHEG identifier of an MHEG object must be encoded inside the MHEG object. Since the attribute is optional, some MHEG objects do not have an MHEG identifier. Such MHEG objects cannot be identified. ISO/IEC 13522-1 [5] imposes a constraint on the design of MHEG applications which is that MHEG object A and MHEG object B shall not have the same MHEG identifier unless they are identical.

The MHEG generic reference describes all possible ways to reference an MHEG object.

K.2 Mh-objects

An mh-object is an internal representation of an MHEG object within a process or system. An mh-object is not an MHEG object. Within an MHEG engine, mh-objects represent "available" MHEG objects. Mh-objects are "form 2" objects as described in ISO/IEC 13522-1 [5], subclause 6.2.4. An mh-object represents one MHEG object, i.e. there is always a bitstring that corresponds to an mh-object. An MHEG engine should not handle more than one mh-object to represent one MHEG object.

As a consequence, mh-objects handled by MHEG engines may be identified using MHEG identifiers. In addition, other mechanisms for identifying mh-objects (e.g. symbolic identification) may be defined by the application, provided their internal representation allows for it. This is especially useful when some of the MHEG objects represented by an MHEG engine's mh-objects are non-identifiable, i.e. have no MHEG identifier. This allows to guarantee that all mh-objects are identifiable.

Mh-objects are referenced the same way MHEG objects are. References to MHEG objects for which the MHEG engine handles an mh-object will usually be resolved by addressing this mh-object.

K.3 Rt-objects

An rt-object is a run-time "instance" (or copy) of a "model" mh-object, which is created and handled by an MHEG engine in the purpose of presentation. An rt-object is not an MHEG object. Within an MHEG engine, rt-objects represent "rt-available" MHEG objects. Rt-objects are "form 3" objects as described in ISO/IEC 13522-1 [5], subclause 6.2.4. There may be none or several rt-objects which are "presentable" copies of one mh-object. An rt-object always has exactly one mh-object as its model.

Rt-objects may be identified using rt-object identifiers whose "model object identification" component is an MHEG identifier. The structure and coded representation of rt-object identifiers is defined by ISO/IEC 13522-1 [5]. In addition, other mechanisms for identifying rt-objects (e.g. symbolic identification) may be defined by the application, provided their internal representation allows for it. This is especially useful when some of the MHEG objects represented by an MHEG engine's mh-objects used as models for rt-objects are non-identifiable, i.e. have no MHEG identifier. This allows to ensure that all rt-objects are identifiable.

Rt-objects may be referenced using MHEG generic references.

K.4 Interchanged MHEG objects

Interchanged MHEG objects are representations of MHEG objects which are being communicated at a given point in time using a network or storage medium. One given MHEG object (i.e. bitstring) may be interchanged many times between many places, i.e. represented by many interchanged MHEG objects. An MHEG external identifier may identify an interchanged MHEG object, and therefore reference an MHEG object through its location and time of interchange. However, it should be noted that an MHEG external identifier need not actually identify an MHEG object.

Stored MHEG objects are representations of MHEG objects which are usually located in files or database records. For instance, one given MHEG object (i.e. bitstring) may be stored in many places, i.e. represented by many stored MHEG objects. Such locations are usually identified using file names or database identifiers. An MHEG external identifier may identify a storage location for an MHEG object, and therefore reference an MHEG object through its storage location.

Annex L (informative): Main features of MHEG-SIR

This ETS has been developed in order to respond to a number of requirements and constraints regarding:

- the applications that use it;
- the functionality that it provides;
- its context of use by applications;
- its performance.

MHEG-SIR is endowed with the features described in this annex.

L.1 Features of using applications

MHEG-SIR fits the requirements of applications that feature:

- 1) manipulation of MHEG entities;
- 2) computations, variable handling and control structures;
- 3) external device control;
- 4) data acquisition;
- 5) access to external data;
- 6) access to arbitrary external run-time services.

L.1.1 Manipulation of MHEG entities

Applications usually manipulate MHEG entities for the purpose of multimedia presentation.

This feature is achieved through provision of the mechanisms described in subclause L.2.2.

L.1.2 Computations, variable handling and control structures

Applications need these data processing features to implement advanced dynamic behaviour.

These features are achieved through provision of the mechanisms described in subclause L.2.1.

L.1.3 External device control

Devices often provide a platform-specific interface. Components of the execution platform that implement another ETS and its encapsulated monomedia standards usually support a number of devices. In addition, some applications need to control directly either these devices or other devices not otherwise supported.

This feature is achieved through provision of the mechanisms described in subclause L.2.2.

NOTE: In this context, a device driver is one service package that needs to be provided by the run-time environment.

L.1.4 Data acquisition

Components of the execution platform that implement another ETS and its encapsulated monomedia standards usually support a number of data acquisition mechanisms. In addition, some applications need to control directly data acquisition (e.g. for finer tuning) from either these mechanisms or other mechanisms not otherwise supported.

This feature is achieved through provision of the mechanisms described in subclause L.2.2.

NOTE: In this context, acquired data can be retrieved by an rt-script via asynchronous reaction to notification messages sent by the driver of an external acquisition device.

L.1.5 Access to external data

Some applications need to access non-MHEG data that have to be retrieved from local storage, from a stream or from a remote data repository using a communication component of the run-time environment.

This feature is achieved through provision of the mechanisms described in subclause L.2.2.

NOTE: In this context, external data can be retrieved through a system component that is one service package provided by the run-time environment.

L.1.6 Access to arbitrary external run-time services

Arbitrary run-time services refer to all services whose interface definition is not known to the implementation before the application is interchanged.

This feature is achieved through provision of the mechanisms described in subclause L.2.2.

NOTE: In this context, external calculation capability may be provided by a library or process that is one service package provided by the run-time environment.

L.2 Functional features

MHEG-SIR is used to express:

- 1) data processing operations (see subclause L.2.1);
- 2) access to external data and functions (see subclause L.2.2).

L.2.1 Data processing operations

To support data processing operations, MHEG-SIR provides mechanisms used by interchanged scripts to express:

- the structure of constructed and advanced numeric data types;
- variables and values of these types;
- instructions that perform data access or variable assignment;
- instructions that affect the script execution control flow;
- instructions that perform arithmetic, logical and comparison operators.

These mechanisms are described in clauses 8, 12 and 13.

L.2.2 Access to external data and functions

Access to external data and functions requires co-operation among several components of the MHEG-3 engine and the run-time environment in order to invoke functions, send and receive messages and exchange data.

To support manipulation of MHEG entities (i.e. access to MHEG data and functions), MHEG-SIR provides mechanisms used by interchanged scripts to:

- invoke MHEG elementary actions;
- respond to MHEG actions targeted at the rt-script;
- express variables and values of MHEG data types.

These mechanisms are described in clause 11. They are also used to express data interchange and synchronisation either between the rt-script and other rt-objects or among rt-scripts.

To support co-operation with the run-time environment (i.e. access to non-MHEG data and functions), MHEG-SIR provides mechanisms used by interchanged scripts to:

- declare the structure of packages provided by the run-time environment;
- invoke services provided by the run-time environment;
- react to messages sent by the run-time environment;
- declare constructed and advanced numeric data types;
- express variables and values of these types.

These mechanisms are described in clause 10. They also express interchange of complex data and synchronisation between the MHEG-SIR script interpreter and processes that are part of the run-time environment.

In addition, this ETS defines the mapping of MHEG-SIR package declarations to actual run-time environment components. This is done in two steps:

- expression and use of an abstract interface specification by MHEG-SIR: this is the IDL mapping mechanism described in clause 14. It consists of provisions for MHEG-3 interchanged scripts;
- mapping between an abstract interface specification and its implementation within the run-time environment of a type of platform: this is the platform mapping specification form described in annex D. It consists of provisions for MHEG-3 implementations.

L.3.1 Technical features

The MHEG-SIR meets the following technical requirements:

- 1) hardware independence;
- 2) final form representation;
- 3) compactness;
- 4) ease of implementation;
- 5) interpretation efficiency;
- 6) openness and extensibility;
- 7) non-revisability;
- 8) provisions for real-time interchange;
- 9) semantic validation for quality of service purposes;
- 10) syntax checkability (with regard to contamination hazards);
- 11) non-proprietary representation;
- 12) secure script processing.

L.3.1 Hardware independence

Hardware independence of MHEG-SIR, and therefore portability of interchanged scripts, is achieved through the definition of a virtual machine code to express interchanged scripts and the definition of a virtual machine to interpret this code. Only typed data are used. There is no requirement on the way data are represented or handled internally by MHEG-3 engines.

The coded representation is based on ASN.1 encoding rules, which are hardware-independent.

The interface declarations are based on a mapping to abstract interface specifications that can be expressed using IDL, which is hardware-independent.

The capability for a component of the run-time environment of a given platform to interoperate with any conforming MHEG-3 engine on this platform is guaranteed through the use of the platform mapping specification.

The capability for an MHEG-3 engine implementation on a given platform to interoperate with any service provider within the run-time environment is guaranteed through the use of the platform mapping specification, provided such service providers conform to this specification.

L.3.2 Final form representation

Final form representation of interchanged scripts is achieved through:

- the use of ASN.1 for the encoding of interchanged scripts;
- a virtual machine encoding that is semantically close to a broad class of general purpose computers;
- a stack machine architecture which has an efficient instruction encoding based on implied addressing mode;
- an ordering of declarations that reduces overhead for processing of forward references;
- the appropriate sequencing of instructions within a routine.

L.3.3 Compactness

Compactness of the coded representation of interchanged scripts is achieved through several optimisations:

- the definition of a stack machine-based virtual machine code allows instructions to have few or no operands, the longest MHEG-SIR instruction taking 4-bytes to encode;
- use of bytestream coding for the routines code is used to elude the overhead induced by TLV coding;
- instructions are packed (i.e. have no padding bytes) in the encoding of the routines code;
- constants are used for the declaration of immediate values;
- predefined codes are defined for MHEG types, operations and messages;
- the declaration of a handler definition table is used to optimize the expression of the mapping between messages targeted at the script and routines intended to handle these messages.

L.3.4 Ease of implementation

Ease of implementation of MHEG-SIR script interpreters is achieved through:

- the definition of a reduced instruction set;
- the clear definition of a virtual machine;
- the limited number of concepts and identifiers that script interpreters need to handle;
- the formal definition of instruction semantics.

L.3.5 Interpretation efficiency

Efficiency of interpretation of interchanged scripts by MHEG-SIR script interpreters is achieved through:

- the use of a stack-based virtual machine code;
- the use of low-level instructions;
- the use of a final form representation.

L.3.6 Openness and extensibility

Openness and extensibility of MHEG-SIR is achieved through:

- a generic definition of the interfaces that may be accessed from MHEG-SIR script code;
- the capability to access MHEG objects and to invoke routines from another rt-script;
- the possibility to add new instructions to the representation without modifying the structure of interchanged scripts.

L.3.7 Non-revisability

Non-revisability is achieved through the use of a final form, low-level representation. This representation is for production via specialized computer tools and does not allow easy reversion to the original source code as designed by humans using scripting languages and/or authoring environments, and thus limits the risk of undue alteration of the program semantics.

L.3.8 Provisions for real-time interchange

The MHEG-SIR fits within the framework of MHEG whose general structure has been designed to meet real-time interchange requirements.

The syntax of interchanged scripts is defined so as to optimize the possibility of treating the declarations it contains "on the fly".

Moreover, the use of ASN.1 encoding allows to detect errors (to some extent) while interchanging scripts in noisy network environments.

L.3.9 Semantic validation for quality of service purposes

Due to the requirements posed by this ETS on semantics, the behaviour of an interchanged script can be tested in order to validate its performance before it is actually used in the context of a commercial service. MHEG-SIR script interpreters can be built to serve as a reference with regard to the way conforming MHEG-3 engines should behave when interpreting the interchanged scripts under test.

L.3.10 Syntax checkability (with regard to contamination hazards)

The formal definition of the MHEG-SIR syntax can be used to check its correctness and therefore prevent the interchange of pieces of code such as viruses intended to damage the receiving system in some way. Implementations may decide to perform syntactic and semantic checks at run-time and/or at load-time.

NOTE: The design of MHEG-SIR as an interpreted, machine-independent representation reduces contamination risk. Residual risk may come from non-certified or otherwise incorrect implementations. The provision of encryption, authentication and other security mechanisms at the transport level is outside the scope of this International Standard.

L.3.11 Non-proprietary representation

As an International Standard, this specification follows the intellectual property rights policy of international standardization bodies. The evolution of the specification is under the control of these bodies and is controlled by publicly known, strictly applied rules.

L.3.12 Secure script processing

A system designer may wish to insure that faulty script execution, intentional or accidental, will have minimal impact on the delivery system, and that all access to external services can be carefully monitored. The MHEG-SIR virtual machine includes a number of features which support this goal:

- explicit, strongly-typed interfaces to all external services;
- a strongly-typed instruction set, so that operations and operands may be verified either by pre-processing or by run-time checking;
- no direct addressing of memory (i.e. no pointer arithmetic), preventing the possibility of spurious side effects;
- isolation of context for each rt-script object;
- isolation of contexts defined by each call frame;
- no direct manipulation of handles, type identifiers or data identifiers.

History

Document history			
May 1996	Public Enquiry	PE 106:	1996-05-20 to 1996-09-13
February 1997	Vote	V 9715:	1997-02-11 to 1997-04-11
June 1997	First Edition		