



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 777-3

September 1997

Source: MTA

Reference: DE/MTA-011057-3

Formerly: DE/TE-010157-3

ICS: 33.020

Key words: API, MHEG, multimedia, terminal

**Terminal Equipment (TE);
End-to-end protocols for, multimedia information
retrieval services;
Part 3: Application Programmable Interface (API) for MHEG-5**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	8
4 Overview	8
4.1 The DAVIC application interchange format	8
4.2 Core set of Java APIs	8
5 The MHEG-5 API	9
6 Map between MHEG-5 elementary actions and MHEG-5 API operations	26
History.....	29

Blank page

Foreword

This European Telecommunication Standard (ETS) has been produced by the Terminal Equipment (TE) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS consists of four parts as follows:

- Part 1: "Coding of multimedia and hypermedia information for basic multimedia applications (MHEG-5)";
- Part 2: "Use of Digital Storage Media Command and Control (DSM-CC) for basic multimedia applications";
- Part 3: "Application Programmable Interface (API) for MHEG-5";**
- Part 4: "Videotex Man Machine Interface (VEMMI) enhancements to support broadband multimedia information retrieval services".

Transposition dates	
Date of adoption:	5 September 1997
Date of latest announcement of this ETS (doa):	31 December 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	30 June 1998
Date of withdrawal of any conflicting National Standard (dow):	30 June 1998

Blank page

1 Scope

This European Telecommunications Standard (ETS) specifies the Application Programmable Interface (API) for the manipulation of multimedia and hypermedia information objects, i.e. the API that shall be provided by MHEG-5 engines for their control by applications running on a DAVIC 1.1 compliant terminal.

MHEG part 5 (ISO/IEC 13522-5 [1]) is a standard, which specifies the coded representation of interchanged multimedia/hypermedia information objects (MHEG-5 objects) for base level applications. These so-called MHEG-5 objects are handled, interpreted and presented by MHEG-5 engines.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ISO/IEC IS 13522-5 (1997): "Information technology - Coding of Multimedia and Hypermedia Information - Part 5: Support for Base-Level Interactive Applications".
- [2] ETS 300 777-1: "Terminal Equipment (TE); End-to-end protocols for multimedia information retrieval services; Part 1: Coding of multimedia and hypermedia information for basic multimedia applications (MHEG-5)".
- [3] ETS 300 777-2: "Terminal Equipment (TE); End-to-end protocols for multimedia information retrieval services; Part 2: Use of Digital Storage Media Command and Control (DSM-CC) for basic multimedia applications".
- [4] ISO/IEC 13522-6 : "Information technology - Coding of Multimedia and Hypermedia Information - Part 6: Support for enhanced interactive applications".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the definitions of the standards referenced below apply. Should any ambiguity occur, definitions of the following standards apply, in decreasing order:

- ISO/IEC IS 13522-5 [1] MHEG-5;
- any other standard part of ISO/IEC 13522 MHEG.

Application Programmable Interface (API): A boundary across which a software application uses facilities of programming languages to invoke software services. These facilities may include procedures or operations, shared data objects and resolution of identifiers.

local application: A piece of software which is part of the (telecommunication) application and is running on the considered equipment.

MHEG-5 API: The API provided by an MHEG-5 engine to local applications for the manipulation of MHEG-5 objects, as defined in this ETS.

MHEG-5 engine: A process or a set of processes that interpret MHEG-5 objects encoded according to the encoding specifications of ETS 300 777-1 [2] or the MHEG-5 textual notation.

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

API	Application Programmable Interface
ASN.1	Abstract Syntax Notation One
DAVIC	Digital Audio Visual Council
DSM-CC	Digital Storage Media Command and Control
MHEG	Multimedia and Hypermedia information coding Experts Group
SI	Service Information
STU	Set Top Unit
U-U	User to User
VM	Virtual Machine

4 Overview

The following subclause positions the API defined by this ETS in the framework of the DAVIC specifications.

4.1 The DAVIC application interchange format

To deliver multimedia information to STUs in an interoperable way, applications shall use the MHEG-5 final form interchange format, as defined by ISO/IEC 13522-5 [1]. The ASN.1 notation and encoding, as defined by ETS 300 777-1 [2], shall be used to interchange MHEG-5 objects. This format defines the semantics and the encoding of the multimedia and hypermedia objects.

To deliver program code to STUs in an interoperable way, applications shall use the MHEG-5 Interchanged Program class to encapsulate DAVIC VM code, according to the semantics and encoding defined by ISO/IEC 13522-6 [4]. Java VM classes are called from MHEG-5 objects using the MHEG-5 call and fork elementary actions.

The Java VM code interchange unit is a Java VM class. Java VM classes shall be encoded as defined by the *Class File Format* section of the *Java Virtual Machine specification*. A Java class encapsulates data and methods that consist of sequences of instructions. The instruction set is defined by the *Java Virtual Machine instruction set* section of the *Java Virtual Machine specification*.

4.2 Core set of Java APIs

The following set of APIs are used by Java VM code in the DAVIC 1.1 specifications to express access to basic functions of the STU in an interoperable way:

- the `java.lang` package;
- the `java.util` package;
- the `iso.mheg5` package;
- the `davic.dsmccuu` package;
- the `etsi.si` package.

NOTE 1: The Java VM specification provides flexible mechanisms to call upon external functions whose interface is defined as a Java package. The DAVIC 1.1 specification only includes a minimum core set of packages required for Java VM code to be useful in a DAVIC environment. It is anticipated that additional Java packages will be standardized at a later stage.

NOTE 2: Especially, the `java.io` package, although strictly speaking not necessary to the useful performance of the VM environment, is part of the Java foundation classes. It is intended that the `java.io` package be added to the DAVIC core set of Java APIs together with an adequate specification of its semantics in a DAVIC environment.

The `java.lang` package, as defined by the *Java API documentation*, consists of the minimal set of Java VM classes needed to run Java VM code, supporting the following functionality: basic data types, object, mathematical operations, security, thread management, string manipulation, exception handling.

The `java.util` package, as defined by the *Java API documentation*, consists of Java VM classes supporting a number of utility features common to all Java VM programs.

The `iso.mheg5` package, as defined by this ETS, provides Java VM code with access to and manipulation of the MHEG-5 multimedia presentation and interaction objects, i.e. access to the dynamic attributes of MHEG-5 objects and invocation of elementary actions on MHEG-5 objects.

The `davic.dsmccuu` package, together with the associated `davic.CosNaming` and `davic.CosNaming.NamingContext_` packages, as defined by ETS 300 777-2 [3], enables Java VM code to use the DSM-CC U-U interface objects for network data access.

The `davic.dsmccuu` package implements a subset of the DSM-CC U-U API. Access to the following Core SetTop services is provided:

- interface Base: operations Close and Destroy;
- interface File: operations Read and Write;
- interface Directory: operations Open, Close and Get;
- interface ServiceGateway: operations Attach and Detach;
- interface CosNaming::NamingContext: operations List and Resolve;
- interface CosNaming::BindingIterator: operations Next_One and Next_N.

The `etsi.si` package enables Java VM code to access information transmitted in the DAVIC Service Information (SI) stream.

5 The MHEG-5 API

```
// -----
// Package
// -----
package iso.mheg5;

// -----
// Useful definitions
// -----
public class ObjectReference
{
    /* Attributes */

    // The groupIdIdentifier attribute is optional (it may be empty)
    public byte[] groupIdIdentifier;
    public int objectNumber;

    /* Constructors */

    public ObjectReference();
    public ObjectReference(
        int objectNumber);
    public ObjectReference(
        byte[] groupIdIdentifier,
        int objectNumber);
}

// -----
public class ContentReference
{
    /* Attributes */

    byte[] reference;

    /* Constructors */

    public ContentReference();
    public ContentReference(
        byte[] reference);
}

// -----
public class MhegException extends java.lang.Exception
{
```

```
/* Attributes */

// Constant declarations for exceptionCode
public static final short TARGET_NOT_AVAILABLE = 1;
public static final short INVALID_TARGET = 2;
public static final short INVALID_PARAMETER = 3;

public short exceptionCode;
public short parameterRank;

/* Constructors */

protected MhegException();

// Construct an MhegException with exceptionCode identified by the reason parameter
public MhegException(
    short reason)
    {
        exceptionCode = reason;
        parameterRank = -1;
    }

// Construct an MhegException with exceptionCode identified by the reason parameter and
parameterRank
// by the position parameter
public MhegException(
    short reason,
    short position)
    {
        exceptionCode = reason;
        parameterRank = position;
    }
}

// -----
abstract public class Root
{

/* Constructors */

protected Root();

/* Methods */

// Return the reference of the Java object associated with the MHEG-5 object whose identification
is
// mheg5ObjectReference
// If the Java object does not exist, create it first
public static final Root getObject(
    ObjectReference mheg5ObjectReference)
    throws MhegException;

// Correspond to the GetAvailabilityStatus MHEG-5 elementary action
public Boolean getAvailabilityStatus()
    throws MhegException;

// Correspond to the GetRunningStatus MHEG-5 elementary action
public Boolean getRunningStatus()
    throws MhegException;

}

// -----
abstract public class Group extends Root
{

/* Constructors */

protected Group();

/* Methods */

// Correspond to the SetCachePriority MHEG-5 elementary action
// The cachePriority parameter value shall be within the range [0,255]
public void setCachePriority(
    byte cachePriority)
    throws MhegException;

// Retrieve the value of the GroupCachePriority attribute
public Integer getCachePriority()
    throws MhegException;

}
```

```

// -----
public class Application extends Group
{
    /* Constructors */
    protected Application();

    /* Methods */

    // Correspond to the LockScreen MHEG-5 elementary action
    public void lockScreen()
        throws MhegException;

    // Correspond to the UnlockScreen MHEG-5 elementary action
    public void unlockScreen()
        throws MhegException;

    // Retrieve the value of the LockCount attribute
    // The wrapped returned value shall be positive or equal to zero
    public Integer getLockCount()
        throws MhegException;

    // Correspond to the GetEngineSupport MHEG-5 elementary action
    public Boolean getEngineSupport(byte[] feature)
        throws MhegException;
}

// -----
public class Scene extends Group
{
    /* Constructors */
    protected Scene();

    /* Methods */

    // Correspond to the TransitionTo MHEG-5 elementary action
    public void transitionTo()
        throws MhegException;
    public void transitionTo(
        int connectionTag)
        throws MhegException;
    public void transitionTo(
        byte transitionEffect)
        throws MhegException;
    public void transitionTo(
        int connectionTag,
        byte transitionEffect)
        throws MhegException;

    // Correspond to the SetTimer MHEG-5 elementary action
    public void setTimer(
        int timerId)
        throws MhegException;
    public void setTimer(
        int timerId,
        int timerValue)
        throws MhegException;
    public void setTimer(
        int timerId,
        int timerValue,
        boolean absoluteTime)
        throws MhegException;

    // Retrieve the value of the TimerPosition (in the timerPosition parameter) and AbsoluteTime (in
    the
    // absoluteTime parameter) fields of the timer whose identification is timerId in the Timers
    attribute
    // If the targetted timer exists, the method returns true otherwise false
    public boolean getTimer(
        int timerId,
        Integer timerPosition,
        Boolean absoluteTime)
        throws MhegException;

    // Correspond to the SendEvent MHEG-5 elementary action
    public void sendEvent(
        ObjectReference eventSource,
        byte eventType)
        throws MhegException;
    public void sendEvent(

```

```

        ObjectReference eventSource,
        byte eventType,
        boolean eventData)
        throws MhegException;
    public void sendEvent(
        ObjectReference eventSource,
        byte eventType,
        int eventData)
        throws MhegException;
    public void sendEvent(
        ObjectReference eventSource,
        byte eventType,
        byte[] eventData)
        throws MhegException;

// Correspond to the SetCursorShape MHEG-5 elementary action
    public void setCursorShape()
        throws MhegException;
    public void setCursorShape(
        ObjectReference cursorShape)
        throws MhegException;

// Retrieve the shape of the cursor
// A returned null object reference indicates that the cursor has been removed from the scene
    public ObjectReference getCursorShape()
        throws MhegException;

// Correspond to the SetCursorPosition MHEG-5 elementary action
    public void setCursorPosition(
        short xCursor,
        short yCursor)
        throws MhegException;

// Correspond to the GetCursorPosition MHEG-5 elementary action
    public void getCursorPosition(
        Integer xCursor,
        Integer yCursor)
        throws MhegException;
}

// -----
abstract public class Ingredient extends Root
{
    /* Constructors */

    protected Ingredient();

    /* Methods */

// Correspond to the SetData MHEG-5 elementary action
    public void setData(
        byte[] includedContent)
        throws MhegException;
    public void setData(
        ContentReference referencedContent)
        throws MhegException;
    public void setData(
        ContentReference referencedContent,
        int contentSize)
        throws MhegException;
    public void setData(
        ContentReference referencedContent,
        byte contentCachePriority)
        throws MhegException;
    public void setData(
        ContentReference referencedContent,
        int contentSize,
        byte contentCachePriority)
        throws MhegException;

// Retrieve the value of the ContentData attribute
// The returned value shall be true and content shall be of type byte[] for an included content
// The returned value shall be false and content shall be of type ContentReference for a
referenced content
// contentSize and contentCachePriority are output parameters which are valid only for a
referenced content
    public boolean getData(
        Object content,
        Integer contentSize,
        Integer contentCachePriority)
        throws MhegException;

// Correspond to the Clone MHEG-5 elementary action

```

```
        public ObjectReference clone()
            throws MhegException;

// Correspond to the Preload MHEG-5 elementary action
    public void preload()
        throws MhegException;

// Correspond to the Unload MHEG-5 elementary action
    public void unload()
        throws MhegException;

}

// -----
public class Link extends Ingredient
{

    /* Constructors */

    protected Link();

    /* Methods */

// Correspond to the Activate MHEG-5 elementary action
    public void activate()
        throws MhegException;

// Correspond to the Deactivate MHEG-5 elementary action
    public void deactivate()
        throws MhegException;

}

// -----
public class Program extends Ingredient
{

    /* Constructors */

    protected Program();

    /* Methods */

// Correspond to the Call MHEG-5 elementary action
// Every element of the parameters array shall be of one of the following types: Boolean,
// Integer, byte[],
// ObjectReference or ContentReference; otherwise, an exception is raised
    public boolean call(
        Object[] parameters)
        throws MhegException;

// Correspond to the Fork MHEG-5 elementary action
// Every element of the parameters array shall be of one of the following types: Boolean,
// Integer, byte[],
// ObjectReference or ContentReference; otherwise, an exception is raised
    public boolean fork(
        Object[] parameters)
        throws MhegException;

// Correspond to the Stop MHEG-5 elementary action
    public void stop()
        throws MhegException;

}

// -----
public class ResidentProgram extends Program
{

    /* Constructors */

    protected ResidentProgram();

}

// -----
public class RemoteProgram extends Program
{

    /* Constructors */

    protected RemoteProgram();

}
```

```
}  
  
// -----  
public class InterchangedProgram extends Program  
{  
  
/* Constructors */  
  
    protected InterchangedProgram();  
  
}  
  
// -----  
public class Palette extends Ingredient  
{  
  
/* Constructors */  
  
    protected Palette();  
  
}  
  
// -----  
public class Font extends Ingredient  
{  
  
/* Constructors */  
  
    protected Font();  
  
}  
  
// -----  
public class CursorShape extends Ingredient  
{  
  
/* Constructors */  
  
    protected CursorShape();  
  
}  
  
// -----  
public class Variable extends Ingredient  
{  
  
/* Constructors */  
  
    protected Variable();  
  
}  
  
// -----  
public class BooleanVariable extends Variable  
{  
  
/* Constructors */  
  
    protected BooleanVariable();  
  
/* Methods */  
  
// Correspond to the SetVariable MHEG-5 elementary action targetted at a BooleanVariable object  
    public void setVariable(  
        boolean value)  
        throws MhegException;  
  
// Retrieve the value of the variable  
    public Boolean getVariable()  
        throws MhegException;  
  
}  
  
// -----  
public class IntegerVariable extends Variable  
{  
  
/* Constructors */  
  
    protected IntegerVariable();  
  
/* Methods */  
  
// Correspond to the SetVariable MHEG-5 elementary action targetted at an IntegerVariable object  
    public void setVariable(  

```

```

        int value)
        throws MhegException;

// Retrieve the value of the variable
    public Integer getVariable()
        throws MhegException;

// Correspond to the Add MHEG-5 elementary action
    public void add(
        int value)
        throws MhegException;

// Correspond to the Subtract MHEG-5 elementary action
    public void subtract(
        int value)
        throws MhegException;

// Correspond to the Multiply MHEG-5 elementary action
    public void multiply(
        int value)
        throws MhegException;

// Correspond to the Divide MHEG-5 elementary action
    public void divide(
        int value)
        throws MhegException;

// Correspond to the Modulo MHEG-5 elementary action
    public void modulo(
        int value)
        throws MhegException;
}

// -----
public class OctetStringVariable extends Variable
{
    /* Constructors */

    protected OctetStringVariable();

    /* Methods */

// Correspond to the SetVariable MHEG-5 elementary action targetted at an OctetStringVariable
object
    public void setVariable(
        byte[] value)
        throws MhegException;

// Retrieve the value of the variable
    public byte[] getVariable()
        throws MhegException;

// Correspond to the Append MHEG-5 elementary action
    public void append(
        byte[] value)
        throws MhegException;
}

// -----
public class ObjectRefVariable extends Variable
{
    /* Constructors */

    protected ObjectRefVariable();

    /* Methods */

// Correspond to the SetVariable MHEG-5 elementary action targetted at an ObjectRefVariable
object
    public void setVariable(
        ObjectReference value)
        throws MhegException;

// Retrieve the value of the variable
    public ObjectReference getVariable()
        throws MhegException;
}

// -----

```

```
public class ContentRefVariable extends Variable
{
    /* Constructors */

    protected ContentRefVariable();

    /* Methods */

    // Correspond to the SetVariable MHEG-5 elementary action targetted at an ContentRefVariable
    object
    public void setVariable(
        ContentReference value)
        throws MhegException;

    // Retrieve the value of the variable
    public ContentReference getVariable()
        throws MhegException;

}

// -----
abstract public class Presentable extends Ingredient
{
    /* Constructors */

    protected Presentable();

    /* Methods */

    // Correspond to the Run MHEG-5 elementary action
    public void run()
        throws MhegException;

    // Correspond to the Stop MHEG-5 elementary action
    public void stop()
        throws MhegException;

}

// -----
public interface TokenManager
{
    /* Methods */

    // Correspond to the Move MHEG-5 elementary action
    public void move(
        short movementId)
        throws MhegException;

    // Correspond to the MoveTo MHEG-5 elementary action
    // The index parameter value shall be within the range [0, number of elements in the group]
    public void moveTo(
        short index)
        throws MhegException;

    // Correspond to the GetTokenPosition MHEG-5 elementary action
    public Integer getTokenPosition()
        throws MhegException;

}

// -----
public class TokenGroup extends Presentable implements TokenManager
{
    /* Constructors */

    protected TokenGroup();

    /* Methods */

    // Correspond to the implementation of the TokenManager.move method
    public void move(
        short movementId)
        throws MhegException;

    // Correspond to the implementation of the TokenManager.moveTo method
    // The index parameter value shall be within the range [0, number of elements in the group]
    public void moveTo(
        short index)
        throws MhegException;

    // Correspond to the implementation of the TokenManager.getTokenPosition method
```



```

    public Integer getTokenPosition()
        throws MhegException;

// Correspond to the CallActionSlot MHEG-5 elementary action
// The index parameter value shall be within the range [0, number of elements in the group]
    public void callActionSlot(
        short index)
        throws MhegException;

}

// -----
public class ListGroup extends TokenGroup
{
    /* Constructors */

    protected ListGroup();

    /* Methods */

// Correspond to the AddItem MHEG-5 elementary action
    public void addItem(
        short itemIndex,
        ObjectReference visibleReference)
        throws MhegException;

// Correspond to the DelItem MHEG-5 elementary action
    public void delItem(
        ObjectReference visibleReference)
        throws MhegException;

// Correspond to the GetListItem MHEG-5 elementary action
    public ObjectReference getListItem(
        short itemIndex)
        throws MhegException;

// Correspond to the GetCellItem MHEG-5 elementary action
    public ObjectReference getCellItem(
        short cellIndex)
        throws MhegException;

// Correspond to the GetItemStatus MHEG-5 elementary action
    public Boolean getItemStatus(
        short itemIndex)
        throws MhegException;

// Correspond to the SelectItem MHEG-5 elementary action
    public void selectItem(
        short itemIndex)
        throws MhegException;

// Correspond to the DeselectItem MHEG-5 elementary action
    public void deselectItem(
        short itemIndex)
        throws MhegException;

// Correspond to the ToggleItem MHEG-5 elementary action
    public void toggleItem(
        short itemIndex)
        throws MhegException;

// Correspond to the ScrollItems MHEG-5 elementary action
    public void scrollItems(
        short itemsToScroll)
        throws MhegException;

// Correspond to the SetFirstItem MHEG-5 elementary action
    public void setFirstItem(
        short itemIndex)
        throws MhegException;

// Correspond to the getFirstItem MHEG-5 elementary action
    public Integer getFirstItem()
        throws MhegException;

// Correspond to the getListSize MHEG-5 elementary action
    public Integer getListSize()
        throws MhegException;

}

// -----
abstract public class Visible extends Presentable

```

```
{
/* Constructors */
    protected Visible();

/* Methods */

// Correspond to the SetPosition MHEG-5 elementary action
    public void setPosition(
        short xPosition,
        short yPosition)
        throws MhegException;

// Correspond to the GetPosition MHEG-5 elementary action
    public void getPosition(
        Integer xPosition,
        Integer yPosition)
        throws MhegException;

// Correspond to the SetBoxSize MHEG-5 elementary action
// The xBoxSize and yBoxSize parameter values shall be positive and different from zero
    public void setBoxSize(
        short xBoxSize,
        short yBoxSize)
        throws MhegException;

// Correspond to the GetBoxSize MHEG-5 elementary action
    public void getBoxSize(
        Integer xBoxSize,
        Integer yBoxSize)
        throws MhegException;

// Correspond to the BringToFront MHEG-5 elementary action
    public void bringToFront()
        throws MhegException;

// Correspond to the SendToBack MHEG-5 elementary action
    public void sendToBack()
        throws MhegException;

// Correspond to the PutBefore MHEG-5 elementary action
    public void putBefore(
        ObjectReference visibleReference)
        throws MhegException;

// Correspond to the PutBehind MHEG-5 elementary action
    public void putBehind(
        ObjectReference visibleReference)
        throws MhegException;

// Correspond to the SetPaletteRef MHEG-5 elementary action
    public void setPaletteRef(
        ObjectReference paletteReference)
        throws MhegException;

// Retrieve the value of the PaletteRef attribute
    public ObjectReference getPaletteRef()
        throws MhegException;
}

// -----
public class Bitmap extends Visible
{
/* Constructors */
    protected Bitmap();

/* Methods */

// Correspond to the ScaleBitmap MHEG-5 elementary action
// The xScale and yScale parameter values shall be positive and different from zero
    public void scaleBitmap(
        short xScale,
        short yScale)
        throws MhegException;

// Correspond to the SetTransparency MHEG-5 elementary action
// The transparency parameter value shall be within the range [0,100]
    public void setTransparency(
        byte transparency)
        throws MhegException;
}
```

```
// Retrieve the value of the Transparency attribute
    public Integer getTransparency()
        throws MhegException;
}

// -----
public class LineArt extends Visible
{
    /* Constructors */

    protected LineArt();

    /* Methods */

    // Correspond to the SetLineWidth MHEG-5 elementary action
    // The lineWidth parameter value shall be positive and different from zero
    public void setLineWidth(
        byte lineWidth)
        throws MhegException;

    // Correspond to the SetLineStyle MHEG-5 elementary action
    // The lineStyle parameter value shall be 1 for solid, 2 for dashed, 3 for dotted
    public void setLineStyle(
        byte lineStyle)
        throws MhegException;

    // Correspond to the SetLineColour MHEG-5 elementary action
    public void setLineColour(
        byte colourIndex)
        throws MhegException;
    public void setLineColour(
        byte[] absoluteColour)
        throws MhegException;

    // Correspond to the SetFillColour MHEG-5 elementary action
    // When neither a colour index nor an absolute colour is specified, the fill-in colour shall be
    // set to
    // transparent
    public void setFillColour()
        throws MhegException;
    public void setFillColour(
        byte colourIndex)
        throws MhegException;
    public void setFillColour(
        byte[] absoluteColour)
        throws MhegException;
}

// -----
public class Rectangle extends LineArt
{
    /* Constructors */

    protected Rectangle();
}

// -----
public class DynamicLineArt extends LineArt
{
    /* Constructors */

    protected DynamicLineArt();

    /* Methods */

    // Correspond to the GetLineWidth MHEG-5 elementary action
    public Integer getLineWidth()
        throws MhegException;

    // Correspond to the GetLineStyle MHEG-5 elementary action
    public Integer getLineStyle()
        throws MhegException;

    // Correspond to the GetLineColour MHEG-5 elementary action
    // The returned value shall be of one of the following types: Integer (in which case it
    // represents an index) or
    // byte[] (in which case it represents the absolute colour)
```

```

    public Object getLineColour()
        throws MhegException;

// Correspond to the GetFillColour MHEG-5 elementary action
// The returned value shall be of one of the following types: Integer (in which case it
represents an index) or
// byte[] (in which case it represents the absolute colour); a returned null object reference
indicates no fill-in
// colour (transparent)
    public Object getFillColour()
        throws MhegException;

// Correspond to the DrawArc MHEG-5 elementary action
    public void drawArc(
        short x,
        short y,
        short ellipseWidth,
        short ellipseHeight,
        short startAngle,
        short arcAngle)
        throws MhegException;

// Correspond to the DrawSector MHEG-5 elementary action
    public void drawSector(
        short x,
        short y,
        short ellipseWidth,
        short ellipseHeight,
        short startAngle,
        short arcAngle)
        throws MhegException;

// Correspond to the DrawLine MHEG-5 elementary action
    public void drawLine(
        short x1,
        short y1,
        short x2,
        short y2)
        throws MhegException;

// Correspond to the DrawOval MHEG-5 elementary action
    public void drawOval(
        short x,
        short y,
        short ellipseWidth,
        short ellipseHeight)
        throws MhegException;

// Correspond to the DrawPolygon MHEG-5 elementary action
    public void drawPolygon(
        short[][] pointList)
        throws MhegException;

// Correspond to the DrawPolyline MHEG-5 elementary action
    public void drawPolyline(
        short[][] pointList)
        throws MhegException;

// Correspond to the DrawRectangle MHEG-5 elementary action
    public void drawRectangle(
        short x1,
        short y1,
        short x2,
        short y2)
        throws MhegException;

// Correspond to the Clear MHEG-5 elementary action
    public void clear()
        throws MhegException;

}

// -----
public class Text extends Visible
{

/* Constructors */

    protected Text();

/* Methods */

// Correspond to the GetTextContent MHEG-5 elementary action
// The returned value shall be of one of the following types: ContentReference (in which case it
represents a

```

```
// reference to the content) or byte[] (in which case it represents the actual content)
    public Object getTextContent()
        throws MhegException;

// Correspond to the GetTextData MHEG-5 elementary action
    public byte[] getTextData()
        throws MhegException;

// Correspond to the SetFontRef MHEG-5 elementary action
    public void setFontRef(
        byte[] fontName)
        throws MhegException;
    public void setFontRef(
        ObjectReference fontReference)
        throws MhegException;

// Retrieve the value of the Font attribute
// The returned value shall be of one of the following types: ObjectReference (in which case it
represents a
// reference to an MHEG-5 Font object) or byte[] (in which case it represents a resident font
name); a
// returned null object reference indicates the default font
    public Object getFontRef()
        throws MhegException;

}

// -----
public class Stream extends Presentable
{

/* Constructors */

    protected Stream();

/* Methods */

// Correspond to the SetCounterTrigger MHEG-5 elementary action
// When the counter value is not specified, the targetted trigger shall be removed
    public void setCounterTrigger(
        short triggerIdentifier)
        throws MhegException;
    public void setCounterTrigger(
        short triggerIdentifier,
        byte counterValue)
        throws MhegException;

// Retrieve the value of the CounterPosition field of the trigger whose identification is
triggerIdentifier in the
// CounterTriggers attribute; a returned null object reference indicates that the targetted
trigger does not exist
    public Integer getCounterTrigger(
        short triggerIdentifier)
        throws MhegException;

// Correspond to the SetSpeed MHEG-5 elementary action
    public void setSpeed(
        byte nominator)
        throws MhegException;
    public void setSpeed(
        byte nominator,
        byte denominator)
        throws MhegException;

// Retrieve the value of the Speed attribute
    public void getSpeed(
        Integer nominator,
        Integer denominator)
        throws MhegException;

// Correspond to the SetCounterPosition MHEG-5 elementary action
    public void setCounterPosition(
        short counterPosition)
        throws MhegException;

// Retrieve the value of the CounterPosition attribute
    public Integer getCounterPosition()
        throws MhegException;

// Correspond to the SetCounterEndPosition MHEG-5 elementary action
    public void setCounterEndPosition(
        short counterEndPosition)
        throws MhegException;

}
```

```
// Retrieve the value of the CounterEndPosition attribute
public Integer getCounterEndPosition()
    throws MhegException;

}

// -----
public class Audio extends Presentable
{

/* Constructors */

    protected Audio();

/* Methods */

// Correspond to the SetVolume MHEG-5 elementary action
public void setVolume(
    byte volume)
    throws MhegException;

// Correspond to the GetVolume MHEG-5 elementary action
public Integer getVolume()
    throws MhegException;

}

// -----
public class Video extends Visible
{

/* Constructors */

    protected Video();

/* Methods */

// Correspond to the ScaleVideo MHEG-5 elementary action
// The xScale and yScale parameter values shall be positive and different from zero
public void scaleVideo(
    short xScale,
    short yScale)
    throws MhegException;

}

// -----
public class RTGraphics extends Visible
{

/* Constructors */

    protected RTGraphics();

}

// -----
public interface Interactable
{

/* Methods */

// Correspond to the SetInteractionStatus MHEG-5 elementary action
public void setInteractionStatus(
    boolean interactionStatus)
    throws MhegException;

// Correspond to the GetInteractionStatus MHEG-5 elementary action
public Boolean getInteractionStatus()
    throws MhegException;

// Correspond to the SetHighlightStatus MHEG-5 elementary action
public void setHighlightStatus(
    boolean highlightStatus)
    throws MhegException;

// Correspond to the GetHighlightStatus MHEG-5 elementary action
public Boolean getHighlightStatus()
    throws MhegException;

}

// -----
public class Slider extends Visible implements Interactable
{
```

```
/* Constructors */
    protected Slider();

/* Methods */

// Correspond to the implementation of the Interactable.setInteractionStatus method
    public void setInteractionStatus(
        boolean interactionStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getInteractionStatus method
    public Boolean getInteractionStatus()
        throws MhegException;

// Correspond to the implementation of the Interactable.setHighlightStatus method
    public void setHighlightStatus(
        boolean highlightStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getHighlightStatus method
    public Boolean getHighlightStatus()
        throws MhegException;

// Correspond to the Step MHEG-5 elementary action
    public void step(
        byte nbOfSteps)
        throws MhegException;

// Correspond to the SetSliderValue MHEG-5 elementary action
    public void setSliderValue(
        byte sliderValue)
        throws MhegException;

// Correspond to the GetSliderValue MHEG-5 elementary action
    public Integer getSliderValue()
        throws MhegException;

// Correspond to the SetPortion MHEG-5 elementary action
    public void setPortion(
        byte portion)
        throws MhegException;

// Correspond to the GetPortion MHEG-5 elementary action
    public Integer getPortion()
        throws MhegException;
}

// -----
public class EntryField extends Text implements Interactable
{

/* Constructors */
    protected EntryField();

/* Methods */

// Correspond to the implementation of the Interactable.setInteractionStatus method
    public void setInteractionStatus(
        boolean interactionStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getInteractionStatus method
    public Boolean getInteractionStatus()
        throws MhegException;

// Correspond to the implementation of the Interactable.setHighlightStatus method
    public void setHighlightStatus(
        boolean highlightStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getHighlightStatus method
    public Boolean getHighlightStatus()
        throws MhegException;

// Correspond to the SetOverwriteMode MHEG-5 elementary action
    public void setOverwriteMode(
        boolean overwriteMode)
        throws MhegException;

// Correspond to the GetOverwriteMode MHEG-5 elementary action
```

```

    public Boolean getOverwriteMode()
        throws MhegException;

// Correspond to the SetEntryPoint MHEG-5 elementary action
// The entryPoint parameter value shall be positive or equal to zero
    public void setEntryPoint(
        byte entryPoint)
        throws MhegException;

// Correspond to the GetEntryPoint MHEG-5 elementary action
    public Integer getEntryPoint()
        throws MhegException;

}

// -----
public class HyperText extends Text implements Interactable
{

/* Constructors */

    protected HyperText();

/* Methods */

// Correspond to the implementation of the Interactable.setInteractionStatus method
    public void setInteractionStatus(
        boolean interactionStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getInteractionStatus method
    public Boolean getInteractionStatus()
        throws MhegException;

// Correspond to the implementation of the Interactable.setHighlightStatus method
    public void setHighlightStatus(
        boolean highlightStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getHighlightStatus method
    public Boolean getHighlightStatus()
        throws MhegException;

// Correspond to the GetLastAnchorFired MHEG-5 elementary action
    public byte[] getLastAnchorFired()
        throws MhegException;

}

// -----
abstract public class Button extends Visible implements Interactable
{

/* Constructors */

    protected Button();

/* Methods */

// Correspond to the implementation of the Interactable.setInteractionStatus method
    public void setInteractionStatus(
        boolean interactionStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getInteractionStatus method
    public Boolean getInteractionStatus()
        throws MhegException;

// Correspond to the implementation of the Interactable.setHighlightStatus method
    public void setHighlightStatus(
        boolean highlightStatus)
        throws MhegException;

// Correspond to the implementation of the Interactable.getHighlightStatus method
    public Boolean getHighlightStatus()
        throws MhegException;

// Correspond to the Select MHEG-5 elementary action
    public void select()
        throws MhegException;

// Correspond to the Deselect MHEG-5 elementary action
    public void deselect()
        throws MhegException;

```



```
}  
  
// -----  
public class Hotspot extends Button  
{  
    /* Constructors */  
    protected Hotspot();  
}  
  
// -----  
public class PushButton extends Button  
{  
    /* Constructors */  
    protected PushButton();  
  
    /* Methods */  
  
    // Correspond to the SetLabel MHEG-5 elementary action  
    public void setLabel(  
        byte[] label)  
        throws MhegException;  
  
    // Correspond to the GetLabel MHEG-5 elementary action  
    public byte[] getLabel()  
        throws MhegException;  
}  
  
// -----  
public class SwitchButton extends PushButton  
{  
    /* Constructors */  
    protected SwitchButton();  
  
    /* Methods */  
  
    // Correspond to the GetSelectionStatus MHEG-5 elementary action  
    public Boolean getSelectionStatus()  
        throws MhegException;  
  
    // Correspond to the Toggle MHEG-5 elementary action  
    public void toggle()  
        throws MhegException;  
}
```

6 Map between MHEG-5 elementary actions and MHEG-5 API operations

The following table describes how the MHEG-5 API maps MHEG-5 classes to Java classes and interfaces, and MHEG-5 elementary actions to Java methods. Table 1 is not normative.

Table 1: Map between MHEG-5 elementary actions and MHEG-5 API operations

MHEG-5 class	MHEG-5 elementary action	API operation (overloads)	API interface or class
Root		getObject	Root (abstract class)
	GetAvailabilityStatus	getAvailabilityStatus	
	GetRunningStatus	getRunningStatus	
Group	SetCachePriority	setCachePriority	Group (abstract class)
		getCachePriority	
Application	StorePersistent		Application (class)
	ReadPersistent		
	Launch		
	Spawn		
	Quit		
	LockScreen	lockScreen	
	UnlockScreen	unlockScreen	
		getLockCount	
	OpenConnection		
	CloseConnection		
	GetEngineSupport	getEngineSupport	
Scene	TransitionTo	transitionTo (4)	Scene (class)
	SetTimer	setTimer (3)	
		getTimer	
	SendEvent	sendEvent (4)	
	SetCursorShape	setCursorShape (2)	
		getCursorShape	
	SetCursorPosition	setCursorPosition	
	GetCursorPosition	getCursorPosition	
Ingredient	SetData	setData (5)	Ingredient (abstract class)
		getData	
	Clone	clone	
	Preload	preload	
	Unload	unload	
Link	Activate	activate	Link (class)
	Deactivate	deactivate	
Program	Call	call	Program (abstract class)
	Fork	fork	
	Stop	stop	
ResidentProgram			ResidentProgram (class)
RemoteProgram			RemoteProgram (class)
InterchangedProgram			InterchangedProgram (class)
Palette			Palette (class)
Font			Font (class)
CursorShape			CursorShape (class)
Variable	SetVariable		Variable (abstract class)
	TestVariable		

(continued)

Table 1 (continued): Map between MHEG-5 elementary actions and MHEG-5 API operations

MHEG-5 class	MHEG-5 elementary action	API operation (overloads)	API interface or class
BooleanVariable		setVariable	BooleanVariable (class)
		getVariable	
IntegerVariable		setVariable	IntegerVariable (class)
		getVariable	
	Add	add	
	Subtract	subtract	
	Multiply	multiply	
	Divide	divide	
OctetStringVariable		setVariable	OctetStringVariable (class)
		getVariable	
	Append	append	
ObjectRefVariable		setVariable	ObjectRefVariable (class)
		getVariable	
ContentRefVariable		setVariable	ContentRefVariable (class)
		getVariable	
Presentable	Run	run	Presentable (abstract class)
	Stop	stop	
TokenManager	Move	move	TokenManager (interface)
	MoveTo	moveTo	
	GetTokenPosition	getTokenPosition	
TokenGroup	CallActionSlot	callActionSlot	TokenGroup (class)
ListGroup	AddItem	addItem	TemplateGroup (class)
	DelItem	delItem	
	GetListItem	getListItem	
	GetCellItem	getCellItem	
	GetItemStatus	getItemStatus	
	SelectItem	selectItem	
	DeselectItem	deselectItem	
	ToggleItem	toggleItem	
	ScrollItems	scrollItems	
	SetFirstItem	setFirstItem	
GetFirstItem	getFirstItem		
Visible	GetListSize	getListSize	Visible (abstract class)
	SetPosition	setPosition	
	GetPosition	getPosition	
	SetBoxSize	setBoxSize	
	GetBoxSize	getBoxSize	
	BringToFront	bringToFront	
	SendToBack	sendToBack	
	PutBefore	putBefore	
	PutBehind	putBehind	
	SetPaletteRef	setPaletteRef	
	getPaletteRef		
Bitmap	ScaleBitmap	scaleBitmap	Bitmap (class)
	SetTransparency	setTransparency	
		getTransparency	

(continued)

Table 1 (concluded): Map between MHEG-5 elementary actions and MHEG-5 API operations

MHEG-5 class	MHEG-5 elementary action	API operation (overloads)	API interface or class		
LineArt	SetLineWidth	setLineWidth	LineArt (class)		
	SetLineStyle	setLineStyle			
	SetLineColour	setLineColour (2)			
	SetFillColor	setFillColor (3)			
Rectangle			Rectangle (class)		
DynamicLineArt	GetLineWidth	getLineWidth	DynamicLineArt (class)		
	GetLineStyle	getLineStyle			
	GetLineColour	getLineColour			
	GetFillColor	getFillColor			
	DrawArc	drawArc			
	DrawSector	drawSector			
	DrawLine	drawLine			
	DrawOval	drawOval			
	DrawPolygon	drawPolygon			
	DrawPolyline	drawPolyline			
	DrawRectangle	drawRectangle			
	Clear	clear			
	Text	GetTextContent		getTextContent	Text (class)
		GetTextData		getTextData	
SetFontRef		setFontRef (2)			
		getFontRef			
Stream	SetCounterTrigger	setCounterTrigger (2)	Stream (class)		
		getCounterTrigger			
	SetSpeed	setSpeed (2)			
		getSpeed			
	SetCounterPosition	setCounterPosition			
		getCounterPosition			
Audio	SetVolume	setVolume	Audio (class)		
	GetVolume	getVolume			
Video	ScaleVideo	scaleVideo	Video (class)		
RTGraphics			RTGraphics (class)		
Interactable	SetInteractionStatus	setInteractionStatus	Interactable (interface)		
	GetInteractionStatus	getInteractionStatus			
	SetHighlightStatus	setHighlightStatus			
	GetHighlightStatus	getHighlightStatus			
Slider	Step	step	Slider (class)		
	SetSliderValue	setSliderValue			
	GetSliderValue	getSliderValue			
	SetPortion	setPortion			
	GetPortion	getPortion			
EntryField	SetOverwriteMode	setOverwriteMode	EntryField (class)		
	GetOverwriteMode	getOverwriteMode			
	SetEntryPoint	setEntryPoint			
	GetEntryPoint	getEntryPoint			
HyperText	GetLastAnchorFired	getLastAnchorFired	HyperText (class)		
Button	Select	select	Button (abstract class)		
	Deselect	deselect			
Hotspot			Hotspot (class)		
PushButton	SetLabel	setLabel	PushButton (class)		
	GetLabel	getLabel			
SwitchButton	GetSelectionStatus	getSelectionStatus	SwitchButton (class)		
	Toggle	toggle			

History

Document history			
July 1996	Public Enquiry	PE 110:	1996-07-22 to 1996-11-15
June 1997	Vote	V 9735:	1997-06-17 to 1997-08-29
September 1997	First Edition		