ETSITS 101 053-7 V1.2.1 (2025-07)



Rules for the management of the TETRA standard encryption algorithms;
Part 7: TEA7

Reference RTS/TCCE-06221 Keywords algorithm, security, TETRA

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under <u>Committee Support Staff</u>.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025. All rights reserved.

Contents

Intel	lectual Property Rights		4
1			
2 2.1 2.2			
3 3.1 3.2 3.3	Terms Symbols	symbols and abbreviations	6 6
4	TEA7 management s	tructure	7
5 5.1 5.2	Distribution of parts 1, 2 and 3 of the TEA7 specification by the TEA7 Custodian		
6 7 7.1 7.2	The TEA7 Custodian Responsibilities	l restrictions	9 9
8	TEA7 Overview Des	cription and Dimensions	10
Ann	ex A (informative):	Items delivered to approved recipient of TEA7	11
Ann	ex B (normative):	Void	12
Ann	ex C (informative):	Bibliography	13
Hist	ory		

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**TM, **LTE**TM and **5G**TM logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**TM logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**[®] and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee TETRA and Critical Communications Evolution (TCCE).

The present document is part 7 of a multi-part deliverable covering the rules for the management of the TETRA standard encryption algorithms, as identified below:

Part 1: "TEA1";
Part 2: "TEA2";
Part 3: "TEA3";
Part 4: "TEA4";
Part 5: "TEA5";
Part 6: "TEA6";

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document has been designed to specify the rules for the management of the TETRA standard encryption algorithm TEA7. This algorithm is intended for air interface encryption in TETRA products.

The specification for TEA7 consists of the following three parts:

Part 1: Algorithm specification;

Part 2: Design conformance test data;

Part 3: Algorithm input/output test data.

The procedures described in the present document apply to parts 1 and 2 of the specification. Parts 1 and 2 are confidential. The algorithm primitives' section of part 1 of the specification has been published as ETSI TS 104 053-2 [i.1].

Part 3 of the specification is not confidential and can be obtained directly from the TEA7 Custodian (see clause 5.2). There are no restrictions on the distribution of this part of the specifications.

The management structure is defined in clause 4. This structure is defined in terms of the principals involved in the management of TEA7 (ETSI, ETSI Technical Committee TCCE, TEA7 Custodian and approved recipients (beneficiaries)) together with the relationships and interactions between them.

The procedures for delivering TEA7 to approved recipients are defined in clause 5. This clause is supplemented by annex A which specifies the items which are to be delivered.

Clause 6 is concerned with the criteria for approving an organization for receipt of TEA7 and with the responsibilities of an approved recipient.

Clause 7 is concerned with the appointment and responsibilities of the TEA7 Custodian.

Clause 8 describes an overview of the algorithm and its dimensions.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the ETSI docbox.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

[1] Void.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

[i.1]	ETSI TS 104 053-2: "TETRA Air Interface Security, Algorithms Specification; Part 2: TETRA
	Encryption Algorithms TEA Set B".

- [i.2] <u>ETSI TS 100 392-7</u>: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 7: Security".
- [i.3] <u>ETSI TS 100 396-6</u>: "Terrestrial Trunked Radio (TETRA); Direct Mode Operation (DMO); Part 6: Security".

NOTE: References [i.2] and [i.3] may also be published as ETSI European Standards, specifically ETSI EN 300 392-7 and ETSI EN 300 396-6 respectively. In each case, the latest version of the specification, either TS or EN, applies.

[i.4] <u>ETSI Algorithms & Codes</u> webpage.

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

approved recipient: beneficiary of the algorithm specification as described in the Confidentiality and Restricted Usage Undertaking (CRUU)

3.2 Symbols

Void.

TC

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CRUU Confidentiality and Restricted Usage Undertaking DMO Direct Mode Operation
ISI Inter-System Interface

TCCE TETRA and Critical Communications Evolution


TEA7 TETRA Encryption Algorithm No. 7

Technical Committee

TETRA TErrestrial Trunked Radio

4 TEA7 management structure

The management structure is depicted in figure 1.



Key:

- a = Agreement between TEA7 Custodian and ETSI TC TCCE
- b = Status reports and recommendations
- c = Setting of approval criteria
- d = Requested details of the TEA7 register
- 1 = Request for TEA7
- 2 = Check of request against approval criteria
- 3 and 4 = Exchange of Confidentiality and Restricted Usage Undertaking
- 5 = Dispatch of TEA7 specification
- 6 = Update the TEA7 register
- 7 = Document filing 8 = Technical advice

Figure 1: TEA7 management structure

Figure 1 shows the three principals involved in the management of TEA7 and the relationships and interactions between them.

ETSI is the Custodian of TEA7. ETSI together with ETSI TC TCCE sets the approval criteria for receipt of the algorithm (see clause 6).

The TEA7 Custodian is the interface between ETSI TC TCCE and the approved recipients of TEA7.

The Custodian shall be ETSI unless it is decided by ETSI and/or ETSI TC TCCE to delegate this task to a third party on the basis of an agreement between the latter and ETSI. The TEA7 Custodian's duties are detailed in clause 7. They include distributing TEA7 to approved recipients, as detailed in clause 5, providing limited technical advice to approved recipients.

5 Distribution procedures

5.1 Distribution of parts 1, 2 and 3 of the TEA7 specification by the TEA7 Custodian

The process for purchase and distribution of algorithm specifications is described at ETSI Algorithms & Codes [i.4].

5.2 Distribution of TEA7 specification part 3 by the TEA7 Custodian

The following procedure is defined for distributing only part 3 of the TEA7 specification:

- 1) The TEA7 Custodian receives a request for one single copy of part 3 of the TEA7 specification.
- 2) The TEA7 Custodian sends one copy of part 3 of the TEA7 specification to the applicant.
- 3) The TEA7 Custodian informs ETSI TC TCCE.

6 Approval criteria and restrictions

The approval criteria are set by ETSI together with ETSI TC TCCE. ETSI together with ETSI TC TCCE may recommend changes to these criteria.

ETSI TC TCCE shall decide whether an organization requesting the TEA7 specification may be considered to be an approved recipient. Where an organization consists of a group of companies or organizations, ETSI TC TCCE will decide whether one organization or company within the group may be an approved recipient on behalf of other organizations or companies within the group.

In order for an organization to be considered an approved recipient of the TEA7 specification it has to satisfy at least one of the criteria indicated in Article 3.2 of the Confidentiality and Restricted Usage Undertaking (CRUU) available at ETSI Algorithms & Codes [i.4].

In the event that an organization cannot comply with the rules as described in the present document, the TEA7 Custodian will inform ETSI TC TCCE who may provide a justification. If a special Confidentiality and Restricted Usage Undertaking is used, the TEA7 Custodian will first ask the ETSI Legal Department to approve this Confidentiality and Restricted Usage Undertaking (CRUU).

7 The TEA7 Custodian

7.1 Responsibilities

The TEA7 Custodian is expected to perform the following tasks:

- T1 To approve requests for TEA7 by reference to the Approval Criteria given in clause 6 Article 3.2 of the Confidentiality and Restricted Usage Undertaking (CRUU) after confirmation by ETSI TC TCCE.
- To process the Confidentiality and Restricted Usage Undertaking with approved recipients as described at ETSI Algorithms & Codes [i.4]
- T2bis To obtain the administrative authorization and export licences required by the Customs Services of its country if any.
- T3 To distribute, if approved, the TEA7 specifications as described at ETSI Algorithms & Codes [i.4].
- T4 To maintain the TEA7 Register as described in clause 4.
- To hold in custody the contents of the TEA7 File as specified in clause 4.
- To provide recipients of TEA7 with limited technical support, i.e. answer written queries arising from the specification or test data (see note).
- To advise ETSI TC TCCE of any problems arising with the approval criteria.
- In the light of written queries from recipients of the TEA7 specifications, to make recommendations to ETSI TC TCCE for improvements/corrections to the specification and, subject to ETSI TC TCCE approval.
- T9 To provide ETSI TC TCCE with information from the TEA7 Register when requested to do so.

NOTE: The TEA7 Custodian will only endeavour to answer questions relating to the TEA7 specifications. The TEA7 Custodian is not expected to provide technical support for development programmes.

7.2 Appointment

The TEA7 Custodian is:

ETSI

The contact person is:

- ETSI Algorithms & Codes service
- Email: algorithms@etsi.org
- ETSI
 F-06921 Sophia Antipolis Cedex

 FRANCE

The TEA7 Custodian will ask a fee from the recipient to cover the cost of distribution of parts 1 and 2 of the specifications.

The TEA7 Custodian may ask for an optional fee from the recipient to cover the cost of distribution of part 3.

All requests for either the TEA7 specification parts 1 and 2 or the TEA7 specification part 3 should be addressed to the indicated contact person or to ETSI.

8 TEA7 Overview Description and Dimensions

The TEA7 algorithm is used as a stream cipher for providing confidentiality across the Air Interface and Inter-System Interface (ISI) of TETRA systems. It is used to protect control signalling, identities, speech and user data.

The algorithm specification is described in detail in clause 7 of ETSI TS 104 053-2 [i.1] TEA Algorithm Set B. A full description of the TETRA air interface encryption, authentication and key management protocols are described in ETSI TS 100 392-7 [i.2] and ETSI TS 100 396-6 [i.3].

The algorithm generates a sequence of key bytes from a Cipher Key and an Initialization Vector. The key bytes are used to encrypt or to decrypt information transmitted via the TETRA system. The Cipher Key has an input length of 192 bits; the Initialization Vector has a length of 80 bits. The effective Cipher Key length of TEA7 is reduced within the algorithm to 56 bits to permit worldwide exportability at the time of definition.

Annex A (informative): Items delivered to approved recipient of TEA7

ITEM-1: The TEA7 specification (parts 1, 2 and 3).

ITEM-2: A countersigned Confidentiality and Restricted Usage Undertaking.

Annex B (normative): Void

Annex C (informative): Bibliography

- ETSI TS 101 053-1: "Rules for the management of the TETRA standard encryption algorithms; Part 1: TEA1".
- ETSI TS 101 053-2: "Rules for the management of the TETRA standard encryption algorithms; Part 2: TEA2".
- ETSI TS 101 053-3: "Rules for the management of the TETRA standard encryption algorithms; Part 3: TEA3".
- ETSI TS 101 053-4: "Rules for the management of the TETRA standard encryption algorithms; Part 4: TEA4".
- ETSI TS 101 053-5: "Rules for the management of the TETRA standard encryption algorithms; Part 5: TEA5".
- ETSI TS 101 053-6: "Rules for the management of the TETRA standard encryption algorithms; Part 6: TEA6".
- ETSI TS 104 053-1: "TETRA Air Interface Security, Algorithms specifications Description; Part 1: TETRA Encryption Algorithms Set A".
- ETSI TS 104 053-3: "TETRA Air Interface Security, Algorithms Description; Part 3: TETRA and Authentication and Key Management Algorithms TAA1".
- ETSI TS 104 053-4: "TETRA Air Interface Security, Algorithms Description; Part 4: TETRA and Authentication and Key Management Algorithms TAA2".

History

Document history					
V1.1.1	February 2023	Publication			
V1.2.1	July 2025	Publication			