ETSITS 102 868-1 V2.1.1 (2025-07)



Intelligent Transport Systems (ITS);
Testing;
Conformance test specifications for

Cooperative Awareness Basic Service (CA);
Part 1: Test requirements and Protocol Implementation
Conformance Statement (PICS) pro forma;
Release 2

Reference				
RTS/ITS-001969				
Keywords				
Reywords				
ITS, PICS, testing				

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the ETSI Search & Browse Standards application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on ETSI deliver repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the Milestones listing.

If you find errors in the present document, please send your comments to the relevant service listed under <u>Committee Support Staff</u>.

If you find a security vulnerability in the present document, please report it through our Coordinated Vulnerability Disclosure (CVD) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025. All rights reserved.

Contents

Intell	ectual Property Rights	4
Forev	vord	4
Moda	ıl verbs terminology	4
1	Scope	5
2 2.1 2.2	References Normative references Informative references	5
3 3.1 3.2 3.3	Definition of terms, symbols and abbreviations. Terms	6
4	Conformance requirement concerning PICS	<i>6</i>
Anne	x A (normative): CA PICS Pro forma	7
A.1	The right to copy	7
A.2 A.2.1 A.2.2 A.2.3	Guidance for completing the PICS pro forma Purposes and structure Abbreviations and conventions Instructions for completing the PICS pro forma.	7 7
A.3 A.3.1 A.3.2 A.3.3 A.3.4 A.3.5 A.3.6 A.3.7	Identification of the implementation Introduction Date of the statement Implementation Under Test (IUT) identification System Under Test (SUT) identification Product supplier Client (if different from product supplier) PICS contact person	8 8 9 9
A.4	Identification of the protocol	11
A.5	Global statement of conformance	11
A.6	Tables	11
Histo	rv	13

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for ETSI members and non-members, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**TM, **LTE**TM and **5G**TM logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**TM logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM**[®] and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS).

The present document is part 1 of a multi-part deliverable covering Conformance test specifications for Cooperative Awareness Basic Service (CA), as identified below:

- Part 1: "Test requirements and Protocol Implementation Conformance Statement (PICS) pro forma";
- Part 2: "Test Suite Structure and Test Purposes (TSS & TP)";
- Part 3: "Abstract Test Suite (ATS) and Protocol Implementation eXtra Information for Testing (PIXIT)".

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document provides the Protocol Implementation Conformance Statement (PICS) pro forma for Conformance test specification for Cooperative Awareness Basic Service (CA) as defined in ETSI TS 103 900 [1] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [i.2].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the ETSI docbox.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] <u>ETSI TS 103 900 (V2.2.1)</u>: "Intelligent Transport Systems (ITS); Facilities Layer; Cooperative Awareness Service; Release 2".
- [2] <u>ETSI TS 103 097 (V2.1.1)</u>: "Intelligent Transport Systems (ITS); Security; Security header and certificate formats; Release 2".
- [3] <u>IEEE Std 1609.2TM-2016</u> including amendments IEEE Std 1609.2aTM-2017 and IEEE Std 1609.2bTM-2019: "IEEE Standard for Wireless Access in Vehicular Environments -- Security Services for Applications and Management Messages".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] ISO/IEC 9646-1 (1994): "Information technology Open Systems
 Interconnection Conformance testing methodology and framework Part 1: General concepts".
- [i.2] ISO/IEC 9646-7 (1995): "Information technology Open Systems
 Interconnection Conformance testing methodology and framework Part 7: Implementation
 Conformance Statements".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI TS 103 900 [1], ISO/IEC 9646-1 [i.1] and ISO/IEC 9646-7 [i.2] apply.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ATS Abstract Test Suite Cooperative Awareness CA **CAM** Cooperative Awareness Messages **Intelligent Transport Systems** ITS ITS-S **ITS-Station IUT** Implementation Under Test **PDU** Protocol Data Unit **PICS** Protocol Implementation Conformance Statement System Under Test SUT TP Test Purpose TSS Test Suite Structure

4 Conformance requirement concerning PICS

If it claims to conform to the present document, the actual PICS pro forma to be filled in by a supplier shall be technically equivalent to the text of the PICS pro forma given in annex A, and shall preserve the numbering, naming and ordering of the pro forma items.

A PICS which conforms to the present document shall be a conforming PICS pro forma completed in accordance with the instructions for completion given in clause A.2.

Annex A (normative): CA PICS Pro forma

A.1 The right to copy

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the Security PICS pro forma in this annex so that it can be used for its intended purposes and may further publish the completed PICS pro forma.

A.2 Guidance for completing the PICS pro forma

A.2.1 Purposes and structure

The purpose of this PICS pro forma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in ETSI TS 103 900 (V2.2.1) may provide information about the implementation in a standardized manner.

The PICS pro forma is subdivided into clauses for the following categories of information:

- guidance for completing the PICS pro forma;
- identification of the implementation;
- identification of the ETSI TS 103 900 (V2.2.1);
- global statement of conformance;
- PICS pro forma tables.

A.2.2 Abbreviations and conventions

This annex does not reflect dynamic conformance requirements but static ones. In particular, a condition for support of a PDU parameter does not reflect requirements about the syntax of the PDU (i.e. the presence of a parameter) but the capability of the implementation to support the parameter.

In the sending direction, the support of a parameter means that the implementation is able to send this parameter (but it does not mean that the implementation always sends it).

In the receiving direction, it means that the implementation supports the whole semantic of the parameter that is described in the main part of the present document.

The PICS pro forma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 (1995).

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Reference column

The reference column gives reference to ETSITS 103 097 (V2.1.1) unless otherwise stated.

Status column

The status column describes the status of the item. The various status used in this annex are in accordance with the rules described in IEEE 1609.2TM-2016, annex A. Predicate in conditional and optional items is of form of Reference to items, as described below.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 (1995), are used for the support column:

Y or y supported by the implementation

N or n not supported by the implementation

N/A, n/a or - no answer required (allowed only if the status is N/A, directly or after evaluation of a conditional

status)

References to items

For each possible item answer (answer in the support column) within the PICS pro forma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a dot character ".", followed by the item number in the table.

EXAMPLE 1: A.5/4 is the reference to the answer of item 4 in table 5 of annex A.

EXAMPLE 2: A.6/3b is the reference to the second answer (i.e. in the second support column) of item 3 in

table 6 of annex A.

A.2.3 Instructions for completing the PICS pro forma

The supplier of the implementation may complete the PICS pro forma in each of the spaces provided. More detailed instructions are given at the beginning of the different clauses of the PICS pro forma.

A.3 Identification of the implementation

A.3.1 Introduction

Identification of the Equipment shall be filled in so as to provide as much details as possible regarding version numbers and configuration options.

Both the product supplier information and client information shall be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS shall be named as the contact person.

Date of the statement
Implementation Under Test (IUT) identification

IUT version:
A.3.4 System Under Test (SUT) identification SUT name:
Hardware configuration:
Operating system:
A.3.5 Product supplier Name:
Address:
Telephone number:
Facsimile number:
E-mail address:
Additional information:

Client (if different from product supplier) A.3.6 Name: Address: Telephone number: Facsimile number: E-mail address: Additional information: PICS contact person A.3.7 (A person to contact if there are any queries concerning the content of the PICS) Name: Telephone number: Facsimile number: E-mail address: Additional information:

A.4 Identification of the protocol

This PICS pro forma applies to the following standard: ETSI TS 103 900 (V2.2.1).

A.5 Global statement of conformance

Are all mandatory capabilities implemented? (Yes/No)

• all mandatory supuctives impromented (10%110)

Answering "No" to this question indicates non-conformance to the CA standard specification. Non-supported mandatory capabilities are to be identified in the PICS, with an explanation of why the implementation is non-conforming, on pages attached to the PICS are forms.

implementation is non-conforming, on pages attached to the PICS pro forma.

A.6 Tables

NOTE:

Unless stated otherwise, the column references of all tables below indicates the clause numbers of ETSI TS 103 900.

Table A.1: CAM Version

	Item	Туре	Reference	Status	Support
-	1	Release2	6.1.2	m	
r	n:	It is mandatory to indicate if the IUT supports CAMv2.			

Table A.2: ITS Station type

Item	Туре	Reference	Status	Support
1	Road side ITS-S	6.1.2	o.201	
2	Vehicle ITS-S	6.1.2	o.201	
o.201:	It is mandatory to support at least one of these types.			

Table A.3: ITS Radio communications

Item	Туре	Reference	Status	Support
1	G5 Radio communication	6.1.3	o.301	
2	CV2X radio communication	6.1.3	o.301	
o.301:	It is mandatory to support at least one of these types.			

Table A.4: CA vehicle profiles

Item	CA vehicle profile	Reference	Status	Support
1	PublicTransport	7.4	0	
2	SpecialTransport	7.4	0	
3	DangerousGoods	7.4	0	
4	RoadWork	7.4	О	
5	Rescue	7.4	0	
6	Emergency	7.4	О	
7	SafetyCar	7.4	0	

Table A.5: CA extension container

Item	CA vehicle profile	Reference	Status	Support
1	ExtentionsContainer	Annex A	О	
2	GeneralizedLanePositionsContainer	Annex A	О	
3	PathPredictionContainer	Annex A	О	
4	TwoWheelerContainer	Annex A	О	
5	EHorizonLocationSharingContainer	Annex A	О	
6	VehicleMovementControlContainer	Annex A	0	

Table A.6: CA Basic Functionality

Item	Vehicle Type	Reference	Status	Support
1	Transmission of CA Messages	4.3	m	
2	Reception of CA Messages	4.4	m	

Table A.7: ITS Security mode

Item	Туре	Reference	Status	Support
1	ITS-S security mode enabled	6.2.2	m	

Table A.8: Timing requirements

Item	Name of field	Reference	Default value	Status	Support
1	Maximum time interval between CAM generation (T_GENCAMMAX)	6.1.3	1 000 ms	m	
2	Minimum time interval between CAM generation (T_GENCAMMIN)	6.1.3	100 ms	m	
3	T_GENCAMDCC	6.1.3	T_GENCAMMIN ≤ T_GENCAMDCC ≤ T_GENCAMMAX	c.801	
c.801:	2.801: This item is mandatory when the item A.2.2 is supported.				

History

Document history		
V1.1.1	March 2011	Publication
V1.2.1	April 2014	Publication
V1.3.1	July 2015	Publication
V1.4.1	March 2017	Publication
V1.5.1	April 2020	Publication
V2.1.1	July 2025	Publication