



**Publicly Available Specification (PAS);  
Intelligent Transport Systems (ITS);  
MirrorLink®;  
Part 18: IEEE 802.11™ Car Connectivity Consortium (CCC)  
Information Element**

**CAUTION**

The present document has been submitted to ETSI as a PAS produced by CCC and approved by the ETSI Technical Committee Intelligent Transport Systems (ITS).

CCC is owner of the copyright of the document CCC-TS-050 and/or had all relevant rights and had assigned said rights to ETSI on an "as is basis". Consequently, to the fullest extent permitted by law, ETSI disclaims all warranties whether express, implied, statutory or otherwise including but not limited to merchantability, non-infringement of any intellectual property rights of third parties. No warranty is given about the accuracy and the completeness of the content of the present document.

---

**Reference**

DTS/ITS-88-18

---

**Keywords**

interface, ITS, PAS, smartphone

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

©ETSI 2017.

© Car Connectivity Consortium 2011-2017.

All rights reserved.

ETSI logo is a Trade Mark of ETSI registered for the benefit of its Members.

MirrorLink® is a registered trademark of Car Connectivity Consortium LLC.

RFB® and VNC® are registered trademarks of RealVNC Ltd.

UPnP® is a registered trademark of UPnP Forum.

Other names or abbreviations used in the present document may be trademarks of their respective owners.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	5
3 Abbreviations .....	5
4 IEEE 802.11 Information Element.....	6
5 CCC Information Element.....	6
5.1 General .....	6
5.2 MirrorLink Subelements .....	7
5.2.1 General.....	7
5.2.2 MirrorLink UPnP Device Information Subelement.....	7
5.2.3 Internet Accessibility Subelement .....	8
<b>Annex A (informative): Authors and Contributors.....</b>	<b>9</b>
History .....	10

---

## Intellectual Property Rights

### Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS).

The present document is part 18 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.1].

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document is part of the MirrorLink® specification which specifies an interface for enabling remote user interaction of a mobile device via another device. The present document is written having a vehicle head-unit to interact with the mobile device in mind, but it will similarly apply for other devices, which provide a color display, audio input/output and user input mechanisms.

IEEE allows defining vendor-specific Information elements, which are used to carry information not defined in the IEEE standard within a single defined format. The IE (Information Element) is located at the end of management frames, such as the beacon frame defined in 802.11 specification of IEEE [1].

Multiple IEs can be concatenated. Based on the usage of IE, IEEE defines the formats of different kinds of IEs identified by the Element ID.

The present document specifies the IEEE 802.11 CCC vendor-specific Information Element.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] IEEE Std. 801.11-2012™: "Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications", March 29, 2012.

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TS 103 544-1 (V1.3.0): "Publicly Available Specification (PAS); Intelligent Transport Systems (ITS); MirrorLink®; Part 1: Connectivity".
- 

## 3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CCC	Car Connectivity Consortium
IE	Information Element
IEEE	Institute of Electrical and Electronics Engineers

Miracast	Commercial denomination of WDF
ML	MirrorLink
OUI	Organizationally Unique Identifier
UPnP	Universal Plug and Play
USB	Universal Serial Bus

---

## 4 IEEE 802.11 Information Element

The IE (Information Element) is located at the end of management frames such as the beacon frame defined in 802.11 specification of IEEE [1]. Multiple IEs can be concatenated. Based on the usage of IE, IEEE defines the formats of different kinds of IEs identified by the Element ID.

The IEEE 802.11 Information Element format is given in Table 1.

**Table 1: IEEE 802.11 Information Element Format**

Field	Size (octet)	Value	Description
Element ID	1	Defined in [1]	Element identifier
Length	1	Variable	Length of sum of following elements
Information	Variable		Information (IE specific)

IEEE allows the definition of vendor-specific information elements, identified by the Element ID of 0xDD.

---

## 5 CCC Information Element

### 5.1 General

The format of the CCC Information Element is given in Table 2.

**Table 2: MirrorLink Information Element Format**

Field	Size (octet)	Value	Description
Element ID	1	0xDD	802.11 Vendor specific usage
Length	1	Variable	The length of sum of following elements
OUI (Organizationally Unique Identifier)	3	04-DF-69	CCC specific OUI assigned by IEEE
OUI Type	1		OUI type
Subelements	Variable		One or more subelements can follow

The Organizationally Unique Identifier (OUI) of the CCC Information Element shall be 0x04DF69. Allowed OUI Type values are given in Table 3.

**Table 3: OUI Types**

OUI Type (Decimal)	Note
0-9	Reserved for future use
10	MirrorLink 1.2
11	MirrorLink 1.3
12-255	Reserved for future use

All MirrorLink subelements, as specified below, shall be available, unchanged, within future OUI types (i.e. within currently reserved OUI types).

## 5.2 MirrorLink Subelements

### 5.2.1 General

The MirrorLink Subelement format is given in Table 4.

**Table 4: MirrorLink Subelement Format**

Field	Size (octet)	Value	Description
Subelement ID	1		Identifier which represents the type of subelement (See Table 5).
Length	1	Variable	The length of sum of following elements
Subelement body field	variable		The value of subelement.

The Subelement ID shall have a value which represents the type of the Subelement. Allowed values are defined in Table 5.

**Table 5: Subelement Identifier**

Subelement ID (Decimal)	Note
0	MirrorLink UPnP device information
1	Internet Accessibility
2-255	Reserved

### 5.2.2 MirrorLink UPnP Device Information Subelement

The MirrorLink Device Information subelement is given in Table 6. The Subelement ID field shall have a value of 0x00.

**Table 6: MirrorLink UPnP Device Information Subelement**

Field	Size (octet)	Value	Description
Subelement ID	1	0x00	Identifier which indicates subelement type of UPnP device information of MirrorLink device.
Length	1	4	The length of sum of following elements
MirrorLink UPnP Device Information	4		The value of MirrorLink UPnP Device Information (See Table 7).

The format of the MirrorLink UPnP Device Information field is given in Table 7.

**Table 7: MirrorLink UPnP Device Information Format**

Bits	Name	Interpretation
2:0	UPnP Device Type	0x0: UPnP <i>TmServerDevice</i> :1 Server 0x1: UPnP <i>TmServerDevice</i> :1 Control Point 0x2 – 0x7: Reserved
3	<i>TmApplicationServer</i> :1 Service	0b0: Not supported 0b1: Supported
4	<i>TmClientProfile</i> :1 Service	0b0: <i>TmClientProfile</i> not supported 0b1: <i>TmClientProfile</i> supported
5	<i>TmNotificationServer</i> :1 Service	0b0: <i>TmNotificationServer</i> not supported 0b1: <i>TmNotificationServer</i> supported
15:6	Reserved	Reserved for additional services

Bits	Name	Interpretation
31:16	Port number	Port number, used to make URL for UPnP device description fetching Shall be 0 (zero) in case of a MirrorLink Client sending the Information Element.

The UPnP Device Information subelement shall be included within the CCC Information Element, if the MirrorLink device is providing any MirrorLink functionality over Wi-Fi.

### 5.2.3 Internet Accessibility Subelement

The Internet Accessibility subelement is given in Table 6. The Subelement ID field shall have a value of 0x01.

**Table 8: Internet Accessibility Subelement**

Field	Size (octet)	Value	Description
Subelement ID	1	0x01	Identifier which indicates subelement type of Internet Accessibility.
Length	1	2	Length of sum of following elements
Internet Accessibility	2		Value of Internet Accessibility (See Table 9)

The format of the Internet Accessibility Information field is given in Table 7.

**Table 9: Internet Accessibility Information Format**

Bits	Name	Interpretation
1:0	MirrorLink Type	0b00: MirrorLink Server 0b01: MirrorLink Client with support for single ML Server 0b10: Reserved 0b11: MirrorLink Client with support for multiple ML Servers
2	Internet Access Support	0b0: Not supported 0b1: Supported
3	Internet Access Required	0b0: Not required 0b1: Required
7:4	Reserved	
15:8	MirrorLink Client Preference	MirrorLink Client's preference in case where GO role conflict happens; <ul style="list-style-type: none"> <li>• 0x00: No conflict or not a MirrorLink Client</li> <li>• 0x01: Internet Access Required</li> <li>• 0x02: Multiple MirrorLink Server Support</li> </ul>

The Internet Accessibility Information subelement may be included within the CCC Information Element, if the MirrorLink device is providing MirrorLink functionality over Wi-Fi. In case the Internet Accessibility Information subelement is missing from the CCC Information Element, the receiving MirrorLink device should implement a behavior as if the following default values had been received:

- ML Type: 0b00 or 0b01 (dependent on MirrorLink device type)
- Internet Access Support: 0b0 (Not supported)
- Internet Access Required: 0b0 (Not required)
- ML Client Preference: 0b00 (No conflict or not a MirrorLink Client)

---

## Annex A (informative): Authors and Contributors

The following people have contributed to the present document:

Rapporteur: Dr. Jörg Brakensiek, E-Qualus (for Car Connectivity Consortium LLC)

Other contributors: Mingoo Kim, LG Electronics  
Jungwoo Kim, LG Electronics  
Sungjin Park, Samsung Electronics  
Sungjin Lee, LG Electronics

---

## History

<b>Document history</b>		
V1.3.0	October 2017	Publication