

ETSI TS 122 086 V3.1.0 (2000-03)

Technical Specification

**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);
Advice of Charge (AoC) Supplementary Services - Stage 1
(3G TS 22.086 version 3.1.0 Release 1999)**



Reference

DTS/TSGS-0122086U

Keywords

GSM, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:

editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.

All rights reserved.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under www.etsi.org/key.

Contents

Foreword	2
0 Scope.....	5
0.1 References.....	5
0.2 Abbreviations.....	5
1 Advice Of Charge (Information) (AoCI)	5
1.1 Definition.....	5
1.2 Description.....	6
1.2.1 Description	6
1.2.2 Applicability to telecommunication services	6
1.3 Normal procedures with successful outcome.....	6
1.3.1 Provision	6
1.3.2 Withdrawal	6
1.3.5 Activation	6
1.3.6 Deactivation	6
1.3.7 Invocation.....	6
1.3.8 Normal operation with successful outcome	6
1.4 Exceptional procedures or unsuccessful outcome.....	7
1.4.1 Operation in a PLMN that is unable to support AoC	7
1.4.2 AoC when MS is switched off or out of coverage	7
1.4.3 Operation with a MS unable to support AoC	7
1.5 Alternate procedures	7
1.6 Interactions with other supplementary services	7
1.7 Interworking considerations.....	6
2 Advice Of Charge (Charging) (AoCC).....	7
2.1 Definition.....	7
2.2 Description.....	8
2.2.1 Description	7
2.2.2 Applicability to telecommunication services	8
2.3 Normal procedures with successful outcome.....	8
2.3.1 Provision	8
2.3.2 Withdrawal	8
2.3.5 Activation	8
2.3.6 Deactivation	8
2.3.7 Invocation.....	8
2.3.8 Normal operation with successful outcome	9
2.4 Exceptional procedures or unsuccessful outcome.....	9
2.4.1 Operation in a PLMN that is unable to support the Charging Service	9
2.4.2 Charging when the MS is switched off or out of coverage	9
2.4.3 Operation with a MS unable to support AoC	9
2.5 Alternate procedures	9
2.6 Interactions with other supplementary services	9
2.7 Interworking considerations.....	8
Annex A (informative): Change history	10
History.....	11

Foreword

This Technical Specification has been produced by the 3GPP.

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of this TS, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version 3.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 Indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the specification;

0 Scope

The present document describes the supplementary services belonging to the group Charging Supplementary Services.

The general aspects, including definitions and recommended provision, of the description of the supplementary services are given in TS 22.004.

Charging services are the supplementary services associated with charging aspects. The group of supplementary services Charging Supplementary Services comprises two services:

- Advice of Charge (Information) - clause 1;
- Advice of Charge (Charging) - clause 2.

Advice of Charge (AoC) supplementary services will use the Charge Advice Information described in 22.024.

In principle, the same type of Mobile Station (MS) can be used for both services of Advice of Charge (AoC), except where the application demands special features - e.g. the payment mechanism in a payphone.

Only one of these services may be subscribed to at any one time.

0.1 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- For this Release 1999 document, references to GSM documents are for Release 1999 versions (version 8.x.y).

- [1] GSM 01.04: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
- [2] TS 22.004: General on supplementary services".
- [3] TS 22.024: Description of Charge Advice Information (CAI).
- [4] TS 21.905: "Vocabulary for 3GPP Specifications".
- [5] TS 22.135: "Multicall stage 1".

0.2 Abbreviations

Abbreviations used in the present document are listed in GSM 01.04 and TS 21.905.

1 Advice Of Charge (Information) (AoCI)

1.1 Definition

This service permits MS to display an accurate estimate the size of the bill which will eventually be levied in the Home PLMN.

1.2 Description

1.2.1 Description

This supplementary service provides the MS with the information to produce an estimate of the cost of the service used. Charges are indicated for the call(s) in progress when mobile originated or for the roaming leg only when mobile terminated. Any charges for non-call related transactions, and for certain supplementary services, such as Call Forwarding are not indicated.

The MS will receive at the beginning of each call (and as necessary during the call) a message, the Charge Advice Information. This message contains the elements which together define the rate at which the call is to be charged, time dependence, data dependence and for unit increments - see TS 22.024.

The MS shall still indicate appropriate charges even when roaming, based on Home PLMN units.

Where applicable, the volume charge for Packet data service, in addition to the normal time dependent and incremental charges, shall be indicated.

To indicate the charge per call the Mobile station shall display the units consumed so far during the present call(s) and maintain this value until the MS is switched off or a new call set-up is attempted.

Where required to indicate the total accumulated charge, the MS shall be able to display, and the SIM/USIM shall store in the ACM, the running cumulative unit charge. This value must be stored securely, and all reasonable steps shall be taken to ensure that the written value cannot be interrupted, reset or corrupted (except resetting under control of the unblocking key).

1.2.2 Applicability to telecommunication services

The applicability of this supplementary service is defined in TS 22.004.

1.3 Normal procedures with successful outcome

1.3.1 Provision

This supplementary service will be provided after prearrangement with the service provider.

1.3.2 Withdrawal

This service will be withdrawn at the subscriber's request or for administrative reasons.

1.3.5 Activation

This supplementary service will be activated by the service provider as a result of provision.

1.3.6 Deactivation

This supplementary service will be deactivated by the service provider as a result of withdrawal.

1.3.7 Invocation

This supplementary service will be automatically invoked by the network for the use of all applicable telecommunications services.

1.3.8 Normal operation with successful outcome

For every applicable usage of telecommunications services, the served MS will be provided with charging information.

The MS shall send to the network a confirmation of receipt of this information.

1.4 Exceptional procedures or unsuccessful outcome

1.4.1 Operation in a PLMN that is unable to support AoC

Since AoC (Information) is used only to provide an indication to the user, even if the network is unable to support AoC, calls may still be set up as normal, only the AoC indication will not be given. For this reason charges incurred on a network that is unable to support AoC will not be shown on the AoC indicator.

1.4.2 AoC when MS is switched off or out of coverage

No AoC information is given by the network.

1.4.3 Operation with a MS unable to support AoC

Since AoC (Information) is used only to provide an indication to the user, even if the ME is unable to support AoC, calls may still be set up as normal, only no AoC information will be provided to the user.

1.5 Alternate procedures

None identified.

1.6 Interactions with other supplementary services

No interaction.

Invocation of this supplementary service does not prevent use of any other Supplementary Service.

8.2 Multicall

See TS 22.135 [5].

1.7 Interworking considerations

When interworking with PSPDN, a volume related charge may be incurred, as described in TS 22.024.

2 Advice Of Charge (Charging) (AoCC)

2.1 Definition

This service provides the means by which the MS may indicate the charge that will be made for the use of telecommunication services. It is intended for applications where the user is generally not the subscriber but is known to the subscriber, and where the user pays the subscriber, rather than the Service Provider.

The charge information is based as closely as possible on the charge that will be levied on the subscriber's bill in the Home PLMN. Where this charge cannot be stored in the MS, use of the telecommunications service shall be prevented as described below.

2.2 Description

2.2.1 Description

This supplementary service provides the MS with the information to produce an estimate of the cost of the service used. Charges are indicated for the call(s) in progress when mobile originated or for the roaming leg only when mobile terminated. Any charges for non-call related transactions, and for certain supplementary services, such as Call Forwarding are not indicated.

The MS will receive at the beginning of each call (and as necessary during the call) a message, the Charge Advice Information. This message contains the elements which together define the rate at which the call is to be charged, time dependence, data dependence and for unit increments - see TS 22.024.

The MS shall still indicate appropriate charges even when roaming, based on Home PLMN units.

Where applicable, the volume charge for Packet data service, in addition to the normal time dependent and incremental charges, shall be indicated.

To indicate the charge per call the Mobile station shall display the units consumed so far during the present call(s) and maintain this value until the MS is switched off or a new call set-up is attempted.

Where required to indicate the total accumulated charge, the MS shall be able to display, and the SIM/USIM shall store in the ACM, the running cumulative unit charge. This value must be stored securely, and all reasonable steps shall be taken to ensure that the written value cannot be interrupted, reset or corrupted (except resetting under control of the unblocking key).

2.2.2 Applicability to telecommunication services

The applicability of this supplementary service is defined in TS 22.004.

2.3 Normal procedures with successful outcome

2.3.1 Provision

This supplementary service will be provided after pre-arrangement with the service provider.

2.3.2 Withdrawal

This service will be withdrawn at the subscriber's request or for administrative reasons.

2.3.5 Activation

This supplementary service will be activated by the service provider as a result of provision.

2.3.6 Deactivation

This supplementary service will be deactivated by the service provider as a result of withdrawal.

2.3.7 Invocation

This supplementary service will be automatically invoked by the network for the use of all applicable telecommunications services.

2.3.8 Normal operation with successful outcome

For every applicable usage of telecommunication services, the served MS will be provided with charging information.

The MS shall send to the network a confirmation of receipt of this information.

2.4 Exceptional procedures or unsuccessful outcome

2.4.1 Operation in a PLMN that is unable to support the Charging Service

If the local PLMN is unable to support this service, all chargeable calls shall be prevented. This is determined either by the use of an HLR list of VPLMNs which support the service, or by the HLR interrogating the VPLMN. Prevention is achieved by refusing a Location Update Request to the VPLMN that does not support the service.

2.4.2 Charging when the MS is switched off or out of coverage

No AoC information is given by the network.

2.4.3 Operation with a MS unable to support AoC

If the MS does not support AoC, no advice of charge information will be provided to the user. Any calls attempted to be set up will be quickly terminated, once the network has failed to receive a positive acknowledgement of receipt of the Charge Advice Information, within a suitable time.

2.5 Alternate procedures

None identified.

2.6 Interactions with other supplementary services

No interaction.

Invocation of this supplementary service does not prevent use of any other Supplementary Service, but in certain cases no charging information will be indicated. In this case, the subscriber should not subscribe to those Supplementary Services which need to be charged for, thereby inhibiting their use by another user.

2.7 Interworking considerations

When interworking with PSPDN, a volume related charge may be incurred, as described in TS 22.024.

Annex A (informative): Change history

Change history						
TSG SA#	Spec	Version	CR	<Phase>	New Version	Subject/Comment
Jun 1999	GSM 02.86	7.0.0				Transferred to 3GPP SA1
SA#04	22.085				3.0.0	
SA#05	22.085	3.0.0	001	R99	3.0.1	Editorial update of references for GSM/3GPP use.

History

Document history		
V3.0.0	August 1999	Transferred to TSG SA at ETSI SMG#29. Under TSG TSG SA Change Control.
V3.1.0	October 1999	Inclusion of CR at SA#05

History

Document history		
V3.1.0	March 2000	Publication