

# ETSI TS 122 115 V17.1.0 (2022-07)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
Service aspects;  
Charging and billing  
(3GPP TS 22.115 version 17.1.0 Release 17)**



---

**Reference**

RTS/TSGS-0122115vh10

---

**Keywords**

GSM,LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

---

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	5
1 Scope .....	6
2 References .....	6
3 Definitions and abbreviations.....	7
3.1 Definitions .....	7
3.2 Abbreviations .....	7
4 Main Requirements and High-Level Principles .....	7
4.1 Cross Phase Compatibility .....	9
4.2 Charging Entity Relationships.....	9
4.3 Charging guidelines for IP-Multimedia services .....	11
4.3.1 User Charging Requirements .....	11
4.3.1.1 Session End Point Configurations.....	11
4.3.1.2 Charging Principles For User Session Components.....	12
4.3.1.3 Other Charging Requirements.....	14
4.3.2 Roaming Charging Requirements.....	14
4.3.3 Interconnect Charging Requirements.....	15
4.3.4 Conveyance & Usage charging requirements .....	16
4.3.5 Charging 3 <sup>rd</sup> parties.....	16
4.3.6 Advice of Charge (AoC).....	17
4.3.7 Service Aware Charging Requirements.....	17
4.4 Additional Charging requirements for prepaid services .....	17
4.5 QoS and gating based on spending limit .....	18
4.6 ProSe Charging Requirements .....	18
4.7 Unlicensed access requirements .....	19
4.8 Charging Requirements for Indirect 3GPP Communication .....	19
5 Collection of charging information .....	20
5.1 Charging information Requirements .....	20
5.1.1 Information provided by the user.....	20
5.1.2 Information provided by the serving network.....	20
5.1.3 Charged Party .....	21
5.1.4 Information provided by the third party accessed by the user .....	22
5.2 Special Cases.....	23
5.2.1 Long calls and sessions.....	23
5.2.2 Multimedia calls .....	23
5.2.3 Service Change .....	23
5.2.4 E-Commerce.....	23
5.2.5 Volume Based Charging .....	23
5.2.6 VAS .....	23
5.2.7 Usage of IP Multimedia service.....	23
5.2.8 I- WLAN.....	24
5.2.9 Charging for two (and multi)-phases services for IMS networks .....	24
5.2.10 CSG charging requirements for UTRAN and E-UTRAN .....	24
5.2.11 Inter-UE Transfer charging.....	24
5.2.12 Selected IP Traffic Offload charging .....	24
5.2.12A Charging requirements for IoT small data .....	24
5.2.13 TV Service Support Requirements .....	25
5.2.14 Accounting for Flexible Mobile Service Steering .....	25
5.2.15 Restricted local operator services .....	25
5.2.16 Charging for streaming services .....	25
5.2.17 (Void).....	25

6	Transfer of Charging Information .....	25
6.1	Integrity, Secrecy and Validation of Content and Receipt of Charging Information .....	25
7	Accounting and Settlement .....	26
7.1	Delegation of charging authority .....	26
7.2	Fraud Control .....	26
7.2.1	Fraud Control by the Home Environment.....	26
7.2.2	Fraud Control by the Serving Network.....	26
7.3	Cost Control .....	26
7.3.1	Cross Phase Compatibility.....	27
7.4	Inter-network Settlement .....	27
8	Automatic Roaming Agreements .....	27
8.1	Routing the Registration Request .....	28
8.2	Settlement of charges .....	28
<b>Annex A (informative): Change history .....</b>		<b>29</b>
History .....		33

---

# Foreword

This Technical Specification (TS) has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The present document describes the Service Aspects of charging and billing of the 3GPP System.

The present document is not intended to duplicate existing standards or standards being developed by other groups on these topics, and will reference these where appropriate. The present document will elaborate on the charging requirements described in the Charging Principles in 3GPP TS 22.101 Service Principles. It will allow the generation of accurate charging information to be used in the commercial and contractual relationships between the parties concerned.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 22.101: "Service aspects; Service Principles".
- [2] 3GPP TS 22.066: "Support of Mobile Number Portability (MNP)".
- [3] 3GPP TS 22.234: "Requirements for 3GPP system to wireless local area network (WLAN) interworking".
- [4] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications"
- [5] 3GPP TS 22.086: "Advice of Charge (AoC) supplementary services"
- [6] ETS 300 178: "Integrated Services Digital Network (ISDN); Advice of Charge: charging information at call set-up time (AOC-S) supplementary service; Service description"
- [7] ETS 300 179: "Integrated Services Digital Network (ISDN); Advice of Charge: charging information during the call (AOC-D) supplementary service; Service description"
- [8] ETS 300 180: "Integrated Services Digital Network (ISDN); Advice of Charge: charging information at the end of the call (AOC-E) supplementary service; Service description"
- [9] TS 183 047: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); NGN IMS Supplementary Services; Advice Of Charge (AOC)"
- [10] TS 183 058: "Telecommunications and Internet Converged Services and Protocols for Advanced Networking (TISPAN); SIP Transfer of IP Multimedia Service Tariff Information; Protocol specification"
- [11] void
- [12] 3GPP TS 22.220, "Service requirements for Home NodeBs and Home eNodeBs"
- [13] 3GPP TS 22.278, "Service requirements for the Evolved Packet System (EPS)"

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the definitions in [4] are supplemented by the following definitions:

**Gateway UE:** a UE, which acts as a gateway providing access to and from the 3GPP network for one or more non-3GPP devices that are connected to the gateway UE.

**Prepay service:** A prepay service allows a subscriber to pay in advance for the use of specific services, the prepay account may be updated each time the subscriber uses the services related to that account.

**Real time:** Time, typically in number of seconds, to perform the on-line mechanism used for fraud control and cost control.

**Session:** logical connection between parties involved in a packet switched based communication This term is used for IP connections rather than the term "call" that is normally used for a connection over conventional (circuit switched) systems.

**Note:** Information about charging is typically collected in Charging Data Records (CDR).

**Local Charging Zone (LCZ):** A logical grouping of a number of cells, where a special tariff applies for a select group of users. A network may have a number of LCZs. A LCZ does not necessarily need to be aligned with an LA or RA, i.e. the border of LCZ may not be the border of an LA or RA.

**User:** As defined in TR 21.905 [29]: An entity, not part of the 3GPP System, which uses 3GPP System services. Example: a person using a 3GPP System mobile station as a portable telephone. Additional examples for a user in the context of this TS: a non-3GPP device connected to the 3GPP system via a gateway, or an application running on a UE.

**User Identity:** information representing a user in a specific context. A user can have several user identities, e.g. a User Identity in the context of his profession, or a private User Identity for some aspects of private life.

**User Identifier:** a piece of information used to identify one specific User Identity in one or more systems.

### 3.2 Abbreviations

For the purposes of the present document the definition of abbreviations in [4] apply.

---

## 4 Main Requirements and High-Level Principles

The main new requirements for 3GPP system charging and accounting are:

- to provide charging information for all charges incurred and requiring settlement between the different commercial roles;
- to allow fraud control by the Home Environment and the Serving network;
- to allow cost control by the charged party;
- to provide at the beginning of a chargeable event an indication to the charged party (if involved in the chargeable event) of the charges to be levied for this event;
- to allow itemised billing for all services charged to each subscription, including voice and data calls, and services offered by home environments;
- to enable the Home environment to provide a Prepay Service and to enable the serving network to support that Prepay Service for the Home environment's subscribers;



- to allow interconnect (inter-operator) charging including mobile/fixed operator to mobile/fixed operator (circuit switched & IP), and mobile/fixed operator to IP network provider; and mobile/fixed operator to I-WLAN operator;
- to allow Network operator to 3<sup>rd</sup> party supplier (e.g. Value-Added Service Provider) charging;
- to provide details required for Customer Care purposes;
- to support the shared network architecture so that end users can be appropriately charged for their usage of the shared network, and network sharing partners can be allocated their share of the costs of the shared network resources.

The high-level principles that will guide the charging requirements are summarised as follows:

- It shall be possible to charge separately for each type of medium used (e.g. voice, video, data) in a session and for each service used (e.g. voice call, streaming video, file download);
- It shall be possible to charge for different levels of QoS applied for and/or allocated during a session for each type of medium or service used;
- It shall be possible to charge each "leg" of a session separately. This includes the incoming and outgoing legs and any forwarded/redirected legs. (Note: The legs mentioned here are logical legs, i.e. not necessarily identical to actual signal and traffic flow. Even though tromboning may be avoided by optimal routing, the operator should still be able to charge for the 'virtual legs' of the call);
- It shall be possible to charge unsuccessful calls and sessions (e.g. for billing purposes, to provide the user a full documentation of his call attempts);
- The user can be charged according to the service used irrespective of the technology used to deliver it. (That is, the charge is not derived from whether 2G or 3G is used);
- The user can be charged according to the technology used to deliver a service. (That is, different charges can be applied on 2G and 3G);
- It shall be possible to charge a user according to the network resources used. For example, if a large bandwidth is required to use high quality video, the user could be charged accordingly. This is related to charging by QoS;
- It shall be possible to charge users flexibly for the use of extra resources (in at least the same network) for all legs of the call. For example, if a video component is added to a voice call the use of extra radio resource at both ends of the call could be paid for by each user in the call or totally by the initiating user;
- It shall be possible to suppress charging for certain types of connection e.g. when a customer receives tones or network announcements or during sessions such as automated pre-pay top-up;
- It shall be possible to apply different charging based on tariff information provided by a 3<sup>rd</sup> party. This tariff information may change during the use of the service (e.g. based on menu selection in a voice response menu). In this case the requirement applies both for customer-charging and interconnect-charging;
- It shall be possible for the home network to charge its customers while roaming in the same ways as when they are at home. For example, if duration-based charging is used for charging for streaming music in the home network, then it shall be possible to apply the same principle when the user is roaming;
- It shall be possible for operators to have the option to apply charging mechanisms that are used in GSM/GPRS. For example, for duration of a voice call, for the amount of data transmitted (e.g. for streaming, file download, browsing) and for an event (one-off charge);
- It shall be possible for a network operator to charge its users for activities while roaming so that the home network will get the capability to raise service charges depending on the roamed to network, e.g. because of inter operator charges for the use of service capabilities within the visited network which will in general depend on the serving network. The ability to supply all the necessary information for all the charging options will depend on the capability of the visited network. For service capabilities which are provided by the home network, however, it is required that the charging information is collected to allow to identify the serving network of the served subscriber;
- It shall be possible for charging to be applied based on location, presence, push services etc.;

- The network may provide information to the UE so that the UE is able to notify and indicate to the user the LCZs it is in. This allows the user to decide whether to accept/originate the service depending on the LCZs they are in;
- It shall be possible to charge using pre-pay, post-pay, advice of charge, 3<sup>rd</sup> party charging techniques;
- It shall be possible for the home network to apply different tariffs to national calls and short messages established/sent by their subscribers while roaming in their Home PLMN depending on whether or not the called subscriber's Home PLMN equals the calling subscriber's Home PLMN, rather than on the called subscriber's MSISDN;

Note: This distinction is necessary only in the case, where the called subscriber's MSISDN may have been ported by Mobile Number Portability.

- For circuit switched interconnection only a capability is required to collect information regarding user rate and user protocol at the interconnection point so that e.g. the identification of CS video telephony at the interconnection point for inter-network accounting purposes becomes possible.

These new requirements and principles will allow users more freedom to obtain service when roaming, whilst providing effective cost and credit control for the Home Environment and User.

## 4.1 Cross Phase Compatibility

Where possible (e.g. services already defined within earlier releases), the charging information collected shall be consistent with the information already provided


It is envisaged that 3GPP system will evolve beyond this Release with the addition of a number of new requirements for charging and billing, for example with the addition of a number of new requirements for charging and billing; these are noted in the appropriate sections below. The technical standards for each release should be developed in such a way that it is possible and practical to introduce these requirements, ideally in a backward compatible manner.

Note: When a change is introduced which affects the 3GPP technical standards, it is said to be 'backward compatible' if existing equipment can continue to operate and perform correctly with equipment that conforms to the new implementation.

## 4.2 Charging Entity Relationships

In the process of introduction of the all-IP technology there will be a mixture of different types of entities using different types of technology.

The diagram below shows the different entities involved in charging and their relationships.



The types of entities and the relevant type of charging as shown on the diagram are as follows:

- **Users:** retail charged by Mobile Network Operator or 3<sup>rd</sup> Party Service Provider.
- **3<sup>rd</sup> Party Service Providers:** wholesale charged by Mobile Network Operator.
- **Other telecommunications operators:** interconnect charging between Mobile Network Operator and non-IP "circuit-switched" Network Operators for call traffic carried; usage charging between Mobile Network Operator and IP-based Network Operators for session traffic carried.
- **Other mobile operators:** roaming charging between these entities, this may require different mechanisms for IP-based types from the traditional "circuit-switched" types. Also, where mobile operators need to pass traffic to one another, there will be interconnect charging for non-IP "circuit switched" types; usage charging for IP-based types.
- **I-WLAN operators:** where I-WLAN operators need to pass traffic to mobile operators or mobile operators to I-WLAN operators, there may be roaming and usage charging.
- **IP backbone carriers:** conveyance charging Mobile Network Operators for traffic carried.
- **3<sup>rd</sup> Party content & application suppliers:** supplier charging between Mobile Network Operators and Value Added Service Providers for information exchanged.
- **3<sup>rd</sup> Party Portals:** access charging between Mobile Network Operators and this entity.
- **Internet:** charge for capacity of connection between Mobile Network Operator and Internet. An Operator pays a provider for a connection based on capacity, e.g. annual charge for a 2Mbit/s "pipe".

## 4.3 Charging guidelines for IP-Multimedia services

### 4.3.1 User Charging Requirements

This section describes the options required for the charging of end users. The network operator could charge users directly (retail charging) or charge a 3<sup>rd</sup> party service provider (wholesale charging). These requirements can therefore apply to retail and wholesale charging. Note that the word "session" is used to describe the connection between a user and either another user or a service. This term is used for IP connections rather than the term "call" that is normally used for a connection over conventional (circuit switched) systems.

The various ways that users can establish sessions and the main components are described. Also, the required charging options are specified.

#### 4.3.1.1 Session End Point Configurations

A variety of different connection configurations are possible for IP multi-media independently of the components of the session being used. It should be possible to charge for the following types of sessions with the options identified. These charging options should be applicable to each medium separately. Note that not all the charging options need to be used and that some of the options can be used only if the particular party is using the resources of IMS:

The table below lists some example session scenarios and describes some of the possible charging options for each scenario. The table does not list all possible session scenarios nor does it list all possible charging options for the scenarios. Rather, the intent of the table is to emphasize the numerous charging options that shall be supported by an IP Multimedia System due to the complexity of sessions possible. The charging options shall adequately account for all session resources used in order to enable the operators to apply flexible billing policies and to satisfy regional and/or national regulatory policies.

In general, any session shall allow for the following charging options:

- To apply the "Calling Party Pays" charging principle;
- A 3<sup>rd</sup> party to be charged for all or part of the session;
- Split charging between any of the parties, including 3<sup>rd</sup> parties;
- Session setup and session resources to have different charging rules. Different rules would be applied for example, in a scenario where **A** calls an advertising number, say **B**. **B** could be a web-based toy advertisement number, for example. In this scenario, **A** could pay for the initiation fee (session setup), and **B** could pay for the session resource.
- Any party can add another media to the current session in progress and any of the parties (not necessarily the one(s) being charged for the current session) can be charged for the additional media. For example, **A** calls **B** and **A** is paying for the audio; **B** adds a wireless video image to the call and pays for that portion. The individual resource set-up and usage should be separately identified. This supports the "Calling Party Pays" model;
- During an active session, media types can change (e.g. audio changed to data) and shall be charged for appropriately. It is thus necessary to be able to detect a change of media during a session so that different rating may be applied.

It should also be noted that during a multi-party session, normally if the charged party drops off the session, all components being charged to that party should drop. But it is foreseeable to support a service option that allows the charged party to continue to be charged even if they drop off the session. The charging rules should support this option.

No	CONNECTION	DESCRIPTION	CHARGING OPTIONS REQUIRED
1	<b>A</b> sets up a session to <b>B</b>	<b>A</b> simple connection between 2 subscribers or a subscriber and a service (eg voicemail)	<b>A</b> pays for the session set-up to <b>B</b> <b>A</b> pays for the session resource to <b>B</b> <b>B</b> pays for the session resource to <b>A</b>
2	<b>A</b> sets up a session to <b>B</b>	<b>A</b> simple connection where <b>B</b> is a "toll free" (800) type service	<b>B</b> pays for the session set-up <b>B</b> pays for the session resource <b>A</b> pays for part of the session resource (i.e. allowing split charging between <b>A</b> & <b>B</b> )
3	<b>A</b> requests session with <b>B</b> , <b>B</b> redirects to <b>C</b>	This is redirection. The connection path is not set up to <b>B</b> from <b>A</b> , instead <b>A</b> is told to set up a connection direct to <b>C</b>	<b>A</b> pays for the session set-up to <b>B</b> <b>A</b> pays for the session resource to <b>C</b> <b>C</b> pays for the session resource to <b>A</b> <b>A</b> pays for the session resource as though it were to <b>B</b> and <b>B</b> pays for the session resource to <b>C</b> as though it came from <b>B</b>
4	<b>A</b> requests session with <b>B</b> , <b>B</b> forwards to <b>C</b>	This is normal forwarding as in GSM. The connection path is <b>A</b> to <b>B</b> 's home network and <b>B</b> 's home network to <b>C</b>	<b>A</b> pays for the session set-up to <b>B</b> <b>A</b> pays for the session resource as though it were to <b>B</b> and <b>B</b> pays for the session resource to <b>C</b> .
5	<b>A</b> sets up sessions with multiple parties (Multi-party)	Connections to multiple parties are initiated by <b>A</b>	<b>A</b> pays for the set-up of each session <b>A</b> pays for each of the sessions resource to each of the called parties Each of the called parties pays for the session resource to <b>A</b>
6	<b>A</b> has a multi-party session where the individual parties set up the session to <b>A</b>	The multiple parties in the session initiate the session to <b>A</b>	Each party pays for the session set-up to <b>A</b> <b>A</b> pays for the session resource to the multiple parties The individual parties in the session each pay for the session resource to <b>A</b>
7	<b>A</b> is in a session with <b>B</b> , then puts <b>B</b> on hold to set up a session with <b>C</b> , then returns to <b>B</b> after dropping <b>C</b>	<b>A</b> still has a connection to <b>B</b> while also in a session with <b>C</b> . The session with <b>B</b> continues after the session with <b>C</b> is terminated	<b>A</b> pays for each of session set-ups to <b>B</b> and <b>C</b> <b>A</b> pays for the session resource to <b>B</b> & <b>C</b> <b>B</b> & <b>C</b> pay for the session resource to <b>A</b>
8	<b>A</b> is in a session with <b>B</b> then answers a session request from <b>C</b> while keeping <b>B</b> on hold	<b>A</b> still has a connection to <b>B</b> while also in a session with <b>C</b> . The session with <b>B</b> continues after the session with <b>C</b> is terminated	<b>A</b> pays for the session set-up to <b>B</b> <b>C</b> pays for the session set-up to <b>A</b> <b>A</b> pays for the session resource to <b>B</b> and <b>C</b> <b>B</b> & <b>C</b> pay for the session resource to <b>A</b>
9	<b>A</b> sets up a session with <b>B</b> who is roaming in another network	The connection is made from <b>A</b> to <b>B</b> 's home network and then forwarded to <b>B</b> in the visited network. (Normal GSM mechanism) Alternatively, <b>A</b> is redirected directly to <b>B</b> in the visited network	<b>A</b> pays for the session set-up to <b>B</b> <b>A</b> pays for the session resource as though it were to <b>B</b> in his home network and <b>B</b> pays for the session resource from his home network to the visited network <b>A</b> pays for the session resource to <b>B</b> in the visited network <b>B</b> pays for the session resource to <b>A</b>

#### 4.3.1.2 Charging Principles For User Session Components

A number of different components can comprise a session. These components may be added or dropped from an ongoing session by any participating party. These components should be individually identifiable for charging purposes.

Generally, the party that adds a component should be responsible for the payment for the use of the component. However, it should also be possible to charge all users that need an increase in resource to handle the component. An example is 2 users in an audio session where one of the users upgrades the session to videophone session. Both users could be charged extra for the use of the video component as this requires extra resource at both ends.

Possible components are:

- Voice

- Audio (real time)
- Audio (streaming)
- Video (real-time)
- Video (streaming)
- Data (download/upload)
- Data interactive e.g. web browsing
- Messaging (SMS text type)
- E-mail
- Data stream (unspecified content) This is where the network operator acts as a "bit-pipe"

It shall be possible to charge for each of these components separately in a session with the options shown in the table below.

It shall be possible for operators to be able to charge for individual components of sessions even if there is no identifiable service. For example, a proprietary codec may be used to set up an "end-to-end" speech session where the network operator acts as a "bit-pipe". In this case, it should be possible for the operator to charge for this differentially. This type of component is called "datastream" in the table below.

It might not be possible to apply some of the charging mechanism and type options described below depending on the capability of the networks used.

COMPONENT	CHARGING MECHANISM OPTIONS	CHARGING TYPE OPTIONS
Voice	Charging principles as described in section 4.3.1.1	Charging by duration of session Charging by QoS requested and/or delivered One-off set-up charge
Real time Audio and Video	Charging principles as described in section 4.3.1.1	Charging by duration of session Charging by QoS requested and/or delivered One-off set-up charge
Streaming Audio and Video	Charged to the initiator of the request Charged to the sender of the audio or video	Charging by duration of session Charging by volume of data, optionally QoS-differentiated One-off set-up charge
Data (upload or download)	Charged to the initiator of the request Charged to the sender of the data	Charging by duration of session Charging by volume of data, optionally QoS-differentiated One-off set-up charge
Interactive Data	Charged to the initiator of the session	Charging by duration of session Charging by volume of data, optionally QoS-differentiated One-off set-up charge
Messaging (SMS text type)	Charged to the initiator of the message Charged to the recipient of the message	Charging by event (e.g. like SMS) Charging by volume of data
Unspecified content (data stream)	Charged to the initiator of the session Charged to all parties involved	Charging by duration of session Charging by volume of data (sent & received), optionally QoS-differentiated One-off set-up charge

### 4.3.1.3 Other Charging Requirements

The user will also be charged for additional activities while in a session, for example downloaded applications or information. The table below shows some of these requirements and the priority. [This section will need to be further developed.]

CHARGING REQUIREMENT	DESCRIPTION
Downloaded items	User is charged for a specific item downloaded eg a music file, video clip, application
Location based services	User is charged for receiving information on his location (charging based on accuracy as an option). This could be a stand-alone location query or linked to another service
Content accessed or downloaded	User is charged according to the value of the information. E.g. weather information, share price or other financial information
M-Commerce	Electronic transactions to 3 <sup>rd</sup> party suppliers of goods & services
Use of portal or other site	User is charged for any access to a portal or any other site. This could be a one-off charge or based on duration or data volume of the portal or site use
APN and associated content	User is charged for access to a specific APN and for the content associated. Requirements are for further study.
Actual duration of rendered service	User is charged (e.g. for premium rate services or hotline) based on the actual duration of the rendered service

### 4.3.2 Roaming Charging Requirements

It shall be possible for a network operator to charge its users for activities while roaming. It shall be possible for a network operator to charge its users while roaming using the same principles used while on the home network. The ability to supply all the necessary information for all the charging options will depend on the capability of the visited network.

In addition, the network operators have to charge each other for the use of their networks by roaming users. The methods of charging between operators may be different from the methods used to charge the user. For example, a user may be charged by duration for voice sessions made while roaming but the home network may pay the visited network by volume of data used. Based on preconfiguration or indication from the home network, the serving network may be aware that charging information per individual subscription is not needed. In that case the serving network may omit detailed collection of chargeable events per individual subscription and instead base roaming charging of the home network on optimised collection of chargeable events.

Mechanisms used in today's networks may also be applied e.g. Inter-Operator Tariff (IOT).

The table below shows the types of charging principle that networks will require for roaming settlement and a priority for its provision.

ITEM	CHARGING METHOD DESCRIPTION
Charging for session use	Sessions made by users while roaming charged according to the principles described in section 4.3.1.1, above. This includes duration and volume charging
Downloaded items	Items downloaded by the user while roaming from providers associated with the visited network are charged back to the home network for onward charge to the user
Location based services	Location information provided by the visited network is charged back to the home network for possible onward charge to the user.
Content accessed or downloaded	Information that is accessed by the user while roaming from providers associated with the visited network is charged according to its value by the visited network back to the home network for onward charge to the user.
M-Commerce	Charging requirements between visited and home networks for M-Commerce transactions made by a roaming user are for further study.
Use of portal or other site	The visited network may charge the home network for any access by the roaming user to a local portal or any other local site. This could be a one-off charge and/or based on duration or data volume of the portal or site use
APN & associated content	Charge by visited network to home network for access to a specific APN and for the content associated. Requirements are for further study.

### 4.3.3 Interconnect Charging Requirements

This clause applies (but is not limited) to the following interconnection scenarios:

- Interworking between two IMS-based networks
- Interworking between IMS-based networks and PSTN/ISDN
- Interworking between IMS-based networks and TISPAN NGN supporting PES
- IMS transit scenario

The following charging requirements principles and guidelines shall apply for IMS when interconnected to other systems:

- Existing, legacy charging principles will need to be retained while there is a requirement to interwork with non-IP based "circuit switched" type of networks
- All the charging and accounting information shall be collected as closest as possible to the interconnection point (subject to network element performance capabilities).
- A session or a service instance shall be uniquely identified within a network domain to allow a correct accounting and charging.
- The identities of the originating network and of the destination network shall be unique and transported at signalling layer. This applies also to transit scenarios.
- The interconnecting provider(s) will be able to apply Inter Operator Tariff schemes both for offline and online charging.
- Charging information will be available for recording at both ends of interconnected parties. The charging information shall be sufficient to enable inter operator accounting correlation and inter operator dispute resolution. When per individual subscription charging information from the other operator is not needed, interconnect charging may be based on optimised collection of chargeable events.
- The real-time transfer of tariff information in interconnection scenarios shall be supported when the serving network supports it, in order to support value added services that are billed by the caller's operator (e.g. Premium rate services 0900 or hotlines).



Note: Such services often appear as 3<sup>rd</sup> party services where the tariff information resides in the called network and the caller's operator does not have this information.

- This tariff information must be submitted by the external provider in real-time, so that the caller's operator is capable of
  - providing AoC (Advice of Charge) information to the caller.
  - capturing the imported tariff information into charging records.

The service-hosting network shall provide appropriate charging information to the caller's operator in a secure way, independently from the real-time transfer of charging information for AoC purposes.

Note: Where required to support offline charging for third party services where the tariff information resides in the called network and the caller's operator needs to bill the end user for that service.

#### 4.3.4 Conveyance & Usage charging requirements

It shall be possible for network operators (including mobile, fixed and IP backbone suppliers) to charge each other for the use of resources required to support user sessions. The items to be charged and the principles to be applied are described below.

The methods of charging between operators could be different from the methods used to charge the user. For example, a user may be charged by duration for voice sessions but the mobile network may pay the fixed network or 3<sup>rd</sup> party carrier by volume of data used. When per individual subscription charging information from the other operator is not needed, conveyance and usage charging may be based on optimised collection of chargeable events.

**Table 4.3.4-1: Conveyance & Usage charging requirements**

ITEM	CHARGING METHOD DESCRIPTION
Session use	Charging according to the resources used by duration of session and/or by data volume
Quality of Service	Charging by QoS delivered to and from the other network

#### 4.3.5 Charging 3<sup>rd</sup> parties

It shall be possible for network operators and 3<sup>rd</sup> parties to charge each other for the use of their resources. Third parties include content and application providers and portals.

When per individual subscription charging information is not needed, 3<sup>rd</sup> party charging may be based on on optimised collection of chargeable events.

The items that will be charged and the principles are described below:

**Table 4.3.5-1: Charging 3<sup>rd</sup> parties**

ITEM	CHARGING METHOD DESCRIPTION
Content accessed	The 3 <sup>rd</sup> party charges the end user (via the network operator) for content accessed/downloaded
Access to site	The 3 <sup>rd</sup> party is charged by the network operator for each "hit" by its users
Location information	The 3 <sup>rd</sup> party is charged by the network operator for information on the location of the user. Amount charged could depend on accuracy of location information.
Presence information	The 3 <sup>rd</sup> party is charged by the network operator for presence information about the user.
Pushed information	The 3 <sup>rd</sup> party is charged by the network operator for each message pushed to the user, e.g. advertisements

### 4.3.6 Advice of Charge (AoC)

The Advice of Charge (AOC) supplementary service allows the served user to be informed of MMTel session related charging information.

AoC information may occur as:

- Advice of Charge for Information purposes (AoCI): This supplementary service provides the information to produce an estimate of the cost of the service used. This means that the displayed value and the cost of the service used (e.g. corresponding bill item) may differ.
- Advice of Charge for Charging purposes (AoCC): This supplementary service provides the means by which the UE may indicate the charge that will be made for the use of MMTel service (i.e. the cost of the service used.)

AoC-information may be sent to the served user at the following phases of communication:

- Charging information at communication set-up time (AOC-S): When the AOC-S supplementary service is activated, the IMS shall provide the user with information about the charging rates at communication establishment. In addition, the IMS may inform the served user at the communication set-up time if a change in charging rates is to take place after the communication set-up.
- Charging information during the communication (AOC-D): After the AOC-D supplementary service is activated, the IMS shall provide the user with charging information for a communication during the active phase of this communication. The supplied charging information shall be provided as a rate of communication service (e.g. costs per minute) or as a cumulative charge incurred so far for the communication (i.e. charges recorded from the start of the communication and until the moment the charging information is sent to the served user), or as charging units. When the call is released, the network shall send the recorded charges for the communication to the served user.
- Charging information at the end of the communication (AOC-E): When the AOC-E supplementary service is activated, the network shall provide the served user with charging information indicating the recorded charges for a communication when this communication is released.

Compatibility with existing, legacy AoC principles from both fixed and mobile networks shall be taken into account. This comprises (but is not limited to) the following requirements for AoC as specified in TS 22.086 [5], ETS 300 178 [6], ETS 300 179 [7], ETS 300 180 [8], TS 183 047 [9] and TS 183 058 [10].

AoC shall be also supported for interconnection scenarios.

### 4.3.7 Service Aware Charging Requirements

Service Aware Charging provides the means to perform charging based on identified IMS communication service and the service in use.

To facilitate service aware charging, the system shall support the possibility to identify the IMS communication service and the service in use in the charging and accounting data collection.

To ensure that service aware charging can be provided when roaming, the home network shall have the possibility to provide the unequivocally identified IMS communication service to the visited network.

## 4.4 Additional Charging requirements for prepay services

A prepay service allows a subscriber to pay in advance for the use of specific services, the prepay account will be decreased each time the subscriber uses the services related to that account.

In a multi-service environment like 3GPP system, a subscriber can have different prepay accounts for different kinds of services (e.g. internet access, m-commerce, infotainment, location-based services etc.).

In order to guarantee the use of the prepay services, the following general requirements shall be fulfilled:

- The prepay service shall check a subscriber's prepay account for coverage of the requested service charges prior to execution of that service.

- All charging information related to a specific prepay account shall be prevented to the user when the prepay credit of that account is exhausted or expired.
- All the ongoing charging information related to a specific prepay account shall be immediately (within a few seconds) interrupted as soon as the prepay credit of that account exhausts or expires.
- The prepay service shall decrease the prepay account each time the subscriber uses the services related to that account.

It should be possible to support more than one prepay account for a user if needed.

To guarantee a meaningful multi-prepay account concept, at least 2 different prepay accounts should be supported.

## 4.5 QoS and gating based on spending limit

- When the subscriber spending limit has reached a pre-set limit, the system shall be able to trigger a QoS downgrade and/or restrict access to one, several or all IP services based on operator pre-defined thresholds.

Note: A spending limit is the usage limit (e.g. monetary, volume, duration) that a subscriber is allowed to consume.

- When the subscriber spending limit (e.g. monetary, volume, duration) has been increased, the system shall be able to modify resources (e.g. QoS, Bandwidth, access) to services accordingly.
- The home network shall be able to enforce the subscriber spending limits for a roaming subscriber without having dedicated support of the feature in the visited network.
- Additional signalling load should be minimized.

## 4.6 ProSe Charging Requirements

This section describes the requirements for collecting charging data for ProSe [13]. The requirements also apply in the roaming case.

Online and offline charging shall be supported.

The EPS shall be able to collect charging data for the ability to discover ProSe-enabled UEs served by the E-UTRAN of a different PLMN.

The EPS shall be able to collect charging data for ProSe Discovery features including:

- the ability of a ProSe-enabled UE to be discoverable, including based on the range class;
- the ability to discover other ProSe-enabled UEs, including based on the range class;
- the event of discovering a ProSe-enabled UE, including based on the range class;
- the technology (e.g., E-UTRA or WLAN) that was used for ProSe Discovery.

When a ProSe-enabled UE uses ProSe Communication, or EPC Path established following ProSe Discovery, the 3GPP System shall be able to collect charging data for this communication including its:

- Activation/deactivation;
- Initiation/termination;
- Duration and amount of data transmitted / received;
- QoS, if via E-UTRAN (e.g. levels of availability, allocated resource);
- Inter-operator communication;
- Inter-operator signalling;
- Identification of UEs or groups involved.

Note: This requirement applies to any ProSe E-UTRA Communication between two ProSe-enabled UEs, ProSe Group Communication, ProSe Broadcast Communication and ProSe-assisted WLAN direct communication.

The EPS shall be able to collect charging data for use of ProSe Discovery, ProSe Communication and EPC Path established following ProSe Discovery by an application. This requirement applies to any ProSe E-UTRA Communication between two ProSe-enabled UEs, ProSe Group Communication, ProSe Broadcast Communication and ProSe-assisted WLAN direct communication.

## 4.7 Unlicensed access requirements

This section describes the requirements for collecting data for usage over unlicensed access. The requirements also apply in the roaming case.

Data collected on usage over unlicensed access shall contain sufficient information for operating purpose (e.g., accounting, charging and charging and network planning).

## 4.8 Charging Requirements for Indirect 3GPP Communication

This section describes the requirements to enable operator collection of charging data for an Evolved ProSe Remote UE and Relay UE using an Indirect 3GPP Communication. The requirements also apply in the roaming case.

Online and offline charging shall be supported whenever an Evolved ProSe Remote UE using a direct 3GPP communication or an Indirect 3GPP Communication.

The 3GPP core network shall be able to provide charging information for an Evolved ProSe Remote UE using a direct 3GPP communication or an Indirect 3GPP Communication independently of charging data of the other UEs, with following information:

- Initiation/termination;
- Duration and amount of data transmitted / received;
- QoS (e.g. levels of availability, allocated resource);
- Inter-operator communication;
- Inter-operator signalling;
- Identification of UEs involved;
- Identification of RAT involved;
- Timestamp when the connection mode changes.

The 3GPP core network shall be able to provide charging information for an Evolved ProSe Relay UE using a direct 3GPP communication or an Indirect 3GPP Communication independently of charging data of the other UEs, with following information:

- Identification of remote UEs involved;
- Initiation/termination;
- Duration and amount of data transmitted / received;
- QoS (e.g. levels of availability, allocated resource);
- Inter-operator communication;
- Inter-operator signalling;
- Identification of RAT involved;
- Timestamp when the connection mode changes.

The 3GPP core network shall be able to collect charging data for an Evolved ProSe Remote UE which accesses the 3GPP core network through an Indirect 3GPP Communication.

The 3GPP core network shall be able to identify the relayed traffic of an Evolved ProSe UE-to-network Relay, e.g. to be able to apply different rating.

---

## 5 Collection of charging information

The standard shall support the collection and transfer of charging information in order to facilitate:

- interworking with Release 98 and earlier releases
- fraud management procedures;
- unsuccessful calls and sessions documentation (e.g. for billing purposes);

Note: collection of charging information due to error in the signalling flows (e.g. incomplete or erroneous call setup) are not required;

- detailed itemised billing
- allow for prepay charging

Generally, the charging information collected shall support the high level principles in section 4 (above) and the requirements identified for inter-operator charging as elaborated by the GSM Association. The information listed below is the minimum requirement.

### 5.1 Charging information Requirements

Charging information shall be collected in the Serving Network to record chargeable User or Mobile Station activity and inter-carrier connections. Some of the information is provided by the user, other information is only available in the network element of the serving network.

Depending on the type of charging information some of the data may not be available or might not be required.

#### 5.1.1 Information provided by the user

The user's user equipment that is incurring the charge shall provide the following information to the serving network:

- User identity used for authentication;
- Home environment identity;
- Terminal Identity and Terminal Class;
- Destination endpoint identifier for service requested (e.g. B number);
- Resource requested (e.g. bandwidth, connectionless);
- QoS parameters (e.g. maximum delay);
- IP Multimedia capability requested (e.g. media components).

#### 5.1.2 Information provided by the serving network

The network serving the user shall provide the following information to the home environment:

- All of the information listed in section above (Information provided by the user);
- Serving network identity;
- Recording network element identity;

- Universal Time (UT) at which the service request was initiated;
- Universal Time (UT) at which resources were provided for the service;
- Universal Time (UT) at which the service execution was successfully completed;
- Universal Time (UT) at which the service execution was unsuccessfully completed;
- Local time of the serving cell when the service request was initiated for the originating or terminating UE. This could either be explicitly reported, or implicitly reported by providing three pieces of information: the UTC, the time zone offset from UTC, and an indication of daylight savings time;
- Cause for unsuccessful completion of the service execution. At least the following causes shall be included:
  - the terminating party does not respond;
  - communication rejected by the terminating party;
  - network determined terminating party busy;
  - network congestion;
  - terminating party non reachable (out of coverage, switched-off);
  - destination non reachable (non active address, non-existing address).
- Resource allocated to the user;
- Quantity of data transferred both to and from the user;
- QoS provided to the user;
- Location of the user in the standard format used for 3GPP location-based services (e.g. geographical co-ordinates, Cell ID);
- Network determined PLMN ID and Cell ID;
- whether GSM Optimal Routing was applied;
- If IN or CAMEL services were applied, the service parameters and the actually used destination number and calling party number identification;
- Time duration covered by this charging information to an accuracy of at least 1 second;
- Unique identity of the chargeable event which allows the billing system to correlate all charging information belonging to the same chargeable event;
- Unique charging information identity (unique per network element in a period of about 100 days);
- IP Multimedia capability provided to the user;
- VAS information;
- Identifier of third party accessed by the user;
- Presence Information;
- Service Identification (e.g. voice call, video call, data download etc);
- Supplementary Services used;
- Prepay account identifier and related information.

### 5.1.3 Charged Party

For subscription related chargeable events the charging information shall indicate the charged party, i.e. normally the calling party. As alternative it should be possible to apply reverse charging or to charge the event to a party not involved

in the event itself (e.g. a company as VPN subscriber). It should be possible for multiple leg calls (e.g. forwarded, conference or roamed) to be charged to each party as if each leg was separately initiated. However, in certain types of call, the originating party may wish/be obliged to pay for other legs (e.g. SMS MO may also pay for the MT leg.).

It shall be possible to change the chargeable party at the session set-up or during the session.

The 3GPP Packet Core network shall allow the 3<sup>rd</sup> party service provider to request which of the subscriber or the 3<sup>rd</sup> party service provider (e.g. the sponsor) has to be charged for an ongoing traffic flow in order to allow:

- The subscriber to be charged for the traffic flow,
- The 3<sup>rd</sup> party service provider to be charged for the traffic flow.

NOTE: The change of the charged party (sponsor pays or user pays for this traffic flow) only applies from the time of the request.

In case of inter-network chargeable events, the charging information usually does not contain the charged party, but it can be derived from network configuration information contained in the charging event data.

For each party to be charged for a chargeable event or parts of it charging information shall be collected.

#### 5.1.4 Information provided by the third party accessed by the user

Supply of Value-Added Services, especially in IP based environment, is often made with the aid of third parties typically represented by portals and content/application providers.

To execute an effective charging of these services, the following charging information should be provided by the third party:

- Third party identity;
- Type of service (information, entertainment, gaming, public utility);
- Change in the type of service provided to the user;
- Type of content (picture, videoclip, mp3 file, java file);
- Universal Time (UT) at which the service request was initiated;
- If a service change happens, Universal Time (UT) at which the service provision was initiated;
- Universal Time (UT) at which the service execution was successfully completed;
- Universal Time (UT) at which the service execution was unsuccessfully completed;
- Cause for unsuccessful completion of the service execution. At least the following causes shall be included:
  - the terminating party does not respond;
  - communication rejected by the terminating party;
  - network determined terminating party busy;
  - network congestion;
  - terminating party non reachable (out of coverage, switched-off);
  - destination non reachable (non active address, non-existing address).
- Cause for Abnormal reject of the service;
- Universal Time (UT) for abnormal reject of the service

## 5.2 Special Cases

### 5.2.1 Long calls and sessions

The advent of packet data services, which can extend for very long periods of time (days, weeks etc), although at low cost because charges are based on data throughput, may mean that charging information are only output at the end of very long periods. For this reason, the serving network shall support the transmission of charging information also during the life of the packet data session, either when some charge value is reached or some duration or some data volume or all three, to allow for both charging settlement and cost control.

### 5.2.2 Multimedia calls

During one call the user may invoke different services like speech, data transmission, video and audio, which may lead to a separate collection of charging information for each service in different network components. In this case, the billing system shall be able to correlate this charging information and to indicate to the user that they belonged to one call.

### 5.2.3 Service Change

Sufficient information about a service change using SCUDIF changing a voice call to a CS multimedia call, or vice versa, shall be collected to enable operators to apply maximum flexibility in charging. This information is collected on top of the data that is already available for the underlying call now subject for the service change.

On a service change using SCUDIF the following information shall be collected on both sides of the call:

- 1) Initiator of the service change (A side or B side)
- 2) Type of the service change (To speech or to multimedia)
- 3) For a service change to multimedia: nature of the service change (User or network-initiated service change)

### 5.2.4 E-Commerce

The 3GPP system may be used to trade soft goods (e.g. information, video, audio), or hard goods (e.g. books) of high or low value per item between the user and a merchant. It shall be possible for such merchants to charge users directly for services they provide. Electronic payment mechanisms are or shall be made available through other standards (micropayment, credit card payment, etc), and therefore are outside the scope of this specification 3GPP shall not prohibit the use of these mechanisms, and, where possible, shall provide the basic communications transport to allow them to be used effectively.

However, if the serving network acts as merchant of soft goods, it may charge the user directly, collecting the related charging information as described above or using micropayment mechanisms.

### 5.2.5 Volume Based Charging

It shall be possible to charge for the total volume of data/packets sent and received by the user.

### 5.2.6 VAS

It shall be possible to charge the user for Value Added Services offered by the network in terms of access, surfing, queries etc. irrespectively of the volume of data sent or received by the user.

### 5.2.7 Usage of IP Multimedia service

It shall be possible to charge the usage of IP multimedia service independently of the volume of data sent or received by the user. Information on the IP Multimedia capability provided to the user (e.g. voice, mixture of voice and video component, numbers of parties) should be available in the charging information.



## 5.2.8 I- WLAN

I-WLAN charging issues are captured in 3GPP TS 22.234 [3].

## 5.2.9 Charging for two (and multi)-phases services for IMS networks

It shall be possible to charge a service change in case of VAS that foresee different service phases at different tariffs. This applies both at the interconnection between IMS network operators and at the interconnection between IMS network operators and service providers.

This information is collected on top of the data that is already available for the underlying communication now subject for the service change.

## 5.2.10 CSG charging requirements for UTRAN and E-UTRAN

Detailed requirements for CSG access may be found in 3GPP TS 22.220 [12].

Charging related requirements:

- It shall be possible to charge subscribers for consuming network services via a CSG cell based on the following information:
  - CSG identity of the CSG cell
  - subscriber membership of the CSG
  - type of service consumed by the subscriber
  - addition to and deletion from a CSG
- An operator shall be able to provide applicable tariffing information when a subscriber is added to a CSG.
- The network operator shall be able to charge both on-line and off-line for subscribers consuming network services via a CSG cell.

## 5.2.11 Inter-UE Transfer charging

It shall be possible to charge for Inter-UE Transfer (i.e. transfer/replication/sharing) of media components across multiple IMS UEs.

## 5.2.12 Selected IP Traffic Offload charging

The network shall be able to apply volume-base charging to a subscriber regardless of whether the subscriber's traffic has been offloaded from the mobile operator's network as described in 3GPP TS 22.101 [1].

For subscribers' traffic offloaded from the mobile operator network, the network shall be able to apply either online or offline charging.

## 5.2.12A Charging requirements for IoT small data

Requirements for IoT resource efficiency for small data transmission can be found in 3GPP TS 22.278 [13].

The 3GPP system shall be able to record charging data for both IP data and non-IP data to/from a UE.

The 3GPP system shall be able to record charging data for user plane transfer of small data messages.

The 3GPP system shall be able to record charging data for offline charging for control plane transfer of small data messages. At least the following data shall be recorded:

- Non-IP data delivery submission requests in mobile originated and mobile terminated direction;
- Data volume per submission request

- Destination and source information

### 5.2.13 TV Service Support Requirements

The 3GPP network shall be able to generate accounting data for TV transport service.

### 5.2.14 Accounting for Flexible Mobile Service Steering

The 3GPP core network shall be able to generate accounting information to support accounting between operator and the third party service provider when operators use traffic steering policies to steer traffic to appropriate enablers which are deployed by the third party service provider in (S)Gi-LAN as described in 3GPP TS 22.101 [1].

### 5.2.15 Restricted local operator services

The description of restricted local operator services is contained in 3GPP TS 22.101 [1].

The 3GPP network shall be able to collect charging information regarding the use of restricted local operator services, when available.

### 5.2.16 Charging for streaming services

Charging information shall identify whether the streaming service as defined in [13] was provided in real time or using delay tolerant delivery.

The 3GPP system shall be able to generate and collect the charging data (e.g. the duration of streaming service, the amount of data transferred) for local streaming service.

In case of caching of content on a UE, charging information shall be generated when the cached content is consumed by the user.

### 5.2.17 (Void)

---

## 6 Transfer of Charging Information

The efficient transfer of charging information between serving networks and from serving networks to home environments requires a standardised interface between these entities. It shall be possible to define different time intervals for the transfer of charging information between serving network and home environment (e.g. when a chargeable event occurs, when a chargeable event is initiated by the user, when a chargeable event terminates, at regular intervals during a chargeable event).

The format of the charging information exchanged (see 5.1) shall be standardised. It shall be possible for the relevant parties to agree minimum and maximum age of charging information transferred between themselves.

### 6.1 Integrity, Secrecy and Validation of Content and Receipt of Charging Information

The transmission mechanism for charging information collected in 5.1 above shall ensure its integrity and secrecy.

A mechanism to validate the source and integrity of the information shall be provided so that:

- the home environment shall be able to validate the source and integrity of the charging information supplied by the serving network;
- the serving network shall be able to validate the source and integrity of the charging information supplied by the user;
- the serving network shall have proof that services were provided to a specified user.

---

## 7 Accounting and Settlement

The serving network shall collect and process the charging data generated in its network elements. The record of each individual transaction shall be reported to the home environment at short time intervals in order to allow further processing by the billing system in the Home Environment, provide itemised bills, and to deal with any disputes regarding charges both for users and for other visited networks and home environment.

The standard shall support the transfer of charging data at different intervals as required by the Home Environment (e.g. short time intervals, real time, other regular intervals).

### 7.1 Delegation of charging authority

The registration process allows the home environment to authenticate users before they incur any charges. Once authenticated, the home environment then delegates authority to the serving network operator with which he has a direct commercial relationship to incur charges for services supplied to that user. The direct commercial relationship may be with either the serving network operator if known directly by the home environment or a network operator known to the home environment. This procedure uses each network as trusted third parties in a chain of delegation between entities, thus allowing commercial transactions between entities who have no direct commercial dealings. There shall be an authentication procedure between all entities in the 3GPP system which have a commercial relationship.

In the case of a multimedia telephony, when the HPLMN requests that optimal media routing is not applied, the VPLMN shall disable optimal media routing for all the subscribers of the requesting network.

### 7.2 Fraud Control

A mechanism to control fraud shall be provided by the serving networks and the home environment.

#### 7.2.1 Fraud Control by the Home Environment

Charging information shall be collected by the home environment in real time from all serving networks which its users are allowed to use. The billing system in the home environment shall process the information in real time and provide the means to set charge thresholds per time interval upon which some actions may be started, such as informing the customer care centre or even barring the user in the HLR.

It shall be possible for the Home Environment to define different time intervals for the collection and the processing of charging information (e.g. real time, short time, other regular intervals).

#### 7.2.2 Fraud Control by the Serving Network

Charging information shall be collected from the network elements and processed in real time. This will allow the serving network to always be aware of the exposure to visitors. A limit for the accumulated charges for all visitors from one home environment or a limit per visitor may be agreed between the home environment and the serving network.

It shall be possible for the Serving Network to define different time intervals for the collection and the processing of charging information (e.g. real time, short time, other regular intervals).

### 7.3 Cost Control

A mechanism shall be standardised providing an indication to the user (if involved in the chargeable event) of the charges to be levied for a chargeable event. This mechanism shall be able to handle all possible charging scenarios, and all service and tariff variants that the home environment and the serving network may offer to the user.

The user shall be able to set in his home environment a limit for the accumulated charges per time interval. Upon exceeding this limit or prior to incurring a charge which would exceed the limit, certain actions may be desired by the user:

- notification to the user, requesting to extend the limit; or

- Home Environment barring allowing no further originating calls; or
- Home Environment barring cancelling the roaming permission.

### 7.3.1 Cross Phase Compatibility

For Release 99 the cost control mechanism may be based on Advice of Charge. However the Release 99 standards should not prevent the future implementation of the full Cost Control requirements.

The Release 99 standards should allow these new features to be introduced in a backward compatible manner; specifically terminals conforming to Release 99 standards should continue to support the Release 99 service requirements when operating with future implementations of Advice of Charge in the Home Environment.

## 7.4 Inter-network Settlement

Mechanisms shall also be provided to allow inter-network settlement of charges on a bulk basis. The same mechanisms shall be used between home environments and serving networks. This will allow each of these parties to meter the total input and output of charges and thus determine the payments required on a periodic basis between each of the parties with which they directly interact. The mechanisms used shall allow each of the parties to meter charge flows independently, with the aim of matching the values recorded at both sides of the same interface. The imbalance in charge flow shall be accumulated in short time, such that each entity can be informed when a threshold has been exceeded and determine whether to continue.

---

# 8 Automatic Roaming Agreements

Support for the requirements in this section is not required in Release 99. However the Release 99 standards should not prevent the future implementation of this requirement in a backward compatible manner (e.g. a roaming broker enabled Home Environment should inter-operate with a R99 Serving Network).

It is a requirement that users shall be able to obtain service and use chargeable services with networks with whom neither they nor their home environment have any direct commercial agreement. This shall be enabled by interworking via trusted third parties. Each Home Environment shall interwork with one or more serving network operators, with whom they would negotiate a commercial roaming agreement and test the interworking. Any user wishing to use the services of a particular serving network would register with that serving network, that would either directly or indirectly interwork with the home environment. Fraud and cost control mechanisms shall be used to ensure that charges incurred for 3GPP services do not exceed the credit limits set. This can be applied for the user and the other roles involved in commercial dealings. In practice, any serving network shall be capable of operating as a roaming broker.




Figure 1: Registration and Roaming Process

## 8.1 Routing the Registration Request

The same mechanisms used for routing calls and resolving addresses shall be used to route the subscription identity back to its Home Environment. The standard shall support a routing identification mechanism to allow a serving network, which does not maintain its own list of all known HE, to determine the appropriate route to reach a given HE. A number of alternative routes may be possible, and ideally the system should be capable of determining the lowest cost to the end user.

Typically, smaller networks will only have a limited number of external connections to other networks or clearing houses, but may not know which one to use for an unknown (new) HE. In this case, the serving network may make a number of inquiries for each route to determine the lowest cost route to handle the call.

## 8.2 Settlement of charges

Settlement of charges incurred by a user shall be on a wholesale basis between the different parties involved in the registration link. By authorising a user to register, or a roaming broker to pass that on, each party is in turn authorising charges up to a maximum credit limit with the adjacent party. Any charges levied can then be paid to the adjacent party on a wholesale basis at the end of a mutually agreed accounting period. Funds are thus passed between each party for the services supplied by the network operator in a serial fashion.

## Annex A (informative): Change history

<b>Document information</b>		
<b>Date</b>	<b>Status</b>	<b>Comment</b>
27 August 1996	Version 0.0.1	SMG 1 WPC output draft for editing purposes only
3 February 1997	Version 0.0.3	Presented to SMG1 WPC meeting, London  Incorporated changes agreed at Dec 96 Meeting including charging model and charge enquiry
20 April 1997	Version 0.0.4	Presented to SMG1 WPC meeting in Sophia Antipolis  Incorporated text submitted at Feb 97 meeting
4 June 1997	Version 1.0.0	Proposed Version 1 incorporating changes discussed at SMG1 WPC meeting in Antwerps, June 97
23 June 1997	Version 1.0.2	Incorporated remaining changes discussed at SMG1 WPC meeting in Antwerps, June 97
27 Nov 1997	Version 1.1.0	Preparation for SMG1 UMTS Helsinki meeting, incorporating text from reports 22.24 and 22.71
4 Dec 1997	Version 1.2.0	Incorporated comments from 22.24, 22.71 developed at SMG1 UMTS Meeting in Helsinki
26 April 1999	Version 3.1.0	
8 Dec 1997	Version 1.2.2	Format and editorial changes by ETSI Sec for SMG#24
5 November 1998	Version 1.3.0	Incorporate changes discussed at SMG1 Rome, including reflecting changes to 22.01 role model.
12 January 1999	Version 1.3.1	Accept Changes and send to editing SMG1 Rome Tdoc 98-0859 Agreed by correspondence. Reviewed by Rapporteur Jan 13, 1999
27 January 1999	Version 2.0.0	To be presented at SMG#28 for Approval
February 1999	Version 3.0.0	Approved at SMG#28
March 1999	Version 3.0.1	Reformatted for TSG SA

Change history											
TSG SA#	SA Doc.	SA1 Doc	Spec	CR	Rev	Rel	Cat	Subject/Comment	Old	New	Work Item
SMG#28			22.115					Version 3.0.0 Approved		3.0.0	
SP-03	SP-99106	S1-99234	22.115	A001	1	R99	F	Clarification of the Charging Service	3.0.0	3.1.0	
SP-05	SP-99454	S1-99817	22.115	002		R99	D	clarify the mandatory features supported by the standard	3.1.0	3.2.0	
SP-05	SP-99454	S1-99762	22.115	003		R99	B	Addition of Charging for Volume of Data and some edits	3.1.0	3.2.0	
SP-07	SP-000066	S1-000171	22.115	004		R99	D	Clarifications to 22.115	3.2.0	3.3.0	
SP-11	SP-010065	S1-010258	22.115			Rel-4		Creation of Release 4	3.3.0	4.0.0	
SP-11	SP-010058	S1-010192	22.115	005		Rel-5	B	Introduction of charging for IPMultimedia and Event Based Charging	3.3.0	5.0.0	IMS-OAM
SP-12	SP-010260	S1-010572	22.115	006		Rel-5	B	Introduction of online charging for prepaid services	5.0.0	5.1.0	PRPY
SP-15	SP-020053	S1-020643	22.115	007		Rel-5	B	CR 22.115 Charging and billing  Some latitude was given by SA #15 to MCC to ensure that section numbering of original sections did not change.	5.1.0	5.2.0	OAM-CH
SP-19	SP-030023	S1-030184	22.115	008	-	Rel-6	B	CR to TS 22.115 - Clarification of the charging entity WLAN	5.2.0	6.0.0	WLAN-CR
SP-19	SP-030035	S1-030270	22.115	009	-	Rel-6	B	Requirements for Network Shairng in Rel-6	5.2.0	6.0.0	NTShar-CR
SP-20	SP-030263	N4-030449	22.115	013	1	Rel-6	A	Charging Requirements in an MNP environment	6.0.0	6.1.0	TEI
SP-21	SP-030467	S1-030764	22.115	014	-	Rel-6	D	Alignment of 22.115 with 21.801	6.1.0	6.2.0	TEI-6
SP-21	SP-030467	S1-030976	22.115	015	-	Rel-6	B	CS interconnection requirement for the identification of user data rate and user protocol at the interconnection point for charging purposes	6.1.0	6.2.0	TEI-6
SP-22	SP-030701	S1-031296	22.115	016	-	Rel-6	F	CR on 22.115: CS interconnection correction of an improper statement on the requirement for the identification of user data rate and user protocol at the interconnection point e.g. for inter-network	6.2.0	6.3.0	TEI-6
SP-23	SP-040101	S1-040259	22.115	020	-	Rel-6	D	Extraction of redundant WLAN charging information – now in WLAN TS22.234	6.3.0	6.4.0	WLAN
SP-29	SP-050621		22.115	0021	2	Rel-6	F	Clarification of Charging Implications of SCUDIF	6.4.0	6.5.0	CS video and voice improvements
SP-30	SP-050808	-	22.115	0022	2	Rel-6	F	Clarification of Charging Implications of SCUDIF	6.5.0	6.6.0	CS_VSS
SP-31	SP-060203	-	22.115	0023	3	Rel-6	F	Making charging principles also applicable to prepaid services	6.6.0	6.7.0	TEI6
SP-33	-	-	22.115	-	-	Rel-7	-	Produced as a result of the implementation of Rel-8 CR 0024 and 0025 to Rel-6	6.7.0	7.0.0	-
SP-33	SP-060483	S1-060963	22.115	0024	-	Rel-8	B	Local Charging Zone Concept	7.0.0	8.0.0	LCZR
SP-33	SP-060483	S1-060962	22.115	0025	-	Rel-8	B	Local Charging Zone Requirements	7.0.0	8.0.0	LCZR
SP-37	SP-070567	S1071093	22.115	30	1	Rel-8	A	Correction for incomplete text on Universal Time (UT) at which resources were provided for the service	8.0.0	8.1.0	TEI8
SP-38	SP-070845	S1-071784	22.115	0036	1	Rel-8	C	Inclusion of fixed operator in interconnection charging requirements	8.1.0	8.2.0	CIMS8-TIS
SP-38	SP-070845	S1-071785	22.115	0034	2	Rel-8	B	TISPAN charging requirements	8.1.0	8.2.0	CIMS8-TIS
SP-38	SP-070857	S1-071933	22.115	0035	2	Rel-8	B	Charging Requirements for Unsuccessful sessions and calls	8.1.0	8.2.0	TEI8

Change history											
TSG SA#	SA Doc.	SA1 Doc	Spec	CR	Rev	Rel	Cat	Subject/Comment	Old	New	Work Item
SP-38	SP-070863	S1-071929	22.115	0037	3	Rel-8	B	Charging for two-phases services	8.1.0	8.2.0	CHRG2PH
SP-39	SP-080031	S1-080252	22.115	0038	2	Rel-8	F	Advice of Charge (AoC) requirements	8.2.0	8.3.0	CIMS8-TIS
SP-39	SP-080034	S1-080332	22.115	0039	3	Rel-8	B	HNB/HeNB - Closed Subscriber Group (CSG) charging for UTRA and E-UTRA	8.2.0	8.3.0	HomeNB
SP-39	SP-080192	-	22.115	0040	2	Rel-8	F	Correction of charging requirement for multi-phase services	8.2.0	8.3.0	CHRGMPH
SP-43	SP-090195	S1-090332	22.115	0044	-	Rel-9	B	HNB/HeNB Charging Requirements	8.3.0	9.0.0	EHNB
SP-45	SP-090652	S1-093360	22.115	0047	1	Rel-10	B	Charging requirements for replication and sharing of multi-media session across multiple IMS UEs	9.0.0	10.0.0	eIMS_SC C-IDT
SP-46	SP-090849	S1-094309	22.115	0048	1	Rel-10	B	Charging aspects for Selected IP Traffic Offload	10.0.0	10.1.0	LIPA_SIP TO
SP-49	SP-100583	S1-102391	22.115	0053	2	Rel-11	B	Charging considerations for MMTel when Optimal Media Routeing is used	10.1.0	11.0.0	OSCAR
SP-49	SP-100584	S1-102394	22.115	0054	1	Rel-11	B	QoS and gating based on spending limit	10.1.0	11.0.0	QoS_SSL
SP-50	SP-100800	S1-103229	22.115	0055	1	Rel-11	B	Clarification of Subscriber Spending Limit	11.0.0	11.1.0	Qos_SSL
SP-50	SP-100804	S1-103232	22.115	0056	3	Rel-11	B	Clarification of location requirement	11.0.0	11.1.0	NWK-PL2IMS
-								LTE logo changed to LTE Advanced logo	11.1.0	11.1.1	-
SP-51	SP-110171	S1-110325	22.115	0057	2	Rel-11	B	Addition of additional network provided time information for IMS charging	11.1.0	11.2.0	NWK-PL2IMS
SP-52	SP-110379	S1-111067	22.115	0058	-	Rel-11	B	Charging clarifications for INIPUI	11.2.0	11.3.0	INPUI
SP-53	SP-110582	S1-112398	22.115	0059	2	Rel-11	C	SIPTO Terminology and Charging requirements Update	11.3.0	11.4.0	TEI11
SP-54	SP-110813	S1-113448	22.115	0061	3	Rel-11	B	Clarification of service based charging	11.4.0	11.5.0	TEI11
SP-57	SP-120522	S1-122038	22.115	0066	-	Rel-11	B	Removal of INIPUI Charging Requirements from Rel-11	11.5.0	11.6.0	INIPUI
SP-59	SP-130116	S1-131311	22.115	0067	4	Rel-12	B	Add charging requirements	11.6.0	12.0.0	ProSe
SP-60	SP-130315	S1-133260	22.115	0070	1	Rel-12	F	Charging for the use of EPC Path in ProSe	12.0.0	12.1.0	ProSe
SP-60	SP-130315	S1-133307	22.115	0068	3	Rel-12	F	Broadening of ProSe Communication Definition to include ProSe Group and ProSe Broadcast Communications for Public Safety.	12.0.0	12.1.0	ProSe
SP-61	SP-130412	S1-134012	22.115	0071	-	Rel-12	D	Removing duplicate ProSe definitions	12.1.0	12.2.0	ProSe
SP-62	SP-130594	S1-135307	22.115	0072	2	Rel-13	B	Bulk charging records for roaming, interconnect, conveyance and usage charging, and charging to third parties	12.2.0	13.0.0	SRMMTC
SP-65	SP-140501	S1-143605	22.115	0073	5	Rel-13	B	Exposure of charging to 3rd party	13.0.0	13.1.0	SEES
SP-66	SP-140752	S1-144608	22.115	0074	3	Rel-13	F	Clarifications of charging to 3rd party	13.1.0	13.2.0	SEES
SP-67	SP-150038	S1-150301	22.115	0077	-	Rel-13	A	Alignment of ProSe communication charging data requirements	13.2.0	13.3.0	ProSe
SP-71	SP-160110	S1-160339	22.115	0079	1	Rel-14	B	Accounting requirement for TV transport service support	13.3.0	14.0.0	EnTV
SP-71	SP-160116	S1-160542	22.115	0080	1	Rel-14	B	Accounting for usage when using unlicensed access networks	13.3.0	14.0.0	USOS
SP-71	SP-160114	S1-160543	22.115	0081	1	Rel-14	B	Requirements for supporting accounting in the third party owned (S)Gi-LAN service	13.3.0	14.0.0	eFMSS



Change history											
TSG SA#	SA Doc.	SA1 Doc	Spec	CR	Rev	Rel	Cat	Subject/Comment	Old	New	Work Item
SP-72	SP-160354	S1-161318	22.115	0082	1	Rel-14	C	update on accounting requirement for unlicensed access	14.0.0	14.1.0	USOS
SP-72	SP-160362	S1-161579	22.115	0083	2	Rel-14	B	Charging requirements for Indirect 3GPP Communication	14.0.0	14.1.0	REAR
SP-74	SP-160901	<a href="#">S1-163242</a>	<a href="#">22.115</a>	0084	2	<a href="#">Rel-15</a>	B	Inclusion of distinction between WLAN direct discovery and ProSe direct discovery for charging purposes	14.1.0	15.0.0	ProSe_W LAN_DD
<a href="#">SP-76</a>	SP-170447	<a href="#">S1-172384</a>	<a href="#">22.115</a>	0086	2	<a href="#">Rel-15</a>	B	Charging for Restricted Local Operator Services	15.0.0	15.1.0	PARLOS
SP-77	SP-170694	S1-173452	22.115	0087	1	Rel-15	F	Remove restricted local operator services definition	15.1.0	15.2.0	PARLOS
SP-79	SP-180133	<a href="#">S1-180533</a>	<a href="#">22.115</a>	0090	1	<a href="#">Rel-15</a>	F	Charging for indirect network connection	15.2.0	15.3.0	<a href="#">TE115</a>
<a href="#">SP-80</a>	SP-180323	<a href="#">S1-181751</a>	<a href="#">22.115</a>	0091	3	<a href="#">Rel-16</a>	B	Charging for streaming services MCC Note: as specified in the comment of CR 0092 in SP-180305 S1-181180, that CR applies to Rel-15 only, so it is not included in here	15.3.0	16.00	eLSTR
SP-81	SP-180766	S1-182650	22.115	0095	1	Rel-16	F	Charging Requirement for Operator controlled Caching service delivery	16.0.0	16.1.0	eLSTR
SP-81	SP-180767	S1-182084	22.115	0094		Rel-16	B	UIA Charging Requirements	16.0.0	16.1.0	UIA

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2019-12	SA#86	SP-191009	0101	1	A	Charging requirements for small data transmission	16.2.0
2019-12	SA#86	SP-191014	0096	1	B	Introduction of NCIS Charging Requirements	17.0.0
2019-12	SA#86	SP-191023	0097	1	C	Update of charging requirements for indirect communication to reflect REFEC	17.0.0
2022-06	SA#96	SP-220435	107	1	F	Removal of UIA charging requirements	17.1.0

---

# History

<b>Document history</b>		
V17.0.0	May 2022	Publication
V17.1.0	July 2022	Publication