

ETSI TS 122 173 V8.10.0 (2014-07)



TECHNICAL SPECIFICATION

**Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
LTE;
IP Multimedia Core Network Subsystem (IMS)
Multimedia Telephony Service and supplementary services;
Stage 1
(3GPP TS 22.173 version 8.10.0 Release 8)**



Reference

RTS/TSGS-0122173v8a0

Keywords

GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**may not**", "**need**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 7 |
| 1 Scope | 8 |
| 2 References | 8 |
| 3 Definitions, symbols and abbreviations | 8 |
| 3.1 Definitions | 8 |
| 3.2 Symbols..... | 8 |
| 3.3 Abbreviations | 9 |
| 4 Service description | 9 |
| 4.1 General Service characteristics..... | 9 |
| 4.2 Default media handling capabilities of IMS Multimedia Telephony service | 10 |
| 5 Service Requirements..... | 10 |
| 6 Quality of Service..... | 10 |
| 7 Interworking requirements | 11 |
| 7.1 Interworking with CS domain | 11 |
| 7.2 Interworking with external networks..... | 11 |
| 7.3 Media Aspects on Interworking | 11 |
| 8 Supplementary Services | 11 |
| 8.1 General | 11 |
| 8.2 Supplementary Services applicable to IMS Multimedia Telephony | 12 |
| 8.2.1 Originating Identification Presentation (OIP)..... | 12 |
| 8.2.1.1 Definition | 12 |
| 8.2.1.2 Service interactions with other IMS supplementary services..... | 12 |
| 8.2.1.2.1 Identification services..... | 12 |
| 8.2.1.2.2 Diversion services | 12 |
| 8.2.1.2.3 Communication Waiting (CW) | 13 |
| 8.2.1.3 Interoperability with PSTN/ISDN and mobileCS Networks..... | 13 |
| 8.2.2 Originating Identification Restriction (OIR)..... | 13 |
| 8.2.2.1 Definition | 13 |
| 8.2.2.2 Service interactions with other IMS supplementary services..... | 13 |
| 8.2.2.2.1 Identification services..... | 13 |
| 8.2.2.2.2 Diversion services | 13 |
| 8.2.2.2.3 Explicit Communication Transfer (ECT) | 14 |
| 8.2.2.3 Interoperability with PSTN/ISDN and mobile CS Networks..... | 14 |
| 8.2.3 Terminating Identification Presentation (TIP)..... | 14 |
| 8.2.3.1 Definition | 14 |
| 8.2.3.2 Service interactions with other IMS supplementary services..... | 14 |
| 8.2.3.2.1 Identification services..... | 14 |
| 8.2.3.2.2 Diversion services | 14 |
| 8.2.3.3 Interoperability with PSTN/ISDN and mobile CS Networks..... | 14 |
| 8.2.4 Terminating Identification Restriction (TIR)..... | 14 |
| 8.2.4.1 Definition | 14 |
| 8.2.4.2 Service interactions with other IMS Multimedia Telephony services..... | 15 |
| 8.2.4.2.1 Identification services..... | 15 |
| 8.2.4.3 Interoperability with PSTN/ISDN and mobile CS Networks..... | 15 |
| 8.2.5 Malicious Communication IDentification (MCID) | 15 |
| 8.2.5.1 Definition | 15 |
| 8.2.5.2 Service interactions with other IMS supplementary services..... | 15 |

| | | |
|------------|---|----|
| 8.2.5.2.1 | Diversion Services..... | 15 |
| 8.2.5.2.2 | Explicit Communication Transfer (ECT)..... | 15 |
| 8.2.5.2.3 | CONFerence (CONF)..... | 16 |
| 8.2.5.2.4 | Three-Party (3PTY)..... | 16 |
| 8.2.5.3 | Interoperability with PSTN/ISDN Networks..... | 16 |
| 8.2.6 | Anonymous Communication Rejection (ACR)..... | 16 |
| 8.2.6.1 | Definition..... | 16 |
| 8.2.6.2 | Service interactions with other IMS supplementary services..... | 16 |
| 8.2.6.2.1 | Identification Services..... | 16 |
| 8.2.6.2.2 | Diversion Services..... | 16 |
| 8.2.6.2.3 | Communication Waiting (CW)..... | 17 |
| 8.2.6.2.4 | Completion of Communications to Busy Subscriber (CCBS)..... | 17 |
| 8.2.6.3 | Interoperability with PSTN/ISDN..... | 18 |
| 8.2.7 | Communication DIVersion (CDIV)..... | 18 |
| 8.2.7.1 | Definition..... | 18 |
| 8.2.7.2 | Void..... | 20 |
| 8.2.7.3 | Service interactions with other IMS supplementary services..... | 20 |
| 8.2.7.3.1 | Identification services..... | 20 |
| 8.2.7.3.2 | Malicious Communication IDentification (MCID)..... | 20 |
| 8.2.7.3.3 | Anonymous Communication Rejection (ACR)..... | 20 |
| 8.2.7.3.4 | Diversion services..... | 20 |
| 8.2.7.3.5 | Communication Waiting (CW)..... | 23 |
| 8.2.7.3.6 | Communication Barring (CB)..... | 23 |
| 8.2.7.3.7 | Completion of Communications to Busy Subscriber (CCBS)..... | 24 |
| 8.2.7.3.8 | Advice Of Charge (AOC)..... | 24 |
| 8.2.7.4 | Interoperability with PSTN/ISDN and CS mobile networks..... | 24 |
| 8.2.8 | Communication Waiting (CW)..... | 24 |
| 8.2.8.1 | Definition..... | 24 |
| 8.2.8.2 | Service interactions with other IMS supplementary services..... | 24 |
| 8.2.8.2.1 | Anonymous Communication Rejection (ACR)..... | 24 |
| 8.2.8.2.2 | Diversion services..... | 24 |
| 8.2.8.2.3 | Completion of Communications to Busy Subscriber (CCBS)..... | 25 |
| 8.2.8.3 | Interoperability with PSTN/ISDN..... | 25 |
| 8.2.9 | Communication HOLD (HOLD)..... | 25 |
| 8.2.9.1 | Definition..... | 25 |
| 8.2.9.2 | Service interactions with other IMS supplementary services..... | 25 |
| 8.2.9.2.1 | CONFerence (CONF)..... | 25 |
| 8.2.9.2.2 | Three-Party (3PTY)..... | 25 |
| 8.2.9.3 | Interoperability with PSTN/ISDN and CS mobile networks..... | 25 |
| 8.2.10 | Communication Barring (CB)..... | 25 |
| 8.2.10.1 | Definition..... | 25 |
| 8.2.10.2 | Service interactions with other IMS supplementary services..... | 26 |
| 8.2.10.2.1 | Diversion services..... | 26 |
| 8.2.10.3 | Interoperability with PSTN/ISDN and CS mobile networks..... | 27 |
| 8.2.11 | Completion of Communications to Busy Subscriber (CCBS)..... | 27 |
| 8.2.11.1 | Definition..... | 27 |
| 8.2.11.2 | Service interactions with other IMS supplementary services..... | 27 |
| 8.2.11.2.1 | Identification services..... | 27 |
| 8.2.11.2.2 | Anonymous Communication Rejection (ACR)..... | 27 |
| 8.2.11.2.3 | Communication DIVersion (CDIV)..... | 28 |
| 8.2.11.2.4 | Communication Waiting (CW)..... | 28 |
| 8.2.11.2.5 | Communication HOLD (HOLD)..... | 28 |
| 8.2.11.2.6 | Communication Barring (CB)..... | 28 |
| 8.2.11.2.7 | Completion of Communications to Busy Subscriber (CCBS)..... | 28 |
| 8.2.11.2.8 | Advice Of Charge services (AOC)..... | 28 |
| 8.2.11.3 | Interoperability with PSTN/ISDN..... | 28 |
| 8.2.12 | Message Waiting Indication (MWI)..... | 29 |
| 8.2.12.1 | Definition..... | 29 |
| 8.2.12.2 | Service interactions with other services..... | 29 |
| 8.2.12.2.1 | Diversion services..... | 29 |
| 8.2.12.3 | Interoperability with PSTN/ISDN and CS mobile networks..... | 29 |
| 8.2.13 | CONFerence (CONF)..... | 29 |

| | | |
|--------------|---|----|
| 8.2.13.1 | Definition | 29 |
| 8.2.13.2 | Service interactions with other IMS supplementary services..... | 30 |
| 8.2.13.2.1 | Diversion services | 30 |
| 8.2.13.2.2 | CONFerence (CONF)..... | 30 |
| 8.2.13.2.3 | Advice Of Charge services (AOC)..... | 30 |
| 8.2.13.2.4 | Originating Identification Restriction (OIR) | 30 |
| 8.2.13.2.5 | Terminating Identification Restriction (TIR) | 30 |
| 8.2.13.2.6 | Three-Party (3PTY)..... | 30 |
| 8.2.13.3 | Interoperability with PSTN/ISDN and CS Mobile networks | 30 |
| 8.2.14 | Advice Of Charge (AOC) | 30 |
| 8.2.14.1 | Definition | 30 |
| 8.2.14.2 | Service interactions with other IMS supplementary services..... | 31 |
| 8.2.14.2.1 | Diversion services | 31 |
| 8.2.14.2.2 | Completion of Communications to Busy Subscriber (CCBS)..... | 31 |
| 8.2.14.2.3 | CONFerence (CONF)..... | 31 |
| 8.2.14.3 | Interoperability with PSTN/ISDN..... | 31 |
| 8.2.15 | Explicit Communication Transfer (ECT) | 31 |
| 8.2.15.1 | Definition | 31 |
| 8.2.15.2 | Service interactions with other IMS supplementary services..... | 32 |
| 8.2.15.2.1 | Identification services..... | 32 |
| 8.2.15.2.2 | Communication Barring (CB) | 32 |
| 8.2.15.2.3 | CONFerence (CONF)..... | 32 |
| 8.2.15.2.4 | Advice Of Charge (AOC)..... | 32 |
| 8.2.15.2.5 | Explicit Communication Transfer (ECT) | 33 |
| 8.2.15.3 | Interoperability with PSTN/ISDN and CS mobile networks..... | 33 |
| 8.2.16 | Reverse charging | 33 |
| 8.2.16.1 | Definition | 33 |
| 8.2.16.2 | Service interactions with other IMS supplementary services..... | 33 |
| 8.2.16.3 | Interoperability with PSTN/ISDN..... | 33 |
| 8.2.17 | Closed User Group (CUG) | 33 |
| 8.2.17.1 | Definition | 33 |
| 8.2.17.2 | Service interactions with other IMS supplementary services..... | 34 |
| 8.2.17.2.1 | Diversion services | 34 |
| 8.2.17.2.1.1 | Communication Forwarding Unconditional (CFU)..... | 34 |
| 8.2.17.2.1.2 | Communication Forwarding Busy (CFB) | 34 |
| 8.2.17.2.1.3 | Call Forwarding No Reply (CFNR) | 34 |
| 8.2.17.2.1.4 | Communication Forwarding on Not Logged-in (CFNL)..... | 34 |
| 8.2.17.2.1.5 | Communication Forwarding on Subscriber Not Reachable (CFNRc)..... | 34 |
| 8.2.17.2.1.6 | Communication Deflection (CD) | 34 |
| 8.2.17.2.2 | Explicit Communication Transfer (ECT) | 34 |
| 8.2.17.2.3 | Three-Party (3PTY)..... | 35 |
| 8.2.17.2.4 | CONFerence (CONF)..... | 35 |
| 8.2.17.3 | Interoperability with PSTN/ISDN..... | 35 |
| 8.2.18 | Three-Party (3PTY) | 35 |
| 8.2.18.1 | Definition | 35 |
| 8.2.18.2 | Service interactions with other IMS supplementary services..... | 35 |
| 8.2.18.2.1 | Terminating Identification Presentation (OIR)..... | 35 |
| 8.2.18.2.2 | Terminating Identification Restriction (TIR) | 35 |
| 8.2.18.2.3 | Three-Party (3PTY)..... | 35 |
| 8.2.18.2.4 | CONFerence (CONF)..... | 35 |
| 8.2.18.3 | Interoperability with PSTN/ISDN | 36 |
| 8.2.19 | Flexible Alerting (FA) | 36 |
| 8.2.19.1 | Definition | 36 |
| 8.2.19.2 | Service interactions with other IMS supplementary services..... | 36 |
| 8.2.19.2.1 | Identification services..... | 36 |
| 8.2.19.2.2 | Diversion services | 36 |
| 8.2.20 | Personal Network Management (PNM)..... | 37 |
| 8.2.20.1 | Definition | 37 |
| 8.2.20.2 | Service interactions with other IMS supplementary services..... | 37 |
| 8.2.21 | Customized Alerting Tone (CAT) | 37 |
| 8.2.21.1 | Definition | 37 |
| 8.2.21.2 | Service interactions with other IMS supplementary services..... | 37 |

| | | |
|-------------------------------|---|-----------|
| 8.2.21.2.1 | Identification services..... | 37 |
| 8.2.21.2.2 | Diversion services | 37 |
| 8.2.21.2.3 | Communication Waiting (CW) | 38 |
| 8.2.21.2.4 | Explicit Communication Transfer (ECT) | 38 |
| 8.2.22 | Completion of Communications on No Reply (CCNR) | 38 |
| 8.2.22.1 | Definition | 38 |
| 8.2.22.2 | Service interactions with other IMS supplementary services..... | 38 |
| 8.2.22.2.1 | Identification services..... | 38 |
| 8.2.22.2.1.1 | Originating Identification Presentation (OIP)..... | 38 |
| 8.2.22.2.1.2 | Originating Identification Restriction (OIR)..... | 38 |
| 8.2.22.2.1.3 | Terminating Identification Presentation (TIP)..... | 38 |
| 8.2.22.2.1.4 | Terminating Identification Restriction (TIR)..... | 39 |
| 8.2.22.2.2 | Advice Of Charge services (AOC)..... | 39 |
| 8.2.22.2.3 | Communication Waiting (CW) | 39 |
| 8.2.22.2.4 | Communication HOLD (HOLD)..... | 39 |
| 8.2.22.2.5 | Explicit Communication Transfer (ECT)..... | 39 |
| 8.2.22.2.6 | Closed User Group (CUG) | 39 |
| 8.2.22.2.7 | Completion of communications services..... | 39 |
| 8.2.22.2.7.1 | Completion of Communications to Busy Subscriber (CCBS) | 39 |
| 8.2.22.2.7.2 | Completion of Communications on No Reply (CCNR) | 40 |
| 8.2.22.2.8 | CONFerence (CONF)..... | 40 |
| 8.2.22.2.9 | Communication DIVersion (CDIV) | 40 |
| 8.2.22.2.9.1 | General..... | 40 |
| 8.2.22.2.9.2 | Communication Forwarding Unconditional (CFU) | 40 |
| 8.2.22.2.9.3 | Communication Forwarding Busy (CFB)..... | 40 |
| 8.2.22.2.9.4 | Communication Forwarding No Reply (CFNR)..... | 40 |
| 8.2.22.2.9.5 | Communication Forwarding on Not Logged in (CFNL) | 41 |
| 8.2.22.2.9.6 | Communication Deflection (CD)..... | 41 |
| 8.2.22.2.10 | Malicious Communication IDentification (MCID) | 41 |
| 8.2.22.2.11 | Anonymous Communication Rejection and Communication Barring (ACR/CB)..... | 41 |
| 8.2.22.2.12 | Message Waiting Indication (MWI)..... | 41 |
| 8.2.22.2.13 | Flexible Alerting (FA)..... | 41 |
| 8.2.22.2.14 | Customized Alerting Tones (CAT) | 41 |
| 8.2.22.3 | Interoperability with PSTN/ISDN..... | 42 |
| 8.3 | Concepts associated with IMS supplementary services | 42 |
| 8.4 | Use of authorization option in relation to IMS supplementary services..... | 42 |
| 8.4.1 | Definition..... | 42 |
| 8.4.2 | Description..... | 42 |
| 8.4.3 | Management - normal procedures and successful outcome | 42 |
| 8.4.3.1 | Provision of authorization | 42 |
| 8.4.3.2 | Withdrawal of authorization..... | 42 |
| 8.4.3.3 | Authentication requirements | 42 |
| Annex A (informative): | General terminal guidelines | 43 |
| A.1 | Service state indication..... | 43 |
| Annex B (informative): | Service interactions table | 44 |
| Annex C (normative): | IMS Multimedia Telephony supplementary services applicable to the fixed access | 47 |
| Annex D (normative): | IMS Multimedia Telephony supplementary services applicable to the mobile 3GPP access | 48 |
| Annex Da (normative): | Network determined user busy..... | 49 |
| Annex E (informative): | Bibliography references | 50 |
| Annex F (informative): | Change history | 52 |
| History | | 54 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document define the IMS Multimedia Telephony service and the minimum set of capabilities required to secure multi-vendor and multi-operator inter-operability for Multimedia Telephony and related Supplementary Services.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] Void
- [3] Void
- [4] 3GPP TS 22.228: "IP multimedia (IM) CN subsystem, stage 1"
- [5] ITU-T Recommendation I.210: "Principles of telecommunication services supported by an ISDN and the means to describe them".
- [6] 3GPP TS 22.041: "Operator Determined Barring (ODB)"
- [7] 3GPP TS 24.173: " IMS Multimedia Telephony Communication Service and Supplementary Services; Stage 3"
- [8] 3GPP TS 22.101: "Service principles".
- [9] 3GPP TS 22.182: "Customized Alerting Tones (CAT) Requirements; Stage 1".

3 Definitions, symbols and abbreviations

3.1 Definitions

Void.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

| | |
|-------|--|
| 3PTY | Three Party |
| ACR | Anonymous Communication Rejection |
| AOC-C | Advice Of Charge - Charging |
| AOC-D | Advice Of Charge - During the communication |
| AOC-E | Advice Of Charge - at the End of the communication |
| AOC-I | Advice Of Charge - Information |
| AOC-S | Advice Of Charge - charging information at communication Set-up time |
| CAT | Customized Alerting Tone |
| CB | Communication session Barring |
| CCBS | Completion of Communication sessions to Busy Subscriber |
| CD | Communication Deflection |
| CDIV | Communication DIVersion |
| CFB | Communication Forwarding Busy |
| CFNL | Communication Forwarding on Not Logged-in |
| CFNR | Communication Forwarding No Reply |
| CFNRc | Communication Forwarding on Subscriber Not Reachable |
| CFU | Communication Forwarding Unconditional |
| COLP | COnnected Line identification Presentation |
| COLR | COnnected Line identification Restriction |
| CONF | CONFeRence |
| CS | Circuit Switched |
| CUG | Closed User Group |
| CW | Communication Waiting |
| ECT | Explicit Communication Transfer |
| FA | Flexible Alerting |
| HOLD | Communication HOLD |
| ICB | Incoming Communications Barring |
| MCID | Malicious Communication IDentification |
| MWI | Message Waiting Indication |
| OCB | Outgoing Communications Barring |
| OIP | Originating Identification Presentation |
| OIR | Originating Identification Restriction |
| PSAP | Public Safety Answer Point |
| PUI | Public User Identity |
| TIP | Terminating Identification Presentation |
| TIR | Terminating Identification Restriction |

4 Service description

4.1 General Service characteristics

The IMS Multimedia Telephony Service should allow multimedia conversational communications between two or more users. It provides real time bidirectional conversational transfer of speech, video or optionally other types of data.

The IMS Multimedia Telephony communication is point to point between terminals communicating, or a terminal and a network entity. This communication is usually symmetrical, but in special cases the media components present in each direction may be different, or they may be the same but with different bit rates and Quality of Service.

An IMS Multimedia Telephony communication can start with only one type of media and additional types of media may or may not be added by the users as the communication progress. Therefore a particular IMS Multimedia Telephony communication may consist of only one type of media, e.g. speech.

IMS Multimedia Telephony service is different from other IMS based services, such as Push to Talk over Cellular (PoC).

Its characteristics includes the following:

- IMS Multimedia Telephony is a service where speech, and speech combined with other media components, is the typical usage but the service is not limited to always include speech, it also caters for other media or combinations of media (e.g. text and video).
- The IMS multimedia telephony service includes supplementary services. The behaviour of these services is almost identical to supplementary services for CS voice (TS 11) and PSTN/ISDN.

Note: most supplementary services are active in the set-up phase. Mid session supplementary services such as session transfer and session hold exist.

- The anticipated usage model is that of traditional telephony: one user connecting to any other user, regardless of operator and access technology.
- When a supplementary service is invoked it applies to all media components of an IMS Multimedia Telephony communication. A supplementary service can be activated by the user for one or more types of media components. If one or more of these media components are present in the IMS Multimedia Telephony communication then the supplementary service is invoked.

4.2 Default media handling capabilities of IMS Multimedia Telephony service

IMS Multimedia Telephony can support many different types of media.

IMS Multimedia Telephony service includes the following standardized media capabilities:

- Full duplex speech;
- Real time video (simplex, full duplex), synchronized with speech if present;
- Text communication;
- File transfer;
- Video clip sharing, picture sharing, audio clip sharing. Transferred files may be displayed/replayed on receiving terminal for specified file formats.

The support of each of these media capabilities is optional for a UE.

At least one common standardized format (e.g. JPEG, AMR) shall be supported per media type.

The IMS Multimedia Telephony service shall support the following handling of media

- Adding, removing and modifying individual media to/from a IMS Multimedia Telephony communication

5 Service Requirements

General service requirements as specified for IMS services in [4] apply.

6 Quality of Service

General QoS requirements as specified for IMS services in [4] apply.

7 Interworking requirements

7.1 Interworking with CS domain

Standardisation of interworking between the IMS domain and the CS domain for multimedia telephony communications is provided as specified in [4].

7.2 Interworking with external networks

General interworking requirements with external networks as specified for IMS services in [4] apply.

7.3 Media Aspects on Interworking

End to end codec negotiation shall be supported. When the codec negotiation fails, transcoding should be provided as an operator option.

When transcoding applies, the quality degradation and additional latency due to decoding/encoding operation shall be minimized.

To optimize the end-user experience, during the codec negotiation and subject to operator policy, a wideband codec should be preferred over a narrowband codec, subject to the capabilities of both ends.

8 Supplementary Services

8.1 General

This clause provides the description of the supplementary services applicable to IMS Multimedia Telephony service.

The behaviour of IMS supplementary services, as perceived by the user, shall be consistent with the behaviour perceived when using the equivalent supplementary services on PSTN/ ISDN and CS mobile networks.

For each supplementary service, the following is provided:

- a short service definition;
- a description of the normal operation with successful outcome.

And when applicable also:

- a description of exceptional operation or unsuccessful outcome;
- descriptions on interaction with other supplementary services applicable to IMS Multimedia Telephony service;
- consideration for interworking with the CS mobile and fixed services.

In general if a service is not mentioned within the interaction clause then there is no impact.

The support of some of these services may be mandatory or optional depending on specific country/regional regulation.

For CEPT members see annex C.

Some services are not applicable to UE accessing IMS via 3GPP accesses. See annex D.

8.2 Supplementary Services applicable to IMS Multimedia Telephony

8.2.1 Originating Identification Presentation (OIP)

8.2.1.1 Definition

The OIP service provides the terminating party with the Identity of the originating party.

The requirements for Presentation of session originating party identity shall be handled as described in [4].

8.2.1.2 Service interactions with other IMS supplementary services

8.2.1.2.1 Identification services

8.2.1.2.1.1 Originating Identification Restriction (OIR)

The requirements for the interactions between presenting and withholding the originating party's identity shall be as described in [4].

8.2.1.2.2 Diversion services

8.2.1.2.2.1 Communication Forwarding Unconditional (CFU)

When a communication has been forwarded and the forwarded-to party has been provided with the OIP service, the forwarded-to party shall receive the identity information of the original originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.2.2.2 Communication Forwarding Busy (CFB)

When a communication has been forwarded and the forwarded-to party has been provided with the OIP service, the forwarded-to party shall receive the identity information of the original originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.2.2.3 Communication Forwarding No Reply (CFNR)

When a communication has been forwarded and the forwarded-to party has been provided with the OIP service, the forwarded-to party shall receive the identity information of the original originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.2.2.4 Communication Forwarding on Not Logged-in (CFNL)

When a communication has been forwarded and the forwarded-to party has been provided with the OIP service, the forwarded-to party shall receive the identity information of the original originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.2.2.5 Communication Deflection (CD)

When a communication has been deflected and the deflected-to party has been provided with the OIP service, the deflected-to party shall receive the identity information of the original originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.2.2.6 Communication Forwarding on Subscriber Not Reachable (CFNRc)

When a communication has been forwarded and the forwarded-to party has been provided with the OIP service, the forwarded-to party shall receive the identity information of the original originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.2.2.7 Void

8.2.1.2.3 Communication Waiting (CW)

If a party has the OIP service active and is notified that an incoming communication is waiting, then this party shall receive the identity information of the originating party, if this originating party has not subscribed to or invoked the OIR service.

8.2.1.3 Interoperability with PSTN/ISDN and mobileCS Networks

The IMS Multimedia Telephony service shall support the interoperability of the OIP service with mobile CS and PSTN/ISDN Supplementary Service CLIP and vice-versa. The scope of this interworking may result in a limited service capability (only E.164 numbers can be used in the PSTN/ISDN).

8.2.2 Originating Identification Restriction (OIR)

8.2.2.1 Definition

The Originating Identification Restriction (OIR) service enables the originating party to withhold the presentation of its asserted identity information to the terminating party.

The requirements for withholding the originators identity shall be as described in [4]. Those requirements also allow certain terminating party to override the restriction (override capability).

8.2.2.2 Service interactions with other IMS supplementary services

8.2.2.2.1 Identification services

8.2.2.2.1.1 Originating Identification Presentation (OIP)

The requirements for the interactions between presenting and withholding the originating parties' identity shall be as described in [4].

8.2.2.2.2 Diversion services

8.2.2.2.2.1 Communication Forwarding Unconditional (CFU)

When the OIR service has been invoked, the originating party's identity information shall not be presented to the forwarded-to party unless the forwarded-to party has an override capability.

8.2.2.2.2.2 Communication Forwarding Busy (CFB)

Same as for CFU.

8.2.2.2.2.3 Communication Forwarding No Reply (CFNR)

Same as for CFU.

8.2.2.2.2.4 Communication Forwarding on Not Logged-in (CFNL)

Same as for CFU.

8.2.2.2.2.5 Communication Deflection (CD)

Same as for CFU.

8.2.2.2.2.6 Communication Forwarding on Subscriber Not Reachable (CFNRc)

Same as for CFU.

8.2.2.2.2.7 Void

8.2.2.2.3 Explicit Communication Transfer (ECT)

An originating party's restriction requirements from the original communication shall be used in order to restrict the presentation of that party's identity to any party in a transferred communication.

8.2.2.3 Interoperability with PSTN/ISDN and mobile CS Networks

The IMS Multimedia Telephony service shall support the interoperability of OIR service with the mobile CS and the PSTN/ISDN Supplementary Service CLIR and vice-versa. The scope of this interworking may result in a limited service capability. The Originating Identity Restriction information shall be conveyed from IMS to a mobile CS or a PSTN/ISDN and vice-versa. The network to which the called/terminating party is connected to is responsible to handle this service.

In case of limited interoperability the restriction, OIR/CLIR shall have precedence.

8.2.3 Terminating Identification Presentation (TIP)

8.2.3.1 Definition

The TIP service provides the originating party with the asserted identity of the terminating party. The requirements for the presentation of the terminating identity shall be as described in [4].

NOTE: See also service definition in [E-17].

8.2.3.2 Service interactions with other IMS supplementary services

8.2.3.2.1 Identification services

8.2.3.2.1.1 Terminating identification presentation restriction

The requirements for the interactions between presenting and withholding the terminating party's identity shall be as described in [4].

8.2.3.2.2 Diversion services

If forwarding party B chooses to restrict the presentation of the forwarded-to party C's identity, the originating party A shall not receive the terminating party C's identity irrespective of whether the terminating party C has TIR activated or not.

8.2.3.3 Interoperability with PSTN/ISDN and mobile CS Networks

The IMS Multimedia Telephony service shall support the interoperability of the TIP services with mobile CS and PSTN/ISDN Supplementary Service COLP and vice-versa. The scope of this interworking may result in a limited service capability

8.2.4 Terminating Identification Restriction (TIR)

8.2.4.1 Definition

The Terminating Identification Restriction (TIR) enables the terminating party to withhold presentation of its asserted identity information to the originating party.

The requirements for withholding the terminating party's identity are described in [4]. Those requirements also allow certain originating parties to override the restriction (override capability).

This service description is based on the service description described in [E-20].

8.2.4.2 Service interactions with other IMS Multimedia Telephony services

8.2.4.2.1 Identification services

8.2.4.2.1.1 Terminating Identification Presentation (TIP)

The requirements for the interactions between presenting and withholding the terminating party's identity shall be as described in [4].

8.2.4.3 Interoperability with PSTN/ISDN and mobile CS Networks

The IMS Multimedia Telephony service shall support the interoperability of the TIR services with mobile CS and PSTN/ISDN Supplementary Services and vice-versa. The scope of this interworking may result in a limited service capability.

In the case the target network does not support TIR service, the TIP information shall not be forwarded.

8.2.5 Malicious Communication Identification (MCID)

8.2.5.1 Definition

The MCID service enables an incoming communication to be identified as malicious and registered.

This service may be available to a user only after subscription. Once the user has indicated to the network that the communication is malicious, the IMS shall register at least the following information:

- Terminating Identity Information;
- Originator Identity Information;
- Local Time and Date of the invocation in the network serving the terminating entity;

The information shall not be available to the terminating entity nor the originating entity. The information shall be under the control of the network operator.

The user may identify the communication as malicious during the alerting phase, during an ongoing communication, or for a limited period after the communication has ceased.

8.2.5.2 Service interactions with other IMS supplementary services

8.2.5.2.1 Diversion Services

The MCID service can be invoked for a diverted communication. In addition to the normal operation of the MCID service, the identity of the first diverting party shall be registered and, as a network option, the last diverting party can be registered.

8.2.5.2.1.1 Communication Forwarding No Reply (CFNR)

If the terminating party has activated CFNR, once forwarding has taken place, the forwarding party cannot invoke the MCID service.

8.2.5.2.1.2 Communication Deflection (CD)

If the terminating party has activated communication deflection, once deflection has taken place, the deflecting party cannot invoke the MCID service.

8.2.5.2.2 Explicit Communication Transfer (ECT)

The transferring party cannot invoke the malicious communication identification service on a communication after transfer of that communication has been successfully invoked.

If after a transfer has been completed, the transferred-to party successfully invokes the malicious communication identification service, then the network shall register the identities of all parties involved.

8.2.5.2.3 CONFerence (CONF)

The conference controller cannot invoke the malicious call identification IMS supplementary service for participants within the conference.

NOTE: To activate the malicious call identification IMS supplementary service, the conference controller should first create a private communication with the user to be identified using the malicious call identification IMS supplementary service.

If a participant invokes the malicious call identification IMS supplementary service, only information about the connection to the conference controller shall be registered. No information about the other participants shall be registered.

8.2.5.2.4 Three-Party (3PTY)

See subclause 8.2.5.2.3, noting that 3PTY is a special case of CONF.

8.2.5.3 Interoperability with PSTN/ISDN Networks

The MCID service shall interoperate for all communications from a PSTN/ISDN to an IMS Network supporting IMS Multimedia Telephony service and vice-versa. The registered information shall be stored in the invoking party's network and may also be stored in the malicious party's network.

8.2.6 Anonymous Communication Rejection (ACR)

8.2.6.1 Definition

The Anonymous Communications Rejection (ACR) service allows the terminating party to reject incoming communications from originating parties that have restricted their identity presentation.

Anonymous communications rejection provides the capability for network, on behalf of the user, to reject incoming sessions from users who have restricted the presentation of their originating identity, i.e. the asserted originating identity is marked "presentation restricted".

This service description is based on the service description described in [E-14].

8.2.6.2 Service interactions with other IMS supplementary services

8.2.6.2.1 Identification Services

8.2.6.2.1.1 Originating Identification Presentation (OIP)

No impact, i.e. neither IMS supplementary service shall affect the operation of the other IMS supplementary service.

8.2.6.2.1.2 Originating Identification Restriction (OIR)

If the terminating party has activated the ACR service, then the OIR service causes the execution of the ACR service in accordance with the procedures in clause 8.2.6.1.

If the terminating party has the override capability according to the OIR service, then the ACR service shall not apply.

8.2.6.2.2 Diversion Services

NOTE: The precedence that ACR takes over the communication diversion services does not exclude the use of forwarding functionality in the ACR functionality itself. As an example: forwarding of anonymous communications (e.g. to a voice mailbox), as part of the ACR functionality is possible.

If the diverted-to user has activated the ACR service, then the ACR service shall take precedence over the communication diversion supplementary service i.e. the communication shall be rejected according to the ACR service.

8.2.6.2.2.1 Communication Forwarding Unconditional (CFU)

If the forwarding party has activated the ACR service, then the ACR service shall take precedence over the communication forwarding unconditional service i.e. the communication shall be rejected according to the ACR service.

8.2.6.2.2.2 Communication Forwarding Busy (CFB)

If the forwarding party has activated the ACR service, then the ACR service shall take precedence over the communication forwarding busy service i.e. the communication shall be rejected according to the ACR service.

8.2.6.2.2.3 Communication Forwarding No Reply (CFNR)

If the forwarding party has activated the ACR service:

- no impact, i.e. neither IMS supplementary service shall affect the operation of the other IMS supplementary service.

NOTE: If the originating party has restricted its identity due to the OIR service the communication will not be presented.

8.2.6.2.2.4 Communication Forwarding on Not Logged-in (CFNL)

If the forwarding party has activated the ACR service, then the ACR service shall take precedence over the communication forwarding on not logged in service i.e. the communication shall be rejected according to the ACR service.

8.2.6.2.2.5 Communication Forwarding on Subscriber Not Reachable (CFNRc)

If the forwarding party has activated the ACR service, then the ACR service shall take precedence over the communication forwarding on subscriber not reachable service i.e. the communication shall be rejected according to the ACR service.

8.2.6.2.3 Communication Waiting (CW)

If the terminating party has activated the ACR service, then the ACR service shall take precedence over the Communication Waiting service. The ACR service can be activated while a communication is waiting without changing the state of the waiting communication session.

8.2.6.2.4 Completion of Communications to Busy Subscriber (CCBS)

NOTE: A CCBS recall (from the network to the originating party) resulting from the completion of communications to busy subscribers shall not be rejected due to the application of the ACR service.

Assuming the originating party connects to the terminating party and the terminating party activates the ACR service (or has activated the ACR service), two cases are possible:

- a) The ACR service was activated by the terminating party before the originating party originates a communication:
 - No impact, i.e. no IMS supplementary service shall affect the operation of the other IMS supplementary service.

NOTE: If the originating party has restricted its identity due to the OIR service and if the terminating party is busy, the originating party will receive no busy indication, and the completion of communications to busy subscriber service will not apply. Instead the communication session attempt shall be rejected according to the normal procedures of the ACR service.

- b) The ACR service is activated by the terminating party after the originating party has activated the completion of communications to busy subscriber service on the terminating party:

- If the terminating party activates the ACR service after the originating party has activated the completion of communications to busy subscriber service on the terminating party, then the communication resulting from the completion of communications to busy subscriber service shall be rejected if the originating party has restricted its identity due to the OIR service.

8.2.6.3 Interoperability with PSTN/ISDN

The IMS Multimedia Telephony service shall support the interoperability of the ACR services with PSTN/ISDN Supplementary Services and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.7 Communication DIVersion (CDIV)

8.2.7.1 Definition

The following Communication DIVersion services are defined:

- Communication Forwarding Unconditional (CFU).
- Communication Forwarding Busy (CFB).
- Communication Forwarding No Reply (CFNR).
- Communication Forwarding on Not Logged in (CFNL).
- Communication Deflection (CD).
- Communication Forwarding on Subscriber Not Reachable (CFNRc).

For all communications diversion services, a service provider option of notification of diversion may be provided to the originating party. This service provider option may also include support for the invoking user to suppress the notification.

Communication Forwarding Unconditional (CFU)

The CFU service enables a user to have the network redirect all communications to another user. The CFU service may operate on all communication, or just those associated with specified services. The user's ability to originate communications is unaffected by the CFU service. After the CFU service has been activated, communications are forwarded independent of the status of the user.

As a service provider option, a subscription option can be provided to enable the user to receive an indication that the CFU service has been activated. This indication may be provided when the user originates a communication if the CFU service has been activated for the user's identity and for the service requested for the communication.

The maximum number of diversions permitted for each communication is a service provider option. The service provider shall define the upper limit of diversions. When counting the number of diversions, all types of diversion are included.

This service description is based on the service description described in [E-1].

Communication Forwarding Busy (CFB)

The CFB service enables a user to have the network redirect communications, which would otherwise be regarded as busy, to another user. The CFB service may operate on all communications, or just those associated with specified services. The user's ability to originate communications is unaffected by the CFB service.

As a service provider option, a subscription option can be provided to enable the user to receive an indication that the CFB service has been activated. This indication may be provided when the user originates a communication if the CFB service has been activated for the user and for the service requested for the communication.

The maximum number of diversions permitted for each communication is a service provider option. The service provider shall define the upper limit of diversions. When counting the number of diversions, all types of diversion are included.

This service description is based on the service description described in [E-2].

Communication Forwarding No Reply (CFNR)

The CFNR service enables a user to have the network redirect communications, when the communication request is not responded to within a defined period of time, to another user. The CFNR service may operate on all communications, or just those associated with specified services. The user's ability to originate communications is unaffected by the CFNR service.

The CFNR service can only be invoked by the network after the communication has been offered to the user and an indication that the user has been informed of the communication request.

As a service provider option, a subscription option can be provided to enable the user to receive an indication that the CFNR service has been activated. This indication may be provided when the user originates a communication if the CFNR service has been activated for the user and for the service requested for the communication.

The maximum number of diversions permitted for each communication is a service provider option. The service provider shall define the upper limit of diversions. When counting the number of diversions, all types of diversion are included.

This service description is based on the service description described in [E-3].

Communication Forwarding on Not Logged-in (CFNL)

The Communication Forwarding on Not Logged-in (CFNL) service enables a user to redirect incoming communications, when the user is not currently registered (logged-in), to another user. The CFNL service may operate on all communications, or just those associated with specified services.

As a service provider option, a subscription option can be provided to enable the user to receive an indication that the CFNL service has been activated. This indication may be provided when the user next registers (logs in). An indication may also be provided as part of de-registration (log out).

The maximum number of diversions permitted for each communication is a service provider option. The service provider shall define the upper limit of diversions. When counting the number of diversions, all types of diversion are included.

Communication Deflection (CD)

The CD service enables the user to respond to an incoming communication by requesting redirection of that communication to another user. The CD service can only be invoked before the communication is established by the user, i.e. in response to the offered communication, or during the period that the user is being informed of the communication. The user's ability to originate communications is unaffected by the CD service.

The maximum number of diversions permitted for each communication is a service provider option. The service provider shall define the upper limit of diversions. When counting the number of diversions, all types of diversion are included.

This service description is based on the service description described in [E-4].

Communication Forwarding on Subscriber Not Reachable (CFNRc)

The CFNRc service enables a user to have the network redirect all incoming communications, or just those associated with a specific service, when called mobile subscriber's address is not reachable (e.g. there is no IP connectivity to the user's terminal, or, in the case of a mobile device, it is not in radio coverage), to another address. The CFNRc service may operate on all communications, or just those associated with specified services. The user's ability to originate communications is unaffected by the CFNRc service.

Note: It may be affected by the reason that have triggered the loss of connectivity, e.g. in the mobile case if the mobile subscriber is de-registered, if there is radio congestion or if the mobile subscriber for example is being out of radio coverage,

As a service provider option, a subscription option can be provided to enable the user to receive an indication that the CFNRc service has been activated. This indication may be provided when the user originates a communication if the CFNRc service has been activated for the user and for the service requested for the communication.

The maximum number of diversions permitted for each communication is a service provider option. The service provider shall define the upper limit of diversions. When counting the number of diversions, all types of diversion are included.

8.2.7.2 Void

8.2.7.3 Service interactions with other IMS supplementary services

8.2.7.3.1 Identification services

8.2.7.3.1.1 Originating Identification Presentation (OIP)

When a communication has been diverted and the diverted-to party has been provided with the originating identification presentation service, the diverted-to party shall receive the identity of the originating party, if this originating party has not subscribed to or invoked the originating identification restriction service.

8.2.7.3.1.2 Originating Identification Restriction (OIR)

When the originating identification restriction service has been invoked, the originating party's identity shall not be presented to the diverted-to party unless the diverted-to party has an override capability.

8.2.7.3.1.3 Terminating Identification Presentation (TIP)

When a communication has been diverted and the originating party has been provided with the terminating identification presentation service, the originating party shall receive the identity of the diverted-to party, unless the diverting user has selected the option to suppress the notification of diversion.

8.2.7.3.1.4 Terminating Identification Restriction (TIR)

If the diverting party or the diverted-to party has invoked the Terminating Identification Restriction service, then the diverted-to party's identity shall not be provided to the originating party unless the originating party has override capability.

8.2.7.3.2 Malicious Communication Identification (MCID)

This services does not apply to UE accessing from mobile 3GPP access networks.

See clause 8.2.5.2.1.

8.2.7.3.3 Anonymous Communication Rejection (ACR)

This service does not apply to UE accessing from mobile 3GPP access networks.

See clause 8.2.6.2.2.

8.2.7.3.4 Diversion services

8.2.7.3.4.1 Communication Forwarding Unconditional (CFU)

Communication Forwarding Unconditional (CFU): Not applicable.

Communication Forwarding Busy (CFB): Invocation of the communication forwarding unconditional service shall take precedence over the CFB service.

Communication Forwarding No Reply (CFNR): Invocation of the communication forwarding unconditional service shall take precedence over the CFNR service.

Communication Forwarding on Not Logged-in (CFNL): Invocation of the communication forwarding unconditional service shall take precedence over the CFNL service.

Communication Deflection (CD): Invocation of the communication forwarding unconditional service shall take precedence over the CD service.

Communication Forwarding on Subscriber Not Reachable (CFNRc): Invocation of the communication forwarding unconditional service shall take precedence over the CFNRc service.

8.2.7.3.4.2 Communication Forwarding Busy (CFB)

Communication Forwarding Unconditional (CFU): Invocation of the CFU service shall take precedence over the communication forwarding busy service.

Communication Forwarding Busy (CFB): Not applicable.

Communication Forwarding No Reply (CFNR): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding on Not Logged-in (CFNL): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Deflection (CD): If the terminating party is not network determined user busy, then the CD service or the communication forwarding busy service can be invoked, depending on the response from the terminating party.

Communication Forwarding on Subscriber Not Reachable (CFNRc): If the terminating party is network determined busy, then CFB shall take precedence over CFNRc. Otherwise, if the terminating party is not network determined user busy, then there is no impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.7.3.4.3 Communication Forwarding No Reply (CFNR)

Communication Forwarding Unconditional (CFU): Invocation of the CFU service shall take precedence over the communication forwarding no reply service.

Communication Forwarding Busy (CFB): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding No Reply (CFNR): Not applicable.

Communication Forwarding on Not Logged-in (CFNL): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Deflection (CD): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

NOTE: If the network indicates the arrival of an incoming communication to the terminating party, then the CD service, or the communication forwarding no reply service can be invoked, depending on the response, or lack of response, from the terminating party.

Communication Forwarding on Subscriber Not Reachable (CFNRc): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.7.3.4.4 Communication Forwarding on Not Logged-in (CFNL)

Communication Forwarding Unconditional (CFU): Invocation of the communication forwarding unconditional service shall take precedence over the CFNL service.

Communication Forwarding Busy (CFB): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding No Reply (CFNR): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding on Not Logged-in (CFNL): Not applicable.

Communication Deflection (CD): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding on Subscriber Not Reachable (CFNRc): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.7.3.4.5 Communication Deflection (CD)

Communication Forwarding Unconditional (CFU): Invocation of the CFU service shall take precedence over the communication deflection service.

Communication Forwarding Busy (CFB): If the terminating party is not network determined user busy, then the communication deflection service or the CFB service can be invoked, depending on the response from the terminating party.

Communication Forwarding No Reply (CFNR): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

NOTE: If the network indicates the arrival of an incoming communication to the terminating party, then the communication deflection service, or the CFNR service can be invoked, depending on the response, or lack of response, from the terminating party.

Communication Forwarding on Not Logged-in (CFNL): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Deflection (CD): Not applicable.

Communication Forwarding on Subscriber Not Reachable (CFNRc): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.7.3.4.6 Communication Forwarding on Subscriber Not Reachable (CFNRc)

Communication Forwarding Unconditional (CFU): Invocation of the communication forwarding unconditional service shall take precedence over the CFNRc service.

Communication Forwarding Busy (CFB): If the terminating party is network determined busy, then CFB shall take precedence over CFNRc. Otherwise, if the terminating party is not network determined user busy, then there is no impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding No Reply (CFNR): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding on Not Logged-in (CFNL): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Deflection (CD): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Communication Forwarding on Subscriber Not Reachable (CFNRc): Not applicable.

Explicit Communication Transfer (ECT)

No interaction, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Other services:

Communication Forwarding on Mobile Subscriber Not Reachable (CFNRc) shall interact with the following IMS supplementary services in exactly the same way as described for Communication Forwarding No Reply (CFNR):

Originating Identification Presentation (OIP)
Originating Identification Restriction (OIR)
Terminating Identification Presentation (TIP)
Terminating Identification Restriction (TIR)
Communication Diversion (CDIV); Communication Forward Unconditional
Communication Diversion (CDIV); Communication Deflection

Communication Diversion (CDIV); Communication Forward On not Logged-in
Communication Hold (HOLD)
Communication Barring (CB)
Message Waiting Indication (MWI)
Conference (CONF)

8.2.7.3.4.7 Void

8.2.7.3.5 Communication Waiting (CW)

Communication Forwarding Unconditional (CFU): CW has no impact on CFU. The communication will be forwarded without regard to the terminating party's state. A forwarded-to party may have communication waiting service and this will be activated if busy.

A forwarded communication can result in the communication waiting service.

Communication Forwarding Busy (CFB): No impact, i.e. neither service shall affect the operation of other service. A forwarded communication can result in the communication waiting service.

NOTE: If the terminating party is Network Determined User Busy, the communication waiting service is not be invoked, and the CFB service is invoked if it was activated.

Communication Forwarding No Reply (CFNR): If the terminating party has activated the CFNR service, then a waiting communication shall still be offered. If the CFNR timer expires before an answer is received then the CFNR service shall be invoked and the communication shall be forwarded and communication waiting ceased.

A forwarded communication can result in the communication waiting service.

Communication Forwarding on Not Logged-in (CFNL): No impact.

NOTE: If a party with an active communication waiting logs out, the all active and offered communication would be released.

Communication Deflection (CD): When receiving the communication waiting indication, terminating party can invoke the CD service. A deflected communication can result in the communication waiting service.

Communication Forwarding on Subscriber Not Reachable (CFNRc): No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.7.3.6 Communication Barring (CB)

8.2.7.3.6.1 Outgoing communication barring-fixed

If the outgoing communication barring-fixed service has already been activated, a request to activate any CDIV service shall be rejected if the forwarding party's communication to the diverted-to party would be barred by the outgoing communication barring-fixed service.

If the CDIV service was activated before the activation of the outgoing communication barring-fixed service, the outgoing communication barring-fixed service can still be activated. When the two services have already been activated, a request to invoke the CDIV service shall be rejected if the forwarding party's communication to the diverted-to party would be barred by the outgoing communication barring-fixed service at the time of the invocation attempt of the CDIV service.

8.2.7.3.6.2 Outgoing communication barring-user controlled

If the outgoing communication barring-user controlled service has already been activated, a request to activate any CDIV service shall be rejected if the forwarding party's communication to the diverted-to party would be barred by the outgoing communication barring-user controlled service.

If the CDIV service was activated before the activation of the outgoing communication barring-user controlled service, the outgoing communication barring-user controlled service can still be activated. When the two services have already been activated, a request to invoke the CDIV service shall be rejected if the forwarding party's communication to the

diverted-to party would be barred by the outgoing communication barring-user controlled service at the time of the invocation attempt of the CDIV service.

8.2.7.3.7 Completion of Communications to Busy Subscriber (CCBS)

CCBS recalls shall never be diverted. They shall be provided to the original originating party.

8.2.7.3.8 Advice Of Charge (AOC)

8.2.7.3.8.1 Charging information at the End of the communication (AOC-E)

Originating party: No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Forwarding party: When a communication is forwarded and the forwarding party is charged for the forwarded part of the communication, then as a network option, the charging information can be transferred to the forwarding user when the communication is terminated provided that the served user has subscribed to the advice of charge: charging information at the end of the communication service with the value of the subscription option set to "for all communications automatically".

8.2.7.4 Interoperability with PSTN/ISDN and CS mobile networks

The IMS Multimedia Telephony service shall support the interoperability of the CDIV service with mobile CS and PSTN/ISDN Supplementary Services and vice-versa. The scope of this interworking may result in a limited service capability. The CLI information of the originating party as well as further CLI information (first redirected address, last redirected address) may be provided to the final called party, if the network allows this.

8.2.8 Communication Waiting (CW)

8.2.8.1 Definition

The Communication Waiting (CW) service enables a terminating party to be informed at the time that a new communication is requested, and that no resources are available for that incoming communication.

The user has then the choice of accepting, rejecting or ignoring the incoming communication.

The maximum number of communications that may be waiting is a service provider option.

If the current number of communications waiting is equal to the maximum, then any new attempted incoming communication request shall be rejected with a busy cause.

This service description is based on the service description described in [E-6] and [E-5].

8.2.8.2 Service interactions with other IMS supplementary services

8.2.8.2.1 Anonymous Communication Rejection (ACR)

If the terminating party has activated the ACR service, then the ACR service shall take precedence over the Communication Waiting service. The ACR service can be activated while a communication is waiting without changing the state of the waiting communication session.

8.2.8.2.2 Diversion services

The interactions between Communication Waiting and Communication Diversion services are described in clause 8.2.7.3.5 of the present document.

8.2.8.2.3 Completion of Communications to Busy Subscriber (CCBS)

If a subscriber to the completion of communications to busy subscriber service places a communication to a terminating party who has subscribed to the CW service, and the terminating party is provided the communication waiting indication, then invocation of completion of communications to busy subscriber service cannot occur.

8.2.8.3 Interoperability with PSTN/ISDN

No requirements.

8.2.9 Communication HOLD (HOLD)

8.2.9.1 Definition

The communication HOLD service enables a user to suspend media within a session, and resume that media at a later time.

Each party in a communication can hold and retrieve the communication independently from the other party. This also applies when a communication involves more than two parties (e.g. CONF).

This service description is based on the service description described in [4], dealing about the user ability to suspend and resume a session.

The use of HOLD on an emergency call by a user that is not the PSAP, shall be precluded.

8.2.9.2 Service interactions with other IMS supplementary services

8.2.9.2.1 CONFerence (CONF)

A, B and C are in a conference that was created by B invoking the CONF service. B can interrupt their own participation in the conference by using the HOLD service. When B does this, A and C shall not receive the HOLD notification and are not prevented from carrying on their conversation

8.2.9.2.2 Three-Party (3PTY)

See subclause 8.2.9.2.1, noting that 3PTY is a special case of CONF.

8.2.9.3 Interoperability with PSTN/ISDN and CS mobile networks

The IMS Multimedia Telephony service shall support the interoperability of the HOLD service with mobile CS and PSTN/ISDN Supplementary Services and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.10 Communication Barring (CB)

8.2.10.1 Definition

The group of Communication Restriction Services includes two services:

- Outgoing Communications Barring (OCB).

This service allows a user to bar certain categories of outgoing communications. The network shall provide the capability for a user to select a set of categories (e.g. identities or range of identities) for barring. The type of barring is chosen by the user at provision time, and shall be valid for all outgoing communications. The network shall provide the capability for the user to bar outgoing communications based on user defined identities or identity ranges. Barring of an outgoing communication for a specific identity, a number of specific identities, or a range of identities shall be dependent on an entry in a OCB identity list held in the network. This list shall either be a "black list" or "white list". A "black list" shall contain the identities or identity ranges to be barred by the network for outgoing communications. A

"white list" shall contain the identities or identity ranges that shall be allowed by the network for outgoing communications, i.e. all identities not in the "white list" shall be barred.

The ability of the served user to receive communications and to originate emergency communications shall be unaffected by OCB.

This service description is based on the service description described in [E-15] and [E-16].

- Incoming Communications Barring (ICB).

This service allows a user to bar certain categories of incoming communications. The service also allows the user to have the barring of incoming communications activated always or only during certain conditions. The network shall provide the capability for a user to select from a set of categories (e.g. identities or range of identities) for barring. The type of barring is chosen by the user at provision time and may be valid for all incoming communications, or be limited to a specific service group or certain conditions (e.g. when the user is roaming).

The ability of the served user to set-up outgoing communications shall be unaffected by ICB.

The ICB service includes a roaming condition. The roaming condition is set to true when the served user is roaming.

8.2.10.2 Service interactions with other IMS supplementary services

8.2.10.2.1 Diversion services

8.2.10.2.1.1 Communication Forwarding Unconditional (CFU)

If the OCB service has already been activated, a request to activate the communication forwarding unconditional service shall be rejected if the user's communication to the forwarded-to user would be barred by the OCB service at the time of the activation attempt of the communication forwarding service.

If the communication forwarding unconditional service was activated before the activation of the OCB service, the OCB service can still be activated. When the two services have already been activated, a request to invoke the communication forwarding unconditional service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the invocation attempt of the communication forwarding unconditional service..

8.2.10.2.1.2 Communication Forwarding Busy (CFB)

If the OCB service has already been activated, a request to activate the communication forwarding busy service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the activation attempt of the communication forwarding service.

If the communication forwarding busy service was activated before the activation of the OCB service, the OCB service can still be activated. When the two services have already been activated, a request to invoke the communication forwarding busy service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the invocation attempt of the communication forwarding busy service.

8.2.10.2.1.3 Communication Forwarding No Reply (CFNR)

If the OCB service has already been activated, a request to activate the communication forwarding no reply service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the activation attempt of the communication forwarding service.

If the communication forwarding no reply service was activated before the activation of the OCB service, the OCB service can still be activated. When the two services have already been activated, a request to invoke the communication forwarding no reply service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the invocation attempt of the communication forwarding no reply service.

8.2.10.2.1.4 Communication Forwarding on Not Logged-in (CFNL)

If the OCB service has already been activated, a request to activate the communication forwarding no registration service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the activation attempt of the communication forwarding service.

If the communication forwarding on Not Logged-in service was activated before the activation of the OCB service, the OCB service can still be activated. When the two services have already been activated, a request to invoke the communication forwarding on Not Logged-in service shall be rejected if the forwarding party's communication to the forwarded-to party would be barred by the OCB service at the time of the invocation attempt of the communication forwarding on Not Logged-in service.

8.2.10.2.1.5 Communication Deflection (CD)

If the OCB service has been activated, a request to invoke the communication deflection service shall be rejected if the deflecting party's communication to the deflected-to party would be barred by the OCB service at the time of the invocation attempt of the communication deflection service.

8.2.10.3 Interoperability with PSTN/ISDN and CS mobile networks

The IMS Multimedia Telephony service shall support the interoperability of the CB service with mobile CS and PSTN/ISDN Supplementary Service CB and with ODB [6], and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.11 Completion of Communications to Busy Subscriber (CCBS)

8.2.11.1 Definition

The CCBS service enables originating party, encountering a busy terminating party, to have the communication completed without having to make a new communication attempt when the terminating party becomes free.

When originating party requests the CCBS service, the network will monitor for terminating party becoming free.

When terminating party becomes free then the network will wait a short time in order to allow the resources to be re-used for originating a communication. If the resources are not re-used by terminating party within this time, then the network will automatically inform originating party that terminating party has become free. Originating party can generate the CCBS communication to terminating party.

When originating party accepts the CCBS recall, then the network will automatically generate a CCBS communication to terminating party.

NOTE: A service provided to terminating party which prevents the registration of CCBS requests is outside the scope of the present document.

During CCBS recall, information shall be provided which indicates a CCBS recall. The information provided in the original communication attempt shall be included in the CCBS recall.

This service description is based on the service description described in [E-9].

8.2.11.2 Service interactions with other IMS supplementary services

8.2.11.2.1 Identification services

8.2.11.2.2 Anonymous Communication Rejection (ACR)

A CCBS recall (from the network to the originating party) resulting from the completion of communications to busy subscribers shall not be rejected due to the application of the ACR service.

Assume the originating party connects to the terminating party and the terminating party activates the ACR service or has activated the ACR service:

- The ACR service is activated by the terminating party after the originating party has activated the completion of communications to busy subscriber service on the terminating party:
 - If the terminating party activates the ACR service after the originating party has activated the completion of communications to busy subscriber service on the terminating party, then the communication resulting from the completion of communications to busy subscriber service shall be rejected if the originating party has restricted its identity due to the OIR service.

8.2.11.2.3 Communication DIVersion (CDIV)

CCBS recalls shall never be diverted. They shall be provided to the original originating party.

CCBS can not be activated on a diverted communication.

8.2.11.2.4 Communication Waiting (CW)

NOTE: For a waiting communication, terminating party is not considered as busy.

If the Communication Waiting indication cannot be provided at the terminating party, originating party will receive busy indication and can invoke the CCBS service to terminating party.

CCBS requests in the terminating party's CCBS queue shall only be processed if there are no communications waiting.

8.2.11.2.5 Communication HOLD (HOLD)

No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

NOTE 1: When receiving a CCBS communication indication, originating party may invoke the communication hold service in order to make interface resources available for the establishment of the CCBS communication.

NOTE 2: When originating party is busy or CCBS busy and is notified that terminating party is free, invocation of the communication hold service will not result in the CCBS communication being established.

8.2.11.2.6 Communication Barring (CB)

The originating party calls the terminating party who is busy, and then the originating party invokes CCBS. If the originating party then invokes OCB before the terminating party becomes free, the CCBS communication may be rejected due to the OCB invocation.

8.2.11.2.7 Completion of Communications to Busy Subscriber (CCBS)

A user can be both an "originating party" and a "terminating party" simultaneously, i.e. that user can have activated the CCBS service and have CCBS requests outstanding whilst at the same time that user can be the destination of CCBS requests from other users.

If a user receives a CCBS recall while that terminating party's CCBS queue is being processed, then the CCBS recall shall take priority over the handling of the terminating party's CCBS queue. The handling of CCBS requests activated by this user shall have priority over the handling of CCBS requests activated by other users on this user.

If one of the user's CCBS requests matures as a result, then the user shall be provided a CCBS recall or notification. The terminating party idle guard timer, if running, shall be cancelled.

8.2.11.2.8 Advice Of Charge services (AOC)

Charging information can be provided for the original communication, and for the resulting CCBS communication.

8.2.11.3 Interoperability with PSTN/ISDN

The IMS Multimedia Telephony service shall support the interoperability of the CCBS service with PSTN/ISDN Supplementary Service CCBS and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.12 Message Waiting Indication (MWI)

8.2.12.1 Definition

The MWI service enables the network, upon the request of a controlling user to indicate to the receiving user, that there is at least one message waiting. The indication is sent to the receiving user when a message is deposited. Optionally, the network may send an indication to the user that there are no more unread message in the mail box. This indication may be send when the last unread message is read.

NOTE: As an example, a voice message is stored by the network for a particular user. The network then provides the MWI to the user to indicate there is a message for retrieval. Having received this indication, the receiving user can subsequently access the mail box, to listen to the message.

The means by which the receiving user accesses and manages the mail box voice message service are outside the scope of the present document.

This service description is based on the service description described in [E-13].

8.2.12.2 Service interactions with other services

8.2.12.2.1 Diversion services

8.2.12.2.1.1 Communication Forwarding Unconditional (CFU)

The MWI shall never be diverted.

8.2.12.2.1.2 Communication Forwarding Busy (CFB)

Same as CFU.

8.2.12.2.1.3 Communication Forwarding No Reply (CFNR)

Same as CFU.

8.2.12.2.1.4 Communication Forwarding on Not Logged-in (CFNL)

The MWI shall never be diverted. The indication shall be provided to the owning identity on re-registering.

8.2.12.3 Interoperability with PSTN/ISDN and CS mobile networks

There is no interoperability with mobile CS and PSTN/ISDN because MWI is a local service.

8.2.13 CONFERENCE (CONF)

8.2.13.1 Definition

The CONF service enables a user to participate in and control a simultaneous communication involving a number of users.

When the CONF service is invoked, conference resources are allocated to the served user.

Once a conference is active, users can join and leave a conference, and remote users can be added to or removed from the conference.

This service description is based on the service description described in [E-7] and [E-8].

Conference participants can request to be informed of these actions. This information can include details beyond that described in [E-7] and [E-8], about other participants including their identity.

The use of CONF on an emergency call by a user that is not the PSAP, shall be precluded.

8.2.13.2 Service interactions with other IMS supplementary services

8.2.13.2.1 Diversion services

No impact, i.e. neither IMS supplementary service shall affect the operation of the other IMS supplementary service.

8.2.13.2.2 CONFERENCE (CONF)

A user can be involved as the conference controller separately in more than one conference. However, the user cannot add any conference to another conference.

The CONFERENCE service shall provide a similar user experience as the circuit switched Multiparty supplementary service but with multimedia capabilities.

8.2.13.2.3 Advice Of Charge services (AOC)

No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service. Communication diversion.

NOTE: Every communication within the CONF service may be charged according to the normal communication procedures. Special arrangements (e.g. conference initiator may be charged for other parties' communications in the conference) are out of scope of the present specification.

8.2.13.2.4 Originating Identification Restriction (OIR)

The OIR service shall take precedence as required in [4].

NOTE: A conference participant joining with an active OIR therefore has no details that can be included in any conference notifications.

8.2.13.2.5 Terminating Identification Restriction (TIR)

The TIR service shall take precedence as required in [4].

NOTE: A conference participant added with an active TIR therefore has no details that can be included in any conference notifications.

8.2.13.2.6 Three-Party (3PTY)

See subclause 8.2.13.2.2, noting that 3PTY is a special case of CONF.

8.2.13.3 Interoperability with PSTN/ISDN and CS Mobile networks

The IMS Multimedia Telephony service shall support the interoperability of the CONF service with mobile CS and PSTN/ISDN Supplementary Services and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.14 Advice Of Charge (AOC)

8.2.14.1 Definition

AOC is a group of services as follows:

- Advice Of Charge: charging information at communication Set-up time (AOC-S);

The advice of charge at communication set-up service provides the user with information about the charging rates at the time of communication establishment or during the communication in the case of charging rates changes. The charge information provided relates to the charges incurred on the network to which the served user is attached.

This service description is based on the service description described in [E-10] for AoC-S on a permanent mode.

- Advice Of Charge: charging information During the communication (AOC-D);

The advice of charge during the communication service enables the user to receive information on the recorded charges for a communication during the active phase of the communication. The provided charging information may be exchanged between different operator domain if those operators have interconnect agreements to do so.

This service description is based on the service description described in [E-11] for AoC-S on a permanent mode.

- Advice Of Charge: charging information at the End of the communication (AOC-E)

The advice of charge at end of communication service provides the user with charging information for a communication when the communication is terminated. Dependent on the option chosen at the time of subscription, the information can be sent for all communications, or on a per communication basis. The charge information provided relates to the charges incurred on the network to which the served user is attached.

This service description is based on the service description described in [E-12] for AoC-S on a permanent mode.

8.2.14.2 Service interactions with other IMS supplementary services

8.2.14.2.1 Diversion services

Originating party: No impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

Forwarding party: When a communication is forwarded and the forwarding party is charged for the forwarded part of the communication, then as a network option, the charging information can be transferred to the forwarding user when the communication is terminated.

8.2.14.2.2 Completion of Communications to Busy Subscriber (CCBS)

Charging information shall be provided for the original communication, and for the resulting CCBS communication.

8.2.14.2.3 CONFerence (CONF)

No impact, i.e. neither IMS supplementary service shall affect the operation of the other IMS supplementary service.

8.2.14.3 Interoperability with PSTN/ISDN

The IMS shall support the interoperability of the AOC service with PSTN/ISDN Supplementary Services and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.15 Explicit Communication Transfer (ECT)

8.2.15.1 Definition

The ECT service enables a transferring party A to transform two of that party's communications (e.g. an active communication and a communication on hold, to parties B and C), each of which can be an incoming communication or an outgoing communication, into a new communication between party B and party C.

Prior to transfer, the media session shall have been established on the communication between transferring party A and party B. On the communication between transferring party A and party C, either the media session shall have been established prior to transfer, or, as a service provider option, transfer can occur while the communication to party C is requested or being established (i.e. the media session has not yet been established).

The minimum requirement should be to perform an "immediate" communication transfer for an incoming communication, without waiting on a response from party C. The service should be applicable independent of whether party B and party C are IMS users or not.

This service description is based on the service description described in [E-18].

The use of ECT on an emergency call by a user that is not the PSAP, shall be precluded.

8.2.15.2 Service interactions with other IMS supplementary services

8.2.15.2.1 Identification services

8.2.15.2.1.1 Terminating Identification Restriction (TIR)

A terminating party's restriction requirements from the original communication shall be used in order to restrict the presentation of that party's identity to the other user in a transferred communication.

NOTE: If the media flow(s) is established on the communication to party C after transfer, the presentation of the identity of party C shall be restricted according to party C's Terminating identification restriction service (i.e. as for the normal operation of the Terminating identification restriction service).

8.2.15.2.2 Communication Barring (CB)

In case the transferring party A has outgoing communication barring active towards party C, transferring party A's request for communication transfer of party B to party C shall also be barred, if it occurs in relation to the establishment of the communication to C.

8.2.15.2.3 CONFerence (CONF)

The conference controller cannot transfer the conference to another party.

NOTE: Conferees can invoke the ECT service in order to transfer their connection to the conference to another party after that connection has been established.

8.2.15.2.4 Advice Of Charge (AOC)

8.2.15.2.4.0 General

This services does not apply to UE accessing from mobile 3GPP access networks.

8.2.15.2.4.1 Advice Of Charge at communication Set-up (AOC-S)

When party A transfers a communication, AOC-S shall be considered as completed.

For party B and party C, no impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.15.2.4.2 Advice Of Charge During the communication (AOC-D)

When party A transfers a communication and has activated AOC-D, the charge up to that time shall be sent as a subtotal charge for that communication. The AOC-D service shall then be considered as completed.

NOTE: If party A had activated the AOC-D, then party A will receive information separately for both of the communications.

For party B and party C, no impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.15.2.4.3 Advice Of Charge at the End of a communication (AOC-E)

If a party A is charged for the transferred part of the communication and has activated the AOC-E, then either:

- a) the charging information shall be sent to party A when the transferred communication is terminated; or
- b) when the communications are transferred, party A shall be informed that charging information is not available. The AOC-E shall then be considered as completed.

For party B and party C, no impact, i.e. this IMS supplementary service should not affect any other IMS supplementary service.

8.2.15.2.5 Explicit Communication Transfer (ECT)

The ECT service can be invoked simultaneously by any of the parties on an active communication, but this is not regarded as a normal situation. The network shall not explicitly prevent this occurring.

Therefore, both parties (party A and party B) in a normal communication, who have each subscribed to the ECT service, can simultaneously transfer the communication. That is, if party A and party B are involved in a communication on which the connection has been established, party A can transfer the communication to party C and party B can transfer the communication to another party.

NOTE: Mechanisms which prevent the ECT service from resulting in a connection which contains no parties able to terminate the communication may result in rejection of simultaneous requests to invoke the ECT service by the parties involved in the communication.

8.2.15.3 Interoperability with PSTN/ISDN and CS mobile networks

No restrictions.

8.2.16 Reverse charging

8.2.16.1 Definition

The reverse charging at communication set up time service allows the terminating party to be charged for the entire communication. Only usage based charges can be applied to the terminating party. The service shall be requested by the originating party at communication set up time. The terminating party must receive an explicit indication of a reverse charge communication request.

This service description is based on the service description described in [E-19].

8.2.16.2 Service interactions with other IMS supplementary services

None.

8.2.16.3 Interoperability with PSTN/ISDN

The IMS Multimedia Telephony service shall support the interoperability of Reverse Charging with the PSTN/ISDN and vice-versa.

8.2.17 Closed User Group (CUG)

8.2.17.1 Definition

The CUG service enables users to form groups of members, whose communication profile is restricted for incoming and outgoing communications. Members of a specific CUG can communicate among themselves but not, in general, with users outside the group.

Specific CUG members can have additional capabilities that allow them to initiate outgoing communications to users outside the group, and/or to accept incoming communications from users outside the group. Specific CUG members can have additional restrictions that prevent outgoing communications to other members of the CUG, or prevent incoming communications from other members of the CUG.

A closed user group consists of a number of members from one or more public, and/or private networks. Identification of each member shall be according to the requirements in [8]. A specific user may be a member of one or more CUGs. Subscription to a closed user group shall be defined for all communication services, or in relation to one, or to a list of communication services.

This service description is based on the ISDN service description described in [E-22].

8.2.17.2 Service interactions with other IMS supplementary services

8.2.17.2.1 Diversion services

8.2.17.2.1.1 Communication Forwarding Unconditional (CFU)

CUG restrictions shall be checked and met for the communication between the originating party and the forwarding party. The information of a CUG applied by the IMS Multimedia Telephony service on the original communication shall be used for the communication forwarding and by this means CUG restrictions shall be checked and met for the communication between the originating party and the forwarded-to party.

In the case of multiple forwarding, CUG restrictions between the originating party and the forwarding party have to be checked and met at each intermediate forwarding point. In addition, CUG restrictions between the originating party and forwarded-to party shall be met end-to-end.

The outgoing communication barring information of the forwarding party shall not be used to determine whether the communication can be forwarded.

The CUG information sent to the "forwarded-to" destination shall the same CUG information of the originating party that was sent from the originating network.

8.2.17.2.1.2 Communication Forwarding Busy (CFB)

See interactions with CFU 8.2.17.2.1.1

8.2.17.2.1.3 Call Forwarding No Reply (CFNR)

See interactions with CFU 8.2.17.2.1.1

NOTE: CUG restrictions were checked and met for the communication between the originating party and the forwarding party when the communication was offered to the forwarding party.

8.2.17.2.1.4 Communication Forwarding on Not Logged-in (CFNL)

See interactions with CFU 8.2.17.2.1.1

8.2.17.2.1.5 Communication Forwarding on Subscriber Not Reachable (CFNRc).

See interactions with CFU 8.2.17.2.1.1

8.2.17.2.1.6 Communication Deflection (CD)

The information of a CUG applied on the original communication shall be used for the deflected part of the communication and by this means CUG restrictions shall be checked and met for the communication between the originating party and the deflected-to party.

In the case of multiple deflections, CUG restrictions between the originating party and the deflecting party have to be checked and met at each intermediate deflecting point. In addition, CUG restrictions between the originating party and deflected-to party shall be met end-to-end.

When a communication is deflected, a new check of the CUG restrictions between the originating party and the deflected-to party is made at the "deflected-to" destination. The CUG information sent to the "deflected-to" destination is the same CUG information of the originating party that was sent from the originating network.

The outgoing communication barring information of the deflecting party shall not be used to determine whether the communication can be deflected.

NOTE: CUG restrictions were checked and met for the communication between the originating party and the deflecting party when the communication was offered to the deflecting party.

8.2.17.2.2 Explicit Communication Transfer (ECT)

The two communications shall use the same CUG for the transfer to be successful.

NOTE: CUG restrictions between users will have been checked when the first communication is established. Similarly, CUG restrictions between users will have been checked when establishing the second communication.

8.2.17.2.3 Three-Party (3PTY)

For the successful invocation of the three party service any CUG restrictions applied to one communication shall match with any CUG restrictions applied to the other communication.

8.2.17.2.4 CONFerence (CONF)

When the communication involving the first conferee is added to the conference, then the conference shall assume the CUG of that communication.

In order to add a subsequent communication to the conference, then the CUG of that communication shall be checked against the CUG of the conference.

8.2.17.3 Interoperability with PSTN/ISDN

The IMS Multimedia Telephony service shall support the interoperability of the CUG service with the PSTN/ISDN and vice versa.No restrictions.

8.2.18 Three-Party (3PTY)

8.2.18.1 Definition

The 3PTY service enables a user to establish, participate in and control a simultaneous communication involving a number of users.

The 3PTY service can be invoked by the served user who is involved in at least two calls (one active communication and at least one held communication), each of which may be an incoming or outgoing communication.

The connections shall be established on each of the two communications prior to the invocation of the 3PTY service.

3PTY communication setup is equivalent to a three party conference created on request of the served user from existing communication sessions, this is equivalent to three party conference creation in CONF, For this reason 3PTY can be seen as a special case of CONF and most of service interactions for CONF apply also to 3PTY.

This service description is based on the service description described in [E-21].

8.2.18.2 Service interactions with other IMS supplementary services

8.2.18.2.1 Terminating Identification Presentation (OIR)

See subclause 8.2.13.2.4, noting that 3PTY is a special case of CONF.

8.2.18.2.2 Terminating Identification Restriction (TIR)

See subclause 8.2.13.2.5, noting that 3PTY is a special case of CONF.

8.2.18.2.3 Three-Party (3PTY)

A, B and C are in a three-way conversation that was created by B invoking the 3PTY service. A can create a second three-way conversation involving the original three-way conversation and D by invoking the 3PTY service.

8.2.18.2.4 CONFerence (CONF)

A, B and C are involved in a conference that was created by B invoking the CONF service. A can create a three-way conversation involving the original conference call and D by invoking the 3PTY service.

NOTE: It is FFS whether there is a conflict with the requirement expressed by 8.2.13.2.2, considering that 3PTY is just a special case of CONF.

8.2.18.3 Interoperability with PSTN/ISDN

The IMS Multimedia Telephony service shall support the interoperability of the 3PTY service with PSTN/ISDN supplementary service 3PTY and vice-versa. The scope of this interworking may result in a limited service capability.

8.2.19 Flexible Alerting (FA)

8.2.19.1 Definition

Flexible Alerting (FA) causes a call to a Pilot Identity to branch the call into several legs to alert several FA group members simultaneously. The first leg to be answered is connected to the calling party. The other call legs are abandoned.

FA group members are alerted by dialling the public addressable identity (e.g. Public User Identity) associated with the FA group (i.e., a E.164 number or a SIP URI), which is referred to as the Pilot Identity. The Pilot Identity maps to a set of public addressable identities (e.g. PUI or GRUU) where each identity references a member of the FA group. The FA group consists of a list of identities, and can be configured by the user or the operator.

In FA, there are two configuration options for busy indication: Single User Busy, and Multiple User Busy. The configuration of the option for a particular FA group shall be performed by the operator.

- For Single User Busy, the FA Group returns a busy indication if any group member indicates busy before the call is answered.

- For Multiple User Busy, the FA Group returns a busy indication if all accessible members indicate busy.

8.2.19.2 Service interactions with other IMS supplementary services

8.2.19.2.1 Identification services

8.2.19.2.1.1 Terminating Identification Presentation (TIP)

If an originating call from a user has TIP activated, the termination identification is the FA Pilot Identity.

8.2.19.2.1.2 Terminating Identification Restriction (TIR)

If the FA Pilot Identity has TIR activated, the termination identification is not presented.

8.2.19.2.1.3 Originating Identification Presentation (OIP)

If the FA Pilot Identity has OIP activated, incoming calls to the FA Pilot Identity apply OIP to the members of the FA group.

8.2.19.2.1.4 Originating Identification Restriction (OIR)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.19.2.2 Diversion services

8.2.19.2.2.1 Communication Forwarding Unconditional (CFU)

CFU takes precedence over FA. CFU of the FA Pilot Identity shall apply to calls to the Pilot Identity when CFU is active.

CFU for the FA pilot identity takes precedence over CFU of the individual FA members. That is, if both the FA pilot identity and an FA member have CFU active, CFU treatment is determined by the FA pilot identity.

8.2.19.2.2.2 Communication Forwarding Busy (CFB)

CFB of the FA Pilot Identity shall apply to calls to the Pilot Identity when CFB is active and the FA group is considered to be busy.

CFB for the FA pilot identity takes precedence over CFB of the individual FA members. That is, if both the FA pilot identity and an FA member have CFB active, CFB treatment is determined by the FA pilot identity.

8.2.20 Personal Network Management (PNM)

8.2.20.1 Definition

Personal Network Management (PNM) as specified in TS22.259 allows a user to manage her UEs in regard to terminating services according to preferences set by the user, capabilities and availabilities of devices.

Note: Fixed network terminals could become subject of PNM

8.2.20.2 Service interactions with other IMS supplementary services

Invocation of supplementary services for terminating services applicable to the active UE take precedence over invocation of supplementary service applicable to the called UE. There is no impact on specified interaction among supplementary services once invoked.

There is no impact on the registration, erasure, activation, deactivation and interrogation of supplementary services.

8.2.21 Customized Alerting Tone (CAT)

8.2.21.1 Definition

The Customized Alerting Tone Service (CAT service) is an operator specific service by which an operator enables the subscriber to customize the alerting tone which is played to the calling party. The requirements for CAT within IMS shall be as described in [9].

8.2.21.2 Service interactions with other IMS supplementary services

8.2.21.2.1 Identification services

8.2.21.2.1.1 Originating Identification Restriction (OIR)

The interaction between CAT and the OIR supplementary services shall be as described in [9].

8.2.21.2.1.2 Terminating Identification Restriction (TIR)

The interaction between CAT and the TIR supplementary services shall be as described in [9].

8.2.21.2.2 Diversion services

8.2.21.2.2.1 Communication Forwarding Unconditional (CFU)

The interaction between CAT and the CFU supplementary services shall be as described in [9].

8.2.21.2.2.2 Communication Forwarding Busy (CFB)

The interaction between CAT and the CFU supplementary services shall be as described in [9].

8.2.21.2.2.3 Communication Forwarding on Not Reachable (CFNRc)

The interaction between CAT and the CFNRc supplementary services shall be as described in [9]

8.2.21.2.2.4 Communication Forwarding No Reply (CFNR)

The interaction between CAT and the CFNR supplementary services shall be as described in [9].

8.2.21.2.3 Communication Waiting (CW)

The interaction between CAT and the CW supplementary services shall be as described in [9].

8.2.21.2.4 Explicit Communication Transfer (ECT)

The interaction between CAT and the ECT supplementary services shall be as described in [9].

8.2.22 Completion of Communications on No Reply (CCNR)

8.2.22.1 Definition

The CCNR service enables the originating party, encountering a terminating party who does not answer the communication (No Reply), to have the communication completed without having to make a new communication attempt when the terminating party becomes not busy after having initiated an activity.

When the originating party requests the CCNR service, the network will monitor for the terminating party becoming not busy after having initiated an activity.

When the terminating party becomes not busy after having initiated an activity, then the network will wait a short time in order to allow the resources to be re-used for originating a communication. If the resources are not re-used by the terminating party within this time, then the network will automatically recall the originating party.

When the originating party accepts the CCNR recall, then the network will automatically generate a CCNR call to the terminating party.

NOTE: A service provided to the terminating party which prevents the registration of CCNR requests is outside the scope of the present document.

During CCNR recall, information shall be provided which indicates a CCNR recall. The information provided in the original communication attempt shall be included in the CCNR recall.

This service description is based on the service description described in [E-23].

8.2.22.2 Service interactions with other IMS supplementary services

8.2.22.2.1 Identification services

8.2.22.2.1.1 Originating Identification Presentation (OIP)

No impact, i.e. neither service shall affect the operation of the other service.

NOTE: If the originating party accepts a CCNR recall, the resulting CCNR call is a basic communication and the terminating party can receive originating identification presentation.

8.2.22.2.1.2 Originating Identification Restriction (OIR)

No impact, i.e. neither service shall affect the operation of the other service.

NOTE: If the originating party has invoked originating identification restriction and the terminating party accepts a CCNR recall, then the resulting CCNR call is a basic communication and the terminating party will not receive the originating identification of the originating party.

8.2.22.2.1.3 Terminating Identification Presentation (TIP)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.1.4 Terminating Identification Restriction (TIR)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.2 Advice Of Charge services (AOC)

Charging information can be given for the original communication, and for the resulting CCNR communication.

8.2.22.2.3 Communication Waiting (CW)

CCNR requests in the CCNR queue of the terminating party shall only be processed if there are no communications waiting. In other situations there is no impact between the CW and the CCNR service.

8.2.22.2.4 Communication HOLD (HOLD)

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

NOTE 1: When receiving a CCNR recall indication, the originating party may invoke the communication hold service in order to make interface resources available for the establishment of the CCNR communication.

NOTE 2: When the originating party is busy or CCNR busy and is notified that the terminating party is not busy, invocation of the communication hold service will not result in the CCNR communication being established.

8.2.22.2.5 Explicit Communication Transfer (ECT)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.6 Closed User Group (CUG)

Closed user group information from the original communication shall also be included in the CCNR communication.

NOTE: Closed user group information is not included in the check for a compatible terminal. If a terminal performs an internal closed user group check and uses the closed user group information provided on a communication to determine whether, or not, to inform the user of the incoming communication, then such a terminal may react positively to the check for a compatible terminal due to the absence of closed user group information, but due to the internal closed user group check such a terminal may then not inform the user of the arrival of the resulting CCNR call.

8.2.22.2.7 Completion of communications services

8.2.22.2.7.1 Completion of Communications to Busy Subscriber (CCBS)

A user can be both an originating party and a terminating party simultaneously, i.e. that user can have activated the CCNR service or the completion of communications to busy subscriber (CCBS) service and have CCNR requests or CCBS requests outstanding whilst at the same time that user can be the destination of CCNR requests or CCBS requests from other users.

CCBS requests and CCNR requests against the same terminating party shall be queued in the same queue.

If a user receives a CCNR recall or CCBS recall (i.e. as originating party) while that user's queue as terminating party is being processed, then the CCNR recall or CCBS recall shall take priority over the handling of that user's queue. The handling of CCNR requests and CCBS requests activated by this user (i.e. as originating party) shall have priority over the handling of CCNR requests and CCBS requests activated by other users on this user (i.e. as terminating party).

If one of the user's CCNR requests can be processed, then this user (see first paragraph) shall be given a CCNR recall or notification as described in [E-23] clause 5. The served user's terminating party idle guard timer, if running, shall be cancelled. The processing of CCBS requests shall be according to the requirements of the CCBS supplementary service.

If a network supports the option to retain CCNR requests (see [E-23] subclause 5.3.3.1 b)), then CCBS requests shall be retained when a CCBS call encounters a busy destination.

If the network checks for identical requests in the user's queue, the check shall include both CCNR requests and CCBS requests.

If an originating party has a CCBS recall pending on arrival of a CCNR recall, this should be treated in the same way as in the case where the originating party is CCNR busy (see [E-23] subclause 5.2.3 and subclause 5.3.3.2 b)).

8.2.22.2.7.2 Completion of Communications on No Reply (CCNR)

A user can be both a originating party and a terminating party simultaneously, i.e. that user can have activated the CCNR service and have CCNR requests outstanding whilst at the same time that user can be the destination of CCNR requests from other users.

If a user receives a CCNR recall while that user's CCNR queue as terminating party is being processed, then the CCNR recall shall take priority over the handling of the CCNR queue. The handling of CCNR requests activated by this user shall have priority over the handling of CCNR requests activated by other users on this user.

If one of the user's CCNR requests can be processed as a result, then this user (see first paragraph) shall be given a CCNR recall or notification as described in [E-23] clause 5. The served user's terminating party idle guard timer, if running, shall be cancelled.

8.2.22.2.8 CONFerence (CONF)

No impact, i.e. neither supplementary service shall affect the operation of the other supplementary service.

8.2.22.2.9 Communication DIVersion (CDIV)

8.2.22.2.9.1 General

CCNR recalls shall not be diverted. They shall be given to the originating party at the originating party's original location.

8.2.22.2.9.2 Communication Forwarding Unconditional (CFU)

For CFU activated by user B before user A requests CCNR:

- If user B has activated CFU, and the forwarded communication results in a communication completion on no reply condition at user C, user A shall be informed that CCNR is possible at user C. If user A activates CCNR and subsequently activates CFU, the CCNR recall shall be given to user A at his original location. As a network option, in case of a diversion at user B, user A shall not be informed that CCNR is possible.

For CFU activated by user B after user A requests CCNR on user B:

- If user B activates CFU after user A has activated CCNR on user B, then the CCNR request shall be cancelled and a notification "CCNR cancelled" shall be sent to the user A. As a network option, the CCNR request shall be suspended until user B deactivates CFU. If the service duration timer expires before user B deactivates CFU, the CCNR request shall be cancelled.

8.2.22.2.9.3 Communication Forwarding Busy (CFB)

For CFB activated by user B before user A requests CCNR:

- If user B has activated the communication forwarding busy service and is busy, and the forwarded communication results in a call-completion on no reply condition at user C, user A shall be informed that CCNR is possible at user C.

For CFB activated by user B after user A requests CCNR on user B:

- If user B activates the communication forwarding busy service after user A has activated the CCNR service on user B, the communication forwarding busy service shall not be invoked for the CCNR communication.

8.2.22.2.9.4 Communication Forwarding No Reply (CFNR)

For CFNR activated by user B before user A requests CCNR:

- If user B has activated the communication forwarding on no reply service and does not answer the communication, and the forwarded communication results in a communication-completion on no reply condition at user C, user A shall be informed that CCNR is possible at user C.
As a network option, user A shall be informed that CCNR at user B is possible.

For CFNR activated by user B after user A requests CCNR on user B:

- If user B activates the communication forwarding on no reply service after user A has activated the communication forwarding on no reply service on user B, a CCNR communication from user A which encounters a no reply condition at user B shall be treated as follows:
 - the procedures of CCNR shall be applied; or
 - the communication shall be forwarded as a normal communication.

8.2.22.2.9.5 Communication Forwarding on Not Logged in (CFNL)

For CFNL activated by user B before user A requests CCNR:

- If user B has activated the communication forwarding not registered service and is not logged in, and the forwarded communication results in a communication completion on no reply condition at user C, user A shall be informed that CCNR is possible at user C.
As a network option, user A shall be informed that CCNR at user B is possible.

For CFNL activated by user B after user A requests CCNR on user B:

- If user B activates the communication forwarding not registered service after user A has activated CCNR on user B, then the CC request shall be cancelled and a notification "CCNR cancelled" shall be sent to the user A.
As a network option, the CCNR request shall be suspended until user B deactivates CFNL. If the service duration timer expires before user B deactivates CFNL, the CCNR request shall be cancelled.

8.2.22.2.9.6 Communication Deflection (CD)

For the originating user A:

- If a communication to the called user B is deflected to user C by the CD service and results in a communication completion on no reply condition at user C, user A shall be informed that CCNR is possible at user C. A CCNR recall shall not be deflected.

For the called user B:

- A CCNR call shall not be deflected.

8.2.22.2.10 Malicious Communication IDentification (MCID)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.11 Anonymous Communication Rejection and Communication Barring (ACR/CB)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.12 Message Waiting Indication (MWI)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.13 Flexible Alerting (FA)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.2.14 Customized Alerting Tones (CAT)

No impact, i.e. neither service shall affect the operation of the other service.

8.2.22.3 Interoperability with PSTN/ISDN

The IMS Multimedia Telephony service shall support the interoperability of the CCNR service with PSTN/ISDN Supplementary Service CCNR and vice-versa. The scope of this interworking may result in a limited service capability.

8.3 Concepts associated with IMS supplementary services

Provision, Withdrawal, Registration, Erasure, Activation, Deactivation and Invocation shall be as defined in [5].

Users shall be able to register, activate, deactivate, withdraw, interrogate and reconfigure IMS supplementary services via the UE, or web portals.

8.4 Use of authorization option in relation to IMS supplementary services

8.4.1 Definition

Some IMS supplementary services (e.g. communication session barring) can be offered to a user with the subscription option of authorization to control the service. When this option is selected, every action (related to that IMS supplementary service), such as registration, erasure, activation or deactivation is performed by the user with concurrent authentication.

8.4.2 Description

When the subscription option authorized control of a IMS supplementary service is provided, authentication handling is supported by the network.

8.4.3 Management - normal procedures and successful outcome

8.4.3.1 Provision of authorization

Each IMS supplementary service which requires authorization to control this service may be offered with the subscription option authorized control of the IMS supplementary service. The values of this option may be:

- user authentication;
- by the service provider.

8.4.3.2 Withdrawal of authorization

Authorization may be withdrawn for administrative reasons or due to subscription modification.

8.4.3.3 Authentication requirements

The network shall provide, and allow the user to maintain, the authentication credentials.

Annex A (informative): General terminal guidelines

A.1 Service state indication

It is considered useful to indicate to the user the current state, notably the activated state of those services which can lead to communications not being offered. For example, an active CFU results in no communication being presented.

Generally speaking any "not usual" state of a service should be indicated on the terminal: CFU activated, CW deactivated, OIR in permanent mode activated, etc.

In the case of services which can be remotely controlled from another terminal or a server, the terminal should receive this information from the network.

Annex B (informative): Service interactions table

Table B.1 summarizes the service interactions between pairs of IMS supplementary services, as identified in section 8 of this document.

Each case of the table represents the scenario where services on the horizontal row heading are invoked when services on the vertical column heading are already active.

The case is filled with one of three possible options: character "Y " indicates interaction has been identified between the corresponding service pair and described in the present document, character "N" indicates no interaction has been identified and no information is provided in the present document, "-" is for scenarios which are not applicable.

Table B.1: Identified service interactions between pairs of IMS supplementary services

| | OIP | OIR | TIP | TIR | MID | AC | CFU | CFB | CFNR | CFNL | CD | CFNRc | CW | HOLD | CB | CCBS | MWI | CONF | AOC | ECT | RC | CUG | 3PTY |
|--|-----|-----|-----|-----|-----|----|-----|----------|------|------|----|-------|----------|------|----|------|-----|------|-----|-----|----|-----|------|
| Originating Identification Presentation (OIP) | - | Y | N | N | N | Y | Y | Y | Y | Y | Y | Y | Y | N | N | N | N | N | N | N | N | N | N |
| Originating Identification Restriction (OIR) | Y | - | N | N | N | Y | Y | Y | Y | Y | Y | Y | N | N | N | N | N | N | N | N | N | N | N |
| Terminating Identification Presentation (TIP) | N | N | - | Y | N | N | Y | Y | Y | Y | Y | Y | N | N | N | N | N | N | N | N | N | N | N |
| Terminating Identification Restriction (TIR) | N | N | Y | - | N | N | Y | N | N | N | N | N | N | N | N | N | N | N | N | Y | N | N | N |
| Malicious Communication Identification (MCID) | N | N | N | N | - | N | Y | N | Y | N | Y | Y | N | N | N | N | N | N | N | N | N | N | N |
| Anonymous Communication Rejection (ACR) | N | N | N | N | N | - | Y | Y | Y | Y | N | Y | Y | N | N | Y | N | N | N | N | N | N | N |
| Communication Forwarding Unconditional (CFU) | Y | Y | Y | N | N | Y | - | Y | Y | Y | Y | Y | N | N | Y | Y | Y | N | Y | N | N | Y | N |
| Communication Forwarding Busy (CFB) | Y | Y | Y | N | N | Y | Y | - | N | N | Y | Y | see note | N | Y | Y | Y | N | Y | N | N | Y | N |
| Communication Forwarding No Reply (CFNR) | Y | Y | Y | N | Y | Y | Y | N | - | N | N | N | Y | N | Y | Y | Y | N | Y | N | N | Y | N |
| Communication Forwarding on Not Logged-In (CFNL) | Y | Y | Y | N | N | Y | Y | N | N | - | N | N | N | N | Y | Y | Y | N | Y | N | N | Y | N |
| Communication Deflection (CD) | Y | Y | Y | N | Y | Y | Y | Y | N | N | - | N | Y | N | Y | Y | Y | N | Y | N | N | Y | N |
| Communication Forwarding on Subscriber Not Reachable (CFNRc) | Y | Y | Y | N | Y | Y | Y | Y | N | N | N | - | Y | N | Y | Y | Y | N | N | N | N | Y | N |
| Communication Waiting (CW) | Y | N | N | N | N | Y | N | see note | Y | N | Y | Y | - | N | N | Y | N | N | N | N | N | N | N |
| Communication Hold (HOLD) | N | N | N | N | N | N | N | N | N | N | N | N | N | - | N | N | N | N | N | N | N | N | Y |
| Communication Barring (CB) | N | N | N | N | N | N | Y | Y | Y | Y | Y | Y | N | N | - | Y | N | N | N | Y | N | N | N |
| Completion of Communications to Busy Subscriber (CCBS) | N | N | N | N | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | Y | N | N | N | N |
| Message Waiting Indication (MWI) | N | N | N | N | N | N | Y | Y | Y | Y | N | Y | N | N | N | N | - | N | N | N | N | N | N |
| Conference (CONF) | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | Y | Y | Y | N | Y | N |
| Advice of Charge (AOC) | N | N | N | N | N | N | Y | Y | Y | Y | Y | N | N | N | N | Y | N | Y | - | N | N | N | N |

| | OIP | OIR | TIP | TIR | MID | AC | CFU | CFB | CFNR | CFNL | CD | CFNRc | CW | HOLD | CB | CCBS | MWI | CONF | AOC | ECT | RC | CUG | 3PTY |
|---------------------------------------|-----|-----|-----|-----|-----|----|-----|-----|------|------|----|-------|----|------|----|------|-----|------|-----|-----|----|-----|------|
| Explicit Communication Transfer (ECT) | N | Y | N | N | Y | N | N | N | N | N | N | N | N | N | Y | N | N | Y | Y | Y | N | Y | N |
| Reverse Charging (RC) | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N | - | N | N |
| Closed User Group (CUG) | N | N | N | N | N | N | Y | Y | Y | Y | Y | Y | N | N | N | N | N | Y | N | Y | N | - | N |
| Three-Party (3PTY) | N | N | N | N | N | N | N | N | N | N | N | N | N | Y | N | N | N | N | N | N | N | Y | Y |

NOTE: It is not permitted to have both CW and CFB active at the same time for a particular user.

Annex C (normative): IMS Multimedia Telephony supplementary services applicable to the fixed access

The following services have been split into 3 categories applicable to CEPT members:

- **Mandatory services:** selected services that must form the basis of any set of services considered applicable to IMS Multimedia Telephony service. These are considered to meet the requirements of regulation concerning the processing of personal data and the protection of privacy in the electronic communications sector.
- **Recommended services:** selected services that offer service providers with a transition from CS mobile and fixed services to IMS Multimedia Telephony service.
- **Optional services:** other services.

Mandatory services

Originating Identification Presentation (OIP)
Originating Identification Restriction (OIR)
Terminating Identification Presentation (TIP)
Terminating Identification Restriction (TIR)
Malicious Communication Identification (MCID)
Anonymous Communication Rejection (ACR)

Recommended services

Communication DIVersion (CDIV)
Communication Waiting (CW)
Communication HOLD (HOLD)
Communication Barring (CB)
Completion of Communications to Busy Subscriber (CCBS)
Completion of Communications on No Reply (CCNR)
Message Waiting Indication (MWI)

Optional services

CONference (CONF)
Advice Of Charge (AOC)
Explicit Communication Transfer (ECT)
Reverse charging
Closed User Group (CUG)
Three-Party (3PTY)

Annex D (normative): IMS Multimedia Telephony supplementary services applicable to the mobile 3GPP access

Only these services apply to UEs using a mobile 3GPP access:

- Originating Identification Presentation (OIP)
- Originating Identification Restriction (OIR)
- Terminating Identification Presentation (TIP)
- Terminating Identification Restriction (TIR)
- Communication Diversion (CDIV)
- Communication Hold (HOLD)
- Communication Barring (CB)
- Message Waiting Indication (MWI)
- Conference (CONF)
- Explicit Communication Transfer (ECT)

NOTE: Communication Waiting service may be provided entirely by means of a equivalent features in the UE. In this case this service does not need to be supported by the network.

Additionally, EN 301 082 (OCB-fixed) does not apply to 2G and 3G Mobile terminals, for which the functionality is specified by means of Operator Determined Barring [6] and not through supplementary services.

Annex Da (normative): Network determined user busy.

The capability of network determined user busy is a network option.

The network may determine busy conditions at the time an incoming IMS Multimedia Telephony session is about to be offered.

The conditions for network determined user busy are identified, on a per subscription basis, based on the availability of limited resources assigned to the terminating user, or due to other information such as presence.

The conditions for network determined "user busy" include:

- the maximum number of total communications permitted has been reached;
- the maximum number of simultaneous media streams supported at the given subscriber's interface(s) has been reached;
- the maximum bandwidth supported at the given subscriber's interface(s) has been reached.
- subscriber making himself 'busy' in a subscriber profile, involved in the incoming multimedia telephony session.

The network determined user busy condition may be used to trigger certain services (e.g. Call Forwarding on Busy, Call Waiting on Busy), or reject the session, or both. If the session rejection is propagated back to the originator, a "user busy" indication must be provided as the cause of the rejection.

In addition, a further condition, "approaching network determined user busy" that is related to the Network determined user busy condition, may be provided. This condition may be used to trigger certain services (e.g. Call Waiting). However, this condition is not a busy condition and shall not cause a "user busy" indication being sent towards the session originator.

The conditions for approaching network determined user busy are identified, on a per subscription basis, based on the availability of limited resources assigned to the terminating user.

The conditions for approaching network determined user busy include:

- a pre-determined number, or less, of communications are available (i.e. the maximum number of communications minus the current number); or
- a pre-determined number, or less, of simultaneous media streams available (i.e. the maximum number of simultaneous media streams minus the current number); or
- a certain limit in the bandwidth used at the given subscriber's interface(s) has been reached.

Annex E (informative): Bibliography references

In chapter 8 several informative references are given to provide a more complete understanding of the stage 1 definition of the IMS supplementary services developed in this TS.

These references shall be intended as general guidelines given to integrate the service descriptions of this document and are exclusively intended to be applicable in relation to stage 1 aspects. Stage 3 of Multimedia Telephony service is defined exclusively in [7].

- [E-1] ETSI ETS 300 200: "Integrated Services Digital Network (ISDN); Call Forwarding Unconditional (CFU) supplementary service; Service description".
- [E-2] ETSI EN 300 199 (V1.2.1): "Integrated Services Digital Network (ISDN); Call Forwarding Busy (CFB) supplementary service; Service description".
- [E-3] ETSI EN 300 201 (V1.2.1): "Integrated Services Digital Network (ISDN); Call Forwarding No Reply (CFNR) supplementary service; Service description".
- [E-4] ETSI ETS 300 202: "Integrated Services Digital Network (ISDN); Call Deflection (CD) supplementary service; Service description".
- [E-5] ETSI ETS 300 056: "Integrated Services Digital Network (ISDN); Call Waiting (CW) supplementary service; Service description".
- [E-6] ETSI ETS 300 139: "Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service; Service description".
- [E-7] ETSI ETS 300 183: "Integrated Services Digital Network (ISDN); Conference call, add-on (CONF) supplementary service; Service description".
- [E-8] ETSI ETS 300 164: "Integrated Services Digital Network (ISDN); Meet-Me Conference (MMC) supplementary service; Service description".
- [E-9] ETSI EN 300 357 (V1.2.1): "Integrated Services Digital Network (ISDN); Completion of Calls to Busy Subscriber (CCBS) supplementary service; Service description".
- [E-10] ETSI ETS 300 178: "Integrated Services Digital Network (ISDN); Advice of Charge: charging information at call set-up time (AOC-S) supplementary service; Service description".
- [E-11] ETSI ETS 300 179: "Integrated Services Digital Network (ISDN); Advice of Charge: charging information during the call (AOC-D) supplementary service; Service description".
- [E-12] ETSI ETS 300 180: "Integrated Services Digital Network (ISDN); Advice of Charge: charging information at the end of the call (AOC-E) supplementary service; Service description".
- [E-13] ETSI EN 300 650 (V1.2.1): "Integrated Services Digital Network (ISDN); Message Waiting Indication (MWI) supplementary service; Service description".
- [E-14] ETSI EN 301 798 (V1.1.1): "Services and Protocols for Advanced Networks (SPAN); Anonymous Call Rejection (ACR) Supplementary Service; Service description".
- [E-15] ETSI EN 301 082 (V2.1.1): "Integrated Services Digital Network (ISDN); Outgoing Call Barring-Fixed (OCB-F) supplementary service; Service description".
- [E-16] ETSI EN 301 084 (V2.1.1): "Integrated Services Digital Network (ISDN); Outgoing Call Barring-User Controlled (OCB-UC) supplementary service; Service description".
- [E-17] ETSI ETS 300 094 V2.1.1 (2000-06): "Integrated Services Digital Network (ISDN); Connected Line Identification Presentation (COLP); supplementary service; Service description".
- [E-18] ETSI EN 300 367 V1.2.1 (1998-10): "Integrated Services Digital Network (ISDN); Explicit Call Transfer (ECT) supplementary service; Service description".

- [E-19] ITU-T Recommendation I.256.3 (08/92): "Integrated Services Digital Network (ISDN); general structure and service capabilities; Reverse Charging".
- [E-20] ETSI ETS 300 095 ed.1 (1992-01): "Integrated Services Digital Network (ISDN); Connected Line Identification Restriction (COLR) supplementary service; Service description".
- [E-21] ETSI ETS 300 186 ed.1 (1993-07): "Integrated Services Digital Network (ISDN); Three-Party (3PTY) supplementary service; Service description".
- [E-22] ETSI ETS 300 136 (March 1992): "Integrated Services Digital Network (ISDN); Closed User Group (CUG) supplementary service; Service description".
- [E-23] ETSI EN 301 134 (October 1998): "Integrated Services Digital Network (ISDN); Completion of Calls on No Reply (CCNR) supplementary service; Service description".

Annex F (informative): Change history

| Change history | | | | | | | | | | | |
|----------------|-----------|-----------|--------|------|-----|-------|-----|--|-------|-------|--------------|
| TSG SA# | SA Doc. | SA1 Doc | Spec | CR | Rev | Rel | Cat | Subject/Comment | Old | New | WI |
| 2006-02 | | | 22.173 | | | | | First skeleton | | 0.0.1 | |
| 2006-02 | | SA1#31 | 22.173 | | | | | Updated with text from TR 22.973 v1.1.0 | 0.0.1 | 0.1.0 | |
| SP-31 | | | 22.173 | | | | | Agreed to be sent to SA #31 for information | 0.1.0 | 1.0.0 | |
| 2006-04 | SA1#32 | S1-060549 | 22.173 | | | | | Update at SA1#32, including S1-060386, S1-060509, S1-060547, S1-060543. | 1.0.0 | 1.1.0 | |
| 2006-04 | SA1#32 | S1-060628 | 22.173 | | | | | Raised to 2.0.0 for presentation to SA #32 | 1.1.0 | 2.0.0 | |
| 2006-06 | SP-32 | SP-060310 | 22.173 | - | - | | | Approved at SA #32 | 2.0.0 | 7.0.0 | |
| 2006-10 | SP-33 | SP-060471 | 22.173 | 0001 | - | | | CR to 22.173 to remove the editor's note in the Conf supplementary service | 7.0.0 | 7.1.0 | MITe |
| 2006-10 | SP-33 | SP-060471 | 22.173 | 0002 | - | | | Requirements of setting the priority of IMS supplementary services | 7.0.0 | 7.1.0 | MITe |
| SP-34 | SP-060761 | S1-061400 | 22.173 | 0003 | - | Rel-7 | F | AI33-01; removal of requirement to align supplementary service requirements | 7.1.0 | 7.2.0 | MITE |
| SP-34 | SP-060761 | S1-061436 | 22.173 | 0005 | - | Rel-7 | F | Clarification on media components | 7.1.0 | 7.2.0 | MTSI-REQ |
| SP-35 | SP-070117 | S1-070250 | 22.173 | 0006 | 1 | Rel-7 | F | Clarification on supplementary services | 7.2.0 | 7.3.0 | MTSI-REQ |
| SP-37 | SP-070660 | S1-071293 | 22.173 | 0008 | 4 | Rel-8 | B | TISPAN MMTEL R8 for Common IMS | 7.3.0 | 8.0.0 | TISMMTE L-R8 |
| SP-38 | SP-070846 | S1-071788 | 22.173 | 0011 | 1 | Rel-8 | B | Network determined user busy | 8.0.0 | 8.1.0 | CIMS8-TIS |
| SP-38 | SP-070847 | S1-071862 | 22.173 | 0010 | 1 | Rel-8 | D | Editorial modifications | 8.0.0 | 8.1.0 | TISMMTE LR8 |
| SP-38 | SP-070847 | S1-071865 | 22.173 | 0013 | 3 | Rel-8 | B | Media Handling Interworking | 8.0.0 | 8.1.0 | TMMTEL |
| SP-39 | SP-080044 | S1-080260 | 22.173 | 0016 | 2 | Rel-8 | B | Flexible Alerting service | 8.1.0 | 8.2.0 | CIMS_3G PP2 |
| SP-39 | SP-080041 | S1-080179 | 22.173 | 0017 | 1 | Rel-8 | F | Addition of a missing requirement from Rel-7 | 8.1.0 | 8.2.0 | TEI8 |
| SP-40 | SP-080297 | S1-080586 | 22.173 | 0019 | 1 | Rel-8 | A | Adding and removing media during a multimedia service session | 8.2.0 | 8.3.0 | TEI7 |
| SP-40 | SP-080307 | S1-080757 | 22.173 | 0020 | 3 | Rel-8 | F | Clarifications on media interworking for IMS Multimedia telephony | 8.2.0 | 8.3.0 | MMTEL-R8 |
| SP-41 | SP-080496 | S1-082407 | 22.173 | 0021 | 2 | Rel-8 | D | Editorial modifications | 8.3.0 | 8.4.0 | TEI8 |
| SP-42 | SP-080770 | S1-083188 | 22.173 | 0032 | 1 | Rel-8 | F | retrieval the settings of IMS supplementary services | 8.4.0 | 8.5.0 | TEI8 |
| SP-42 | SP-080770 | S1-084422 | 22.173 | 0033 | 3 | Rel-8 | F | Changing the attributes of individual media during an IMS Multimedia Telephony communication | 8.4.0 | 8.5.0 | MMTel |
| SP-42 | SP-080770 | S1-083439 | 22.173 | 0036 | 3 | Rel-8 | F | Correction of interaction of SS and emergency callback | 8.4.0 | 8.5.0 | TEI8 |
| SP-42 | SP-080768 | S1-084149 | 22.173 | 0049 | - | Rel-8 | C | Addition of IMS CAT to IMS Multimedia Telephony service | 8.4.0 | 8.5.0 | CIMS_3G PP2 |
| SP-42 | SP-080770 | S1-084423 | 22.173 | 0052 | 2 | Rel-8 | F | Applicability of PNM to MMTel | 8.4.0 | 8.5.0 | MMTel |
| SP-43 | SP-090078 | S1-090045 | 22.173 | 0051 | - | Rel-8 | F | Removing the requirement on call back for emergency call | 8.5.0 | 8.6.0 | TEI8 |
| SP-44 | SP-090372 | S1-091294 | 22.173 | 0053 | 2 | Rel-8 | B | Alignment CR: Completion of Communications on No Reply | 8.6.0 | 8.7.0 | TEI8 |
| SP-46 | SP-090837 | S1-094491 | 22.173 | 0061 | 2 | Rel-8 | F | Correction of CDIV interactions | 8.7.0 | 8.8.0 | TEI8 |
| SP-46 | SP-090846 | S1-094479 | 22.173 | 0060 | 1 | - | - | Correction of section numbering Note: CR submitted only to the Rel-10 version but applies also to Rel-8 | 8.7.0 | 8.8.0 | TEI10 |

| | | | | | | | | | | | |
|-------|-----------|-----------|--------|------|---|-------|---|--------------------------|-------|--------|-----------------|
| SP-54 | SP-110807 | S1-113391 | 22.173 | 0075 | 1 | Rel-8 | F | ACR correction | 8.8.0 | 8.9.0 | IMSTSS |
| SP-64 | SP-140222 | S1-141025 | 22.173 | 0094 | - | Rel-8 | F | Removal of CDIVN service | 8.9.0 | 8.10.0 | TISMMTE L-R8 |

History

| Document history | | |
|-------------------------|--------------|-------------|
| V8.5.0 | January 2009 | Publication |
| V8.6.0 | April 2009 | Publication |
| V8.7.0 | June 2009 | Publication |
| V8.8.0 | January 2010 | Publication |
| V8.9.0 | January 2012 | Publication |
| V8.10.0 | July 2014 | Publication |