ETSI TS 126 406 V6.0.0 (2005-06)

Technical Specification

Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); General audio codec audio processing functions; Enhanced aacPlus general audio codec; Conformance testing (3GPP TS 26.406 version 6.0.0 Release 6)



1

Reference DTS/TSGS-0426406v600

> Keywords GSM, UMTS

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <u>http://portal.etsi.org/tb/status/status.asp</u>

If you find errors in the present document, please send your comment to one of the following services: <u>http://portal.etsi.org/chaircor/ETSI_support.asp</u>

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

> © European Telecommunications Standards Institute 2005. All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members. **TIPHON**TM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members. **3GPP**TM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <u>http://webapp.etsi.org/key/queryform.asp</u>.

3

Contents

Intellectual Property Rights						
Forew	Foreword					
Forew	Foreword4					
1	Scope		5			
2	Normative references .		5			
3 3.1 3.2	Definitions and abbrev Definitions Abbreviations	iations	6 6 6			
4	General		6			
5 5.1 5.2	Decoder conformance AAC-LC and SBR co Parametric Stereo cor	testing nformance testing formance testing	6 6 6			
6 6.1 6.2	Encoder conformance. Floating point encode Fixed point encoder	r	7 7 7			
Anne	x A (normative):	Bitstream test vectors for testing Parametric Stereo decoding	8			
Anne	x B (informative):	Change history	9			
Histor	History10					

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

5

1 Scope

The present document specifies the digital test sequences and conformance criteria for the Enhanced aacPlus audio codec.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] 3GPP TS 26.401: "General audio codec audio processing functions; Enhanced aacPlus general audio codec; General description".
- [2] 3GPP TS 26.403: "General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Advanced Audio Coding (AAC) part".
- [3] 3GPP TS 26.404: "General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Spectral Band Replication (SBR) part".
- [4] 3GPP TS 26.405: "General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Parametric stereo part".
- [5] 3GPP TS 26.410: "General audio codec audio processing functions; Enhanced aacPlus general audio codec; Floating-point ANSI-C code".
- [6] 3GPP TS 26.411: "General audio codec audio processing functions; Enhanced aacPlus general audio codec; Fixed-point ANSI-C code".
- [7] ISO/IEC 14496-4:2004: "Information technology Coding of audio-visual objects -Part 4: Conformance testing".
- [8] ISO/IEC 14496-4:2004/FDAM 8:2004: "Information technology Coding of audio-visual objects -Part 4: Conformance testing – Amendment 8".
- [9] ITU-R Recommendation BS.1387-1: "Method for objective measurements of PErceived Audio Quality (PEAQ)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 26.401 [1], 3GPP TS 26.403 [2], 3GPP TS 26.404 [3], 3GPP TS 26.405 [4], 3GPP TS 26.410 [5] and 3GPP TS 26.411 [6] apply.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AAC-LCAdvanced Audio Coding-Low Complexity audio object typeODGObjective Difference GradePEAQPerceptual Evaluation of Audio QualitySBRSpectral Band Replication

4 General

Conformance testing is an important tool to verify that implementations of Enhanced aacPlus match the relevant specifications. It is also helpful in verifying the proper use of the source code provided in 3GPP TS 26.410 [5] and 3GPP TS 26.411 [6]. Conformance testing focuses on the core algorithm, therefore no criteria are defined for error concealment, downsampling and file I/O.

Clause 5 describes the proposed method of conformance testing for the decoder. Clause 6 discusses encoder conformance.

5 Decoder conformance testing

Decoder conformance for both fixed-point and floating-point implementations shall be tested in accordance with clauses 5.1 and 5.2. Conformance shall be verified by either bit-exact behaviour to the reference output or by meeting the objective criteria defined below. Bit-exact behaviour should be preferred for fixed-point implementations where it can be achieved without undue penalty on computational complexity.

5.1 AAC-LC and SBR conformance testing

Conformance testing for AAC-LC and SBR shall be performed according to the relevant clauses in ISO/IEC 14496-4 [7] and ISO/IEC 14496-4 [8]. The reference output shall be the output created by the respective 3GPP reference code (floating- or fixed-point).

5.2 Parametric Stereo conformance testing

The 3GPP floating-point reference code implementation shall be used as the reference implementation. Conformance of an implementation shall be tested via objective quality assessments, using ITU-R Recommenadtion BS.1387-1 [9]. An Objective Difference Grade comparison between the output of the reference decoder and the output of the decoder implementation under test shall result in a maximum ODG deviation of 0,25 for each single test vector.. The tests shall be run over bitrate configurations of 16 kbit/s, 21 kbit/s and 28 kbit/s, stereo.

The set of test vectors shall be the same as used for characterization testing. The attached zip file "ps_bitstream_testvec.zip" contains the bitstream test vectors, a filename list given in Annex A. The attached zip file "ps_testvec_creation.zip" shall be used to derive the output test vectors. The zip file contains:

• A Win32 precompiled version of the 3GPP floating-point decoder.

• A batch file which calls the reference decoder to produce reference decoded output test vectors for each bitstream test vector.

6 Encoder conformance

6.1 Floating point encoder

No specific routines for floating-point encoder conformance testing are defined. It is recommended to use the floating-point code from 3GPP TS 26.410 [5]. In addition, it is recommended to verify that the implementation meets the criteria defined in clause 6.2 (Fixed-point encoder). If the floating-point code is used for an implementation in mobile equipment, the criteria defined in 6.2 shall be met.

6.2 Fixed point encoder

Conformance of fixed-point encoder implementations for use in mobile equipment shall be verified by bit-exact behaviour to the fixed-point reference code [6], or by meeting the objective criteria defined below, or by performing subjective tests as described below. Fixed-point encoder implementations which are not used in mobile equipment, should meet the conformance criteria defined in this clause.

Bit-exact behaviour should be preferred for fixed-point implementations where it can be achieved without undue penalty on computational complexity.

If an implementer chooses to implement only a mono-encoder functionality (or other functionality FFS), then conformance of only this functionality shall be tested. This shall apply irrespective of the conformance testing method chosen.

Objective criteria FFS.

Subjective tests shall cover the encoder configurations tested during the characterization phase. The requirement for passing the subjective tests is that the encoder under test does not perform worse in a statistically significant sense in any test case when compared to the fixed-point reference encoder. (Further details: FFS).

Annex A (normative): Bitstream test vectors for testing Parametric Stereo decoding

#	Bitstream test vector file name	Bitrate configuration
1	m_cl_x_2_16s.wav	16 kbit/s, stereo
2	m_ot_x_1_16s.wav	16 kbit/s, stereo
3	m_p_x_1_16s.wav	16 kbit/s, stereo
4	m_si_x_1_16s.wav	16 kbit/s, stereo
5	s_cl_2t_1_16s.wav	16 kbit/s, stereo
6	s_cl_2t_2_16s.wav	16 kbit/s, stereo
7	s_cl_mt_1_16s.wav	16 kbit/s, stereo
8	s_no_ft_2_16s.wav	16 kbit/s, stereo
9	sbm_sm_x_1_16s.wav	16 kbit/s, stereo
10	sbm_sm_x_2_16s.wav	16 kbit/s, stereo
11	som_fi_x_2_16s.wav	16 kbit/s, stereo
12	som_ot_x_1_16s.wav	16 kbit/s, stereo
13	m_cl_x_2_21s.wav	21 kbit/s, stereo
14	m_ot_x_1_21s.wav	21 kbit/s, stereo
15	m_p_x_1_21s.wav	21 kbit/s, stereo
16	m_si_x_1_21s.wav	21 kbit/s, stereo
17	s_cl_2t_1_21s.wav	21 kbit/s, stereo
18	s_cl_2t_2_21s.wav	21 kbit/s, stereo
19	s_cl_mt_1_21s.wav	21 kbit/s, stereo
20	s_no_ft_2_21s.wav	21 kbit/s, stereo
21	sbm_sm_x_1_21s.wav	21 kbit/s, stereo
22	sbm_sm_x_2_21s.wav	21 kbit/s, stereo
23	som_fi_x_2_21s.wav	21 kbit/s, stereo
24	som_ot_x_1_21s.wav	21 kbit/s, stereo
25	m_cl_x_2_28s.wav	28 kbit/s, stereo
26	m_ot_x_1_28s.wav	28 kbit/s, stereo
27	m_p_x_1_28s.wav	28 kbit/s, stereo
28	m_si_x_1_28s.wav	28 kbit/s, stereo
29	s_cl_2t_1_28s.wav	28 kbit/s, stereo
30	s_cl_2t_2_28s.wav	28 kbit/s, stereo
31	s_cl_mt_1_28s.wav	28 kbit/s, stereo
32	s_no_ft_2_28s.wav	28 kbit/s, stereo
33	sbm_sm_x_1_28s.wav	28 kbit/s, stereo
34	sbm_sm_x_2_28s.wav	28 kbit/s, stereo
35	som_fi_x_2_28s.wav	28 kbit/s, stereo
36	som_ot_x_1_28s.wav	28 kbit/s, stereo

Annex B (informative): Change history

Change history									
Date	TSG SA#	TSG Doc.	CR	Rev	Subject/Comment	Old	New		
2005-06	28	SP-050242			Approved at TSG SA#28	2.0.0	6.0.0		

History

Document history					
V6.0.0	June 2005	Publication			