



**Universal Mobile Telecommunications System (UMTS);
LTE;
5G;
Management of Quality of Experience (QoE)
measurement collection Integration Reference Point (IRP);
Solution Set (SS) definitions
(3GPP TS 28.309 version 19.0.0 Release 19)**



Reference

RTS/TSGS-0528309vj00

Keywords

5G,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	5
Introduction	6
1 Scope	7
2 References	7
3 Definitions of terms, symbols and abbreviations	8
3.1 Terms.....	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Solution Set definitions	8
Annex A (normative): CORBA Solution Set (SS)	9
A.0 Introduction	9
A.1 Architectural features	9
A.1.0 General	9
A.1.1 Syntax for Distinguished Names (DN).....	9
A.1.2 Notification services.....	9
A.1.3 Push and pull style.....	9
A.1.4 Support multiple notifications in one push operation.....	9
A.1.5 QoE management notification interface	10
A.1.5.0 Introduction.....	10
A.1.5.1 Method push (M)	10
A.2 Mapping	10
A.2.1 Operation and notification mapping	10
A.2.2 Operation parameter mapping	10
A.2.3 Notification parameter mapping.....	12
A.3 Solution Set (SS) definitions	14
A.3.1 IDL definition structure.....	14
A.3.2 IDL specification (file name "QMCIRPConstDefs.idl")	15
A.3.3 IDL specification (file name "QMCIRPSystem.idl").....	16
A.3.4 IDL specification (file name "QMCIRPNotifications.idl").....	18
Annex B (normative): XML definitions	19
B.0 Introduction	19
B.1 Architectural Features	19
B.1.0 General	19
B.1.1 Syntax for Distinguished Names (DN).....	19
B.1.2 Notification services.....	19
B.1.3 IOC definitions	19
B.1.4 Supported W3C specification.....	19
B.2 Mapping	19
B.3 Solution Set (SS) definitions	20
B.3.1 XML definition structure.....	20
B.3.2 XML schema "QMCIRPNotif.xsd"	21
B.3.3 XML schema "QMCIRPIOCs.xsd"	22

Annex C (normative):	SOAP Solution Set	23
C.0	Introduction	23
C.1	Architectural features	23
C.1.0	General	23
C.1.1	Syntax for Distinguished Names (DN).....	23
C.1.2	Notification services.....	23
C.1.3	Supported W3C specifications	23
C.1.4	Prefixes and namespaces	23
C.2	Mapping	24
C.2.1	Operation and notification mapping	24
C.2.2	Operation parameter mapping	24
C.2.3	Notification parameter mapping.....	25
C.3	Solution Set (SS) definitions	26
C.3.1	WSDL definition structure	26
C.3.2	WSDL specification "QMCIRPSystem.wsdl"	26
Annex D (informative):	Change history	31
History		32

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

might not indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

is (or any other verb in the indicative mood) indicates a statement of fact

is not (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management, as identified below:

- TS 28.307: Management of Quality of Experience (QoE) measurement collection Integration Reference Point (IRP); Requirements
- TS 28.308: Management of Quality of Experience (QoE) measurement collection Integration Reference Point (IRP); Information Service (IS)
- **TS 28.309: Management of Quality of Experience (QoE) measurement collection Integration Reference Point (IRP); Solution Set (SS) definitions**

The present document is part of a TS-family which describes the information service necessary for the Telecommunication Management (TM) of 3G systems. The TM principles and TM architecture are specified in 3GPP TS 32.101 [2] and 3GPP TS 32.102 [3].

Quality of Experience (QoE) information collection provides detailed information at session level on a number of UEs. The QoE information from a number of UEs is collected by the management system (e.g. an Operations System (OS) in TMN terminology) for analysis and/or KPI calculations.

1 Scope

The present document specifies the Solution Set definitions for the IRP whose semantics are specified in Management of Quality of Experience (QoE) measurement collection Integration Reference Point (IRP): Information Service (3GPP TS 28.308 [19]). The present document is applicable to UMTS networks and EPS networks.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [3] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [4] 3GPP TS 32.150: "Telecommunication management; Integration Reference Point (IRP) Concept and definitions".
- [5] 3GPP TS 32.442: "Telecommunication management; Trace Management Integration Reference Point (IRP): Information Service (IS)".
- [6] 3GPP TS 32.311: "Telecommunication management; Generic Integration Reference Point (IRP): Requirements".
- [7] 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects".
- [8] 3GPP TS 32.306: "Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Solution Set definitions".
- [9] OMG TC Document telecom/98-11-01: "OMG Notification Service".
(<http://www.omg.org/technology/documents/>)
- [10] 3GPP TS 32.342: "Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Information Service (IS)".
- [11] W3C REC-xml-20001006: "Extensible Markup Language (XML) 1.0 (Second Edition)".
- [12] W3C REC-xmlschema-0-20010502: "XML Schema Part 0: Primer".
- [13] W3C REC-xmlschema-1-20010502: "XML Schema Part 1: Structures".
- [14] W3C REC-xmlschema-2-20010502: "XML Schema Part 2: Datatypes".
- [15] W3C SOAP 1.1 specification (<http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>).
- [16] W3C XPath 1.0 specification (<http://www.w3.org/TR/1999/REC-xpath-19991116>).
- [17] W3C WSDL 1.1 specification (<http://www.w3.org/TR/2001/NOTE-wsdl-20010315>).
- [18] W3C SOAP 1.2 specification (<http://www.w3.org/TR/soap12-part1/>).

[19] 3GPP TS 28.308: "Telecommunication management; Quality of Experience (QoE) measurement collection Integration Reference Point (IRP): Information Service (IS)".

3 Definitions of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in TR 21.905 [1] apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1] and 3GPP TS 32.150 [4].

IRP document version number string (or "IRPVersion"): See 3GPP TS 32.311 [6].

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1], in 3GPP TS 32.150 [4], and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

DN	Distinguished Name
SS	Solution Set

4 Solution Set definitions

The present document defines the following 3GPP QMC Management IRP Solution Set definitions:

- Annex A provides the CORBA Solution Set.
- Annex B provides the XML definitions.
- Annex C provides the SOAP Solution Set.

Annex A (normative): CORBA Solution Set (SS)

A.0 Introduction

This annex contains the CORBA Solution Set for the IRP whose semantics is specified in QoE Management IRP: Information Service (3GPP TS 28.308 [19]).

A.1 Architectural features

A.1.0 General

The overall architectural feature of QMC Management IRP is specified in 3GPP TS 28.308 [19].

A.1.1 Syntax for Distinguished Names (DN)

The format of a Distinguished Name (DN) is defined in 3GPP TS 32.300 [7].

The version of this IRP is represented as a string (see also 3GPP TS 32.311 [6]).

A.1.2 Notification services

Notifications are sent according to the Notification IRP: CORBA SS (see 3GPP TS 32.306 [8]).

The contents of the QMCIRP notifications are defined in the present document.

A.1.3 Push and pull style

OMG Notification Service defines two styles of interaction. One is called push style. In this style, IRPAgent pushes notifications to IRPManager as soon as they are available. The other is called pull style. In this style, IRPAgent keeps the notifications till IRPManager requests for them.

This CORBA SS specifies that support of Push style is Mandatory (M) and that support of Pull style is Optional (O).

A.1.4 Support multiple notifications in one push operation

For efficiency reasons, IRPAgent may send multiple notifications using one single push operation. To pack multiple notifications into one push operation, IRPAgent may wait and not invoke the push operation as soon as notifications are available. To avoid IRPAgent to wait for an extended period of time that is objectionable to IRPManager, IRPAgent shall implement an IRPAgent wide timer configurable by administrator. On expiration of this timer, IRPAgent shall invoke push if there is at least one notification to be conveyed to IRPManager. This timer is re-started after each push invocation.

A.1.5 QoE management notification interface

A.1.5.0 Introduction

OMG CORBA Notification push operation is used to realise the notification of QMCIRP Notifications. All the notifications in this interface are implemented using this `push_structured_event` method.

A.1.5.1 Method push (M)

```
module CosNotifyComm {
...
Interface SequencePushConsumer : NotifyPublish {
void push_structured_events(
in CosNotification::EventBatch notifications)
raises( CosEventComm::Disconnected);
...
}; // SequencePushConsumer
...
}; // CosNotifyComm
```

NOTE 1: The `push_structured_events` method takes an input parameter of type `EventBatch` as defined in the OMG `CosNotification` module (OMG Notification Service [9]). This data type is the same as a sequence of Structured Events. Upon invocation, this parameter will contain a sequence of Structured Events being delivered to IRPManager by IRPAgent to which it is connected.

NOTE 2: The maximum number of events that will be transmitted within a single invocation of this operation is controlled by IRPAgent wide configuration parameter.

NOTE 3: The amount of time the supplier (IRPAgent) of a sequence of Structured Events will accumulate individual events into the sequence before invoking this operation is controlled by IRPAgent wide configuration parameter as well.

NOTE 4: IRPAgent may push `EventBatch` with only one Structured Event.

A.2 Mapping

A.2.1 Operation and notification mapping

QMCIRP: IS 3GPP TS 28.309 [19] defines semantics of operation and notification visible across the QMCIRP. Table A.2.1.1 indicates mapping of these operations and notifications to their equivalents defined in this SS.

Table A.2.1.1: Mapping from IS Operations and Notification to SS equivalents

IS Operations/ notification 3GPP TS 28.308 [19]	SS Method	Qualifier
activateAreaQMCJob	activateAreaQMCJob	M
deactivateQMCJob	deactivateQMCJob	M
listQMCJob	listQMCJob	M
listActivatedQMCJobs	listActivatedQMCJobs	M
notifyNetworkRequestSessionFailure	push_structured_events(See subclause A.1.5.1)	O

A.2.2 Operation parameter mapping

The QMCIRP: IS 3GPP TS 28.308 [19] defines semantics of parameters carried in operations across the QMCIRP. The following tables indicate the mapping of these parameters, as per operation, to their equivalents defined in this SS.

Table A.2.2.1: Mapping from IS activateAreaQMCJob parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iOInstance	KernelCmConstDefs::DN moInstance	M
qoEReference	QmcIRPConstDefs::QoeReference qoeReference	M
qMCTarget	QmcIRPConstDefs::QmcTarget qmcTarget	M
qoECollectionEntityAddress	QmcIRPConstDefs::QoeCollectionEntityAddress qoeCollectionEntityAddress	M
serviceType	QmcIRPConstDefs::ServiceType serviceType	M
areaScope	QmcIRPConstDefs::DNSet	M
pLMNTarget	QmcIRPConstDefs::PLMNTarget pLMNTarget	CM
qMCConfigurationFile	QmcIRPConstDefs::QmcConfigurationFile qmcConfigurationFile	M
unsupportedList	QmcIRPConstDefs::UnsupportedList unsupportedList	M
status	Return value of type QmcIRPConstDefs::Result Exception: ActivateAreaQMCJob NotUniqueQoEReference ManagedGenericIRPSys::InvalidParameter, ManagedGenericIRPSys::ValueNotSupported	M

Table A.2.2.2: Mapping from IS deactivateQMCJob parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iOInstance	KernelCmConstDefs::DN moInstance	M
qoEReference	QmcIRPConstDefs::QoeReference qoeReference	M
qMCTarget	QmcIRPConstDefs::QmcTarget qmcTarget	M
status	Return value of type QmcIRPConstDefs::Result Exception: DeactivateQMCJob NotUniqueQoEReference	M
unsupportedList	QmcIRPConstDefs::UnsupportedList unsupportedList	M

Table A.2.2.3: Mapping from IS listQMCJob parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iOInstance	KernelCmConstDefs::DN moInstance	M
status	Return value of type QmcIRPConstDefs::Result Exception: ListQMCJob NotUniqueQoEReference	M
qoEReference	QmcIRPConstDefs::QoeReference qoeReference	M
qMCTarget	QmcIRPConstDefs::QmcTarget qmcTarget	M
qoECollectionEntityAddress	QmcIRPConstDefs::QoeCollectionEntityAddress qoeCollectionEntityAddress	M
serviceType	QmcIRPConstDefs::ServiceType serviceType	M
areaScope	QmcIRPConstDefs::DNSet	M
pLMNTarget	QmcIRPConstDefs::PLMNTarget pLMNTarget	CM
qMCConfigurationFile	QmcIRPConstDefs::QmcConfigurationFile qmcConfigurationFile	M

Table A.2.2.4: Mapping from IS listActivatedQMCJobs parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
qoEReferenceList	QmcIRPConstDefs::QoeReferenceList qoeReferenceList	M
status	Return value of type QmcIRPConstDefs::Result	M

A.2.3 Notification parameter mapping

The QMCIRP: IS 3GPP TS 28.309 [19] defines semantics of parameters carried in notifications. The following table indicates the mapping of these parameters to their OMG CORBA Structured Event (defined in OMG Notification Service [9]) equivalents. The composition of OMG Structured Event, as defined in the OMG Notification Service [9], is:

Header	Fixed Header
	domain_name
	type_name
	event_name
Body	Variable Header
	filterable_body_fields
	remaining_body

The following tables list all OMG Structured Event attributes in the second column. The first column identifies the QMCIRP: IS 3GPP TS 28.308 [19] defined notification parameters.

Table A.2.3.1: Mapping for notifyNetworkRequestSessionFailure

IS Parameters	OMG CORBA Structured Event attribute	Qualifier	Comment
There is no corresponding IS attribute.	domain_name	M	It carries the IRP document version number string. See subclause 3.1. It indicates the syntax and semantics of the Structured Event as defined by the present document.
notificationType	type_name	M	This is constant string "notifyNetworkRequestSessionFailure".
There is no corresponding IS attribute.	event_name	M	It carries no information.
There is no corresponding IS attribute.	Variable Header	M	The Variable Header consists of a single name/value (NV) pair, namely Priority.
objectClass, objectInstance	One NV pair of filterable_body_fields	M	NV stands for name-value pair. Order arrangement of NV pairs is not significant. The name of NV-pair is always encoded in string. Name of this NV pair is the MANAGED_OBJECT_INSTANCE of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is a string. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.306 [8]).
notificationId	One NV pair of remaining_body	O	Name of NV pair is the NOTIFICATION_ID of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is a long. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.306 [8]).
eventTime	One NV pair of filterable_body_fields	M	Name of NV pair is the EVENT_TIME of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is IRPTime. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.306 [8]).
systemDN	One NV pair of filterable_body_fields	M	Name of NV pair is the SYSTEM_DN of interface AttributeNameValue of module NotificationIRPConstDefs. Value of NV pair is a string. See corresponding table in Notification IRP: CORBA SS (3GPP TS 32.306 [8]).
qoEReference	One NV pair of filterable_body_fields	M	Name of NV pair is the QOE_REFERENCE of qmcIRPNotifications::notifyNetworkRequestSessionFailure. Value of NV pair is QoeReference of module QmcIRPConstDefs.
reason	One NV pair of remaining_body	O	Name of NV pair is the REASON of qmcIRPNotifications:: notifyNetworkRequestSessionFailure. Value of NV pair is a string.

A.3 Solution Set (SS) definitions

A.3.1 IDL definition structure

Clause A.3.2 defines the constants and types used by the QMC Management IRP.

Clause A.3.3 defines the operations which are performed by the QMC Management IRP agent.

Clause A.3.4 defines the notifications which are emitted by the QMC Management IRP agent.

A.3.2 IDL specification (file name "QMCIRPConstDefs.idl")

```
//File: QMCIRPConstDefs.idl
#ifndef _QMC_IRP_CONST_DEFS_IDL_
#define _QMC_IRP_CONST_DEFS_IDL_
#include <KernelCmConstDefs.idl>

// This statement shall appear after all include statements
#pragma prefix "3gppsa5.org"

/* ## Module: QMCIRPConstDefs
This module contains commonly used definitions for QMC IRP
=====
*/
module QMCIRPConstDefs
{
enum Result Enum {SUCESS, FAILURE, PARTIAL_SUCCESS};

typedef struct QoeReference
{
    short mcc;
    short mnc;
    unsigned long qmcId;
};

typedef sequence<QoeReference> QoeReferenceList;

typedef string QoeCollectionEntityAddress;

enum QmcTarget {AREA_BASED_QMC,INDIVIDUAL_BASED_UE };

enum ServiceType {DASH,MTSI};

typedef string QmcConfigurationFile;

typedef sequence <KernelCmConstDefs::DN> DNSet;

enum UnsupportedItem {MANAGED_ENTITY, QMC_TARGET, AREA_SCOPE, SERVICE_TYPE, PLMN_TARGET};
typedef sequence<UnsupportedItem> UnsupportedList;

/**
 * This block identifies attributes which are included as part of the
 * notifications defined within QMCIRP. These attribute values should not
 * clash with those defined for the attributes of notification
 * header (see IDL of Notification IRP).
 */

interface AttributeNameValue
{
    const string QOE_REFERENCE = "QOE_REFERENCE";
    const string QMC_TARGET = "QMC_TARGET";
    const string MO_INSTANCE = "MO_INSTANCE";
    const string REASON = "REASON";
};
};
```

A.3.3 IDL specification (file name “QMCIRPSystem.idl”)

```
//File: QMCIRPSystem.idl
#ifndef _QMC_IRP_SYSTEM_IDL_
#define _QMC_IRP_SYSTEM_IDL_

#include <KernelCmConstDefs.idl>
#include <GenericIRPManagementConstDefs.idl>
#include <GenericIRPManagementSystem.idl>
#include <QMCIRPConstDefs.idl>

//This statement shall appear after all include statements
#pragma prefix "3gppsa5.org"

/* Module: QMCIRPSystem
This module contains the specification of all operations of QMC IRP Agent.
=====
*/
module QMCIRP
{
    exception ActivateAreaQMCJob { string reason; };
    exception NotUniqueQMCReference { string reason; };
    exception DeactivateQMCJob { string reason; };
    exception ListQMCJob { string reason; };
    exception ListActivatedQMCJob { string reason; };

    interface QMCIRP
    {
        /**
        * Request to activate a QMCJob through Itf-N.
        */

        QMCIRPConstDefs::ResultEnum activateAreaQMCJob (
            in KernelCmConstDefs::DN                      moInstance,
            in QMCIRPConstDefs::QoeReference               qoeReference,
            in QMCIRPConstDefs::QmcTarget                  qmcTarget,
            in QMCIRPConstDefs::QoeCollectionEntityAddress qoeCollectionEntityAddress,
            in QMCIRPConstDefs::DNSet                      areaScope,
            in QMCIRPConstDefs::ServiceType                serviceType,
            in QMCIRPConstDefs::PLMNTarget                 pLMNTarget,
            in QMCIRPConstDefs::QmcConfigurationFile       qmcConfigurationFile,
            out QMCIRPConstDefs::UnsupportedList            unsupportedList
        )
        raises (ActivateAreaQMCJob,
            NotUniqueQoeReference,
            GenericIRPManagementSystem::InvalidParameter,
            GenericIRPManagementSystem::ValueNotSupported,
            GenericIRPManagementSystem::OperationNotSupported
        );

        /**
        * Request to deactivate a QMCJob through Itf-N.
        */

        QMCIRPConstDefs::ResultEnum deactivateQMCJob (
            in KernelCmConstDefs::DN                      moInstance,
            in QMCIRPConstDefs::QoeReference               qoeReference,
            in QMCIRPConstDefs::QmcTarget                  qmcTarget,
            out QMCIRPConstDefs::UnsupportedList            unsupportedList
        )
        raises (DeactivateQMCJob,
            NotUniqueQoeReference,
            GenericIRPManagementSystem::InvalidParameter,
            GenericIRPManagementSystem::ValueNotSupported,
            GenericIRPManagementSystem::OperationNotSupported
        );

        /**
        * Request to list the parameters of a specific QMCJob through Itf-N.
        */

        QMCIRPConstDefs::ResultEnum listQMCJob (
            in QMCIRPConstDefs::QoeReference               qoeReference,
            out KernelCmConstDefs::DN                      moInstance,
            out QMCIRPConstDefs::QoeReference               qoeReference,
            out QMCIRPConstDefs::QmcTarget                  qmcTarget,
            out QMCIRPConstDefs::QoeCollectionEntityAddress qoeCollectionEntityAddress,
            out QMCIRPConstDefs::ServiceType                serviceType,
        )
    }
}

```

```
        out QMCIRPConstDefs::DNSet                areaScope,
        out QMCIRPConstDefs::PLMNTarget           pLMNTarget,
        out QMCIRPConstDefs::QmcConfigurationFile qmcConfigurationFile
    )

    raises (ListQMCJob,
            NotUniqueQoEReference,
            GenericIRPManagementSystem::InvalidParameter,
            GenericIRPManagementSystem::ValueNotSupported,
            GenericIRPManagementSystem::OperationNotSupported);

    /**
     * Request to list the activated QMCJobs through Itf-N.
     **/

    QMCIRPConstDefs::ResultEnum listActivatedQMCJob (
        out QMCIRPConstDefs::QoEReferenceList qoeReferenceList)
    raises (ListActivatedQMCJob,
            GenericIRPManagementSystem::InvalidParameter,
            GenericIRPManagementSystem::ValueNotSupported,
            GenericIRPManagementSystem::OperationNotSupported);
};

};
#endif // _QMC_IRP_SYSTEM_IDL_
```

A.3.4 IDL specification (file name “QMCIRPNotifications.idl”)

```
//File: QMCIRPNotifications.idl
#ifndef _QMC_IRP_NOTIFICATIONS_IDL_
#define _QMC_IRP_NOTIFICATIONS_IDL_

#include <QMCIRPConstDefs.idl>
#include <NotificationIRPNotifications.idl>

// This statement shall appear after all include statements
#pragma prefix "3gppsa5.org"

/* Module: QMCIRPNotifications
This module contains the specification of all notifications of QMC IRP Agent.
=====
*/
module QMCIRPNotifications
{
    /**
    * Constant definitions for the notifyNetworkRequestSessionFailure notification
    */

    interface NotifyNetworkRequestSessionFailure: NotificationIRPNotifications::Notify
    {
        const string EVENT_TYPE = "notifyNetworkRequestSessionFailure";

        /**
        * This constant defines the name of the QoeReference property.
        * The data type for the value of this property is
        * QMCIRPConstDefs::QoeReference.
        */

        const string QOE_REFERENCE = QMCIRPConstDefs::AttributeNameValue::QOE_REFERENCE;

        /**
        * This constant defines the name of the reason property.
        * The data type for the value of this property is string.
        */

        const string REASON = QMCIRPConstDefs::AttributeNameValue::REASON;
    };
};

#endif // _QMC_IRP_NOTIFICATIONS_IDL_
```

Annex B (normative): XML definitions

B.0 Introduction

This annex contains the XML definitions for the QMC Management IRP for the IRP whose semantics is specified in QMC Management IRP: Information Service (3GPP TS 28.308 [19]).

This XML definitions specification defines the XML syntax of the QMC Management IRP XML Data File.

B.1 Architectural Features

B.1.0 General

The overall architectural feature of QMC Management IRP is specified in 3G TS 28.308 [19]. This clause specifies features that are specific to the XML definitions.

B.1.1 Syntax for Distinguished Names (DN)

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [7].

B.1.2 Notification services

This annex defines the XML syntax of QMC Management IRP notifications that is to be used for the QMC Management IRP SOAP Solution Set and in conjunction with Notification Log IRP XML definitions for Notification Log IRP XML Data File and the NL IRP XML Notification Format.

B.1.3 IOC definitions

This annex defines the XML syntax for the IOC definitions of the QMC Management IRP IS [19], which are used by the XML definitions for the QMC Management IRP notifications and the QMC Management IRP IS operations.

B.1.4 Supported W3C specification

The Extensible Markup Language (XML) 1.0 (Second Edition) [11], XML Schema Part 0: Primer [12], XML Schema Part 1: Structures [13] and XML Schema Part 2: Datatypes [14] are supported.

B.2 Mapping

Not present in the current version of the present document.

B.3 Solution Set (SS) definitions

B.3.1 XML definition structure

Clause B.3.2 provides XML definitions of QMC Management IRP notifications as defined in [19]. These definitions are to be used for the QMC Management IRP SOAP Solution Set. For QMC IRP XML File Name Conventions the generic file name definitions as specified by the FT IRP apply (see [10]).

Clause B.3.3 provides XML definitions of QMC Management IOC as defined in [19].

B.3.2 XML schema "QMCIRPNotif.xsd"

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  3GPP TS 28.309 QMC Management IRP Notification
  QMC IRP specific data file XML schema
  qMCIRPNotif.xsd
-->
<schema xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:tr="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#qMCIRPNotif"
  xmlns:xe="http://www.3gpp.org/ftp/specs/archive/32_series/32.306#notification"
  targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#qMCIRPNotif"
  elementFormDefault="qualified">
  <import namespace="http://www.3gpp.org/ftp/specs/archive/32_series/32.306#notification"/>
  <!-- XML types specific for QMC IRP notifications -->
  <complexType name="QoeReference">
    <sequence>
      <element name="MCC" type="short"/>
      <element name="MNC" type="short"/>
      <element name="QMC_ID" type="integer"/>
    </sequence>
  </complexType>
  <complexType name="NotifyNetworkRequestSessionFailure">
    <complexContent>
      <extension base="xe:Notification">
        <sequence>
          <element name="body">
            <complexType>
              <sequence>
                <element name="QoeReference" type="tr:QoeReference"/>
                <element name="Reason" type="string" minOccurs="0"/>
              </sequence>
            </complexType>
          </element>
        </sequence>
      </extension>
    </complexContent>
  </complexType>
  <element name="NotifyNetworkRequestSessionFailure"
  type="tr:NotifyNetworkRequestSessionFailure"/>
</schema>
```

B.3.3 XML schema "QMCIRPIOCs.xsd"

```

<?xml version="1.0" encoding="UTF-8"?>
<!--
  3GPP TS 28.309 Trace Management IRP IOC XML Schema
  QMCIRPIOCs.xsd
-->
<schema xmlns:xsi="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#tMIRPIOCs"
  xmlns:xe="http://www.3gpp.org/ftp/specs/archive/32_series/32.306#notification"
  xmlns:xn="http://www.3gpp.org/ftp/specs/archive/32_series/32.626#genericNrm"
  xmlns="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#tMIRPIOCs" <import
  namespace="http://www.3gpp.org/ftp/specs/archive/32_series/32.626#genericNrm"/>
  elementFormDefault="qualified" attributeFormDefault="unqualified">

  <complexType name="DNSet">
    <sequence>
      <element name="DN" type="xn:DN" minOccurs="0" maxOccurs="unbounded"/>
    </sequence>
  </complexType>

  <simpleType name="QMCTargetType">
    <restriction base="string">
      <enumeration value="AREA_BASED_QMC"/>
      <enumeration value="INDIVIDUAL_BASED_QMC"/>
    </restriction>
  </simpleType>
  <complexType name="QMCTarget">
    <sequence>
      <element name="typeFlag" type="xsi: QMCTargetType"/>
      <element name="QMCTargetId" type="string"/>
    </sequence>
  </complexType>
  <simpleType name="UnsupportedItem">
    <restriction base="string">
      <enumeration value="MANAGED_ENTITY"/>
      <enumeration value="QMC_AREA_SCOPE"/>
      <enumeration value="QMC_TARGET"/>
      <enumeration value="PLMN_TARGET"/>
      <enumeration value="QMC_SERVICE_TYPE"/>
    </restriction>
  </simpleType>

  <complexType name="UnsupportedList">
    <sequence>
      <element name="UnsupportedItem" type="xsi:UnsupportedItem" minOccurs="0"
maxOccurs="unbounded"/>
    </sequence>
  </complexType>
  <simpleType name="ServiceType">
    <restriction base="string">
      <enumeration value="DASH"/>
      <enumeration value="MTSI"/>
    </restriction>
  </simpleType>
  <element name="serviceType" type="xsi:ServiceType"/>
  <element name="qoEReference" type="unsignedLong"/>
  <element name="qmcTarget" type="xsi:QMCTarget"/>
  <element name="qoeCollectionEntityAddress" type="string"/>
  <element name="areaScope" type="xsi:DNSet"/>
  <element name="qmcConfigurationFile" type="string"/>
</schema>

```

Annex C (normative): SOAP Solution Set

C.0 Introduction

This annex specifies the SOAP Solution Set for the IRP whose semantics are specified in QMC Management IRP: Information Service (3GPP TS 28.308 [19]).

C.1 Architectural features

C.1.0 General

The overall architectural feature of the QMC Management IRP is specified in 3GPP TS 28.308 [19]. This clause specifies features that are specific to the SOAP solution set.

C.1.1 Syntax for Distinguished Names (DN)

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [7].

C.1.2 Notification services

The Trace Management IRP SOAP SS uses the Notification IRP SOAP SS of 3GPP TS 32.306 [8]. The IRPAgent shall support the push interface model, which means that the IRPAgent sends trace management notifications to the IRPManager as soon as new events occur. The IRPManager does not need to check ("pull") for events.

C.1.3 Supported W3C specifications

The SOAP 1.1 specification [15] and WSDL 1.1 specification [17] are supported.

The SOAP 1.2 specification [18] is supported optionally.

The present document uses "document" style in WSDL file.

The present document uses "literal" encoding style in WSDL file.

The filter language used in the SS is the XPath Language (see W3C XPath 1.0 specification [16]). IRPAgents may throw a FilterComplexityLimit fault when a given filter is too complex.

Relevant definitions are imported from the QMC Management IRP XML definitions of Annex B

C.1.4 Prefixes and namespaces

The present document uses a number of namespace prefixes throughout that are listed in Table C.1.4.1.

Table C.1.4.1: Prefixes and Namespaces used in the present document

PREFIX	NAMESPACE
(no prefix)	http://schemas.xmlsoap.org/wsdl/
soap	http://schemas.xmlsoap.org/wsdl/soap/
QMCIRPSystem	http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPSystem
QMCIRPData	http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPData
xti	http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPIOCs
xn	http://www.3gpp.org/ftp/specs/archive/32_series/32.626#genericNrm
genericIRPSystem	http://www.3gpp.org/ftp/specs/archive/32_series/32.316#GenericIRPSystem
ntfIRPNtfSystem	http://www.3gpp.org/ftp/specs/archive/32_series/32.306#NotificationIRPNtfSystem

C.2 Mapping

C.2.1 Operation and notification mapping

The QMC Management IRP IS (3GPP TS 28.308 [19]) defines semantics of operation and notification visible across the Itf-N. Table C.2.1.1 indicates mapping of these operations and notifications to their equivalents defined in this SS.

Table C.2.1.1: Mapping from IS Operation to SS Equivalents

IS Operations in 3GPP TS 32.442 [5]	SS Operations	SS Port	Qualifier
activateAreaQMCJob	activateAreaQMCJob	QMCIRPManagementPort	M
deactivateQMCJob	deactivateQMCJob	QMCIRPManagementPort	M
listQMCJob	listQMCJob	QMCIRPManagementPort	M
listActivatedQMCJobs	listActivatedQMCJobs	QMCIRPManagementPort	O
notifyNetworkRequestSessionFailure	notify (note 1)	NotificationIRPNtfPort	O
NOTE 1: The IS equivalent maps to an XML definition specified in Annex B, and this being an input parameter to the operation notify under the port type ntfIRPNtfSystem:NotificationIRPNtf and under the binding ntfIRPNtfSystem:NotificationIRPNtf of 3GPP TS 32.306 [8].			

C.2.2 Operation parameter mapping

The QMC Management IRP IS (3GPP TS 28.308 [19]) defines semantics of parameters carried in the operations. The tables below show the mapping of these parameters, as per operation, to their equivalents defined in this SS.

Table C.2.2.1: Mapping from IS activateAreaQMCJob parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iOCInstance	iOCInstance	M
qoEReference	qoEReference	M
qMCTarget	qMCTarget	M
qoECollectionEntityAddress	qoECollectionEntityAddress	M
areaScope	areaScope	M
unsupportedList	unsupportedList	M
status	status	M
pLMNTarget	pLMNTarget	CM
qMCConfigurationFile	qMCConfigurationFile	M
serviceType	serviceType	M

Table C.2.2.2: Mapping from IS deactivateQMCJob parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
qoEReference	qoEReference	M
qMCTarget	qMCTarget	M
status	status	M
unsupportedList	unsupportedList	M

Table C.2.2.3: Mapping from IS listQMCJob parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
iOInstance	iOInstance	M
qoEReference	qoEReference	M
qMCTarget	qMCTarget	M
qoECollectionEntityAddress	qoECollectionEntityAddress	M
areaScope	areaScope	M
status	status	M
pLMNTarget	pLMNTarget	CM
qMCConfigurationFile	qMCConfigurationFile	M
serviceType	serviceType	M

Table C.2.2.4: Mapping from IS listActivatedQMCJobs parameters to SS equivalents

IS Operation parameter	SS Method parameter	Qualifier
qoEReferenceList	qoEReferenceList	M
status	status	M

C.2.3 Notification parameter mapping

The QMC Management IRP IS (3GPP TS 28.308 [19]) defines semantics of parameters carried in notifications. The following tables indicate the mapping of these parameters to their SS equivalents.

Table C.2.3.1: Mapping for notifyNetworkRequestSessionFailure

IS Parameters	<SS> Parameters	Qualifier	Comment
objectClass	objectClass	M	
objectInstance	objectInstance	M	
eventTime	eventTime	M	
notificationType	notificationType	M	
systemDN	systemDN	M	
notificationID	notificationID	O	
qoEReference	qoEReference	M	
reason	reason	O	

C.3 Solution Set (SS) definitions

C.3.1 WSDL definition structure

Clause C.3.2 defines the services which are supported the QMC Management IRP agent.

C.3.2 WSDL specification "QMCIRPSystem.wsdl"

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  3GPP TS 28.309 QMC Management IRP SOAP Solution Set
-->
<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:traceIRPSystem="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPSystem"
  xmlns:traceIRPData="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPData"
  xmlns:xn="http://www.3gpp.org/ftp/specs/archive/32_series/32.626#genericNrm"
  xmlns:genericIRPSystem="http://www.3gpp.org/ftp/specs/archive/32_series/32.316#GenericIRPSystem"
  xmlns:ntfIRPntfSystem="http://www.3gpp.org/ftp/specs/archive/32_series/32.306#NotificationIRPntfSystem"
  targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPSystem">
  <import namespace="http://www.3gpp.org/ftp/specs/archive/32_series/32.316#GenericIRPSystem"/>
  <import
    namespace="http://www.3gpp.org/ftp/specs/archive/32_series/32.307/schema/32306#notification/NotificationIRPntfSystem"/>
  <types>
    <schema targetNamespace="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPData"
      xmlns="http://www.w3.org/2001/XMLSchema"
      xmlns:xti="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRPIOCs">
      <!-- activateAreaQMCJob Request -->
      <element name="activateAreaQMCJobRequest">
        <complexType>
          <sequence>
            <element name="iOCInstance" type="xn:dn"/>
            <element name="qoEReference" type="unsignedLong"/>
            <element name="qmcTarget" type="xti:QMCtarget"/>
            <element name="qoeCollectionEntityAddress" type="string" minOccurs="0"/>
            <element name="serviceType" type="xti:ServiceType"/>
            <element name="areaScope" type="xti:DNSet" minOccurs="0"/>
            <element name="pLMNtarget" type="xti:pLMNtarget" minOccurs="0"/>
            <element name="qmcConfigurationFile" type="string"/>
          </sequence>
        </complexType>
      </element>
      <!-- activateAreaQMCJob Response -->
      <element name="activateAreaQMCJobResponse">
        <complexType>
          <sequence>
            <element name="status">
              <simpleType>
                <restriction base="string">
                  <enumeration value="Success"/>
                  <enumeration value="Failure"/>
                  <enumeration value="PartialSuccess"/>
                </restriction>
              </simpleType>
            </element>
            <element name="unsupportedList" type="xti:UnsupportedList" minOccurs="0"/>
            <element name="failureReason" minOccurs="0">
              <simpleType>
                <restriction base="string">
                  <enumeration value="invalidManagedEntity"/>
                  <enumeration value="invalidQMCtarget"/>
                  <enumeration value="invalidAreaScope"/>
                  <enumeration value="invalidSeviceType"/>
                  <enumeration value="invalidPLMNtarget"/>
                  <enumeration value="operation_failed_unsupported_input_parameter_qoeCollectionEntityAddress"/>
                  <enumeration value="notuniqueQoEReference"/>
                </restriction>
              </simpleType>
            </element>
          </sequence>
        </complexType>
      </element>
    </schema>
  </types>

```

```

    </complexType>
  </element>
  <!-- activateAreaQMCJob Fault -->
  <element name="activateAreaQMCJobFault">
    <simpleType>
      <restriction base="string">
        <enumeration value="OperationFailed"/>
      </restriction>
    </simpleType>
  </element>
  <!-- deactivateQMCJob Request -->
  <element name="deactivateQMCJobRequest">
    <complexType>
      <sequence>
        <element name="qeReference" type="unsignedLong"/>
        <element name="qMCTarget" type="xti:QMCTarget"/>
      </sequence>
    </complexType>
  </element>
  <!-- deactivateQMCJob Response -->
  <element name="deactivateQMCJobResponse">
    <complexType>
      <sequence>
        <element name="status">
          <simpleType>
            <restriction base="string">
              <enumeration value="Success"/>
              <enumeration value="Failure"/>
              <enumeration value="PartialSuccess"/>
            </restriction>
          </simpleType>
        </element>
        <element name="unsupportedList" type="xti:UnsupportedList" minOccurs="0"/>
        <element name="failureReason" minOccurs="0">
          <simpleType>
            <restriction base="string">
              <enumeration value="notuniqueqoeReference"/>
              <enumeration value="invalidManagedEntity"/>
              <enumeration value="invalidQMCTarget"/>
              <enumeration value="operation_failed"/>
              <enumeration value="operation_failed_internal_problem"/>
            </restriction>
          </simpleType>
        </element>
      </sequence>
    </complexType>
  </element>
  <!-- deactivateQMCJob Fault -->
  <element name="deactivateQMCJobFault">
    <simpleType>
      <restriction base="string">
        <enumeration value="OperationFailed"/>
      </restriction>
    </simpleType>
  </element>
  <!-- listQMCJob Request -->
  <element name="listQMCJobRequest">
    <complexType>
      <sequence>
        <element name="qeReference" type="unsignedLong"/>
      </sequence>
    </complexType>
  </element>
  <!-- listQMCJob Response -->
  <element name="listQMCJobResponse">
    <complexType>
      <sequence>
        <element name="iocInstance" type="xn:dn"/>
        <element name="status">
          <simpleType>
            <restriction base="string">
              <enumeration value="Success"/>
              <enumeration value="Failure"/>
            </restriction>
          </simpleType>
        </element>
        <element name="qeReference" type="unsignedLong"/>
        <element name="qmcTarget" type="xti:QMCTarget"/>
      </sequence>
    </complexType>
  </element>

```

```

<element name="qoeCollectionEntityAddress" type="string" minOccurs="0"/>
<element name="serviceType" type="xti:ServiceType"/>
<element name="areaScope" type="xti:DNSet" minOccurs="0"/>
<element name="pLMNTarget" type="xti:pLMNTarget" minOccurs="0"/>
<element name="qmcConfigurationFile" type="string"/>

<element name="failureReason" minOccurs="0">
  <simpleType>
    <restriction base="string">
      <enumeration value="notuniqueTraceReference"/>
      <enumeration value="operation_failed"/>
      <enumeration value="operation_failed_internal_problem"/>
    </restriction>
  </simpleType>
</element>
</sequence>
</complexType>
</element>
<!-- listQMCJob Fault -->
<element name="listQMCJobFault">
  <simpleType>
    <restriction base="string">
      <enumeration value="OperationFailed"/>
    </restriction>
  </simpleType>
</element>
<!-- listActivatedQMCJobs Request -->
<element name="listActivatedQMCJobsRequest">
</element>
<!-- listActivatedQMCJobs Response -->
<element name="listActivatedQMCJobsResponse">
  <complexType>
    <sequence>
      <element name="qoeReferenceList">
        <complexType>
          <sequence minOccurs="0" maxOccurs="unbounded">
            <element name="qoeReference" type="unsignedLong"/>
          </sequence>
        </complexType>
      </element>
      <element name="status">
        <simpleType>
          <restriction base="string">
            <enumeration value="Success"/>
            <enumeration value="Failure"/>
          </restriction>
        </simpleType>
      </element>
      <element name="failureReason" minOccurs="0">
        <simpleType>
          <restriction base="string">
            <enumeration value="operation_failed"/>
            <enumeration value="operation_failed_internal_problem"/>
          </restriction>
        </simpleType>
      </element>
    </sequence>
  </complexType>
</element>
<!-- listActivatedQMCJobs Fault -->
<element name="listActivatedQMCJobsFault">
  <simpleType>
    <restriction base="string">
      <enumeration value="OperationFailed"/>
    </restriction>
  </simpleType>
</element>
</schema>
</types>
<message name="activateQMCJobRequest">
  <part name="parameter" element="qmcIRPData:activateQMCJobRequest"/>
</message>
<message name="activateQMCJobResponse">
  <part name="parameter" element="qmcIRPData:activateQMCJobResponse"/>
</message>
<message name="activateQMCJobFault">
  <part name="parameter" element="qmcIRPData:activateTraceJobFault"/>
</message>

```

```

<message name="deactivateQMCJobRequest">
  <part name="parameter" element="qmcIRPData:deactivateQMCJobRequest"/>
</message>
<message name="deactivateQMCJobResponse">
  <part name="parameter" element="qmcIRPData:deactivateQMCJobResponse"/>
</message>
<message name="deactivateQMCJobFault">
  <part name="parameter" element="qmcIRPData:deactivateQMCJobFault"/>
</message>
<message name="listTraceQMCRequest">
  <part name="parameter" element="qmcIRPData:listQMCJobRequest"/>
</message>
<message name="listQMCJobResponse">
  <part name="parameter" element="qmcIRPData:listQMCJobResponse"/>
</message>
<message name="listQMCJobFault">
  <part name="parameter" element="qmcIRPData:listQMCJobFault"/>
</message>
<message name="listActivatedQMCJobsRequest">
  <part name="parameter" element="qmcIRPData:listActivatedQMCJobsRequest"/>
</message>
<message name="listActivatedQMCJobsResponse">
  <part name="parameter" element="traceIRPData:listActivatedQMCJobsResponse"/>
</message>
<message name="listActivatedQMCJobsFault">
  <part name="parameter" element="traceIRPData:listActivatedQMCJobsFault"/>
</message>
<portType name="QMCIRPManagement">
  <operation name="activateQMCJob">
    <input message="qmcIRPSystem:activateQMCJobRequest"/>
    <output message="qmcIRPSystem:activateQMCJobResponse"/>
    <fault name="activateQMCJobFault" message="qmcIRPSystem:activateQMCJobFault"/>
  </operation>
  <operation name="deactivateQMCJob">
    <input message="qmcIRPSystem:deactivateQMCJobRequest"/>
    <output message="qmcIRPSystem:deactivateQMCJobResponse"/>
    <fault name="deactivateQMCJobFault" message="qmcIRPSystem:deactivateQMCJobFault"/>
  </operation>
  <operation name="listQMCJob">
    <input message="qmcIRPSystem:listQMCJobRequest"/>
    <output message="qmcIRPSystem:listQMCJobResponse"/>
    <fault name="listQMCJobFault" message="qmcIRPSystem:listQMCJobFault"/>
  </operation>
  <operation name="listActivatedQMCJobs">
    <input message="qmcIRPSystem:listActivatedQMCJobsRequest"/>
    <output message="qmcIRPSystem:listActivatedQMCJobsResponse"/>
    <fault name="listActivatedQMCJobsFault" message="qmcIRPSystem:listActivatedQMCJobsFault"/>
  </operation>
</portType>
<binding name="QMCIRPManagement" type="qmcIRPSystem:QMCIRPManagement">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
  <operation name="activateQMCJob">
    <soap:operation
      soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#activateQMCJob"
      style="document"/>
    <input>
      <soap:body use="literal"/>
    </input>
    <output>
      <soap:body use="literal"/>
    </output>
    <fault name="activateQMCJobFault">
      <soap:fault name="activateTraceJobFault" use="literal"/>
    </fault>
  </operation>
  <operation name="deactivateQMCJob">
    <soap:operation
      soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#deactivateQMCJob"
      style="document"/>
    <input>
      <soap:body use="literal"/>
    </input>
    <output>
      <soap:body use="literal"/>
    </output>
    <fault name="deactivateTraceJobFault">
      <soap:fault name="deactivateTraceJobFault" use="literal"/>
    </fault>
  </operation>

```

```

    </operation>
    <operation name="listQMCJob">
      <soap:operation soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#listQMCJob"
style="document"/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="listQMCJobFault">
        <soap:fault name="listQMCJobFault" use="literal"/>
      </fault>
    </operation>
    <operation name="listActivatedQMCJobs">
      <soap:operation
soapAction="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#listActivatedQMCJobs"
style="document"/>
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
      <fault name="listActivatedQMCJobsFault">
        <soap:fault name="listActivatedQMCJobsFault" use="literal"/>
      </fault>
    </operation>
  </binding>
  <service name="QMCIRPService">
    <port name="QMCIRPManagementPort" binding="qmcIRPSystem:QMCIRPManagement">
      <soap:address location="http://www.3gpp.org/ftp/specs/archive/28_series/28.309#QMCIRP"/>
    </port>
    <port name="GenericIRPPort" binding="genericIRPSystem:GenericIRPBinding">
      <soap:address location="http://www.3gpp.org/ftp/specs/archive/32_series/32.316#GenericIRP"/>
    </port>
    <port name="NotificationIRPNtfPort" binding="ntfIRPNtfSystem:NotificationIRPNtf">
      <soap:address
location="http://www.3gpp.org/ftp/specs/archive/32_series/32.306#NotificationIRPNtf"/>
    </port>
  </service>
</definitions>

```

Annex D (informative):
 Change history

Change history							
Date	Meeting	Tdoc	CR	Rev	Cat	Subject/Comment	New version
2020-08		S5-204317				TS skeleton including the solution set	0.0.0
2020-08		S5-204670				Draft TS 28.309	0.1.0
2020-09	SA#89e	SP-200757				Presented for approval	1.0.0
2020-09	SA#89e					Upgrade to change control version + EditHelp review	16.0.0
2022-03	-	-	-	-	-	Update to Rel-17 version (MCC)	17.0.0
2024-03	SA#103	SP-240186	0001	1	F	R18 CR 28.309 Rapporteurs clean up for upgrade to Rel-18	18.0.0
2025-09	SA#109	-	-	-	-	Update to Rel-19 version (MCC)	19.0.0

History

Document history		
V19.0.0	October 2025	Publication