



**Universal Mobile Telecommunications System (UMTS);
LTE;
Mobile IPv6 vendor specific option format
and usage within 3GPP
(3GPP TS 29.282 version 19.0.0 Release 19)**



ReferenceRTS/TSGC-0429282vj00

KeywordsLTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	4
1 Scope	5
2 References	5
3 Definitions and abbreviations.....	5
3.1 Definitions.....	5
3.2 Abbreviations	6
4 3GPP Mobile IPv6 Option	6
4.1 General	6
4.2 Format	6
Annex A (informative): Change History	9
History	10

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document specifies the format and usage of the Mobile IPv6 Vendor Specific Option [2] within the Third Generation Partnership Project.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] IETF RFC 5094: "Mobile IPv6 Vendor Specific Option".
- [3] IANA Private Enterprise Numbers Registry, <<http://www.iana.org/assignments/enterprise-numbers>>.
- [4] IETF RFC 6275: "Mobility Support in IPv6".
- [5] IETF RFC 5555: "Mobile IPv6 support for dual stack Hosts and Routers (DSMIPv6)".
- [6] IETF RFC 5213: "Proxy Mobile IPv6".
- [7] 3GPP TS 29.275: "Proxy Mobile IPv6 (PMIPv6) based Mobility and Tunnelling protocols; Stage 3".
- [8] 3GPP TS 24.327: "Mobility between 3GPP Wireless Local Area Network (WLAN) interworking (I-WLAN) and 3GPP systems; General Packet Radio System (GPRS) and 3GPP I-WLAN aspects; Stage 3".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

4 3GPP Mobile IPv6 Option

4.1 General

The 3GPP Mobile IPv6 Option is a Mobile IPv6 Vendor-Specific Option as defined by IETF RFC 5094 [2] using the Vendor-Id assigned to 3GPP. The 3GPP Mobile IPv6 Option is used to encode 3GPP Specific Information Elements within the protocols based on Mobile IPv6 (MIPv6) as defined by IETF RFC 6275 [4], such as the Dual Stack Mobile IPv6 (DSMIPv6) and Proxy Mobile IPv6 (PMIPv6) protocols respectively defined by IETF RFC 5555 [5] and IETF RFC 5213 [6].

4.2 Format

The format of the 3GPP Mobile IPv6 Option is shown in table 4.2-1. The defined 3GPP Specific Information Elements are listed in table 4.2-2. The data format of a given 3GPP Specific Information Element (IE) is defined in the specification defining its usage, as indicated in table 4.2-2.

Octets	Bits							
	8	7	6	5	4	3	2	1
1	Type							
2	Length							
3	Vendor Id (1 st Octet)							
4	Vendor Id (2 nd Octet)							
5	Vendor Id (3 rd Octet)							
6	Vendor Id (4 th Octet)							
7	Sub-Type							
8	Reserved							M
9-n	3GPP Specific IE Data Fragment							

Figure 4.2-1: 3GPP Mobile IPv6 Option

Table 4.2-1: Fields in a 3GPP Mobile IPv6 Option

Field	Content	Reference
Type	Value is decimal 19 the assigned value for the Vendor-Specific mobility option	RFC 5094 [2]
Length	An 8-bit field indicating the length of the option in octets excluding the Type and the Length fields. All other fields are included.	RFC 5094 [2]
Vendor ID	A 32-bit field. Value is set to the SMI Network Management Private Enterprise Number for 3GPP, which is decimal "10415".	IANA [3]
Sub-Type	Indicate the type of the 3GPP Specific Information Element encoded by the 3GPP Mobile IPv6 Option.	RFC 5094 [2]
Reserved	Value set to zero by sender and ignored by receiver.	Defined here
More 3GPP Specific IE Data Fragment (M) Flag	Value set to "1" if this instance of the 3GPP Mobile IPv6 Option is followed by another 3GPP Mobile IPv6 Option encoding the follow up 3GPP Specific IE data fragment that does not fit in this instance of the 3GPP Mobile IPv6 Option. Set to zero otherwise.	Defined here
3GPP Specific IE Data Fragment	The 3GPP Specific IE might be split over multiple 3GPP Mobile IPv6 Options in case the total length of the 3GPP Specific Information Element exceeds 248 bytes. This is the data fragment of the 3GPP Specific IE contained in this instance of the 3GPP Mobile IPv6 Option. The data fragment has a maximum length of 248 bytes.	Defined here

The syntax of the 3GPP specific information element allows appending extra octets. The receiver that does not support such appended octets shall ignore the appended octets in order to ensure backwards compatibility.

Table 4.2-2: Subtypes for 3GPP specific Information Elements

3GPP-specific IE Subtype	3GPP-specific Information Element	Reference
1	Protocol Configuration Options.	3GPP TS 29.275 [7]
2	3GPP Specific PMIPv6 Error Code.	3GPP TS 29.275 [7]
3	PMIPv6 PDN GW IP Address.	3GPP TS 29.275 [7]
4	PMIPv6 DHCPv4 Address Allocation Procedure Indication.	3GPP TS 29.275 [7]
5	PMIPv6 Fully Qualified PDN Connection Set Identifier	3GPP TS 29.275 [7]
6	PMIPv6 PDN type indication.	3GPP TS 29.275 [7]
7	Charging ID	3GPP TS 29.275 [7]
8	Selection Mode	3GPP TS 29.275 [7]
9	I-WLAN Mobility Access Point Name (APN).	3GPP TS 24.327 [8]
10	Charging Characteristics	3GPP TS 29.275 [7]
11	Mobile Equipment Identity (MEI)	3GPP TS 29.275 [7]
12	MSISDN	3GPP TS 29.275 [7]
13	Serving Network	3GPP TS 29.275 [7]
14	APN Restriction	3GPP TS 29.275 [7]
15	Maximum APN Restriction	3GPP TS 29.275 [7]
16	Unauthenticated IMSI	3GPP TS 29.275 [7]
17	PDN Connection ID	3GPP TS 29.275 [7]
18	PGW Back-Off Time	3GPP TS 29.275 [7]
19	Signalling Priority Indication	3GPP TS 29.275 [7]
20	Additional Protocol Configuration Options	3GPP TS 29.275 [7]
21	Static IP Address Allocation Indication	3GPP TS 29.275 [7]
22	MME/SGSN Identifier	3GPP TS 29.275 [7]
23	End Marker Notification	3GPP TS 29.275 [7]
24	Trusted WLAN Mode Indication	3GPP TS 29.275 [7]
25	UE Time Zone	3GPP TS 29.275 [7]
26	Access Network Identifier Timestamp	3GPP TS 29.275 [7]
27	Logical Access ID	3GPP TS 29.275 [7]
28	Origination Time Stamp	3GPP TS 29.275 [7]
29	Maximum Wait Time	3GPP TS 29.275 [7]
30	TWAN Capabilities	3GPP TS 29.275 [7]

Annex A (informative): Change History

Change history						
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment
03/2009	CT#43	CP-090057				V1.0.0 Approved in CT#43
06/2009	CT#44	CP-090290	000 1			PMIP VSO Charging Characteristics
		CP-090290	000 2	-		Registration of new 3GPP specific PMIPv6 IEs
		CP-090290	000 3	2		FQ-CSID
09/2009	CT#45	CP-090538	000 4	1		APN Restriction for PMIPv6
		CP-090538	000 5	1		Handling future extensions of 3GPP Mobile IPv6 Options
12/2009	CT#46	CP-090801	000 7	-		Unauthenticated IMSI
			000 8	1		Multiple PDN to the Same APN for PMIP-based Interfaces
2011-03	-	-	-	-		Update to Rel-10 version (MCC)
2011-06	CT#52	CP-110369	001 1	2		APN based congestion control
			001 2	2		Low access priority indicator
2011-12	CT#54	CP-110792	001 5	3		Adding Additional Authentication Options IE
2012-09	CT#57	CP-120442	001 9	2		Correction to IETF Draft for TS 29.282
2012-09	CT#57	CP-120460	002 2	-		Correction to RFC Update for TS 29.282
2012-12	CT#58	CP-120729	002 6	-		Static IP Address Allocation Indication
			002 3	1		MME/SGSN Id
2013-09	CT#61	CP-130464	002 7	-		Addition of End Marker Notification information element
2014-03	CT#63	CP-140416	002 8	1		Add Trusted WLAN Mode Indication IE
2014-06	CT#64	CP-140252	002 9	1		UE Time Zone for PMIP
		CP-140252	003 0	1		TWAN Identifier Timestamp for PMIP
		CP-140252	003 2	1		Add a 3GPP specific option for PMIP for new Line Identifier
2015-09	CT#69	CP-150442	003 3	-		Origination Time Stamp and Maximum Wait Time for PMIP
2015-12	CT#70	CP-150780	003 4	-		Extensions for P-CSCF restoration for trusted and untrusted WLAN access
2017-03	CT#75	-	-	-		Update to Rel-14 version (MCC)
2018-06	CT#80	-	-	-		Update to Rel-15 version (MCC)
2020-07	CT#88e	-	-	-		Update to Rel-16 version (MCC)
2022-04	-	-	-	-	-	Update to Rel-17 version (MCC)
2024-03	-	-	-	-	-	Update to Rel-18 version (MCC)
2025-10	-	-	-	-	-	Update to Rel-19 version (MCC)
						19.0.0

History

Document history		
V19.0.0	October 2025	Publication