



**5G;
Security Assurance Specification (SCAS)
for the Network Slice-Specific Authentication and
Authorization Function (NSSAAF) network product class
(3GPP TS 33.326 version 19.0.0 Release 19)**



Reference

RTS/TSGS-0333326vj00

Keywords

5G, SECURITY

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	4
1 Scope	6
2 References	6
3 Definitions of terms, symbols and abbreviations	6
3.1 Terms.....	6
3.2 Symbols.....	6
3.3 Abbreviations	7
4 NSSAAF-specific security requirements and related test cases	7
4.1 Introduction	7
4.2 NSSAAF-specific security functional requirements and related test cases	7
4.2.1 Routes the S-NSSAI to the right place.....	7
4.2.2 AAA-S authorization in re-authentication and revocation scenarios	8
4.2.3 Technical baseline.....	8
4.2.3.1 Introduction.....	8
4.2.3.2 Protecting data and information.....	8
4.2.3.2.1 Protecting data and information – general	8
4.2.3.2.2 Protecting data and information – unauthorized viewing	9
4.2.3.2.3 Protecting data and information in storage	9
4.2.3.2.4 Protecting data and information in transfer.....	9
4.2.3.2.5 Logging access to personal data	9
4.2.3.3 Protecting availability and integrity.....	9
4.2.3.4 Authentication and authorization.....	9
4.2.3.4.1 Authentication attributes.....	9
4.2.3.5 Protecting sessions	9
4.2.3.6 Logging	9
4.2.4 Operating systems.....	9
4.2.5 Web servers	9
4.2.6 Network devices	9
4.2.6.1 Protection of data and information.....	9
4.2.6.2 Protecting availability and integrity	9
4.2.6.2.1 Packet filtering.....	9
4.2.6.2.2 Interface robustness requirements	9
4.2.6.2.3 GTP-C Filtering.....	10
4.2.6.2.4 GTP-U Filtering.....	10
4.3 NSSAAF-specific adaptations of hardening requirements and related test cases.....	10
4.3.1 Introduction.....	10
4.3.2 Technical Baseline	10
4.3.3 Operating Systems	10
4.3.4 Web Servers.....	10
4.3.5 Network Devices	10
4.3.6 Network Functions in service-based architecture	10
4.4 NSSAAF-specific adaptations of basic vulnerability testing requirements and related test cases	10
Annex A (informative): Change history	11
History	12

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

might not indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

is (or any other verb in the indicative mood) indicates a statement of fact

is not (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

1 Scope

The present document contains requirements and test cases that are specific to the NSSAAF network product class. It refers to the Catalogue of General Security Assurance Requirements and formulates specific adaptations of the requirements and test cases, as well as specifying requirements and test cases unique to the NSSAAF network product class.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 33.501: "Security architecture and procedures for 5G system".
- [3] 3GPP TS 33.117: "Catalogue of general security assurance requirements".
- [4] 3GPP TR 33.926: "Security Assurance Specification (SCAS) threats and critical assets in 3GPP network product classes".

3 Definitions of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [1].

3.2 Symbols

Void

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in TR 21.905 [1].

4 NSSAAF-specific security requirements and related test cases

4.1 Introduction

NSSAAF specific security requirements include both requirements derived from NSSAAF security functional requirements as well as security requirements derived from threats specific to eNB as described in TR 33.926 [4]. Generic security requirements and test cases common to other network product classes have been captured in TS 33.117 [3] and are not repeated in the present document.

4.2 NSSAAF-specific security functional requirements and related test cases

4.2.1 Routes the S-NSSAI to the right place

Requirement Name: Routes the S-NSSAI to the right place

Requirement Reference: TS 33.501 [2], clause 6.8.1.2.3

Requirement Description: If the AAA-P is present (e.g. because the AAA-S belongs to a third party and the operator deploys a proxy towards third parties), the NSSAAF forwards the EAP ID Response message to the AAA-P, otherwise the NSSAAF forwards the message directly to the AAA-S. NSSAAF routes to the AAA-S based on the S-NSSAI, as specified in TS 33.501 [2], clause 6.13.

Threat Reference: TR 33.926 [4], clause P.3.2 – Threats related to NSSAAF.

Test Name: TC_NSSAAF_CORRECT_ROUTING

Purpose:

Verify that the NSSAAF forwards the NSSAA request to the right receiving end.

Pre-Conditions:

- Test environment with AMF, AAA-S and AAA-P, which may be simulated. The NSSAAF under test is connected with AMF, AAA-S and AAA-P.
- A document describes the logic how the NSSAAF selects an AAA-S or AAA-P based on S-NSSAI.
- Preconfigure the NSSAAF under test with two routing entries, each for a NSSAI. One of the slice is a part of MNO and the AAA-S can be directly found by the NSSAAF, while the other slice serves 3rd party and the AAA-P will be used for NSSAA procedure.

Execution Steps

1. The AMF sends Nssaa_NSSAA_Authenticate Req to the NSSAAF including one of the S-NSSAI.
2. The NSSAAF sends AAA message to an AAA-P.
3. Repeat step 1 and 2 with the other S-NSSAI, and the NSSAAF sends AAA message to an AAA-S.

Expected Results:

The NSSAAF forwards the NSSAA request to the correct AAA-S or AAA-P on the S-NSSAI.

Expected format of evidence:

Save the logs and the communication flow in a .pcap file.

4.2.2 AAA-S authorization in re-authentication and revocation scenarios

Requirement Name: AAA-S authorization in re-authentication and revocation scenarios

Requirement Reference: TS 33.501 [2], clause 16.4

Requirement Description: The NSSAAF checks whether the AAA-S is authorized to request the re-authentication and re-authorization by checking the local configuration of AAA-S address per S-NSSAI. If success, the NSSAAF requests UDM for the AMF serving the UE using the Nudm_UECM_Get (GPSI, AMF Registration) service operation. The UDM provides the NSSAAF with the AMF ID of the AMF serving the UE as specified in TS 33.501 [2], clause 6.13.

Threat Reference: TR 33.926 [4], clause P.3.2 – Threats related to NSSAAF.

Test Name: TC_NSSAAF_AAAS_AUTHORIZATION_REAUTH_REVOCATION

Purpose:

Verify that the AAA-S is authorized to send the re-authentication or revocation.

Pre-Conditions:

- Test environment with AAA-S and AAA-P, which may be simulated. The NSAAF under test is connected with AAA-S and AAA-P.
- A document describes the mapping between S-NSSAI and AAA-S server.

Execution Steps

1. The AAA-S sends Re-authentication or revocation message to the NSSAAF including the S-NSSAI and the GPSI.
2. The NSSAAF checks whether the AAA-S can be matched against with the S-NSSAI based on the mapping table.

Expected Results:

The NSSAAF rejects the re-authentication or revocation when the AAA-S and S-NSSAI are not mapped.

The NSSAAF passes the re-authentication or revocation when the AAA-S and S-NSSAI are mapped.

Expected format of evidence:

Save the logs and the communication flow in a .pcap file.

4.2.3 Technical baseline

4.2.3.1 Introduction

The present clause provides baseline technical requirements.

4.2.3.2 Protecting data and information

4.2.3.2.1 Protecting data and information – general

There are no NSSAAF additions to clause 4.2.3.2.1 of TS 33.117 [3].

4.2.3.2.2 Protecting data and information – unauthorized viewing

There are no NSSAAF additions to clause 4.2.3.2.2 of TS 33.117 [3].

4.2.3.2.3 Protecting data and information in storage

There are no NSSAAF additions to clause 4.2.3.2.3 of TS 33.117 [3].

4.2.3.2.4 Protecting data and information in transfer

There are no NSSAAF additions to clause 4.2.3.2.4 of TS 33.117 [3].

4.2.3.2.5 Logging access to personal data

There are no NSSAAF additions to clause 4.2.3.2.5 of TS 33.117 [3].

4.2.3.3 Protecting availability and integrity

There are no NSSAAF additions to clause 4.2.3.3 of TS 33.117 [3].

4.2.3.4 Authentication and authorization

4.2.3.4.1 Authentication attributes

There are no NSSAAF additions to clause 4.2.3.4.1 of TS 33.117 [3].

4.2.3.5 Protecting sessions

There are no NSSAAF additions to clause 4.2.3.5 of TS 33.117 [3].

4.2.3.6 Logging

There are no NSSAAF additions to clause 4.2.3.6 of TS 33.117 [3].

4.2.4 Operating systems

There are no NSSAAF additions to clause 4.2.4 of TS 33.117 [3].

4.2.5 Web servers

There are no NSSAAF additions to clause 4.2.5 of TS 33.117 [3].

4.2.6 Network devices

4.2.6.1 Protection of data and information

There are no NSSAAF additions to clause 4.2.6 of TS 33.117 [3].

4.2.6.2 Protecting availability and integrity

4.2.6.2.1 Packet filtering

There are no NSSAAF additions to clause 4.2.6.2.1 of TS 33.117 [3].

4.2.6.2.2 Interface robustness requirements

There are no NSSAAF additions to clause 4.2.6.2.2 of TS 33.117 [3].

4.2.6.2.3 GTP-C Filtering

The requirement and testcase in clause 4.2.6.2.3 of TS 33.117 [3] is not applicable to eNB network product.

4.2.6.2.4 GTP-U Filtering

There are no NSSAAF additions to clause 4.2.6.2.4 of TS 33.117 [3].

4.3 NSSAAF-specific adaptations of hardening requirements and related test cases

4.3.1 Introduction

The present clause contains eNodeB-specific adaptations of hardening requirements and related test cases.

4.3.2 Technical Baseline

There are no NSSAAF additions to clause 4.3.2 of TS 33.117 [3].

4.3.3 Operating Systems

There are no NSSAAF additions to clause 4.3.3 of TS 33.117 [3].

4.3.4 Web Servers

There are no NSSAAF additions to clause 4.3.4 of TS 33.117 [3].

4.3.5 Network Devices

There are no NSSAAF additions to clause 4.3.5 of TS 33.117 [3].

4.3.6 Network Functions in service-based architecture

There are no NSSAAF additions to clause 4.3.6 of TS 33.117 [3].

4.4 NSSAAF-specific adaptations of basic vulnerability testing requirements and related test cases

There are no NSSAAF additions to clause 4.4 of TS 33.117 [3].

Annex A (informative): Change history

Change history							
Date	Meeting	TDoc	CR	Rev	Cat	Subject/Comment	New version
2021-09	SA#93e	SP-210853				Presented for information and approval	1.0.0
2021-09	SA#93e					EditHelp review and upgrade to change control version	17.0.0
2023-06	SA#100	SP-230604	0001	-	F	SCAS release reference corrections	18.0.0
2025-09	SA#109	SP-251021	0003	-	F	Revision of 33.326 Rel 18	18.1.0
2025-10	-	-	-	-	-	Update to Rel-19 version (MCC)	19.0.0

History

Document history		
V19.0.0	October 2025	Publication