# ETSI TS 137 571-3 V10.3.1 (2013-04)



Universal Mobile Telecommunications System (UMTS); LTE;

Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification for UE positioning;

Part 3: Implementation Conformance Statement (ICS) (3GPP TS 37.571-3 version 10.3.1 Release 10)



Reference
RTS/TSGR-0537571-3va31

Keywords
LTE,UMTS

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

Individual copies of the present document can be downloaded from: <a href="http://www.etsi.org">http://www.etsi.org</a>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a></a>

#### Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013. All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup> and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> and **LTE**<sup>TM</sup> are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**GSM**® and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## **Foreword**

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <a href="http://webapp.etsi.org/key/queryform.asp">http://webapp.etsi.org/key/queryform.asp</a>.

# Contents

Intelle	ectual Property Rights	2
Forev	vord	2
Forev	vord	4
Introd	luction	4
1	Scope	5
2	References	5
3	Definitions, symbols and abbreviations	6
3.1	Definitions	6
3.2	Symbols	6
3.3	Abbreviations	6
4	Recommended Test Case Applicability	7
Anne	ex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment	24
A.1	Guidance for completing the ICS proforma	
A.1.1	Purposes and structure	
A.1.2	Abbreviations and conventions	
A.1.3	Instructions for completing the ICS proforma	25
A.2	Identification of the User Equipment	
A.2.1	Date of the statement	
A.2.2	User Equipment Under Test (UEUT) identification	
A.2.3	Product supplier	
A.2.4	Client	
A.2.5	ICS contact person	26
A.3	Identification of the protocol	27
A.4	ICS proforma tables	27
A.4.1	ÛE Implementation Types	27
A.4.2	Baseline Implementation Capabilities	
A.4.3	UE Positioning Capabilities	28
A.4.4	Additional information	
Anne	ex B (informative): Change history	35
Histo	ry	36

## **Foreword**

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

# Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (ICS).

The present document is part 3 of a multi-parts TS:

3GPP TS 37.571-1: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification.

3GPP TS 37.571-2: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance.

3GPP TS 37.571-3: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 3: Implementation Conformance Statement (ICS).

3GPP TS 37.571-4: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 4: Test suites.

3GPP TS 37.571-5: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 5: Test scenarios and assistance data.

# 1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for 3<sup>rd</sup> Generation UTRAN and E-UTRAN User Equipment (UE) supporting UE positioning, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8].

The present document also specifies a recommended applicability statement for the test cases included in 3GPP TS 37.571-1 [5] and 3GPP TS 37.571-2 [6]. These applicability statements are based on the features implemented in the UE.

Special conformance testing functions can be found in 3GPP TS 34.109 [10] for UTRA and 3GPP TS 36.509 [2] for E-UTRA. The common test environments are included in 3GPP TS 34.108 [9] for UTRA and in 3GPP TS 36.508 [3] for E-UTRA.

The present document is valid for UE supporting UE positioning implemented according to 3GPP releases starting from Release 99 up to the Release indicated on the cover page of the present document.

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.
- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.509: "Special conformance testing functions for User Equipment".
- [3] 3GPP TS 36.508: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); Common Test Environments for User Equipment (UE) Conformance Testing".
- [4] 3GPP TS 36.355: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)".
- [5] 3GPP TS 37. 571-1: "Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification".
- [6] 3GPP TS 37. 571-2: "Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance".
- [7] ISO/IEC 9646-1: "Information technology Open Systems Interconnection Conformance testing methodology and framework Part 1: General concepts".
- [8] ISO/IEC 9646-7: "Information technology Open systems interconnection Conformance testing methodology and framework Part 7: Implementation Conformance Statements".
- [9] 3GPP TS 34.108: "Common Test Environments for User Equipment (UE) Conformance Testing".
- [10] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".
- [11] 3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".

[12] 3GPP TS 34.123-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".

# 3 Definitions, symbols and abbreviations

For the purposes of the present document, the following terms, definitions, symbols and abbreviations apply:

- such given in TR 21.905[1]
- such given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8]

NOTE: Some terms and abbreviations defined in [7] and [8] are explicitly included below with small modification to reflect the terminology used in 3GPP.

#### 3.1 Definitions

**Implementation Conformance Statement (ICS):** A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented.

**ICS proforma:** A document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS.

**Implementation eXtra Information for Testing (IXIT)**: A statement made by a supplier or implementer of an UEUT which contains or references all of the information (in addition to that given in the ICS) related to the UEUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the UEUT.

**IXIT proforma:** A document, in the form of a questionnaire, which when completed for an UEUT becomes an IXIT.

**Protocol Implementation Conformance Statement (PICS):** An ICS for an implementation or system claimed to conform to a given protocol specification.

**Protocol Implementation eXtra Information for Testing (PIXIT):** An IXIT related to testing for conformance to a given protocol specification.

**static conformance review**: A review of the extent to which the static conformance requirements are claimed to be supported by the UEUT, by comparing the answers in the ICS(s) with the static conformance requirements expressed in the relevant specification(s).

# 3.2 Symbols

No specific symbols have been identified so far.

### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-GNSS Assisted - Global Navigation Satellite System

A-GPS Assisted - Global Positioning System

DUT Device Under Test

E-CID Enhanced Cell-ID (positioning method)

ENB Evolved Node B

E-UTRA Evolved UMTS Terrestrial Radio Access

E-UTRAN Evolved UMTS Terrestrial Radio Access Network

FDD Frequency Division Duplex

FFS For Further Study

GLONASS GLObal'naya NAvigatsionnaya Sputnikovaya Sistema (English: Global Navigation Satellite

System)

GNSS Global Navigation Satellite System

GPS Global Positioning System

ICS Implementation Conformance Statement
IXIT Implementation eXtra Information for Testing

LPP LTE Positioning Protocol

MO-LR Mobile Originated Location Request
MT-LR Mobile Terminated Location Request
OTDOA Observed Time Difference Of Arrival

PICS Protocol Implementation Conformance Statement
PIXIT Protocol Implementation eXtra Information for Testing

QZSS Quasi-Zenith Satellite System
SBAS Space Based Augmentation System
SCS System Conformance Statement

TC Test Case UE User Equipment

UEUT User Equipment Under Test

# 4 Recommended Test Case Applicability

The applicability of each individual test is identified in Table 4-1 (UTRA) and 4.3 (E-UTRA) for test cases in TS 37.571-1 [5] and in Table 4-5 (UTRA) and 4.7 (E-UTRA) for test cases in TS 37.571-2 [6]. This is just a recommendation based on the purpose for which the test case was written.

The applicability of every test is formally expressed by the use of Boolean expression that are based on parameters (ICS) included in annex A of the present document.

Additional information related to the Test Case (TC), e.g. affecting its dynamic behaviour or its execution may be provided as well

The columns in Tables 4-1, 4.3, 4.5, and 4.7 have the following meaning:

#### Clause

The clause column indicates the clause number in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

#### Title

The title column describes the name of the test and contains the clause title of the clause in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

#### Release

The release column indicates the earliest release from which each the test case is applicable.

#### Applicability - Condition

The following notations are used for the applicability column:

R recommended - the test case is recommended

O optional – the test case is optional

N/A not applicable - in the given context, the test case is not recommended.

Ci conditional - the test is recommended ("R") or not ("N/A") depending on the support of other

items. "i" is an integer identifying an unique conditional status expression which is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ...

THEN ... ELSE...) ELSE ..." is used to avoid ambiguities.

NOTE: The conditions are defined in Table 4-2, 4-4, 4-6, and 4-8.

#### Applicability - Comments

This column contains a verbal description of the condition.

#### Additional Information - Specific ICS

This column contains the mnemonics of ICS(s) affecting the dynamic behaviour of the TC.

### Additional Information - Specific IXIT

This column contains the mnemonics of IXIT(s) affecting the dynamic behaviour of the TC.

Table 4-1: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for UTRA

Clause	Title	Release	Applicability	Comments
5.2.1	Sensitivity Course Time Assistance	Rel-6	C01	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.2.2	Sensitivity Fine Time Assistance	Rel-6	C02	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only and Fine Time Assistance
5.3	Nominal Accuracy	Rel-6	C01	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.4	Dynamic Range	Rel-6	C01	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.5	Multi-path Performance	Rel-6	C01	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.6	Moving Scenario and Periodic Update Performance	Rel-6	C01	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
6.2.1-1	Sensitivity Course Time Assistance: Sub-Test 1	Rel-10	C03-1	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.2.1-2	Sensitivity Coarse Time Assistance: Sub-Test 2	Rel-10	C03-2	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.2.1-3	Sensitivity Coarse Time Assistance: Sub-Test 3	Rel-10	C03-3	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.2.1-4	Sensitivity Coarse Time Assistance: Sub-Test 4	Rel-10	C03-4	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.2.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-10	C04-1	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only and Fine Time Assistance
6.2.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-10	C04-2	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only and Fine Time Assistance
6.2.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-10	C04-3	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only and Fine Time Assistance
6.2.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-10	C04-4	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only and Fine Time Assistance
6.3-1	Nominal Accuracy: Sub-Test 1	Rel-10	C03-1	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.3-2	Nominal Accuracy: Sub-Test 2	Rel-10	C03-2	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.3-3	Nominal Accuracy: Sub-Test 3	Rel-10	C03-3	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.3-4	Nominal Accuracy: Sub-Test 4	Rel-10	C03-4	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.4-1	Dynamic Range: Sub-Test 1	Rel-10	C03-1	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only

Clause	Title	Release	Applicability	Comments
6.4-2	Dynamic Range: Sub-Test 2	Rel-10	C03-2	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.4-3	Dynamic Range: Sub-Test 3	Rel-10	C03-3	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.4-4	Dynamic Range: Sub-Test 4	Rel-10	C03-4	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.5-1	Multi-path Performance: Sub-Test 1	Rel-10	C03-1	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.5-2	Multi- path Performance: Sub-Test 2	Rel-10	C03-2	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.5-3	Multi- path Performance: Sub-Test 3	Rel-10	C03-3	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.5-4	Multi- path Performance: Sub-Test 4	Rel-10	C03-4	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.6-1	Moving Scenario and Periodic Update Performance: Sub-Test 1	Rel-10	C03-1	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.6-2	Moving Scenario and Periodic Update Performance: Sub-Test 2	Rel-10	C03-2	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.6-3	Moving Scenario and Periodic Update Performance: Sub-Test 3	Rel-10	C03-3	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.6-4	Moving Scenario and Periodic Update Performance: Sub-Test 4	Rel-10	C03-4	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only

Table 4-2: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for UTRA

C01	IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02	IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/12 THEN R ELSE N/A
C03-1	IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C03-2	IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C03-3	IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C03-4	IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C04-1	IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A
C04-2	IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) AND A.4.3-1/12 THEN R ELSE N/A
C04-3	IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A
C04-4	IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A

Table 4-3: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for E-UTRA

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7	A-GNSS minimum performance requirements					
7.1.1-1	Sensitivity Course Time Assistance: Sub-Test 1	Rel-9	C01	All UEs supporting A-GPS	xc_eFDD	
				L1C/A only	xc_eTDD	
7.1.1-2	Sensitivity Course Time Assistance: Sub-Test 2	Rel-9	C02	All UEs supporting A-	xc_eFDD	
7.1.1.0		D 10	000	GLONASS only	xc_eTDD	
7.1.1-3	Sensitivity Course Time Assistance: Sub-Test 3	Rel-9	C03	All UEs supporting A-Galileo	xc_eFDD xc_eTDD	
7.1.1-4	Sensitivity Course Time Assistance: Sub-Test 4	Rel-9	C04	only All UEs supporting A-GPS and	xc_eFDD xc_eFDD	
7.1.1-4	Sensitivity Course Time Assistance. Sub-Test 4	Kei-9	C04	Modernized GPS only	xc_eFDD xc_eTDD	
7.1.1-5	Sensitivity Course Time Assistance: Sub-Test 5	Rel-9	C05	All UEs supporting A-GPS and	xc_eFDD	
0	Constituting Course Time Accidentation Cub Foot o	11010	300	A-GLONASS only	xc_eTDD	
7.1.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-9	C06	All UEs supporting A-GPS	xc_eFDD	
	,			L1C/A only, and Fine Time	xc_eTDD	
				Assistance	_	
7.1.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-9	C07	All UEs supporting A-	xc_eFDD	
				GLONASS only, and Fine	xc_eTDD	
7.1.2-3	Consider the Time Assistance Cub Test 2	Dalo	000	Time Assistance	va aEDD	
7.1.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-9	C08	All UEs supporting A-Galileo only, and Fine Time	xc_eFDD xc_eTDD	
				Assistance	xc_erbb	
7.1.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-9	C09	All UEs supporting A-GPS and	xc_eFDD	
	,			Modernized GPS only, and	xc_eTDD	
				Fine Time Assistance		
7.1.2-5	Sensitivity Fine Time Assistance: Sub-Test 5	Rel-9	C10	All UEs supporting A-GPS and	xc_eFDD	
				A-GLONASS only, and Fine	xc_eTDD	
704	N · IA O I T · IA	D 10	004	Time Assistance		
7.2-1	Nominal Accuracy: Sub-Test 1	Rel-9	C01	All UEs supporting A-GPS L1C/A only	xc_eFDD xc_eTDD	
7.2-2	Nominal Accuracy: Sub-Test 2	Rel-9	C02	All UEs supporting A-	xc_eFDD xc_eFDD	
1.2-2	Nominal Accuracy. Sub-Test 2	Kei-9	C02	GLONASS only	xc_erbb	
7.2-3	Nominal Accuracy: Sub-Test 3	Rel-9	C03	All UEs supporting A-Galileo	xc eFDD	
0	100111111111111111111111111111111111111	110.0		only	xc eTDD	
7.2-4	Nominal Accuracy: Sub-Test 4	Rel-9	C04	All UEs supporting A-GPS and	xc_eFDD	
	,			Modernized GPS only	xc_eTDD	
7.2-5	Nominal Accuracy: Sub-Test 5	Rel-9	C05	All UEs supporting A-GPS and	xc_eFDD	
				A-GLONASS only	xc_eTDD	
7.3-1	Dynamic Range: Sub-Test 1	Rel-9	C01	All UEs supporting A-GPS	xc_eFDD	
				L1C/A only	xc_eTDD	
7.3-2	Dynamic Range: Sub-Test 2	Rel-9	C02	All UEs supporting A-	xc_eFDD	
7.0.0	Danassia Banass Oct. Tast O	Dalo	000	GLONASS only	xc_eTDD	
7.3-3	Dynamic Range: Sub-Test 3	Rel-9	C03	All UEs supporting A-Galileo	xc_eFDD	
7.3-4	Dynamic Range: Sub-Test 4	Rel-9	C04	only  All UEs supporting A-GPS and	xc_eTDD xc_eFDD	
1.3-4	Dynamic Range. Sub-Test 4	Kei-9	C04	Modernized GPS only	xc_eFDD xc_eTDD	
7.3-5	Dynamic Range: Sub-Test 5	Rel-9	C05	All UEs supporting A-GPS and	xc_eFDD xc_eFDD	
7.0-0	Dynamic Range. Oub 1650	IXOI-3	000	A-GLONASS only	xc_erDD	
7.4-1	Multi-path scenario: Sub-Test 1	Rel-9	C01	All UEs supporting A-GPS	xc_eFDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
				L1C/A only	xc_eTDD	-
7.4-2	Multi-path scenario: Sub-Test 2	Rel-9	C02	All UEs supporting A-	xc_eFDD	
				GLONASS only	xc_eTDD	
7.4-3	Multi-path scenario: Sub-Test 3	Rel-9	C03	All UEs supporting A-Galileo	xc_eFDD	
				only	xc_eTDD	
7.4-4	Multi-path scenario: Sub-Test 4	Rel-9	C04	All UEs supporting A-GPS and	xc_eFDD	
				Modernized GPS only	xc_eTDD	
7.4-5	Multi-path scenario: Sub-Test 5	Rel-9	C05	All UEs supporting A-GPS and	xc_eFDD	
				A-GLONASS only	xc_eTDD	
7.5-1	Moving scenario and periodic update: Sub-Test 1	Rel-9	C01	All UEs supporting A-GPS	xc_eFDD	
				L1C/A only	xc_eTDD	
7.5-2	Moving scenario and periodic update: Sub-Test 2	Rel-9	C02	All UEs supporting A-	xc_eFDD	
				GLONASS only	xc_eTDD	
7.5-3	Moving scenario and periodic update: Sub-Test 3	Rel-9	C03	All UEs supporting A-Galileo	xc_eFDD	
				only	xc_eTDD	
7.5-4	Moving scenario and periodic update: Sub-Test 4	Rel-9	C04	All UEs supporting A-GPS and	xc_eFDD	
				Modernized GPS only	xc_eTDD	
7.5-5	Moving scenario and periodic update: Sub-Test 5	Rel-9	C05	All UEs supporting A-GPS and	xc_eFDD	
				A-GLONASS only	xc_eTDD	
8	E-CID measurement requirements					
8.1.1	FDD UE Rx-Tx time difference case	Rel-9	C11	All FDD UEs supporting E-CID	xc_eFDD	
				with Rx-Tx time difference		
8.1.2	TDD UE Rx-Tx time difference case	Rel-9	C12	All TDD UEs supporting E-CID	xc_eTDD	
				with Rx-Tx time difference		
9	OTDOA measurement requirements					
9.1.1	FDD RSTD Measurement Reporting Delay	Rel-9	C13	All FDD UEs supporting UE- assisted OTDOA	xc_eFDD	
9.1.2	TDD RSTD Measurement Reporting Delay	Rel-9	C14	All TDD UEs supporting UE-	xc_eTDD	
				assisted OTDOA		
9.1.3	FDD RSTD Measurement Accuracy	Rel-9	C13	All FDD UEs supporting UE-	xc_eFDD	
	,			assisted OTDOA		
9.1.4	TDD RSTD Measurement Accuracy	Rel-9	C14	All TDD UEs supporting UE-	xc_eTDD	
	,			assisted OTDOA	_	
10	OTDOA measurement requirements for Carrier					
	Aggregation					
10.1	FDD RSTD Measurement Reporting Delay for Carrier	Rel-10	C15	All FDD UEs supporting UE-	pc_eFDD	
	Aggregation			assisted OTDOA for Carrier	F ==	
	1.999			Aggregation		
10.2	TDD RSTD Measurement Reporting Delay for Carrier	Rel-10	C16	All TDD UEs supporting UE-	pc_eTDD	
	Aggregation			assisted OTDOA for Carrier	. –	
				Aggregation		
10.3	FDD RSTD Measurement Accuracy for Carrier	Rel-10	C15	All FDD UEs supporting UE-	pc_eFDD	
	Aggregation			assisted OTDOA for Carrier		
				Aggregation		
10.4	TDD RSTD Measurement Accuracy for Carrier	Rel-10	C16	All TDD UEs supporting UE-	pc_eTDD	
	Aggregation			assisted OTDOA for Carrier		
				Aggregation		

Table 4-4: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for E-UTRA

C01	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/6 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9 ) THEN R ELSE N/A
C02	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 ) THEN R ELSE N/A
C03	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 ) THEN R ELSE N/A
C04	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/8 AND NOT (A.4.3-2/7 OR A.4.3-2/9 ) THEN R ELSE N/A
C05	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/6 AND A.4.3-2/7 AND NOT (A.4.3-2/8 OR A.4.3-2/9 ) THEN R ELSE N/A
C06	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/6 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9 ) AND A.4.3-2/3 THEN R ELSE N/A
C07	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9 ) AND A.4.3-2/3 THEN R ELSE N/A
C08	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8 ) AND A.4.3-2/3 THEN R ELSE N/A
C09	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/8 AND NOT (A.4.3-2/7 OR A.4.3-2/9 ) AND A.4.3-2/3 THEN R ELSE N/A
C10	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3.1-1/2) AND A.4.3-2/6 AND A.4.3-2/7 AND NOT (A.4.3-2/8 OR A.4.3-2/9 ) AND A.4.3-2/3 THEN R ELSE N/A
C11	IF A.4.1-1/1 AND A.4.3-2/5 AND A.4.3-4/3 THEN R ELSE N/A
C12	IF A.4.1-1/2 AND A.4.3-2/5 AND A.4.3-4/3 THEN R ELSE N/A
C13	IF A.4.1-1/1 AND A.4.3-2/4 THEN R ELSE N/A
C14	IF A.4.1-1/2 AND A.4.3-2/4 THEN R ELSE N/A
C15	IF A.4.1-1/1 AND A.4.3-2/15 THEN R ELSE N/A
C16	IF A.4.1-1/2 AND A.4.3-2/15 THEN R ELSE N/A

Table 4-5: Applicability of tests and additional information for testing for test cases in TS 37.571-2 [6] for UTRA

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.1.1.1	LCS Network Induced location request/ UE-Based GPS/ Emergency Call / with USIM	R99	C01u	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.2	LCS Network induced location request/ UE-Based GPS/ Emergency call/ Without USIM	R99	C01u	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.3	LCS Network induced location request/ UE-Assisted GPS/ Emergency call/ With USIM	R99	C03u	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.4	LCS Network induced location request/ UE-Assisted GPS/ Emergency call/ Without USIM	R99	C03u	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.2.1	LCS Mobile originated location request/ UE-Based GPS/ Position estimate request/ Success	R99	C09u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for a position estimate	1 Execution: CS
6.1.2.2	LCS Mobile originated location request UE-Based or UE-Assisted GPS / Assistance data request/ Success	R99	C05u	UEs supporting FDD and (UE based or UE assisted Network Assisted GPS L1 C/A only) and MO-LR request for assistance data	1 Execution: CS
6.1.2.3	LCS Mobile originated location request/ UE-Assisted GPS/ Position Estimate/ Success	R99	C10u	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MO-LR request for a position estimate	1 Execution: CS
6.1.2.4	LCS Mobile originated location request/ UE-Based GPS/ Transfer to third party/ Success	R99	C07u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for transfer to 3rd party	1 Execution: CS
6.1.2.5	LCS Mobile originated location request/ UE-Assisted GPS/ Transfer to third party/ Success	R99	C08u	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MO-LR request for transfer to 3rd party	1 Execution: CS
6.1.2.6	LCS Mobile originated location request/ UE-Based or UE-Assisted GPS/ Assistance data request/ Failure	R99	C05u	UEs supporting FDD and (either UE based or UE assisted Network Assisted GPS L1 C/A only) and MO-LR request for assistance data	1 Execution: CS
6.1.2.7	LCS Mobile originated location request/ UE-Based GPS/ Position estimate request/ Failure	R99	C09u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for position estimate	1 Execution: CS
6.1.3.1	LCS Mobile terminated location request/ UE-Based GPS	R99	C02u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.2	LCS Mobile terminated location request/ UE-Based GPS/ Request of additional assistance data/ Success	R99	C02u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.3	LCS Mobile-terminated location request/ UE-Based GPS/ Failure  – Not Enough Satellites	R99	C02u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.4	LCS Mobile terminated location request/ UE-Assisted GPS/Success	R99	C04u	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.5	LCS Mobile terminated location request/ UE-Assisted GPS/ Request for additional assistance data/ Success	R99	C04u	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.6	LCS Mobile terminated location request/ UE-Based GPS/ Privacy Verification/ Location Allowed if No Response	R99	C02u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.1.3.7	LCS Mobile terminated location request/ UE-Based GPS/ Privacy Verification/ Location Not Allowed if No Response	R99	C02u	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.8	LCS Mobile terminated location request/ UE-Assisted GPS/ Privacy Verification/ Location Allowed if No Response	R99	C04u	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.9	LCS Mobile terminated location request/ UE-Assisted GPS/ Privacy Verification/ Location Not Allowed if No Response	R99	C04u	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.10	LCS Mobile terminated location request/ UE-Based or UE-Assisted GPS/ Configuration incomplete	R99	C06u	UEs supporting FDD and UE based and/or UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability, but not UE-based OTDOA	1 Execution: CS
6.2.1.1_1s	NI-LR Emergency Call: UE-Based A-GNSS Sub-test 1	Rel-8	C11u	UEs supporting FDD, emergency speech call and UE based Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.1.1_2s	NI-LR Emergency Call: UE-Based A-GNSS Sub-test 2	Rel-8	C22u	UEs supporting FDD, emergency speech call and UE based Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.1.1_3s	NI-LR Emergency Call: UE-Based A-GNSS Sub-test 3	Rel-8	C13u	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.1.1_4s	NI-LR Emergency Call: UE-Based A-GNSS Sub-test 4	Rel-8	C14u	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.1.2_1s	NI-LR Emergency Call: UE-Assisted A-GNSS Sub-test 1	Rel-8	C15u	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.1.2_2s	NI-LR Emergency Call: UE-Assisted A-GNSS Sub-test 2	Rel-8	C16u		
6.2.1.2_3s	NI-LR Emergency Call: UE-Assisted A-GNSS Sub-test 3	Rel-8	C17u	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.1.2_4s	NI-LR Emergency Call: UE-Assisted A-GNSS Sub-test 4	Rel-8	C18u	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.2.1_1s	MO-LR Position Estimate: UE-Based A-GNSS Sub-test 1	Rel-8	C19u	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_2s	MO-LR Position Estimate: UE-Based A-GNSS Sub-test 2	Rel-8	C20u	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_3s	MO-LR Position Estimate: UE-Based A-GNSS Sub-test 3	Rel-8	C21u		
6.2.2.1_4s	MO-LR Position Estimate: UE-Based A-GNSS Sub-test 4	Rel-8	C22u	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.2.2.2_1s	MO-LR Position Estimate: UE-Assisted A-GNSS Sub-test 1	Rel-8	C23u	UEs supporting FDD and UE assisted Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_2s	MO-LR Position Estimate: UE-Assisted A-GNSS Sub-test 2	Rel-8	C24u	UEs supporting FDD and UE assisted Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_3s	MO-LR Position Estimate: UE-Assisted A-GNSS Sub-test 3	Rel-8	C25u	UEs supporting FDD and UE assisted Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_4s	MO-LR Position Estimate: UE-Assisted A-GNSS Sub-test 4	Rel-8	C26u	UEs supporting FDD and UE assisted Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_1s	MO-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 1	Rel-8	C19u	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_2s	MO-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 2	Rel-8	C20u	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_3s	MO-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 3	Rel-8	C21u	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_4s	MO-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 4	Rel-8	C22u	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.4_1s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Success Sub-test 1	Rel-8	C27u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_2s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Success Sub-test 2	Rel-8	C28u		
6.2.2.4_3s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Success Sub-test 3	Rel-8	C29u	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_4s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Success Sub-test 4	Rel-8	C30u	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_1s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Failure Sub-test 1	Rel-8	C27u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_2s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Failure Sub-test 2	Rel-8	C28u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only and MO-LR request for assistance data	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.2.2.5_3s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Failure Sub-test 3	Rel-8	C29u	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only and MO-LR request for assistance data	1 Execution: ČS
6.2.2.5_4s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS – Failure Sub-test 4	Rel-8	C30u		
6.2.3.1_1s	MT-LR UE Based or UE-Assisted A-GNSS – Request for additional assistance data/Success Sub-test 1	Rel-8	C35u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only	1 Execution: CS
6.2.3.1_2s	MT-LR UE Based or UE-Assisted A-GNSS – Request for additional assistance data/Success Sub-test 2	Rel-8	C36u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only	1 Execution: CS
6.2.3.1_3s	MT-LR UE Based or UE-Assisted A-GNSS – Request for additional assistance data/Success Sub-test 3	Rel-8	C37u	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only	1 Execution: CS
6.2.3.1_4s	MT-LR UE Based or UE-Assisted A-GNSS – Request for additional assistance data/Success Sub-test 4	Rel-8	C38u	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only	1 Execution: CS
6.2.3.2_1s	MT-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 1	Rel-8	C31u	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.3.2_2s	MT-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 2	Rel-8	C32u	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.3.2_3s	MT-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 3	Rel-8	C33u	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.3.2_4s	MT-LR Position Estimate: UE-Based A-GNSS – Failure Not Enough Satellites Sub-test 4	Rel-8	C34u	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.3.3	Location Notification	Rel-8	C39u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS
6.2.3.4	Privacy Verification - Location Allowed if No Response	Rel-8	C39u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS
6.2.3.5	Privacy Verification - Location Not Allowed if No Response	Rel-8	C39u	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS

Table 4-6: Applicability of tests Conditions for test cases in TS 37.571-2 [6] for UTRA

C01u IF A.4.1-1/3 AND A.4.1-2/1 AND A.4.3-1/10 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/8 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C03u IF A.4.1-1/3 AND A.4.1-2/1 AND A.4.3-1/11 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C04u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/8 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C05u IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND A.4.3-3/5 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C06u IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND A.4.3-3/8 AND (NOT A.4.3-1/3) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C07u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/7 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C08u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/7 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C09u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/6 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C10u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/6 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C11u IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C12u IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C13u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C14u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C15u IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C16u IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C17u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C18u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C19u IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C20u IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/9 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C21u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/8 AND A.4.3-3/6 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C22u IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT A.4.3-1/9 THEN R ELSE N/A
C23u IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C24u IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C25u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND A.4.3-3/6 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C26u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT A.4.3-1/9 THEN R ELSE N/A
C27u IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/7 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C28u IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/9 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C29u IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/9 AND A.4.3-3/5 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C30u IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/7 AND A.4.3-3/5 AND NOT A.4.3-1/9 THEN R ELSE N/A
C31u IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C32u IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C33u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C34u IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C35u IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C36u IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C37u IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/9 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C38u IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C39u IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-3/8 THEN R ELSE N/A

Table 4-7: Applicability of tests and additional information for testing for test cases in TS 37.571-2 [6] for E-UTRA

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7.1	NAS Protocol Procedures					
7.1.1	UE Network Capability	Rel-9	C11e	All UEs supporting LPP	pc_eFDD	
					pc_eTDD	
7.2	LCS Procedures				·	
7.2.1.1	Location Notification	Rel-9	C14e	All UEs supporting EPC-MT-	pc_eFDD	
				LR Location Notification	pc_eTDD	
7.2.1.2	Privacy Verification – Location Allowed if no Response	Rel-9	C14e	All UEs supporting EPC-MT-	pc_eFDD	px_UeLcsNotification:
				LR Location Notification	pc_eTDD	value for UE LCS Notification timeout timer.
7.2.1.3	Privacy Verification – Location not Allowed if No Response	Rel-9	C14e	All UEs supporting EPC-MT-	pc_eFDD	px_UeLcsNotification:
				LR Location Notification	pc_eTDD	value for UE LCS Notification timeout timer.
7.2.2.1_1s	Autonomous Self Location: UE-based: Subtest 1	Rel-9	C01e	All UEs supporting UE-Based	pc_eFDD	
				GNSS with A-GPS only and	pc_eTDD	
				MO-LR request for assistance data		
7.2.2.1_2s	Autonomous Self Location: UE-based: Subtest 2	Rel-9	C02e	All UEs supporting UE-Based	pc_eFDD	
				GNSS with A-GLONASS only	pc_eTDD	
				and MO-LR request for	F-2	
7004.0-	Autonomore Collinaration IIE harant Collinari	D-LO	000-	assistance data		
7.2.2.1_3s	Autonomous Self Location: UE-based: Sub-test 3	Rel-9	C03e	All UEs supporting UE-Based GNSS with A-Galileo only and	pc_eFDD	
				MO-LR request for assistance	pc_eTDD	
				data		
7.2.2.1_4s	Autonomous Self Location: UE-based: Subtest 4	Rel-9	C04e	All UEs supporting UE-Based	pc_eFDD	
				GNSS with A-GPS and A-		
				GLONASS only and MO-LR	pc_eTDD	
70001	D : 0 1/1 :: 1/5 :: 1 0 1: 14	D 10	005	request for assistance data		
7.2.2.2_1s	Basic Self Location: UE-assisted: Subtest 1	Rel-9	C05e	All UEs supporting UE-Assisted GNSS with A-	pc_eFDD pc_eTDD	
				GPS only and MO-LR request	pc_e1DD	
				for location estimate		
7.2.2.2_2s	Basic Self Location: UE-assisted: Subtest 2	Rel-9	C06e	All UEs supporting	pc_eFDD	
_		. 10. 0	3000	UE-Assisted GNSS with A-	pc_eTDD	
				GLONASS only and MO-LR		
				request for location estimate		
7.2.2.2_3s	Basic Self Location: UE-assisted: Subtest 3	Rel-9	C07e	All UEs supporting	pc_eFDD	
				UE-Assisted GNSS with A-	pc_eTDD	
				Galileo only and MO-LR request for location estimate		
7.2.2.2_4s	Basic Self Location: UE-assisted: Subtest 4	Rel-9	C08e	All UEs supporting	pc_eFDD	
1.2.2.2_43	Dadio Joli Eddalion. DE addisted. Jubiest 4	Kei-9	0006	UE-Assisted GNSS with A-	pc_erDD	<del>- </del>
				GPS and A-GLONASS only	Po_0100	
				and MO-LR request for		
				location estimate		
7.2.2.2_5s	Basic Self Location: UE-assisted: Subtest 5	Rel-9	C09e	All UEs supporting	pc_eFDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
				UE-Assisted OTDOA and MO-LR request for location estimate	pc_eTDD	
7.2.2.2_6s	Basic Self Location: UE-assisted: Subtest 6	Rel-9	C10e	All UEs supporting UE-Assisted ECID and MO- LR request for location estimate	pc_eFDD pc_eTDD	
7.3	LPP Procedures					
7.3.1.1	Position Capability Transfer	Rel-9	C11e	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.3.2.1	LPP Duplicated Message	Rel-9	C11e	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.3.2.2	LPP Acknowledgment	Rel-9	C11e	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.3.2.3	LPP Retransmission	Rel-9	C36e	All UEs supporting LPP and support of sending of acknowledgement request in LPP Provide Capabilities message.	pc_eFDD pc_eTDD	
7.3.3.1_1s	LPP Requested Method not Supported– UE-Assisted: Subtest 1	Rel-9	C15e	All UEs supporting UE- assisted GNSS with GPS, either alone or with UE- assisted OTDOA or UE- assisted ECID.	pc_eFDD pc_eTDD	
7.3.3.1_2s	LPP Requested Method not Supported – UE-Assisted: Subtest 2	Rel-9	C16e	All UEs supporting UE- assisted GNSS with GLONASS, either alone or with UE-assisted OTDOA or UE-assisted ECID.	pc_eFDD pc_eTDD	
7.3.3.1_3s	LPP Requested Method not Supported – UE-Assisted: Subtest 3	Rel-9	C17e	All UEs supporting UE- assisted GNSS with Galileo, either alone or with UE- assisted OTDOA or UE- assisted ECID.	pc_eFDD pc_eTDD	
7.3.3.1_4s	LPP Requested Method not Supported – UE-Assisted: Subtest 4	Rel-9	C18e	All UEs supporting UE- assisted GNSS with GPS and GLONASS, either alone or with UE-assisted OTDOA or UE-assisted ECID.	pc_eFDD pc_eTDD	
7.3.3.1_5s	LPP Requested Method not Supported – UE-Assisted: Subtest 5	Rel-9	C19e	All UEs supporting UE- assisted OTDOA, either alone or with UE-assisted GNSS or UE-assisted ECID.	pc_eFDD pc_eTDD	
7.3.3.1_6s	LPP Requested Method not Supported – UE-Assisted: Subtest 6	Rel-9	C20e	All UEs supporting UE- assisted ECID, either alone or with UE-assisted GNSS or UE- assisted OTDOA.	pc_eFDD pc_eTDD	
7.3.3.1_7s	LPP Requested Method not Supported – UE-Assisted: Subtest 7	Rel-9	C21e	All UEs supporting UE- assisted GNSS and UE- assisted OTDOA	pc_eFDD pc_eTDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7.3.4.1_1s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C28e	All UEs supporting UE-based	pc_eFDD	-
	Location Information Transfer: UE-Based: Subtest 1			GNSS with A-GPS only	pc_eTDD	
7.3.4.1_2s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C29e	All UEs supporting UE-based	pc_eFDD	
	Location Information Transfer: UE-Based: Subtest 2			GNSS with A-GLONASS only	pc_eTDD	
7.3.4.1_3s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C30e	All UEs supporting UE-based	pc_eFDD	
	Location Information Transfer: UE-Based: Subtest 3			GNSS with A-Galileo only	pc_eTDD	
7.3.4.1_4s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C31e	All UEs supporting UE-based	pc_eFDD	
	Location Information Transfer: UE-Based: Subtest 4			GNSS with A-GPS and A- GLONASS only	pc_eTDD	
7.3.4.2_1s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C32e	All UEs supporting UE-	pc_eFDD	
	Location Information Transfer: UE-Assisted: Subtest 1			assisted GNSS with A-GPS only	pc_eTDD	
7.3.4.2_2s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C33e	All UEs supporting UE-	pc_eFDD	
	Location Information Transfer: UE-Assisted: Subtest 2			assisted GNSS with A- GLONASS only	pc_eTDD	
7.3.4.2_3s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C34e	All UEs supporting UE-	pc_eFDD	
	Location Information Transfer: UE-Assisted: Subtest 3			assisted GNSS with A-Galileo only	pc_eTDD	
7.3.4.2_4s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C35e	All UEs supporting UE-	pc_eFDD	
_	Location Information Transfer: UE-Assisted: Subtest 4			assisted GNSS with A-GPS and A-GLONASS only	pc_eTDD	
7.3.4.2_5s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C26e	All UEs supporting UE-	pc_eFDD	
_	Location Information Transfer: UE-Assisted: Subtest 5			Assisted OTDOA	pc_eTDD	
7.3.4.2_6s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C27e	All UEs supporting UE-	pc_eFDD	
	Location Information Transfer: UE-Assisted: Subtest 6		02.0	Assisted ECID	pc_eTDD	
7.3.4.2_7s	E-SMLC Initiated Assistance Data Delivery followed by	Rel-9	C21e	All UEs supporting UE-	pc_eFDD	
7.5.4.2_75	Location Information Transfer: UE-Assisted: Subtest 7	IXEI-3	0216	assisted GNSS and UE- assisted OTDOA	pc_eTDD	
7.3.4.3_1s	E-SMLC Initiated Position Measurement without	Rel-9	C28e	All UEs supporting UE-based	pc_eFDD	
7.0.1.0_10	assistance data: UE-Based: Subtest 1	11010	0200	GNSS with A-GPS only	pc_eTDD	
7.3.4.3_2s	E-SMLC Initiated Position Measurement without	Rel-9	C29e	All UEs supporting UE-based	pc_eFDD	
	assistance data: UE-Based: Subtest 2	110.0	0200	GNSS with A-GLONASS only	pc_eTDD	
7.3.4.3_3s	E-SMLC Initiated Position Measurement without	Rel-9	C30e	All UEs supporting UE-based	pc_eFDD	
	assistance data: UE-Based: Subtest 3			GNSS with A-Galileo only	pc_eTDD	
7.3.4.3_4s	E-SMLC Initiated Position Measurement without	Rel-9	C31e	All UEs supporting UE-based	pc_eFDD	
_	assistance data: UE-Based: Subtest 4			GNSS with A-GPS and A- GLONASS only	pc_eTDD	
7.3.4.4_1s	E-SMLC Initiated Position Measurement without	Rel-9	C32e	All UEs supporting UE-	pc_eFDD	
_	assistance data: UE-Assisted: Subtest 1			assisted GNSS with A-GPS only	pc_eTDD	
7.3.4.4_2s	E-SMLC Initiated Position Measurement without	Rel-9	C33e	All UEs supporting UE-	pc_eFDD	
_	assistance data: UE-Assisted: Subtest 2			assisted GNSS with A- GLONASS only	pc_eTDD	
7.3.4.4_3s	E-SMLC Initiated Position Measurement without	Rel-9	C34e	All UEs supporting UE-	pc_epc_eFDD	
_	assistance data: UE-Assisted: Subtest 3			assisted GNSS with A-Galileo only	pc_eTDD	
7.3.4.4_4s	E-SMLC Initiated Position Measurement without	Rel-9	C35e	All UEs supporting UE-	pc_eFDD	
	assistance data: UE-Assisted: Subtest 4			assisted GNSS with A-GPS and A-GLONASS only	pc_eTDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7.3.4.4_5s	E-SMLC Initiated Position Measurement without	Rel-9	C26e	All UEs supporting UE-	pc_eFDD	
	assistance data: UE-Assisted: Subtest 5			Assisted OTDOA	pc_eTDD	
7.3.4.4_7s	E-SMLC Initiated Position Measurement without	Rel-9	C21e	All UEs supporting UE-	pc_eFDD	
	assistance data: UE-Assisted: Subtest 7			assisted GNSS and UE- assisted OTDOA	pc_eTDD	
7.3.5.1_1s	E-SMLC initiated Abort: Subtest 1	Rel-9	C22e	All UEs supporting UE-based	pc_eFDD	
_				or UE-assisted GNSS with A- GPS only	pc_eTDD	
7.3.5.1_2s	E-SMLC initiated Abort: Subtest 2	Rel-9	C23e	All UEs supporting UE-based	pc_eFDD	
_				or UE-assisted GNSS with A- GLONASS only	pc_eTDD	
7.3.5.1_3s	E-SMLC initiated Abort: Subtest 3	Rel-9	C24e	All UEs supporting UE-based	pc_eFDD	
				or UE-assisted GNSS with A- Galileo only	pc_eTDD	
7.3.5.1_4s	E-SMLC initiated Abort: Subtest 4	Rel-9	C25e	All UEs supporting UE-based	pc_eFDD	
				or UE-assisted GNSS with A- GPS and A-GLONASS only	pc_eTDD	
7.3.5.1_5s	E-SMLC initiated Abort: Subtest 5	Rel-9	C26e	All UEs supporting UE	pc_eFDD	
				Assisted OTDOA	pc_eTDD	
7.3.5.1_6s	E-SMLC initiated Abort: Subtest 6	Rel-9	C27e	All UEs supporting UE	pc_eFDD	
				Assisted ECID	pc_eTDD	
7.4	Circuit Switched (CS) Fallback					
7.4.1.1	CS fallback: Network does not support EPC-MO-LR	Rel-9	C12e	All UEs supporting MO-LR	pc_eFDD	
				procedure for location estimate in the CS fallback in EPS.	pc_eTDD	
7.4.1.2	CS fallback: UE does not support EPC-MO-LR	Rel-9	C13e	All UEs not supporting EPC-	pc_eFDD	
				MO-LR and supporting MO-LR	pc_eTDD	
				procedure for location estimate		
				in the CS fallback in EPS.		

Table 4-8: Applicability of tests Conditions for test cases in TS 37.571-2 [6] for E-UTRA

C01e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C02e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C03e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C04e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C05e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C06e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C07e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C08e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C09e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/4 AND A.4.3-3/2 THEN R ELSE N/A
C10e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/5 AND A.4.3-3/2 THEN R ELSE N/A
C11e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.2-1/1 THEN R ELSE N/A
C12e IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.1-1/3 OR A.4.11/4) AND A.4.3-3/4 THEN R ELSE N/A
C13e IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.1-1/3 OR A.4.11/4) AND A.4.3-3/4 AND NOT (A.4.3-2/1 AND A.4.3-2/2) THEN R ELSE N/A
C14e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-3/3 THEN R ELSE N/A
C15e IF (A.4.1-1/1 OR A.4.1-1/2) AND [(A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8)) OR ((A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8)) AND A.4.3-2/4) OR ((A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8)) AND A.4.3-2/4) OR ((A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8)) AND A.4.3-2/8)
OR A.4.3-2/8)) AND A.4.3-2/5)] THEN R ELSE N/A
C16e IF (A.4.1-1/1 OR A.4.1-1/2) AND [(A.4.3.2/2 AND A.4.3-2/7) OR (A.4.3.2/2 AND A.4.3-2/7 AND A.4.3-2/4) OR (A.4.3.2/2 AND A.4.3-2/7 AND A.4.3-2/5)] THEN R ELSE N/A
C17e IF (A.4.1-1/1 OR A.4.1-1/2) AND [(A.4.3.2/2 AND A.4.3-2/9) OR (A.4.3.2/2 AND A.4.3-2/9 AND A.4.3-2/4) OR (A.4.3.2/2 AND A.4.3-2/9 AND A.4.3-2/5)] THEN R ELSE N/A
C18e IF (A.4.1-1/1 OR A.4.1-1/2) AND [(A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7) OR ((A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7) OR ((A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7) OR
((A.4.3.2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7) AND A.4.3-2/5)] THEN R ELSE N/A
C19e IF (A.4.1-1/1 OR A.4.1-1/2) AND [A.4.3-2/4 OR (A.4.3-2/4 AND A.4.3-2/2) OR (A.4.3-2/4 AND A.4.3-2/5)] THEN R ELSE N/A
C20e IF (A.4.1-1/1 OR A.4.1-1/2) AND [A.4.3-2/5 OR (A.4.3-2/5 AND A.4.3-2/2) OR (A.4.3-2/5 AND A.4.3-2/4)] THEN R ELSE N/A
C21e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/4 THEN R ELSE N/A
C22e IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C23e IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C24e IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C25e IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C26e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/4
C27e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/5
C28e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C29e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C30e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C31e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C32e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C33e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C34e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C35e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C36e IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.2-1/1 AND A.4.4-1/1 THEN R ELSE N/A

# Annex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment

Notwithstanding the provisions of the copyright clause related to the text of the present document, The Organizational Partners of 3GPP grant that users of the present document may freely reproduce the ICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed ICS.

# A.1 Guidance for completing the ICS proforma

# A.1.1 Purposes and structure

The purpose of this ICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in relevant specifications may provide information about the implementation in a standardised manner

The ICS proforma is subdivided into clauses for the following categories of information:

- instructions for completing the ICS proforma;
- identification of the implementation;
- identification of the protocol;
- ICS proforma tables (for example: UE implementation types, Teleservices, etc).

#### A.1.2 Abbreviations and conventions

The ICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [8].

#### Item column

The item column contains a number which identifies the item in the table.

#### Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

#### Reference column

The reference column gives reference to the relevant 3GPP core specifications.

#### Release column

The release column indicates the earliest release from which the capability or option is relevant.

#### Mnemonic column

The Mnemonic column contains mnemonic identifiers for each item.

#### Comments column

This column is left blank for particular use by the reader of the present document.

#### References to items

For each possible item answer (answer in the support column) within the ICS proforma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table. If there is more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.), respectively.

# A.1.3 Instructions for completing the ICS proforma

The supplier of the implementation may complete the ICS proforma in each of the spaces provided. More detailed instructions are given at the beginning of the different clauses of the ICS proforma.

# A.2 Identification of the User Equipment

Identification of the User Equipment should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

A.2.1	Date of the statement
A.2.2 UEUT name	User Equipment Under Test (UEUT) identification
Hardware co	nfiguration:
Software cor	nfiguration:
A.2.3 Name:	Product supplier
Address:	

Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.2.4 Client
Name:  Address:
Telephone number:
Facsimile number:
E-mail address:
Additional information:
A.2.5 ICS contact person  Name:
Telephone number:
Facsimile number:

-mail address:	
dditional information:	
	•••••

# A.3 Identification of the protocol

This ICS proforma applies to the 3GPP standards listed in the normative references clause of the present document.

# A.4 ICS proforma tables

# A.4.1 UE Implementation Types

Table A.4.1-1: UE Radio Technologies

Item	UE Radio Technologies	Ref.	Release	Mnemonic	Comments
1	E-UTRA FDD				Refer to 3GPP TS
					36.523-2[11] Table
					A.4.1-1/1
2	E-UTRA TDD				Refer to 3GPP TS
					36.523-2 [11] Table
					A.4.1-1/2
3	UTRA FDD				Refer to 3GPP TS
					34.123-2 [12] Table
					A.1/1
4	UTRA TDD 1.28 Mcps (LCR)	•			Refer to 3GPP TS
					34.123-2 [12] Table
					A.1/3

Table A.4.1-2: Teleservices

Item	Teleservices	Ref.	Release	Mnemonic	Comments
1	Emergency call				Refer to 3GPP TS
					34.123-2 [12] Table
					A.2/2

# A.4.2 Baseline Implementation Capabilities

**Table A.4.2-1: Supported Protocols** 

Item	Special Conformance Testing Functions	Ref.	Release	Mnemonic	Comments
1	LTE Positioning Protocol (LPP)	36.355	Rel-9	pc_LPP	
2	Support for OMA LPPe	OMA-TS- LPPe-V1_0- 20110929-C	Rel-9	pc_OMA_LPPe	

**Table A.4.2-2: Special Conformance Testing Functions** 

Item	Special Conformance Testing Functions	Ref.	Release	Comments
1	Reset of UE Positioning Stored Information	36.509	Rel-9	E-UTRA
2	Reset of UE Positioning Stored Information	34.109	R99	UTRA

# A.4.3 UE Positioning Capabilities

Table A.4.3-1: UTRA UE positioning capabilities

Item	Services Capabilities	Ref.	Release	Mnemonic	Comments
1	Support for IPDL	25.306,	R99	pc_UE_PositioningIPDL_Sup	
		4.8		-	
2	Support of GPS timing of cell frames	25.306,	R99	pc_UE_PositioningGPS_TimingOfCel	
		4.8		IFramesSup	
3	UE-based OTDOA is supporting by UE	25.306,	R99	pc_UE_PositioningBasedOTDOA_Su	
		4.8		p	
4	Standalone location method is	25.306,	R99	pc_UE_PositioningStandaloneLocMet	
	supporting by UE	4.8		hodsSup	
5	Support of UE-Based A-GANSS	25.306,	Rel-8	pc_UEB_A_GANSS	
		4.8			
6	Support of UE-Assisted A-GANSS	25.306,	Rel-8	pc_UEA_A_GANSS	
		4.8			
7	Support for GLONASS	25.306,	Rel-8	pc_GLONASS	NOTE
		4.8			
8	Support for Modernized GPS	25.306,	Rel-8	pc_MGPS	NOTE
		4.8		·	
9	Support for Galileo	25.306,	Rel-8	pc_GALILEO	NOTE
		4.8			
10	Support of UE based Network Assisted	25.306,	R99	pc_UeBasedAgps	
	GPS L1 C/A	4.8			
11	Support of UE assisted Network	25.306,	R99	pc_UeAssistedAgps	
	Assisted GPS L1 C/A	4.8			
12	Support of Fine Time Assistance	25.171,	Rel-6		
		4.4			
NOTE	If the capability is supported by the UE, the	nen A.4.3-	1/5 or A.4.3	3-1/6 must be supported as well.	

Table A.4.3-2: E-UTRA UE Positioning Capabilities

Item	UE Positioning Capabilities	Ref.	Releas	Mnemonic	Comments
			е		
1	Support of UE based Assisted-GNSS	36.355	Rel-9	pc_UEB_AG NSS	This implies support of LPP A.4.2-1/1
2	Support of UE assisted Assisted-GNSS	36.355		pc_UEA_AG NSS	This implies support of LPP A.4.2-1/1
3	Support of GNSS Fine Time Assistance	36.355	Rel-9	pc_GNSS_F TA	This implies support of LPP A.4.2-1/1
4	Support of UE assisted OTDOA	36.355	Rel-9	pc_OTDOA	This implies support of LPP A.4.2-1/1
5	Support of UE assisted ECID	36.355	Rel-9	pc_ECID	This implies support of LPP A.4.2-1/1
6	Support for A-GPS L1C/A	36.355	Rel-9	pc_A_GPS_ L1C_A	This implies support of LPP A.4.2-1/1
7	Support for A-GLONASS	36.355	Rel-9	pc_A_GLON ASS	This implies support of LPP A.4.2-1/1
8	Support for A-GPS L1C/A and Modernized GPS	36.355	Rel-9	pc_A_GPS_ L1C_A_MG PS	This implies support of LPP A.4.2-1/1
9	Support for A-Galileo	36.355	Rel-9	pc_A_Galile o	This implies support of LPP A.4.2-1/1
10	Support of UE Fine Time Assistance measurements for UE-based Assisted- GNSS	36.355	Rel-9	pc_GNSS_F TA_UEB	This implies support of LPP A.4.2-1/1
11	Support of UE Fine Time Assistance measurements for UE-assisted Assisted-GNSS	36.355	Rel-9	pc_GNSS_F TA_UEA	This implies support of LPP A.4.2-1/1
12	Support of GNSS Acquisition Assistance	36.355, 37.571-2, 5.4.1	Rel-9	pc_GNSS_A A	This implies support of LPP A.4.2-1/1
13	Support for A-SBAS	36.355	Rel-9	pc_A_SBAS	
14	Support for A-QZSS	36.355	Rel-9	pc_A_QZSS	
15	Support of UE assisted OTDOA for Carrier Aggregation	36.355	Rel-10	pc_OTDOA_ CA	This implies support of LPP A.4.2-1/1

**Table A.4.3-3: Supplementary Services** 

Item	UE Positioning Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of EPC-MO-LR request for assistance data	24.171, 24.030, 24.080	Rel-9	pc_EPC_MO_LR_Requ estAssistanceData	
2	Support of EPC-MO-LR request for a position estimate	24.171, 24.030, 24.080	Rel-9	pc_EPC_MO_LR_Requ estPositionEstimate	
3	Support of EPC-MT-LR Location Notification	24.171, 24.030, 24.080	Rel-9	pc_MT_LR_loc_notif	
4	Support for CS-MO-LR with CS Fallback for a position estimate	23.272	Rel-9	pc_CS_MO_LR_CSFall back	
5	Support of MO-LR request for assistance data	24.030, 5.1.1; 24.080, 4.4.3.44 23.171, 8.1.1	R99	pc_ParamGpsAssisData	UTRA
6	Support of MO-LR request for a position estimate	23.171, 8.1.1	R99	pc_ParamPosEstimate	UTRA
7	Support of MO-LR request for transfer to 3rd party	23.171, 8.1.1	R99	pc_ParamXfer3rdPty	UTRA
8	Support of MT-LR LCS value added location request notification capability	24.030 23.271	R99	pc_MT_LR	UTRA

**Table A.4.3-4: E-CID Measurements** 

Item	UE Positioning Capabilities	Ref.	Releas	Mnemonic	Comments
			е		
1	RSRP Supported	36.355, subclause 6.5.3.4	Rel-9	pc_ECID_Rsrp	E-UTRA
2	RSRQ Supported	36.355, subclause 6.5.3.4	Rel-9	pc_ECID_Rsrq	E-UTRA
_	UE Rx-Tx Time Difference Supported	36.355, subclause 6.5.3.4	Rel-9	pc_ECID_ UeRxTx	E-UTRA

# Table A.4.3-5: GNSS Signals

Item	GNSS Signals Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of A-GPS L1C signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L1C	E-UTRA
2	Support of A-GPS L2C signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L2C	E-UTRA
3	Support of A-GPS L5 signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L5	E-UTRA
4	Support of QZS-L1 signal in	36.355, 6.5.2.13	Rel-9		E-UTRA
	QZSS			pc_QZSS_QZS_L1	
5	Support of QZS-L1C signal in	36.355, 6.5.2.13	Rel-9		E-UTRA
	QZSS			pc_QZSS_QZS_L1C	
6	Support of QZS-L2C signal in	36.355, 6.5.2.13	Rel-9		E-UTRA
	QZSS			pc_QZSS_QZS_L2C	
7	Support of QZS-L5 signal in	36.355, 6.5.2.13	Rel-9		E-UTRA
	QZSS			pc_QZSS_QZS_L5	
8	Support of G1 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G1	E-UTRA
9	Support of G2 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G2	E-UTRA
10	Support of G3 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G3	E-UTRA
11	Support of E1 signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E1	E-UTRA
12	Support of E5a signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E5a	E-UTRA
13	Support of E5b signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E5b	E-UTRA
14	Support of E6 signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E6	E-UTRA
15	Support of E5a+E5b signal in	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E5aE5	E-UTRA
	Galileo			b	

Table A.4.3-6: ADR and Velocity Measurements

Item	<b>ADR and Velocity Measurements</b>	Ref.	Release	Mnemonic	Comments
1	Support of ADR measurement	36.355, 6.5.2.9	Rel-9		E-UTRA
	reporting for Gps			pc_A_GPS_ADR	
2	Support of ADR measurement	36.355, 6.5.2.9	Rel-9		E-UTRA
	reporting for Sbas			pc_SBAS_ADR	
3	Support of ADR measurement	36.355, 6.5.2.9	Rel-9		E-UTRA
	reporting for Qzss			pc_QZSS_ADR	
4	Support of ADR measurement	36.355, 6.5.2.9	Rel-9		E-UTRA
	reporting for Galileo			pc_GALILEO_ADR	
5	Support of ADR measurement	36.355, 6.5.2.9	Rel-9		E-UTRA
	reporting for Glonass			pc_GLONASS_ADR	
6	Support of Velocity	36.355, 6.5.2.9	Rel-9	pc_A_GPS_Velocity	E-UTRA
	measurement reporting for Gps			Meas	
7	Support of Velocity	36.355, 6.5.2.9	Rel-9	pc_SBAS_VelocityMe	E-UTRA
	measurement reporting for Sbas			as	
8	Support of Velocity	36.355, 6.5.2.9	Rel-9	pc_QZSS_VelocityM	E-UTRA
	measurement reporting for Qzss			eas	
9	Support of Velocity	36.355, 6.5.2.9	Rel-9		E-UTRA
	measurement reporting for			pc_GALILEO_Velocit	
	Galileo			yMeas	
10	Support of Velocity	36.355, 6.5.2.9	Rel-9		E-UTRA
	measurement reporting for			pc_GLONASS_Veloci	
	Glonass			tyMeas	

Table A.4.3-7: GNSS Assistance Data Support

Item	GNSS Assistance Data Support	Ref.	Release	Mnemonic	Comments
1	Gnss-ReferenceTimeSupport	36.355, 6.5.2.9	Rel-9		E-UTRA
2	(Common Assistance Data)	36.355, 6.5.2.9	Rel-9	up	E-UTRA
2	Gnss- ReferenceLocationSupport	36.333, 6.3.2.9	Kei-9	pc_GNSS_RefLocSu	E-UTRA
	(Common Assistance Data)			n	
3	Gnss-IonosphericModelSupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_lonoModS	E-UTRA
	(Common Assistance Data)	,		up	
4	Gnss-	36.355, 6.5.2.9	Rel-9		E-UTRA
	EarthOrientationParametersSup				
	port (Common Assistance Data)	00.055.05.00	D 10	pc_GNSS_EOPSup	E LITO A
5	Gnss-TimeModelsSupport for	36.355, 6.5.2.9	Rel-9		E-UTRA
6	gps Gnss-TimeModelsSupport for	36.355, 6.5.2.9	Rel-9	Sup_Gps pc_GNSS_TimeMod	E-UTRA
	sbas	30.333, 0.3.2.3	IXGI-3	Sup_Sbas	L-OTIVA
7	Gnss-TimeModelsSupport for	36.355, 6.5.2.9	Rel-9		E-UTRA
	qzss	,		Sup_Qzss	
8	Gnss-TimeModelsSupport for	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeMod	E-UTRA
	galileo			Sup_Galileo	
9	Gnss-TimeModelsSupport for	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeMod	E-UTRA
40	glonass	36.355, 6.5.2.9	Dalo	Sup_Glonass	E LITDA
10	Gnss- DifferentialCorrectionsSupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_	E-UTRA
	for gps			Sup_Gps	
11	Gnss-	36.355, 6.5.2.9	Rel-9	Сир_Сро	E-UTRA
	DifferentialCorrectionsSupport	,		pc_GNSS_DGNSS_	
	for sbas			Sup_Sbas	
12	Gnss-	36.355, 6.5.2.9	Rel-9		E-UTRA
	DifferentialCorrectionsSupport			pc_GNSS_DGNSS_	
13	for qzss	36.355, 6.5.2.9	Rel-9	Sup_Qzss	E-UTRA
13	Gnss- DifferentialCorrectionsSupport	30.333, 0.3.2.9	Kei-9	pc_GNSS_DGNSS_	L-OTKA
	for galileo			Sup_Galileo	
14	Gnss-	36.355, 6.5.2.9	Rel-9	1 =	E-UTRA
	DifferentialCorrectionsSupport			pc_GNSS_DGNSS_	
	for glonass			Sup_Glonass	
15	Gnss-NavigationModelSupport	36.355, 6.5.2.9	Rel-9	· - · · · - · · · · · · · · · · · · ·	E-UTRA
16	for gps Gnss-NavigationModelSupport	36.355, 6.5.2.9	Rel-9	up_Gps pc_GNSS_NavModS	E LITDA
10	for sbas	30.333, 0.3.2.9	Kei-9	up_Sbas	L-OTKA
17	Gnss-NavigationModelSupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModS	E-UTRA
	for qzss	, -		up_Qzss	
18	Gnss-NavigationModelSupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModS	E-UTRA
	for galileo			up_Galileo	
19	Gnss-NavigationModelSupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModS	E-UTRA
20	for glonass	26 255 6 5 2 0	Dol 0	up_Glonass pc_GNSS_RTISup_G	E LITDA
20	Gnss-RealTimeIntegritySupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISUP_G	E-UIKA
21	Gnss-RealTimeIntegritySupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_S	E-UTRA
~ '	for sbas	25.000, 0.0.2.0		bas	_ •
22	Gnss-RealTimeIntegritySupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Q	E-UTRA
	for qzss			ZSS	
23	Gnss-RealTimeIntegritySupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_G	E-UTRA
0.4	for galileo	00.055.05.00	D-10	alileo	E LIEDA
24	Gnss-RealTimeIntegritySupport	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_G	E-UTRA
25	for glonass Gnss-DataBitAssistanceSupport	36 355 6 5 2 9	Rel-9	lonass pc_GNSS_DataBitsS	F-LITRA
25	for gps	00.000, 0.0.2.8	1.61-3	up_Gps	2 31100
	350	I .	<b>!</b>	1~F_ <b>~</b> F~	1

26	Gnss-DataBitAssistanceSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsS up_Sbas	E-UTRA
27	Gnss-DataBitAssistanceSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsS up_Qzss	E-UTRA
28	Gnss-DataBitAssistanceSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsS up_Galileo	E-UTRA
29	Gnss-DataBitAssistanceSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsS up_Glonass	E-UTRA
30	Gnss- AcquisitionAssistanceSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssis tSup_Gps	E-UTRA
31	Gnss- AcquisitionAssistanceSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssis tSup_Sbas	E-UTRA
32	Gnss- AcquisitionAssistanceSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssis tSup_Qzss	E-UTRA
33	Gnss- AcquisitionAssistanceSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssis tSup_Galileo	E-UTRA
34	Gnss- AcquisitionAssistanceSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssis tSup_Glonass	E-UTRA
35	Gnss-AlmanacSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacS up_Gps	E-UTRA
36	Gnss-AlmanacSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacS up_Sbas	
37	Gnss-AlmanacSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacS up_Qzss	E-UTRA
38	Gnss-AlmanacSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacS up_Galileo	E-UTRA
39	Gnss-AlmanacSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacS up_Glonass	E-UTRA
40	Gnss-UTC-ModelSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModS up_Gps	E-UTRA
41	Gnss-UTC-ModelSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModS up_Sbas	E-UTRA
42	Gnss-UTC-ModelSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModS up_Qzss	E-UTRA
43	Gnss-UTC-ModelSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModS up_Galileo	E-UTRA
44	Gnss-UTC-ModelSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModS up_Glonass	E-UTRA
45	Gnss- AuxiliaryInformationSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSu p_Gps	E-UTRA
46	Gnss- AuxiliaryInformationSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSu p_Sbas	E-UTRA
47	Gnss- AuxiliaryInformationSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSu p_Qzss	E-UTRA
48	Gnss- AuxiliaryInformationSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSu p_Galileo	E-UTRA
49	Gnss- AuxiliaryInformationSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSu p_Glonass	E-UTRA

**Table A.4.3-8: Location Coordinate Types** 

Item	Location Coordinate Types	Ref.	Release	Mnemonic	Comments
1	Ellipsoid Point Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
2	Ellipsoid Point With Uncertainty	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Circle Support			UncertCircle	
3	Ellipsoid Point With Uncertainty	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Ellipse Support			UncertEllip	
4	Polygon Support	36.355, 6.4.1	Rel-9	pc_GNSS_Polygon	E-UTRA
5	Ellipsoid Point With Altitude	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Support			Alt	
6	Ellipsoid Point With Altitude And	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
	Uncertainty Ellipsoid Support			AltUncertEllip	
7	Ellipsoid Arc Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipArc	E-UTRA

### Table A.4.3-9: Velocity Types

Item	Velocity Types	Ref.	Release	Mnemonic	Comments
1	Horizontal Velocity Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVel	E-UTRA
2	Horizontal With Vertical Velocity	36.355, 6.4.1	Rel-9		E-UTRA
	Support			pc_GNSS_HVVel	
3	Horizontal Velocity With	36.355, 6.4.1	Rel-9	pc_GNSS_HVelUnce	E-UTRA
	Uncertainty Support			rt	
4	Horizontal With Vertical Velocity	36.355, 6.4.1	Rel-9	pc_GNSS_HVVelUnc	E-UTRA
	And Uncertainty Support			ert	

# A.4.4 Additional information

**Table A.4.4-1: Additional information** 

Item	Additional information	Ref.	Release	Mnemonic	Comments
	Support of sending of acknowledgement request in LPP Provide Capabilities message.	36.355, 4.3.3	Rel-9		E-UTRA
2					
3					

# Annex B (informative): Change history

					Change history		
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
	•				36.571-3		
2010-08	RAN5#48	R5-104317	-	-	Initial version		0.0.0
2011-02	RAN5#50	R5-110253	-	-	Addition of test case applicability	0.0.0	0.1.0
2011-08	RAN5#52	R5-113273	-	-	Addition of E-CID and OTDOA performance test case applicability	0.1.0	
		R5-113139	-	-	Addition of UE Network Capability test case		
		R5-113773	-	-	Addition of Notification test cases		
		R5-113148	-	-	Addition of Position Capability Transfer test case		1.0.0
	•				37.571-3		
2011-11	RAN5#53	R5-115253	-	-	Creation of 37.571-3 based on 36.571-3 v1.0.0, 34.123-2 v9.6.0, 34.171 v9.3.0 and 34.172 va.1.0	-	1.0.0
-	-	R5-115254	-	-	Corrections to the 37.571-3 baseline text	-	-
-	-	R5-115255	-	-	Addition of missing test case applicability to the 37.571-3 baseline text	-	-
-	=	R5-115256	-	-	Applicable Release for UMTS A-GNSS Test Cases in 37.571-3 baseline text	-	2.0.0
2011-12	RAN#54	-	-	-	Moved to Rel-9 with editorial changes only.	2.0.0	9.0.0
2012-03	RAN#55	R5-120365	0001	-	Addition of missing test case applicability for test cases 7.3.4.1, 7.3.4.2, 7.3.4.3, and 7.3.4.4	9.0.0	9.1.0
2012-03	RAN#55	R5-120529	0002	-	Remove redundant mnemonics	9.0.0	9.1.0
2012-06	RAN#56	-	-	-	Upgraded to v10.0.0 with no change.	9.1.0	10.0.0
2012-09	RAN#57	R5-123689	0003	-	Correction of sub-test names and PICS names	10.0.0	10.1.0
2012-09	RAN#57	R5-123689	0003	-	Addition of missing sub test cases name change	10.1.0	10.1.1
2012-12	RAN#58	R5-125119	0004	-	Add new PICS and post-fix for conditions	10.1.1	10.2.0
2012-12	RAN#58	R5-124121	0006	-	Applicabilities for new test cases 10.1 - 10.4 for RSTD for Carrier Aggregation	10.1.1	10.2.0
2013-03	RAN#59	R5-130594	0007	-	Correction of applicability for TC 7.3.2.3	10.2.0	10.3.0
2013-04	-	-	-	-	fix of history table	10.3.0	10.3.1

# History

Document history		
V10.0.0	July 2012	Publication
V10.1.1	October 2012	Publication
V10.2.1	April 2013	Publication
V10.3.1	April 2013	Publication