



**Universal Mobile Telecommunications System (UMTS);
LTE;
Universal Terrestrial Radio Access (UTRA)
and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC);
User Equipment (UE)
conformance specification for UE positioning;
Part 3: Implementation Conformance Statement (ICS)
(3GPP TS 37.571-3 version 12.0.0 Release 12)**



Reference

RTS/TSGR-0537571-3vc00

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2014.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**may not**", "**need**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions, symbols and abbreviations	6
3.1 Definitions	6
3.2 Symbols.....	6
3.3 Abbreviations	6
4 Recommended Test Case Applicability	7
Annex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment.....	24
A.1 Guidance for completing the ICS proforma	24
A.1.1 Purposes and structure	24
A.1.2 Abbreviations and conventions.....	24
A.1.3 Instructions for completing the ICS proforma	25
A.2 Identification of the User Equipment	25
A.2.1 Date of the statement	25
A.2.2 User Equipment Under Test (UEUT) identification	25
A.2.3 Product supplier	25
A.2.4 Client	26
A.2.5 ICS contact person	26
A.3 Identification of the protocol	27
A.4 ICS proforma tables.....	27
A.4.1 UE Implementation Types	27
A.4.2 Baseline Implementation Capabilities	27
A.4.3 UE Positioning Capabilities.....	28
A.4.4 Additional information	33
Annex B (informative): Change history	34
History	35

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (ICS).

The present document is part 3 of a multi-parts TS:

3GPP TS 37.571-1: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification.

3GPP TS 37.571-2: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance.

3GPP TS 37.571-3: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 3: Implementation Conformance Statement (ICS).

3GPP TS 37.571-4: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 4: Test suites.

3GPP TS 37.571-5: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 5: Test scenarios and assistance data.

1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for 3rd Generation UTRAN and E-UTRAN User Equipment (UE) supporting UE positioning, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8].

The present document also specifies a recommended applicability statement for the test cases included in 3GPP TS 37.571-1 [5] and 3GPP TS 37.571-2 [6]. These applicability statements are based on the features implemented in the UE.

Special conformance testing functions can be found in 3GPP TS 34.109 [10] for UTRA and 3GPP TS 36.509 [2] for E-UTRA. The common test environments are included in 3GPP TS 34.108 [9] for UTRA and in 3GPP TS 36.508 [3] for E-UTRA.

The present document is valid for UE supporting UE positioning implemented according to 3GPP releases starting from Release 99 up to the Release indicated on the cover page of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.509: "Special conformance testing functions for User Equipment".
- [3] 3GPP TS 36.508: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); Common Test Environments for User Equipment (UE) Conformance Testing".
- [4] 3GPP TS 36.355: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)".
- [5] 3GPP TS 37. 571-1: "Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification".
- [6] 3GPP TS 37. 571-2: " Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance".
- [7] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [8] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [9] 3GPP TS 34.108: "Common Test Environments for User Equipment (UE) Conformance Testing".
- [10] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".
- [11] 3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".

- [12] 3GPP TS 34.123-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".

3 Definitions, symbols and abbreviations

For the purposes of the present document, the following terms, definitions, symbols and abbreviations apply:

- such given in TR 21.905[1]
- such given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8]

NOTE: Some terms and abbreviations defined in [7] and [8] are explicitly included below with small modification to reflect the terminology used in 3GPP.

3.1 Definitions

Implementation Conformance Statement (ICS): A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented.

ICS proforma: A document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS.

Implementation eXtra Information for Testing (IXIT): A statement made by a supplier or implementer of an UEUT which contains or references all of the information (in addition to that given in the ICS) related to the UEUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the UEUT.

IXIT proforma: A document, in the form of a questionnaire, which when completed for an UEUT becomes an IXIT.

Protocol Implementation Conformance Statement (PICS): An ICS for an implementation or system claimed to conform to a given protocol specification.

Protocol Implementation eXtra Information for Testing (PIXIT): An IXIT related to testing for conformance to a given protocol specification.

static conformance review: A review of the extent to which the static conformance requirements are claimed to be supported by the UEUT, by comparing the answers in the ICS(s) with the static conformance requirements expressed in the relevant specification(s).

3.2 Symbols

No specific symbols have been identified so far.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-GNSS	Assisted - Global Navigation Satellite System
A-GPS	Assisted - Global Positioning System
DUT	Device Under Test
E-CID	Enhanced Cell-ID (positioning method)
ENB	Evolved Node B
E-UTRA	Evolved UMTS Terrestrial Radio Access
E-UTRAN	Evolved UMTS Terrestrial Radio Access Network
FDD	Frequency Division Duplex
FFS	For Further Study
GLONASS	GLObal'naya NAVigatsionnaya Sputnikovaya Sistema (English: Global Navigation Satellite System)
GNSS	Global Navigation Satellite System
GPS	Global Positioning System

ICS	Implementation Conformance Statement
IXIT	Implementation eXtra Information for Testing
LPP	LTE Positioning Protocol
MO-LR	Mobile Originated Location Request
MT-LR	Mobile Terminated Location Request
OTDOA	Observed Time Difference Of Arrival
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
QZSS	Quasi-Zenith Satellite System
SBAS	Space Based Augmentation System
SCS	System Conformance Statement
TC	Test Case
UE	User Equipment
UEUT	User Equipment Under Test

4 Recommended Test Case Applicability

The applicability of each individual test is identified in Table 4-1 (UTRA) and 4.3 (E-UTRA) for test cases in TS 37.571-1 [5] and in Table 4-5 (UTRA) and 4.7 (E-UTRA) for test cases in TS 37.571-2 [6]. This is just a recommendation based on the purpose for which the test case was written.

The applicability of every test is formally expressed by the use of Boolean expression that are based on parameters (ICS) included in annex A of the present document.

Additional information related to the Test Case (TC), e.g. affecting its dynamic behaviour or its execution may be provided as well

The columns in Tables 4-1, 4.3, 4.5, and 4.7 have the following meaning:

Clause

The clause column indicates the clause number in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

Title

The title column describes the name of the test and contains the clause title of the clause in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

Release

The release column indicates the earliest release from which each the test case is applicable.

Applicability - Condition

The following notations are used for the applicability column:

R	recommended - the test case is recommended
O	optional - the test case is optional
N/A	not applicable - in the given context, the test case is not recommended.
C _i	conditional - the test is recommended ("R") or not ("N/A") depending on the support of other items. "i" is an integer identifying a unique conditional status expression which is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ... THEN ... ELSE...) ELSE ..." is used to avoid ambiguities.

NOTE: The conditions are defined in Table 4-2, 4-4, 4-6, and 4-8.

Applicability - Comments

This column contains a verbal description of the condition.

Additional Information - Specific ICS

This column contains the mnemonics of ICS(s) affecting the dynamic behaviour of the TC.

Additional Information - Specific IXIT

This column contains the mnemonics of IXIT(s) affecting the dynamic behaviour of the TC.

Table 4-1: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for UTRA

Clause	Title	Release	Applicability	Comments
5.2.1	Sensitivity Coarse Time Assistance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.2.2	Sensitivity Fine Time Assistance	Rel-6	C02ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only and Fine Time Assistance
5.3	Nominal Accuracy	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.4	Dynamic Range	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.5	Multi-path Performance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.6	Moving Scenario and Periodic Update Performance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
6.2.1-1	Sensitivity Coarse Time Assistance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.2.1-2	Sensitivity Coarse Time Assistance: Sub-Test 2	Rel-10	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.2.1-3	Sensitivity Coarse Time Assistance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.2.1-4	Sensitivity Coarse Time Assistance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.2.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-10	C04-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only and Fine Time Assistance
6.2.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-10	C04-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only and Fine Time Assistance
6.2.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-10	C04-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only and Fine Time Assistance
6.2.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-10	C04-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only and Fine Time Assistance
6.3-1	Nominal Accuracy: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.3-2	Nominal Accuracy: Sub-Test 2	Rel-10	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.3-3	Nominal Accuracy: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.3-4	Nominal Accuracy: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.4-1	Dynamic Range: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only

Clause	Title	Release	Applicability	Comments
6.4-2	Dynamic Range: Sub-Test 2	Rel-10	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.4-3	Dynamic Range: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.4-4	Dynamic Range: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.5-1	Multi-path Performance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.5-2	Multi- path Performance: Sub-Test 2	Rel-10	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.5-3	Multi- path Performance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.5-4	Multi- path Performance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.6-1	Moving Scenario and Periodic Update Performance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.6-2	Moving Scenario and Periodic Update Performance: Sub-Test 2	Rel-10	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.6-3	Moving Scenario and Periodic Update Performance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.6-4	Moving Scenario and Periodic Update Performance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only

Table 4-2: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for UTRA

C01ur	IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02ur	IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/12 THEN R ELSE N/A
C03-1ur	IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C03-2ur	IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C03-3ur	IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C03-4ur	IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C04-1ur	IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A
C04-2ur	IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) AND A.4.3-1/12 THEN R ELSE N/A
C04-3ur	IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A
C04-4ur	IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A

Table 4-3: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for E-UTRA

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7	A-GNSS minimum performance requirements					
7.1.1-1	Sensitivity Coarse Time Assistance: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS L1C/A only	pc_eFDD pc_eTDD	
7.1.1-2	Sensitivity Coarse Time Assistance: Sub-Test 2	Rel-9	C02er	All UEs supporting A-GLONASS only	pc_eFDD pc_eTDD	
7.1.1-3	Sensitivity Coarse Time Assistance: Sub-Test 3	Rel-9	C03er	All UEs supporting A-Galileo only	pc_eFDD pc_eTDD	
7.1.1-4	Sensitivity Coarse Time Assistance: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS and Modernized GPS only	pc_eFDD pc_eTDD	
7.1.1-5	Sensitivity Coarse Time Assistance: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS and A-GLONASS only	pc_eFDD pc_eTDD	
7.1.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-9	C06er	All UEs supporting A-GPS L1C/A only, and Fine Time Assistance	pc_eFDD pc_eTDD	
7.1.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-9	C07er	All UEs supporting A-GLONASS only, and Fine Time Assistance	pc_eFDD pc_eTDD	
7.1.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-9	C08er	All UEs supporting A-Galileo only, and Fine Time Assistance	pc_eFDD pc_eTDD	
7.1.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-9	C09er	All UEs supporting A-GPS and Modernized GPS only, and Fine Time Assistance	pc_eFDD pc_eTDD	
7.1.2-5	Sensitivity Fine Time Assistance: Sub-Test 5	Rel-9	C10er	All UEs supporting A-GPS and A-GLONASS only, and Fine Time Assistance	pc_eFDD pc_eTDD	
7.2-1	Nominal Accuracy: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS L1C/A only	pc_eFDD pc_eTDD	
7.2-2	Nominal Accuracy: Sub-Test 2	Rel-9	C02er	All UEs supporting A-GLONASS only	pc_eFDD pc_eTDD	
7.2-3	Nominal Accuracy: Sub-Test 3	Rel-9	C03er	All UEs supporting A-Galileo only	pc_eFDD pc_eTDD	
7.2-4	Nominal Accuracy: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS and Modernized GPS only	pc_eFDD pc_eTDD	
7.2-5	Nominal Accuracy: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS and A-GLONASS only	pc_eFDD pc_eTDD	
7.3-1	Dynamic Range: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS L1C/A only	pc_eFDD pc_eTDD	
7.3-2	Dynamic Range: Sub-Test 2	Rel-9	C02er	All UEs supporting A-GLONASS only	pc_eFDD pc_eTDD	
7.3-3	Dynamic Range: Sub-Test 3	Rel-9	C03er	All UEs supporting A-Galileo only	pc_eFDD pc_eTDD	
7.3-4	Dynamic Range: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS and Modernized GPS only	pc_eFDD pc_eTDD	
7.3-5	Dynamic Range: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS and A-GLONASS only	pc_eFDD pc_eTDD	
7.4-1	Multi-path scenario: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS	pc_eFDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
				L1C/A only	pc_eTDD	
7.4-2	Multi-path scenario: Sub-Test 2	Rel-9	C02er	All UEs supporting A-GLONASS only	pc_eFDD	
7.4-3	Multi-path scenario: Sub-Test 3	Rel-9	C03er	All UEs supporting A-Galileo only	pc_eTDD	
7.4-4	Multi-path scenario: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS and Modernized GPS only	pc_eFDD	
7.4-5	Multi-path scenario: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS and A-GLONASS only	pc_eTDD	
7.5-1	Moving scenario and periodic update: Sub-Test 1	Rel-9	C01er	All UEs supporting A-GPS L1C/A only	pc_eFDD	
7.5-2	Moving scenario and periodic update: Sub-Test 2	Rel-9	C02er	All UEs supporting A-GLONASS only	pc_eTDD	
7.5-3	Moving scenario and periodic update: Sub-Test 3	Rel-9	C03er	All UEs supporting A-Galileo only	pc_eFDD	
7.5-4	Moving scenario and periodic update: Sub-Test 4	Rel-9	C04er	All UEs supporting A-GPS and Modernized GPS only	pc_eTDD	
7.5-5	Moving scenario and periodic update: Sub-Test 5	Rel-9	C05er	All UEs supporting A-GPS and A-GLONASS only	pc_eFDD	
					pc_eTDD	
8	E-CID measurement requirements					
8.1.1	FDD UE Rx-Tx time difference case	Rel-9	C11er	All FDD UEs supporting E-CID with Rx-Tx time difference	pc_eFDD	
8.1.2	TDD UE Rx-Tx time difference case	Rel-9	C12er	All TDD UEs supporting E-CID with Rx-Tx time difference	pc_eTDD	
9	OTDOA measurement requirements					
9.1.1	FDD RSTD Measurement Reporting Delay	Rel-9	C13er	All FDD UEs supporting UE-assisted OTDOA	pc_eFDD	
9.1.2	TDD RSTD Measurement Reporting Delay	Rel-9	C14er	All TDD UEs supporting UE-assisted OTDOA	pc_eTDD	
9.1.3	FDD RSTD Measurement Accuracy	Rel-9	C13er	All FDD UEs supporting UE-assisted OTDOA	pc_eFDD	
9.1.4	TDD RSTD Measurement Accuracy	Rel-9	C14er	All TDD UEs supporting UE-assisted OTDOA	pc_eTDD	
9.2.1	FDD-FDD inter-frequency RSTD measurement reporting delay	Rel-10	C17er	All FDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eFDD	Note 1
9.2.2	TDD-TDD inter-frequency RSTD measurement reporting delay	Rel-10	C18er	All TDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eTDD	Note 1
9.2.4	FDD-FDD inter-frequency RSTD Accuracy	Rel-10	C17er	All FDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eFDD	Note 1
9.2.5	TDD-TDD inter-frequency RSTD Accuracy	Rel-10	C18er	All TDD UEs supporting UE-assisted OTDOA and inter-frequency RSTD measurements	pc_eTDD	Note 1

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
10	OTDOA measurement requirements for Carrier Aggregation					
10.1	FDD RSTD Measurement Reporting Delay for Carrier Aggregation	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.1A	FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20MHz	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.1B	FDD RSTD Measurement Reporting Delay Carrier Aggregation for 5 MHz +5 MHz bandwidth	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.1C	FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-11	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.2	TDD RSTD Measurement Reporting Delay for Carrier Aggregation	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.2A	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20MHz	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.2B	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 5MHz +5 MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.2C	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-11	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.3	FDD RSTD Measurement Accuracy for Carrier Aggregation	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.3A	FDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.3B	FDD RSTD Measurement Accuracy for Carrier Aggregation for 5MHz +5 MHz bandwidth	Rel-10	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.3C	FDD RSTD Measurement Accuracy for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-11	C15er	All FDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eFDD	
10.4	TDD RSTD Measurement Accuracy for Carrier Aggregation	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.4A	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20MHz	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.4B	TDD RSTD Measurement Accuracy for Carrier Aggregation for 5 MHz +5 MHz bandwidth	Rel-10	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	
10.4C	TDD RSTD Measurement Accuracy for Carrier Aggregation for 10MHz+5MHz bandwidth	Rel-11	C16er	All TDD UEs supporting UE-assisted OTDOA for Carrier Aggregation	pc_eTDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
Note 1: This test case can be optionally tested for Rel-9 UEs supporting inter-frequency RSTD measurements that do not require measurement gaps.						

Table 4-4: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for E-UTRA

C01er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C02er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C03er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C04er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/8 AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C05er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND A.4.3-2/7 AND NOT (A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C06er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND NOT (A.4.3-2/7 OR A.4.3-2/8 OR A.4.3-2/9) AND A.4.3-2/3 THEN R ELSE N/A
C07er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) AND A.4.3-2/3 THEN R ELSE N/A
C08er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) AND A.4.3-2/3 THEN R ELSE N/A
C09er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/8 AND NOT (A.4.3-2/7 OR A.4.3-2/9) AND A.4.3-2/3 THEN R ELSE N/A
C10er	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/6 AND A.4.3-2/7 AND NOT (A.4.3-2/8 OR A.4.3-2/9) AND A.4.3-2/3 THEN R ELSE N/A
C11er	IF A.4.1-1/1 AND A.4.3-2/5 AND A.4.3-4/3 THEN R ELSE N/A
C12er	IF A.4.1-1/2 AND A.4.3-2/5 AND A.4.3-4/3 THEN R ELSE N/A
C13er	IF A.4.1-1/1 AND A.4.3-2/4 THEN R ELSE N/A
C14er	IF A.4.1-1/2 AND A.4.3-2/4 THEN R ELSE N/A
C15er	IF A.4.1-1/1 AND A.4.3-2/15 THEN R ELSE N/A
C16er	IF A.4.1-1/2 AND A.4.3-2/15 THEN R ELSE N/A
C17er	IF A.4.1-1/1 AND A.4.3-2/4 AND A.4.3-2/17 THEN R ELSE N/A
C18er	IF A.4.1-1/2 AND A.4.3-2/4 AND A.4.3-2/17 THEN R ELSE N/A

Table 4-5: Applicability of tests and additional information for testing for test cases in TS 37.571-2 [6] for UTRA

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.1.1.1	LCS Network Induced location request / UE-Based GPS / Emergency Call / with USIM	R99	C01us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.2	LCS Network induced location request / UE-Based GPS / Emergency call / Without USIM	R99	C01us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.3	LCS Network induced location request / UE-Assisted GPS / Emergency call / With USIM	R99	C03us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.1.4	LCS Network induced location request / UE-Assisted GPS / Emergency call / Without USIM	R99	C03us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS L1 C/A only	1 Execution: CS
6.1.2.1	LCS Mobile originated location request / UE-Based GPS / Position estimate request / Success	R99	C09us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for a position estimate	1 Execution: CS
6.1.2.2	LCS Mobile originated location request UE-Based or UE-Assisted GPS / Assistance data request / Success	R99	C05us	UEs supporting FDD and (UE based or UE assisted Network Assisted GPS L1 C/A only) and MO-LR request for assistance data	1 Execution: CS
6.1.2.3	LCS Mobile originated location request / UE-Assisted GPS / Position Estimate / Success	R99	C10us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MO-LR request for a position estimate	1 Execution: CS
6.1.2.4	LCS Mobile originated location request / UE-Based GPS / Transfer to third party / Success	R99	C07us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for transfer to 3rd party	1 Execution: CS
6.1.2.5	LCS Mobile originated location request / UE-Assisted GPS / Transfer to third party / Success	R99	C08us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MO-LR request for transfer to 3rd party	1 Execution: CS
6.1.2.6	LCS Mobile originated location request / UE-Based or UE-Assisted GPS / Assistance data request / Failure	R99	C05us	UEs supporting FDD and (either UE based or UE assisted Network Assisted GPS L1 C/A only) and MO-LR request for assistance data	1 Execution: CS
6.1.2.7	LCS Mobile originated location request / UE-Based GPS / Position estimate request / Failure	R99	C09us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MO-LR request for position estimate	1 Execution: CS
6.1.3.1	LCS Mobile terminated location request / UE-Based GPS	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.2	LCS Mobile terminated location request / UE-Based GPS / Request of additional assistance data / Success	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.3	LCS Mobile-terminated location request / UE-Based GPS / Failure - Not Enough Satellites	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.4	LCS Mobile terminated location request / UE-Assisted GPS / Success	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.5	LCS Mobile terminated location request / UE-Assisted GPS / Request for additional assistance data / Success	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.6	LCS Mobile terminated location request / UE-Based GPS / Privacy Verification / Location Allowed if No Response	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.1.3.7	LCS Mobile terminated location request / UE-Based GPS / Privacy Verification / Location Not Allowed if No Response	R99	C02us	UEs supporting FDD and UE based Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.8	LCS Mobile terminated location request / UE-Assisted GPS / Privacy Verification / Location Allowed if No Response	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.9	LCS Mobile terminated location request / UE-Assisted GPS / Privacy Verification / Location Not Allowed if No Response	R99	C04us	UEs supporting FDD and UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability	1 Execution: CS
6.1.3.10	LCS Mobile terminated location request / UE-Based or UE-Assisted GPS / Configuration incomplete	R99	C06us	UEs supporting FDD and UE based and/or UE assisted Network Assisted GPS L1 C/A only and MT-LR LCS location request notification capability, but not UE-based OTDOA	1 Execution: CS
6.2.1.1_1s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 1	Rel-8	C11us	UEs supporting FDD, emergency speech call and UE based Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.1.1_2s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 2	Rel-8	C12us	UEs supporting FDD, emergency speech call and UE based Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.1.1_3s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 3	Rel-8	C13us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.1.1_4s	NI-LR Emergency Call: UE-Based A-GNSS: Sub-test 4	Rel-8	C14us	UEs supporting FDD, emergency speech call and UE based Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.1.2_1s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 1	Rel-8	C15us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.1.2_2s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 2	Rel-8	C16us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.1.2_3s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 3	Rel-8	C17us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.1.2_4s	NI-LR Emergency Call: UE-Assisted A-GNSS: Sub-test 4	Rel-8	C18us	UEs supporting FDD, emergency speech call and UE assisted Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.2.1_1s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 1	Rel-8	C19us	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_2s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 2	Rel-8	C20us	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_3s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 3	Rel-8	C21us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.1_4s	MO-LR Position Estimate: UE-Based A-GNSS: Sub-test 4	Rel-8	C22us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.2.2.2_1s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 1	Rel-8	C23us	UEs supporting FDD and UE assisted Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_2s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 2	Rel-8	C24us	UEs supporting FDD and UE assisted Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_3s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 3	Rel-8	C25us	UEs supporting FDD and UE assisted Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.2_4s	MO-LR Position Estimate: UE-Assisted A-GNSS: Sub-test 4	Rel-8	C26us	UEs supporting FDD and UE assisted Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_1s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 1	Rel-8	C19us	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_2s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 2	Rel-8	C20us	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_3s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 3	Rel-8	C21us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.3_4s	MO-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 4	Rel-8	C22us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only and MO-LR request for a position estimate	1 Execution: CS
6.2.2.4_1s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 1	Rel-8	C27us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_2s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 2	Rel-8	C28us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_3s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 3	Rel-8	C29us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.4_4s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Success: Sub-test 4	Rel-8	C30us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_1s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 1	Rel-8	C27us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_2s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 2	Rel-8	C28us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only and MO-LR request for assistance data	1 Execution: CS

Clause	Title	Release	Applicability	Comments	Number of TC Executions (informative)
6.2.2.5_3s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 3	Rel-8	C29us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only and MO-LR request for assistance data	1 Execution: CS
6.2.2.5_4s	MO-LR Assistance Data: UE-Based or UE-Assisted A-GNSS - Failure: Sub-test 4	Rel-8	C30us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only and MO-LR request for assistance data	1 Execution: CS
6.2.3.1_1s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 1	Rel-8	C35us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with GLONASS only	1 Execution: CS
6.2.3.1_2s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 2	Rel-8	C36us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) with Galileo only	1 Execution: CS
6.2.3.1_3s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 3	Rel-8	C37us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with Modernized GPS only	1 Execution: CS
6.2.3.1_4s	MT-LR UE Based or UE-Assisted A-GNSS - Request for additional assistance data/Success: Sub-test 4	Rel-8	C38us	UEs supporting FDD and ((UE assisted Network Assisted GPS and GANSS) or (UE based Network Assisted GPS and GANSS)) with GLONASS only	1 Execution: CS
6.2.3.2_1s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 1	Rel-8	C31us	UEs supporting FDD and UE based Network Assisted GANSS with GLONASS only	1 Execution: CS
6.2.3.2_2s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 2	Rel-8	C32us	UEs supporting FDD and UE based Network Assisted GANSS with Galileo only	1 Execution: CS
6.2.3.2_3s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 3	Rel-8	C33us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with Modernized GPS only	1 Execution: CS
6.2.3.2_4s	MT-LR Position Estimate: UE-Based A-GNSS - Failure Not Enough Satellites: Sub-test 4	Rel-8	C34us	UEs supporting FDD and UE based Network Assisted GPS and GANSS with GLONASS only	1 Execution: CS
6.2.3.3	Location Notification	Rel-8	C39us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS
6.2.3.4	Privacy Verification - Location Allowed if No Response	Rel-8	C39us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS
6.2.3.5	Privacy Verification - Location Not Allowed if No Response	Rel-8	C39us	UEs supporting FDD and (UE assisted Network Assisted GANSS or UE based Network Assisted GANSS) and MT-LR LCS location request notification capability	1 Execution: CS

Table 4-6: Applicability of tests Conditions for test cases in TS 37.571-2 [6] for UTRA

C01us IF A.4.1-1/3 AND A.4.1-2/1 AND A.4.3-1/10 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/8 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C03us IF A.4.1-1/3 AND A.4.1-2/1 AND A.4.3-1/11 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C04us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/8 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C05us IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND A.4.3-3/5 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C06us IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND A.4.3-3/8 AND (NOT A.4.3-1/3) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C07us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/7 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C08us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/7 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C09us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-3/6 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C10us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-3/6 AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C11us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C12us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C13us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C14us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C15us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C16us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C17us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C18us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C19us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C20us IF A.4.1-1/3 AND A.4.3-1/5 AND A.4.3-1/9 AND A.4.3-3/6 AND NOT (A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C21us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/8 AND A.4.3-3/6 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C22us IF A.4.1-1/3 AND A.4.3-1/10 AND A.4.3-1/5 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT A.4.3-1/9 THEN R ELSE N/A
C23us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C24us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND A.4.3-3/6 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C25us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND A.4.3-3/6 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C26us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND A.4.3-3/6 AND NOT A.4.3-1/9 THEN R ELSE N/A
C27us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/7 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C28us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/9 AND A.4.3-3/5 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C29us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/9 AND A.4.3-3/5 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C30us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/7 AND A.4.3-3/5 AND NOT A.4.3-1/9 THEN R ELSE N/A
C31us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C32us IF A.4.1-1/3 AND A.4.3-1/6 AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C33us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/8 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C34us IF A.4.1-1/3 AND A.4.3-1/11 AND A.4.3-1/6 AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C35us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/7 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C36us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/9 AND NOT (A.4.3-1/11 OR A.4.3-1/10 OR A.4.3-1/7 OR A.4.3-1/8) THEN R ELSE N/A
C37us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/9 AND NOT (A.4.3-1/7 OR A.4.3-1/9) THEN R ELSE N/A
C38us IF A.4.1-1/3 AND ((A.4.3-1/5 AND A.4.3-1/10) OR (A.4.3-1/6 AND A.4.3-1/11)) AND A.4.3-1/7 AND NOT A.4.3-1/9 THEN R ELSE N/A
C39us IF A.4.1-1/3 AND (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-3/8 THEN R ELSE N/A

Table 4-7: Applicability of tests and additional information for testing for test cases in TS 37.571-2 [6] for E-UTRA

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7.1	NAS Protocol Procedures					
7.1.1	UE Network Capability	Rel-9	C11es	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.2	LCS Procedures					
7.2.1.1	Location Notification	Rel-9	C14es	All UEs supporting EPC-MT-LR Location Notification	pc_eFDD pc_eTDD	
7.2.1.2	Privacy Verification – Location Allowed if no Response	Rel-9	C14es	All UEs supporting EPC-MT-LR Location Notification	pc_eFDD pc_eTDD	px_UeLcsNotification: value for UE LCS Notification timeout timer.
7.2.1.3	Privacy Verification – Location not Allowed if No Response	Rel-9	C14es	All UEs supporting EPC-MT-LR Location Notification	pc_eFDD pc_eTDD	px_UeLcsNotification: value for UE LCS Notification timeout timer.
7.2.2.1_1s	Autonomous Self Location: UE-based: Subtest 1	Rel-9	C01es	All UEs supporting UE-Based GNSS with A-GPS only and MO-LR request for assistance data	pc_eFDD pc_eTDD	
7.2.2.1_2s	Autonomous Self Location: UE-based: Subtest 2	Rel-9	C02es	All UEs supporting UE-Based GNSS with A-GLONASS only and MO-LR request for assistance data	pc_eFDD pc_eTDD	
7.2.2.1_3s	Autonomous Self Location: UE-based: Sub-test 3	Rel-9	C03es	All UEs supporting UE-Based GNSS with A-Galileo only and MO-LR request for assistance data	pc_eFDD pc_eTDD	
7.2.2.1_4s	Autonomous Self Location: UE-based: Subtest 4	Rel-9	C04es	All UEs supporting UE-Based GNSS with A-GPS and A-GLONASS only and MO-LR request for assistance data	pc_eFDD pc_eTDD	
7.2.2.2_1s	Basic Self Location: UE-assisted: Subtest 1	Rel-9	C05es	All UEs supporting UE-Assisted GNSS with A-GPS only and MO-LR request for location estimate	pc_eFDD pc_eTDD	
7.2.2.2_2s	Basic Self Location: UE-assisted: Subtest 2	Rel-9	C06es	All UEs supporting UE-Assisted GNSS with A-GLONASS only and MO-LR request for location estimate	pc_eFDD pc_eTDD	
7.2.2.2_3s	Basic Self Location: UE-assisted: Subtest 3	Rel-9	C07es	All UEs supporting UE-Assisted GNSS with A-Galileo only and MO-LR request for location estimate	pc_eFDD pc_eTDD	
7.2.2.2_4s	Basic Self Location: UE-assisted: Subtest 4	Rel-9	C08es	All UEs supporting UE-Assisted GNSS with A-GPS and A-GLONASS only and MO-LR request for location estimate	pc_eFDD pc_eTDD	
7.2.2.2_5s	Basic Self Location: UE-assisted: Subtest 5	Rel-9	C09es	All UEs supporting	pc_eFDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
				UE-Assisted OTDOA and MO-LR request for location estimate	pc_eTDD	
7.2.2.2_6s	Basic Self Location: UE-assisted: Subtest 6	Rel-9	C10es	All UEs supporting UE-Assisted ECID and MO-LR request for location estimate	pc_eFDD pc_eTDD	
7.3	LPP Procedures					
7.3.1.1	Position Capability Transfer	Rel-9	C11es	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.3.2.1	LPP Duplicated Message	Rel-9	C11es	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.3.2.2	LPP Acknowledgment	Rel-9	C11es	All UEs supporting LPP	pc_eFDD pc_eTDD	
7.3.2.3	LPP Retransmission	Rel-9	C36es	All UEs supporting LPP and support of sending of acknowledgement request in LPP Provide Capabilities message.	pc_eFDD pc_eTDD	
7.3.3.1	LPP Requested Method not Supported - UE-Assisted	Rel-9	C15es	All UEs supporting at least one of UE-assisted GNSS, UE-assisted OTDOA or UE-assisted ECID but not all of them.	pc_eFDD pc_eTDD	
7.3.4.1_1s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Based: Subtest 1	Rel-9	C28es	All UEs supporting UE-based GNSS with A-GPS only	pc_eFDD pc_eTDD	
7.3.4.1_2s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Based: Subtest 2	Rel-9	C29es	All UEs supporting UE-based GNSS with A-GLONASS only	pc_eFDD pc_eTDD	
7.3.4.1_3s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Based: Subtest 3	Rel-9	C30es	All UEs supporting UE-based GNSS with A-Galileo only	pc_eFDD pc_eTDD	
7.3.4.1_4s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Based: Subtest 4	Rel-9	C31es	All UEs supporting UE-based GNSS with A-GPS and A-GLONASS only	pc_eFDD pc_eTDD	
7.3.4.2_1s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 1	Rel-9	C32es	All UEs supporting UE-assisted GNSS with A-GPS only	pc_eFDD pc_eTDD	
7.3.4.2_2s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 2	Rel-9	C33es	All UEs supporting UE-assisted GNSS with A-GLONASS only	pc_eFDD pc_eTDD	
7.3.4.2_3s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 3	Rel-9	C34es	All UEs supporting UE-assisted GNSS with A-Galileo only	pc_eFDD pc_eTDD	
7.3.4.2_4s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 4	Rel-9	C35es	All UEs supporting UE-assisted GNSS with A-GPS and A-GLONASS only	pc_eFDD pc_eTDD	
7.3.4.2_5s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 5	Rel-9	C26es	All UEs supporting UE-Assisted OTDOA	pc_eFDD pc_eTDD	
7.3.4.2_6s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 6	Rel-9	C27es	All UEs supporting UE-Assisted ECID	pc_eFDD pc_eTDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
7.3.4.2_7s	E-SMLC Initiated Assistance Data Delivery followed by Location Information Transfer: UE-Assisted: Subtest 7	Rel-9	C21es	All UEs supporting UE-assisted GNSS and UE-assisted OTDOA	pc_eFDD	
					pc_eTDD	
7.3.4.3_1s	E-SMLC Initiated Position Measurement without assistance data: UE-Based: Subtest 1	Rel-9	C28es	All UEs supporting UE-based GNSS with A-GPS only	pc_eFDD	
					pc_eTDD	
7.3.4.3_2s	E-SMLC Initiated Position Measurement without assistance data: UE-Based: Subtest 2	Rel-9	C29es	All UEs supporting UE-based GNSS with A-GLONASS only	pc_eFDD	
					pc_eTDD	
7.3.4.3_3s	E-SMLC Initiated Position Measurement without assistance data: UE-Based: Subtest 3	Rel-9	C30es	All UEs supporting UE-based GNSS with A-Galileo only	pc_eFDD	
					pc_eTDD	
7.3.4.3_4s	E-SMLC Initiated Position Measurement without assistance data: UE-Based: Subtest 4	Rel-9	C31es	All UEs supporting UE-based GNSS with A-GPS and A-GLONASS only	pc_eFDD	
					pc_eTDD	
7.3.4.4_1s	E-SMLC Initiated Position Measurement without assistance data: UE-Assisted: Subtest 1	Rel-9	C32es	All UEs supporting UE-assisted GNSS with A-GPS only	pc_eFDD	
					pc_eTDD	
7.3.4.4_2s	E-SMLC Initiated Position Measurement without assistance data: UE-Assisted: Subtest 2	Rel-9	C33es	All UEs supporting UE-assisted GNSS with A-GLONASS only	pc_eFDD	
					pc_eTDD	
7.3.4.4_3s	E-SMLC Initiated Position Measurement without assistance data: UE-Assisted: Subtest 3	Rel-9	C34es	All UEs supporting UE-assisted GNSS with A-Galileo only	pc_epc_eFDD	
					pc_eTDD	
7.3.4.4_4s	E-SMLC Initiated Position Measurement without assistance data: UE-Assisted: Subtest 4	Rel-9	C35es	All UEs supporting UE-assisted GNSS with A-GPS and A-GLONASS only	pc_eFDD	
					pc_eTDD	
7.3.4.4_5s	E-SMLC Initiated Position Measurement without assistance data: UE-Assisted: Subtest 5	Rel-9	C26es	All UEs supporting UE-Assisted OTDOA	pc_eFDD	
					pc_eTDD	
7.3.4.4_7s	E-SMLC Initiated Position Measurement without assistance data: UE-Assisted: Subtest 7	Rel-9	C21es	All UEs supporting UE-assisted GNSS and UE-assisted OTDOA	pc_eFDD	
					pc_eTDD	
7.3.5.1_1s	E-SMLC initiated Abort: Subtest 1	Rel-9	C22es	All UEs supporting UE-based or UE-assisted GNSS with A-GPS only	pc_eFDD	
					pc_eTDD	
7.3.5.1_2s	E-SMLC initiated Abort: Subtest 2	Rel-9	C23es	All UEs supporting UE-based or UE-assisted GNSS with A-GLONASS only	pc_eFDD	
					pc_eTDD	
7.3.5.1_3s	E-SMLC initiated Abort: Subtest 3	Rel-9	C24es	All UEs supporting UE-based or UE-assisted GNSS with A-Galileo only	pc_eFDD	
					pc_eTDD	
7.3.5.1_4s	E-SMLC initiated Abort: Subtest 4	Rel-9	C25es	All UEs supporting UE-based or UE-assisted GNSS with A-GPS and A-GLONASS only	pc_eFDD	
					pc_eTDD	
7.3.5.1_5s	E-SMLC initiated Abort: Subtest 5	Rel-9	C26es	All UEs supporting UE Assisted OTDOA	pc_eFDD	
					pc_eTDD	
7.4	Circuit Switched (CS) Fallback					
7.4.1.1	CS fallback: Network does not support EPC-MO-LR	Rel-9	C12es	All UEs supporting MO-LR procedure for location estimate in the CS fallback in EPS.	pc_eFDD	
					pc_eTDD	
7.4.1.2	CS fallback: UE does not support EPC-MO-LR	Rel-9	C13es	All UEs not supporting EPC-MO-LR and supporting MO-LR procedure for location estimate	pc_eFDD	
					pc_eTDD	

Clause	TC Title	Release	Applicability		Additional Information	
			Condition	Comment	Specific ICS	Specific IXIT
					in the CS fallback in EPS.	
7.5	RRC Protocol Procedures					
7.5.1	Inter-Frequency RSTD measurement indication	Rel-10	C37es	All UEs supporting inter-frequency RSTD measurements for OTDOA that require measurement gaps.	pc_eFDD pc_eTDD	

Table 4-8: Applicability of tests Conditions for test cases in TS 37.571-2 [6] for E-UTRA

C01es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C02es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C03es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C04es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-3/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C05es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C06es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C07es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C08es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-3/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C09es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/4 AND A.4.3-3/2 THEN R ELSE N/A
C10es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/5 AND A.4.3-3/2 THEN R ELSE N/A
C11es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.2-1/1 THEN R ELSE N/A
C12es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.1-1/3 OR A.4.1-1/4) AND A.4.3-3/4 THEN R ELSE N/A
C13es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.1-1/3 OR A.4.1-1/4) AND A.4.3-3/4 AND NOT (A.4.3-3/1 AND A.4.3-3/2) THEN R ELSE N/A
C14es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-3/3 THEN R ELSE N/A
C15es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/2 OR A.4.3-2/4 OR A.4.3-2/5) AND NOT(A.4.3-2/2 AND A.4.3-2/4 AND A.4.3-2/5) THEN R ELSE N/A
C22es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C23es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C24es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C25es	IF (A.4.1-1/1 OR A.4.1-1/2) AND (A.4.3-2/1 OR A.4.3-2/2) AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C26es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/4 THEN R ELSE N/A
C27es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/5 THEN R ELSE N/A
C28es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C29es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C30es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C31es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/1 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C32es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND NOT (A.4.3-2/7 OR A.4.3-2/9) THEN R ELSE N/A
C33es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/7 AND NOT (A.4.3-2/6 OR A.4.3-2/8 OR A.4.3-2/9) THEN R ELSE N/A
C34es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND A.4.3-2/9 AND NOT (A.4.3-2/6 OR A.4.3-2/7 OR A.4.3-2/8) THEN R ELSE N/A
C35es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/2 AND (A.4.3-2/6 OR A.4.3-2/8) AND A.4.3-2/7 AND NOT A.4.3-2/9) THEN R ELSE N/A
C36es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.2-1/1 AND A.4.4-1/1 THEN R ELSE N/A
C37es	IF (A.4.1-1/1 OR A.4.1-1/2) AND A.4.3-2/16 THEN R ELSE N/A

Annex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment

Notwithstanding the provisions of the copyright clause related to the text of the present document, The Organizational Partners of 3GPP grant that users of the present document may freely reproduce the ICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed ICS.

A.1 Guidance for completing the ICS proforma

A.1.1 Purposes and structure

The purpose of this ICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in relevant specifications may provide information about the implementation in a standardised manner.

The ICS proforma is subdivided into clauses for the following categories of information:

- instructions for completing the ICS proforma;
- identification of the implementation;
- identification of the protocol;
- ICS proforma tables (for example: UE implementation types, Teleservices, etc).

A.1.2 Abbreviations and conventions

The ICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [8].

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Reference column

The reference column gives reference to the relevant 3GPP core specifications.

Release column

The release column indicates the earliest release from which the capability or option is relevant.

Mnemonic column

The Mnemonic column contains mnemonic identifiers for each item.

Comments column

This column is left blank for particular use by the reader of the present document.

References to items

For each possible item answer (answer in the support column) within the ICS proforma there exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table. If there is more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.), respectively.

A.1.3 Instructions for completing the ICS proforma

The supplier of the implementation may complete the ICS proforma in each of the spaces provided. More detailed instructions are given at the beginning of the different clauses of the ICS proforma.

A.2 Identification of the User Equipment

Identification of the User Equipment should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

A.2.1 Date of the statement

.....

A.2.2 User Equipment Under Test (UEUT) identification

UEUT name:

.....
.....

Hardware configuration:

.....
.....
.....

Software configuration:

.....
.....
.....

A.2.3 Product supplier

Name:

.....

Address:

.....
.....
.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

.....

A.2.4 Client

Name:

.....

Address:

.....

.....

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

.....

A.2.5 ICS contact person

Name:

.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....

.....

A.3 Identification of the protocol

This ICS proforma applies to the 3GPP standards listed in the normative references clause of the present document.

A.4 ICS proforma tables

A.4.1 UE Implementation Types

Table A.4.1-1: UE Radio Technologies

Item	UE Radio Technologies	Ref.	Release	Mnemonic	Comments
1	E-UTRA FDD				Refer to 3GPP TS 36.523-2 [11] Table A.4.1-1/1
2	E-UTRA TDD				Refer to 3GPP TS 36.523-2 [11] Table A.4.1-1/2
3	UTRA FDD				Refer to 3GPP TS 34.123-2 [12] Table A.1/1
4	UTRA TDD				Refer to 3GPP TS 34.123-2 [12] Table A.1/3

Table A.4.1-2: Teleservices

Item	Teleservices	Ref.	Release	Mnemonic	Comments
1	Emergency call				Refer to 3GPP TS 34.123-2 [12] Table A.2/2

A.4.2 Baseline Implementation Capabilities

Table A.4.2-1: Supported Protocols

Item	Special Conformance Testing Functions	Ref.	Release	Mnemonic	Comments
1	LTE Positioning Protocol (LPP)	36.355	Rel-9	pc_LPP	
2	Support for OMA LPPe	OMA-TS-LPPe-V1.0	Rel-9	pc_OMA_LPPe	

Table A.4.2-2: Special Conformance Testing Functions

Item	Special Conformance Testing Functions	Ref.	Release	Comments
1	Reset of UE Positioning Stored Information	36.509	Rel-9	E-UTRA
2	Reset of UE Positioning Stored Information	34.109	R99	UTRA

A.4.3 UE Positioning Capabilities

Table A.4.3-1: UTRA UE positioning capabilities

Item	Services Capabilities	Ref.	Release	Mnemonic	Comments
1	Support for IPDL	25.306, 4.8	R99	pc_UE_PositioningIPDL_Sup	
2	Support of GPS timing of cell frames	25.306, 4.8	R99	pc_UE_PositioningGPS_TimingOfCellFramesSup	
3	Support of UE-based OTDOA	25.306, 4.8	R99	pc_UE_PositioningBasedOTDOA_Sup	
4	Support of Standalone location method	25.306, 4.8	R99	pc_UE_PositioningStandaloneLocMethodsSup	
5	Support of UE-Based A-GANSS	25.306, 4.8	Rel-8	pc_UEB_A_GANSS	
6	Support of UE-Assisted A-GANSS	25.306, 4.8	Rel-8	pc_UEA_A_GANSS	
7	Support for GLONASS	25.306, 4.8	Rel-8	pc_GLONASS	NOTE
8	Support for Modernized GPS	25.306, 4.8	Rel-8	pc_MGPS	NOTE
9	Support for Galileo	25.306, 4.8	Rel-8	pc_GALILEO	NOTE
10	Support of UE based Network Assisted GPS L1 C/A	25.306, 4.8	R99	pc_UeBasedAgps	
11	Support of UE assisted Network Assisted GPS L1 C/A	25.306, 4.8	R99	pc_UeAssistedAgps	
12	Support of Fine Time Assistance	25.171, 4.4	Rel-6		

NOTE: If the capability is supported by the UE, then A.4.3-1/5 or A.4.3-1/6 must be supported as well.

Table A.4.3-2: E-UTRA UE Positioning Capabilities

Item	UE Positioning Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of UE based Assisted-GNSS	36.355	Rel-9	pc_UEB_AGNSS	This implies support of LPP A.4.2-1/1
2	Support of UE assisted Assisted-GNSS	36.355	Rel-9	pc_UEA_AGNSS	This implies support of LPP A.4.2-1/1
3	Support of GNSS Fine Time Assistance	36.355	Rel-9	pc_GNSS_FTA	This implies support of LPP A.4.2-1/1
4	Support of UE assisted OTDOA	36.355	Rel-9	pc_OTDOA	This implies support of LPP A.4.2-1/1
5	Support of UE assisted ECID	36.355	Rel-9	pc_ECID	This implies support of LPP A.4.2-1/1
6	Support for A-GPS L1C/A	36.355	Rel-9	pc_A_GPS_L1C_A	This implies support of LPP A.4.2-1/1
7	Support for A-GLONASS	36.355	Rel-9	pc_A_GLONASS	This implies support of LPP A.4.2-1/1
8	Support for A-GPS L1C/A and Modernized GPS	36.355	Rel-9	pc_A_GPS_L1C_A_MGPS	This implies support of LPP A.4.2-1/1
9	Support for A-Galileo	36.355	Rel-9	pc_A_Galileo	This implies support of LPP A.4.2-1/1
10	Support of UE Fine Time Assistance measurements for UE-based Assisted-GNSS	36.355	Rel-9	pc_GNSS_FTA_UEB	This implies support of LPP A.4.2-1/1
11	Support of UE Fine Time Assistance measurements for UE-assisted Assisted-GNSS	36.355	Rel-9	pc_GNSS_FTA_UEA	This implies support of LPP A.4.2-1/1
12	Support of GNSS Acquisition Assistance	36.355; 37.571-2, 5.4.1	Rel-9	pc_GNSS_AA	This implies support of LPP A.4.2-1/1
13	Support for A-SBAS	36.355	Rel-9	pc_A_SBAS	
14	Support for A-QZSS	36.355	Rel-9	pc_A_QZSS	
15	Support of UE assisted OTDOA for Carrier Aggregation	36.355	Rel-10	pc_OTDOA_CA	This implies support of LPP A.4.2-1/1
16	Support of inter-frequency RSTD measurements that require measurement gaps	36.355	Rel-10	pc_InterFreq_RSTD_withGaps	This implies support of UE assisted OTDOA A.4.3-2/4
17	Support of inter-frequency RSTD measurements	36.355	Rel-10	pc_InterFreq_RSTD	This implies support of UE assisted OTDOA A.4.3-2/4

Table A.4.3-3: Supplementary Services

Item	UE Positioning Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of EPC-MO-LR request for assistance data	24.171; 24.030; 24.080	Rel-9	pc_EPC_MO_LR_RequestAssistanceData	
2	Support of EPC-MO-LR request for a position estimate	24.171; 24.030; 24.080	Rel-9	pc_EPC_MO_LR_RequestPositionEstimate	
3	Support of EPC-MT-LR Location Notification	24.171; 24.030; 24.080	Rel-9	pc_MT_LR_loc_notif	
4	Support for CS-MO-LR with CS Fallback for a position estimate	23.272	Rel-9	pc_CS_MO_LR_CSFallback	
5	Support of MO-LR request for assistance data	24.030, 5.1.1; 24.080, 4.4.3.44; 23.171, 8.1.1	R99	pc_ParamGpsAssisData	UTRA
6	Support of MO-LR request for a position estimate	23.171, 8.1.1	R99	pc_ParamPosEstimate	UTRA
7	Support of MO-LR request for transfer to 3rd party	23.171, 8.1.1	R99	pc_ParamXfer3rdPty	UTRA
8	Support of MT-LR LCS value added location request notification capability	24.030; 23.271	R99	pc_MT_LR	UTRA

Table A.4.3-4: E-CID Measurements

Item	UE Positioning Capabilities	Ref.	Release	Mnemonic	Comments
1	RSRP Supported	36.355, 6.5.3.4	Rel-9	pc_ECID_Rsrp	E-UTRA
2	RSRQ Supported	36.355, 6.5.3.4	Rel-9	pc_ECID_Rsrq	E-UTRA
3	UE Rx-Tx Time Difference Supported	36.355, 6.5.3.4	Rel-9	pc_ECID_UeRxTx	E-UTRA

Table A.4.3-5: GNSS Signals

Item	GNSS Signals Capabilities	Ref.	Release	Mnemonic	Comments
1	Support of A-GPS L1C signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L1C	E-UTRA
2	Support of A-GPS L2C signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L2C	E-UTRA
3	Support of A-GPS L5 signal	36.355, 6.5.2.13	Rel-9	pc_A_GPS_L5	E-UTRA
4	Support of QZS-L1 signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L1	E-UTRA
5	Support of QZS-L1C signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L1C	E-UTRA
6	Support of QZS-L2C signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L2C	E-UTRA
7	Support of QZS-L5 signal in QZSS	36.355, 6.5.2.13	Rel-9	pc_QZSS_QZS_L5	E-UTRA
8	Support of G1 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G1	E-UTRA
9	Support of G2 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G2	E-UTRA
10	Support of G3 signal in Glonass	36.355, 6.5.2.13	Rel-9	pc_GLONASS_G3	E-UTRA
11	Support of E1 signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E1	E-UTRA
12	Support of E5a signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E5a	E-UTRA
13	Support of E5b signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E5b	E-UTRA
14	Support of E6 signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E6	E-UTRA
15	Support of E5a+E5b signal in Galileo	36.355, 6.5.2.13	Rel-9	pc_GALILEO_E5aE5b	E-UTRA

Table A.4.3-6: ADR and Velocity Measurements

Item	ADR and Velocity Measurements	Ref.	Release	Mnemonic	Comments
1	Support of ADR measurement reporting for Gps	36.355, 6.5.2.9	Rel-9	pc_A_GPS_ADR	E-UTRA
2	Support of ADR measurement reporting for Sbas	36.355, 6.5.2.9	Rel-9	pc_SBAS_ADR	E-UTRA
3	Support of ADR measurement reporting for Qzss	36.355, 6.5.2.9	Rel-9	pc_QZSS_ADR	E-UTRA
4	Support of ADR measurement reporting for Galileo	36.355, 6.5.2.9	Rel-9	pc_GALILEO_ADR	E-UTRA
5	Support of ADR measurement reporting for Glonass	36.355, 6.5.2.9	Rel-9	pc_GLONASS_ADR	E-UTRA
6	Support of Velocity measurement reporting for Gps	36.355, 6.5.2.9	Rel-9	pc_A_GPS_VelocityMeas	E-UTRA
7	Support of Velocity measurement reporting for Sbas	36.355, 6.5.2.9	Rel-9	pc_SBAS_VelocityMeas	E-UTRA
8	Support of Velocity measurement reporting for Qzss	36.355, 6.5.2.9	Rel-9	pc_QZSS_VelocityMeas	E-UTRA
9	Support of Velocity measurement reporting for Galileo	36.355, 6.5.2.9	Rel-9	pc_GALILEO_VelocityMeas	E-UTRA
10	Support of Velocity measurement reporting for Glonass	36.355, 6.5.2.9	Rel-9	pc_GLONASS_VelocityMeas	E-UTRA

Table A.4.3-7: GNSS Assistance Data Support

Item	GNSS Assistance Data Support	Ref.	Release	Mnemonic	Comments
1	Gnss-ReferenceTimeSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_RefTimeSup	E-UTRA
2	Gnss-ReferenceLocationSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_RefLocSup	E-UTRA
3	Gnss-IonosphericModelSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_IonoModSup	E-UTRA
4	Gnss-EarthOrientationParametersSupport (Common Assistance Data)	36.355, 6.5.2.9	Rel-9	pc_GNSS_EOPSup	E-UTRA
5	Gnss-TimeModelsSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Gps	E-UTRA
6	Gnss-TimeModelsSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Sbas	E-UTRA
7	Gnss-TimeModelsSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Qzss	E-UTRA
8	Gnss-TimeModelsSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Galileo	E-UTRA
9	Gnss-TimeModelsSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_TimeModSup_Glonass	E-UTRA
10	Gnss-DifferentialCorrectionsSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Gps	E-UTRA
11	Gnss-DifferentialCorrectionsSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Sbas	E-UTRA
12	Gnss-DifferentialCorrectionsSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Qzss	E-UTRA
13	Gnss-DifferentialCorrectionsSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Galileo	E-UTRA
14	Gnss-DifferentialCorrectionsSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_DGNSS_Sup_Glonass	E-UTRA
15	Gnss-NavigationModelSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Gps	E-UTRA
16	Gnss-NavigationModelSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Sbas	E-UTRA
17	Gnss-NavigationModelSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Qzss	E-UTRA
18	Gnss-NavigationModelSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Galileo	E-UTRA
19	Gnss-NavigationModelSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_NavModSup_Glonass	E-UTRA
20	Gnss-RealTimeIntegritySupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Gps	E-UTRA
21	Gnss-RealTimeIntegritySupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Sbas	E-UTRA
22	Gnss-RealTimeIntegritySupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Qzss	E-UTRA
23	Gnss-RealTimeIntegritySupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Galileo	E-UTRA
24	Gnss-RealTimeIntegritySupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_RTISup_Glonass	E-UTRA
25	Gnss-DataBitAssistanceSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Gps	E-UTRA

26	Gnss-DataBitAssistanceSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Sbas	E-UTRA
27	Gnss-DataBitAssistanceSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Qzss	E-UTRA
28	Gnss-DataBitAssistanceSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Galileo	E-UTRA
29	Gnss-DataBitAssistanceSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_DataBitsSup_Glonass	E-UTRA
30	Gnss-AcquisitionAssistanceSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Gps	E-UTRA
31	Gnss-AcquisitionAssistanceSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Sbas	E-UTRA
32	Gnss-AcquisitionAssistanceSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Qzss	E-UTRA
33	Gnss-AcquisitionAssistanceSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Galileo	E-UTRA
34	Gnss-AcquisitionAssistanceSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AcquAssistSup_Glonass	E-UTRA
35	Gnss-AlmanacSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Gps	E-UTRA
36	Gnss-AlmanacSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Sbas	E-UTRA
37	Gnss-AlmanacSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Qzss	E-UTRA
38	Gnss-AlmanacSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Galileo	E-UTRA
39	Gnss-AlmanacSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AlmanacSup_Glonass	E-UTRA
40	Gnss-UTC-ModelSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Gps	E-UTRA
41	Gnss-UTC-ModelSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Sbas	E-UTRA
42	Gnss-UTC-ModelSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Qzss	E-UTRA
43	Gnss-UTC-ModelSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Galileo	E-UTRA
44	Gnss-UTC-ModelSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_UTCModSup_Glonass	E-UTRA
45	Gnss-AuxiliaryInformationSupport for gps	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Gps	E-UTRA
46	Gnss-AuxiliaryInformationSupport for sbas	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Sbas	E-UTRA
47	Gnss-AuxiliaryInformationSupport for qzss	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Qzss	E-UTRA
48	Gnss-AuxiliaryInformationSupport for galileo	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Galileo	E-UTRA
49	Gnss-AuxiliaryInformationSupport for glonass	36.355, 6.5.2.9	Rel-9	pc_GNSS_AuxInfoSup_Glonass	E-UTRA

Table A.4.3-8: Location Coordinate Types

Item	Location Coordinate Types	Ref.	Release	Mnemonic	Comments
1	Ellipsoid Point Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint	E-UTRA
2	Ellipsoid Point With Uncertainty Circle Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint UncertCircle	E-UTRA
3	Ellipsoid Point With Uncertainty Ellipse Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint UncertEllip	E-UTRA
4	Polygon Support	36.355, 6.4.1	Rel-9	pc_GNSS_Polygon	E-UTRA
5	Ellipsoid Point With Altitude Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint Alt	E-UTRA
6	Ellipsoid Point With Altitude And Uncertainty Ellipsoid Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipPoint AltUncertEllip	E-UTRA
7	Ellipsoid Arc Support	36.355, 6.4.1	Rel-9	pc_GNSS_EllipArc	E-UTRA

Table A.4.3-9: Velocity Types

Item	Velocity Types	Ref.	Release	Mnemonic	Comments
1	Horizontal Velocity Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVel	E-UTRA
2	Horizontal With Vertical Velocity Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVVel	E-UTRA
3	Horizontal Velocity With Uncertainty Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVelUnce rt	E-UTRA
4	Horizontal With Vertical Velocity And Uncertainty Support	36.355, 6.4.1	Rel-9	pc_GNSS_HVVelUnc ert	E-UTRA

A.4.4 Additional information

Table A.4.4-1: Additional information

Item	Additional information	Ref.	Release	Mnemonic	Comments
1	Support of sending of acknowledgement request in LPP Provide Capabilities message.	36.355, 4.3.3	Rel-9	pc_LPP_SendingA CK_ProvideCapabil ities	E-UTRA

Annex B (informative): Change history

Change history							
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New
36.571-3							
2010-08	RAN5#48	R5-104317	-	-	Initial version		0.0.0
2011-02	RAN5#50	R5-110253	-	-	Addition of test case applicability	0.0.0	0.1.0
2011-08	RAN5#52	R5-113273	-	-	Addition of E-CID and OTDOA performance test case applicability	0.1.0	
		R5-113139	-	-	Addition of UE Network Capability test case		
		R5-113773	-	-	Addition of Notification test cases		
		R5-113148	-	-	Addition of Position Capability Transfer test case		1.0.0
37.571-3							
2011-11	RAN5#53	R5-115253	-	-	Creation of 37.571-3 based on 36.571-3 v1.0.0, 34.123-2 v9.6.0, 34.171 v9.3.0 and 34.172 va.1.0	-	1.0.0
-	-	R5-115254	-	-	Corrections to the 37.571-3 baseline text	-	-
-	-	R5-115255	-	-	Addition of missing test case applicability to the 37.571-3 baseline text	-	-
-	-	R5-115256	-	-	Applicable Release for UMTS A-GNSS Test Cases in 37.571-3 baseline text	-	2.0.0
2011-12	RAN#54	-	-	-	Moved to Rel-9 with editorial changes only.	2.0.0	9.0.0
2012-03	RAN#55	R5-120365	0001	-	Addition of missing test case applicability for test cases 7.3.4.1, 7.3.4.2, 7.3.4.3, and 7.3.4.4	9.0.0	9.1.0
2012-03	RAN#55	R5-120529	0002	-	Remove redundant mnemonics	9.0.0	9.1.0
2012-06	RAN#56	-	-	-	Upgraded to v10.0.0 with no change.	9.1.0	10.0.0
2012-09	RAN#57	R5-123689	0003	-	Correction of sub-test names and PICS names	10.0.0	10.1.0
2012-09	RAN#57	R5-123689	0003	-	Addition of missing sub test cases name change	10.1.0	10.1.1
2012-12	RAN#58	R5-125119	0004	-	Add new PICS and post-fix for conditions	10.1.1	10.2.0
2012-12	RAN#58	R5-124121	0006	-	Applicabilities for new test cases 10.1 - 10.4 for RSTD for Carrier Aggregation	10.1.1	10.2.0
2013-03	RAN#59	R5-130594	0007	-	Correction of applicability for TC 7.3.2.3	10.2.0	10.3.0
2013-04	-	-	-	-	fix of history table	10.3.0	10.3.1
2013-06	RAN#60	R5-131305	0008	-	Correction of applicability for LTE UE Positioning test cases	10.3.1	10.4.0
2013-06	RAN#60	R5-131328	0009	-	Applicability for new test case 7.5.1 for inter-frequency RSTD measurement indication procedure	10.3.1	10.4.0
2013-06	RAN#60	R5-131995	0010	-	Applicabilities for new TDD inter-frequency tests 9.2.2 and 9.2.5	10.3.1	10.4.0
2013-06	RAN#60	R5-131996	0011	-	Addition of the Applicability for FDD-FDD inter-frequency RSTD Test Cases	10.3.1	10.4.0
2013-06	RAN#60	R5-132011	0012	-	Corrections and clarifications to Applicabilities tables	10.3.1	10.4.0
2013-09	RAN#61	R5-133633	0013	-	Correction to 7.3.3.1	10.4.0	10.5.0
2013-12	RAN#62	R5-134203	0014	-	Corrections to Applicabilities C12es and C13es	10.5.0	10.6.0
2013-12	RAN#62	R5-134204	0015	-	Addition of Applicabilities for 9.2.1 - 9.2.5	10.5.0	10.6.0
2013-12	RAN#62	R5-134911	0016	-	Change Applicability of test 7.3.5.1	10.5.0	10.6.0
2013-12	RAN#62	R5-134981	0017	-	Applicabilities for new tests 10.1a, 10.2a, 10.3a and 10.4a	10.5.0	10.6.0
2014-06	RAN#64	R5-142102	0018	-	Correction to test case title in the Applicability Table 4-1 and Table 4-3	10.6.0	10.7.0
2014-06	RAN#64	R5-142406	0019	-	Correction of conditions of C26es and C27es.	10.6.0	10.7.0
2014-09	RAN#65	-	-	-	Upgraded to v11.0.0 with no change	10.7.0	11.0.0
2014-09	RAN#65	R5-144843	0020	-	Applicability for new 10+5 and 5+5 RSTD related test cases	11.0.0	12.0.0

History

Document history		
V12.0.0	September 2014	Publication