

# ETSI TS 103 410-9 V1.1.1 (2020-07)



**SmartM2M;  
Extension to SAREF;  
Part 9: Wearables Domain**

---

**Reference**

---

DTS/SmartM2M-103410-9-SRF4WEAR

---

**Keywords**

---

IoT, oneM2M, ontology, SAREF, semantic,  
wearable**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	5
3 Definition of terms, symbols and abbreviations.....	5
3.1 Terms.....	5
3.2 Symbols.....	6
3.3 Abbreviations .....	6
4 SAREF4WEAR ontology and semantics.....	6
4.1 Introduction and overview.....	6
4.2 SAREF4WEAR.....	7
4.2.1 General Overview .....	7
4.2.2 Measurement.....	8
4.2.3 Feature of interest .....	9
4.2.4 Wearable.....	10
4.2.5 Function .....	10
4.2.6 Occurrence .....	11
4.2.7 Property .....	11
4.2.8 Wearable component .....	12
4.2.9 Object properties.....	12
4.2.10 Datatype properties.....	14
4.3 Instantiating SAREF4WEAR.....	15
4.4 Observations.....	17
History .....	18

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Machine-to-Machine communications (SmartM2M).

The present document is part 9 of a multi-part deliverable covering SmartM2M; Extension to SAREF, as identified below:

- Part 1: "Energy Domain";
- Part 2: "Environment Domain";
- Part 3: "Building Domain";
- Part 4: "Smart Cities Domain";
- Part 5: "Industry and Manufacturing Domains";
- Part 6: "Smart Agriculture and Food Chain Domain";
- Part 7: "Automotive Domain";
- Part 8: "eHealth/Ageing-well Domain";
- Part 9: "Wearables Domain";**
- Part 10: "Water Domain".

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document presents SAREF4WEAR, an extension of SAREF for the Wearables domain.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 103 264 (V3.1.1) (02-2020): "SmartM2M; Smart Applications; Reference Ontology and oneM2M Mapping".
- [2] ETSI TS 103 410-4 (V1.1.2) (05-2020): "SmartM2M; Extension to SAREF; Part 4: Smart Cities Domain".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 103 510 (V1.1.1) (10-2019): "SmartM2M; SAREF extension investigation; Requirements for Wearables".
- [i.2] IEEE™ P360.

NOTE: Available at <https://standards.ieee.org/project/360.html#Working>.

- [i.3] HL7.

NOTE: Available at <http://www.hl7.org>.

---

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the following terms apply:

**ontology:** formal specification of a conceptualization, used to explicit capture the semantics of a certain reality

## 3.2 Symbols

Void.

## 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ETSI	European Telecommunications Standards Institute
GPS	Global Positioning System
OWL	Ontology Web Language
OWL-DL	Ontology Web Language-Description Logics
RDF	Resource Description Framework
RDF-S	Resource Description Framework Schema
SAREF	Smart Applications REference ontology
SAREF4CITY	SAREF extension for the Smart Cities domain
SAREF4WEAR	SAREF extension for the Wearables domain
URI	Uniform Resource Identifier

---

# 4 SAREF4WEAR ontology and semantics

## 4.1 Introduction and overview

The present document is a technical specification of SAREF4WEAR, an extension of SAREF [1] for the Wearables domain. Clause 4.1 of the present document shortly introduces a high level view of the envisioned SAREF4WEAR semantic model and modular ontology, with the retained concepts (i.e. classes) and their relations.

SAREF4WEAR has been specified and formalized by investigating related resources in the Wearables domain, as reported in ETSI TR 103 510 [i.1], such as:

- potential stakeholders;
- standardization initiatives;
- alliances/associations;
- European projects;
- EC directives;
- existing ontologies; and
- data repositories.

Therefore, SAREF4WEAR shall both:

- Allow the implementation of a limited set of typical Wearable-related use cases already identified in [i.1], i.e.:
  - Use case 1 "Healthcare".
  - Use case 2 "Open Air Public Events".
  - Use case 3 "Closed Environment Events".
- Fulfil the Wearable-related requirements provided in ETSI TR 103 510 [i.1], mainly the ontological ones that were mostly taken as input for the ontology specification.

SAREF4WEAR is an OWL-DL ontology. For embedded semantic analytics purposes, SAREF4WEAR shall be designed using the modularity principle (see ETSI TR 103 510 [i.1]) and can thus be mainly described by a set of knowledge modules. All these SAREF4WEAR modules are fully detailed in clause 4.2 of the present document.

The prefixes and namespaces used in SAREF4WEAR and in the present document are listed in Table 1.


**Table 1: Prefixes and namespaces used within the SAREF4WEAR ontology**

Prefix	Namespace
s4wear	<a href="https://saref.etsi.org/saref4wear/">https://saref.etsi.org/saref4wear/</a>
s4city	<a href="https://saref.etsi.org/saref4city/">https://saref.etsi.org/saref4city/</a>
s4syst	<a href="https://saref.etsi.org/saref4syst/">https://saref.etsi.org/saref4syst/</a>
saref	<a href="https://saref.etsi.org/core/">https://saref.etsi.org/core/</a>
dcterms	<a href="http://purl.org/dc/terms/">http://purl.org/dc/terms/</a>
geo	<a href="http://www.w3.org/2003/01/geo/wgs84_pos#">http://www.w3.org/2003/01/geo/wgs84_pos#</a>
geosp	<a href="http://www.opengis.net/ont/geosparql#">http://www.opengis.net/ont/geosparql#</a>
rdf	<a href="http://www.w3.org/1999/02/22-rdf-syntax-ns#">http://www.w3.org/1999/02/22-rdf-syntax-ns#</a>
rdfs	<a href="http://www.w3.org/2000/01/rdf-schema#">http://www.w3.org/2000/01/rdf-schema#</a>
owl	<a href="http://www.w3.org/2002/07/owl#">http://www.w3.org/2002/07/owl#</a>
ssn-system	<a href="http://www.w3.org/ns/ssn/systems/">http://www.w3.org/ns/ssn/systems/</a>
vann	<a href="http://purl.org/vocab/vann/">http://purl.org/vocab/vann/</a>
voaf	<a href="http://purl.org/vocommons/voaf#">http://purl.org/vocommons/voaf#</a>
xsd	<a href="http://www.w3.org/2001/XMLSchema#">http://www.w3.org/2001/XMLSchema#</a>

## 4.2 SAREF4WEAR

### 4.2.1 General Overview

Figure 1 presents the high level view of the envisioned model of SAREF4WEAR ontology. In Figure 1, classes directly imported from SAREF ontology are in light orange, classes directly imported from other SAREF extension ontologies are in green. While, classes developed for SAREF4WEAR are in blue.



**Figure 1: SAREF4WEAR overview**

Within Figure 1, as well as within all the figures that are depicted in clause 4 of the present document, the following conventions are used:

- Arrows are used to represent properties between classes and to represent some RDF, RDF-S and OWL constructs, more precisely:
  - Plain arrows with white triangles represent the `rdfs:subClassOf` relation between two classes. The origin of the arrow is the class to be declared as subclass of the class at the destination of the arrow.

- Dashed arrows between two classes indicate a local restriction in the origin class, i.e. that the object property can be instantiated between the classes in the origin and the destination of the arrow. The identifier of the object property is indicated within the arrow.
- Datatype properties are denoted by rectangles attached to the classes, in an UML-oriented way. Dashed boxes represent local restrictions in the class, i.e. datatype properties that can be applied to the class they are attached to.
- Individuals are denoted by rectangles in which the identifier is underlined.

As already introduced in clause 4.1 of the present document SAREF4WEAR is an OWL-DL ontology and shall be designed using the modularity principle (see ETSI TR 103 510 [i.1]) and can thus be mainly described by the following self-contained knowledge modules:

- **Measurement.** This module describes measurements that can be performed over entities.
- **Feature of interest.** This module describes the relationships between the entities that can be equipped with a Wearable and the wearables themselves.
- **Wearable.** This module defines the concept of Wearable and the main types of Wearable devices envisaged for the design of the extension.
- **Function.** This module describes the functionalities with which Wearable devices should be equipped and that have been considered relevant for the wearables domain.
- **Occurrence.** This module describes occurrences that are relevant for the wearables domain.
- **Property.** This module presents those properties that can be associated with a wearable device, a wearer, a crowd of people, or the environment of the wearable.
- **Wearable component.** This module describes the main components of a wearable that are relevant from the modelling purposes since they can be exploited at both reasoning and query time for inferring and/or gathering information of interest.

## 4.2.2 Measurement

As it can be observed in Figure 2, the modelling of measurements in the SAREF4WEAR ontology mostly relies on the measurement model proposed in SAREF. In order to reduce duplication with SAREF documentation, the reader is referred to the SAREF specification, ETSI TS 103 264 [1] for details about measurement modelling including here details only for the new concepts.

The SAREF4WEAR extension requires to be able to represent those devices that measure a certain feature of interest (and those features of interest that are measured by a device) independently of having measures from which this relationship could be inferred. Because of this, in this extension there are four new properties to relate **saref:Device** and **saref:FeatureOfInterest**: **s4wear:featureIsMeasuredByDevice**, **s4wear:featureIsControlledByDevice**, **s4wear:measuresFeature**, and **s4wear:controlsFeature**.






Figure 2: Measurement model

### 4.2.3 Feature of interest

The Feature of Interest module describes the different actors that can be equipped with a Wearable device, as presented in Figure 3. There are different types of actors: living organisms (**s4wear:LivingOrganism**) and software (**s4wear:Software**). There is also a wearer class (**s4wear:Wearer**) to describe those living organisms that wear some wearable.

The **s4wear:LivingOrganism** concept represents any living being that can be equipped with a Wearable device. The **s4wear:Software** concept represents a program that can be linked with a **s4wear:Wearable** especially for acquiring information.

The **s4wear:Wearer** concept defines any **saref:LivingOrganism** for which the **s4wear:featureIsMeasuredByDevice** property subsists, i.e., the **s4wear:Wearable** device transmits information related to the connected **saref:LivingOrganism**.

The **s4wear:User** concept refers to a **saref:FeatureOfInterest** for which the **s4wear:interactsWith** relationship with a **s4wear:Wearable** individual exists.




Figure 3: Feature of interest model

## 4.2.4 Wearable

This module defines the different type of wearables identified within the requirements described in the ETSI TR 103 510 [i.1].

SAREF4WEAR defines the **s4wear:Wearable** abstract concept representing a **saref:Device** having the capability of being wore by a **s4wear:Wearer**.

As depicted in Figure 4, the **s4wear:Wearable** class subsumes three further concepts with information related to the position of the **s4wear:Wearable** with respect to its **s4wear:Wearer**:

- **s4wear:InBodyWearable** describing a **s4wear:Wearable** device positioned inside the body of the **s4wear:Wearer**;
- **s4wear:NearBodyWearable** describing a **s4wear:Wearable** device positioned near the body of the **s4wear:Wearer**;
- **s4wear:OnBodyWearable** describing a **s4wear:Wearable** device positioned on the body (i.e. direct contact) of the **s4wear:Wearer**.

The latter is furtherly specified with the **s4wear:TextileBasedWearable** concept describing **s4wear:Wearable** devices integrated into textile products directly.

The extension also allows to define for a Wearable which are the policies (**s4wear:Policy**) followed by it by means of the **s4wear:followsPolicy** property.

Besides, the capabilities of a Wearable under specific conditions (**ssn-system:SystemCapability**), such as its precision or accuracy, can be represented using the **ssn-system:hasSystemCapability** property.




Figure 4: Wearable model

## 4.2.5 Function

This model specifies the functions that are considered relevant for the wearables domain. There are three new concepts that are subsumed by the **saref:Function** concept and it reuses other functions defined in SAREF, as presented in Figure 5:

- **saref:ActuatingFunction** defines the possibility of a **s4wear:Wearable** device to actuate over a feature of interest;
- **s4wear:CommunicatingFunction** is a type of **saref:EventFunction** that defines the possibility of a **s4wear:Wearable** device to transmit data to another **s4wear:Wearable** device or any other **saref:Device** able to receive data;

- **s4wear:ControllingFunction** defines the possibility of a **s4wear:Wearable** device to control another object;
- **s4wear:NavigatingFunction** defines the possibility of a **s4wear:Wearable** device to provide navigation capabilities;
- **saref:SensingFunction** defines the possibility of a **s4wear:Wearable** device to acquire data by means of sensors integrated into a **s4wear:Wearable** device.




Figure 5: Function model

## 4.2.6 Occurrence

In some cases, wearables will be able to detect occurrences (**s4wear:Occurrence**) taking place (**s4wear:takesPlaceAt**) in a location that is relevant to the wearer (**geosp:Feature**). These occurrences can be related to the device detecting them through the **s4wear:isDetectedBy** property, as shown in Figure 6.

In the context of a smart city, more specific classes can be used from SAREF4CITY [2], to represent events (**s4city:Event**, a subclass of **s4wear:Occurrence**) that take place at (**s4city:takesPlaceAtFacility**) facilities (**s4city:Facility**, a subclass of **geosp:Feature**).




Figure 6: Occurrence model

## 4.2.7 Property

SAREF4WEAR includes a classification of the different properties that are relevant to the wearables domain, as shown in Figure 7. These properties are classified into Wearable (**s4wear:WearableProperty**), wearer (**s4wear:WearerProperty**), crowd (**s4wear:CrowdProperty**), and environment (**s4wear:EnvironmentProperty**) ones.

Furthermore, Wearable properties are further classified into electrical one (**s4wear:ElectricalProperty**) that refer to the electric information of a Wearable, electrical safety ones (**s4wear:ElectricalSafetyProperty**) that refer to safety information concerning electrical aspects of wearables, and emission one (**s4wear:EmissionProperty**) that refer to information about kind of emissions (e.g. noise, temperature, etc.) associated with a Wearable.

The extension defines different individuals for each type of water property; however, this list of individuals does not aim to be exhaustive but to reflect the potential use of the ontology.




Figure 7: Property model

#### 4.2.8 Wearable component

This model describes some of the components that could be integrated into a **s4wear:Wearable** device. There are different types of components, as depicted in Figure 8:

- a **saref:Actuator** component, reused from the SAREF ontology [1];
- a **saref:Sensor** component, reused from the SAREF ontology [1], and a **s4wear:TextileBasedSensor** component, subclass of the **saref:Sensor** one, defining sensors that are installed directly on textile products;
- a **s4wear:MemoryStorage** component defining storage components that can be directly installed within a **s4wear:Wearable** device.




Figure 8: Wearable component model

#### 4.2.9 Object properties

In Table 2, there is the list of the object properties defined into the SAREF4WEAR extension. For each object property, there is a report of the name, the domain, the range, and its definition.

**Table 2: List of the object properties defined within the SAREF4WEAR extension**

<b>Object property</b>	<b>Domain</b>	<b>Range</b>	<b>Definition</b>
s4wear:controlsFeature	saref:Device	saref:FeatureOfInterest	It defines the Features of interest that are controlled by a Device.
s4wear:featureIsControlledByDevice	saref:FeatureOfInterest	saref:Device	It defines the Devices that control a Feature of interest.
s4wear:featureIsMeasuredByDevice	saref:FeatureOfInterest	saref:Device	It defines the Devices that measure a Feature of interest.
s4wear:hasInterface	saref:Device	s4wear:Interface	It defines the relationship between a Device and the Interface used for transmitting data to a Wearer.
s4wear:hasPowerSupply	saref:Device	s4wear:PowerSupply	Defines the relationship between a Device and its power supply facility.
s4wear:hasSensor	saref:Device	s4wear:Sensor	It allows to associate a Device with the sensors used for acquiring information from the wearer or the surrounding environment.
s4wear:interactsWith	s4wear:User	saref:Device	It defines the capability of a User to interact with a specific Device.
s4wear:isActedBy	s4wear:Wearer	saref:Device	It allows to define if a Wearer can be acted by a specific Design.
s4wear:isActuatedBy	saref:Device	saref:Actuator	It defines the relationship between a Device and the Actuator in charge of performing a specific action.
s4wear:isDetectedBy	s4wear:Occurrence	saref:Device	It defines the relationship between an occurrence and the device detecting it.
s4wear:isLocated	s4wear:Wearable	s4wear:Wearer	It permits to define the general geographical association between the Wearable device and the Wearer.
s4wear:isLocatedIn	s4wear:Wearable	s4wear:Wearer	It specifies if the Wearable is placed inside the body of the Wearer.
s4wear:isLocatedNear	s4wear:Wearable	s4wear:Wearer	It specifies if the Wearable is placed near the body of the Wearer.
s4wear:isLocatedOn	s4wear:Wearable	s4wear:Wearer	It specifies if the Wearable is placed on the body of the Wearer, i.e. the distance between the Wearable and the Wearer is zero or within a range close to zero.
s4wear:isSensedBy	s4wear:Wearer	s4wear:Wearable	If specifies if a Wearer is sensed by a Wearable.
s4wear:isTriggeredBy	s4wear:ActuatingFunction	saref:Device	It defines which is the Device that triggers a specific Actuating Function.
s4wear:measuresFeature	saref:Device	saref:FeatureOfInterest	It defines the Features of interest that are measured by a Device.
s4wear:monitors	saref:Device	saref:Device	It defines the possibility for a Device to monitor another device.

Object property	Domain	Range	Definition
s4wear:sendsInformationTo	s4wear:Wearable	s4wear:Wearable	It models the possibility, for a Wearable, to send information to another Wearable.
s4wear:sendsNotificationsTo	saref:Wearable	s4wear:Wearer	It models the possibility, for a Device, to send notifications to a Wearer.
s4wear:takesPlaceAt	s4wear:Occurrence	geosp:Feature	It represents the place where an occurrence takes place.

## 4.2.10 Datatype properties

In Table 3, there is the list of the datatype properties defined into the SAREF4WEAR extension. For each datatype property, there is a report of the name, the domain, the range, and its definition.

**Table 3: List of the datatype properties defined within the SAREF4WEAR extension**

Object property	Domain	Range	Definition
s4wear:emittedNoise	s4wear:Wearable	xsd:double	It represents the quantity of noise emitted by a specific Wearable.
s4wear:followsPolicies	s4wear:Wearable	xsd:anyURI	If the Wearable device follows specific policies (e.g. data management, safety, electrical, etc.), this property contains the URI of the document in which such policies are described.
s4wear:hasBatteryLife	s4wear:Wearable	xsd:double	It specifies the battery life of a Wearable.
s4wear:hasCapacity	s4wear:Facility	xsd:long	It represents the maximum capacity of a given Facility.
s4wear:hasCommand	s4wear:ActuatingFunction	xsd:string	It contains the string-based representation of the specific command managed by the related Actuating Function.
s4wear:hasDataTransmissionRate	s4wear:Wearable	xsd:double	It specifies the data transmission rate of a given Wearable device.
s4wear:hasDepth	s4wear:Wearable	xsd:double	It specifies the depth dimension of a given Wearable device.
s4wear:hasHeight	s4wear:Wearable	xsd:double	It specifies the height dimension of a given Wearable device.
s4wear:hasLength	s4wear:Wearable	xsd:double	It specifies the length dimension of a given Wearable device.
s4wear:hasOperatingTemperature	s4wear:Wearable	xsd:double	It represents the optimal temperature which a given Wearable device should operate.
s4wear:hasStorage	s4wear:Wearable	xsd:double	It specifies the amount of memory storage of a given Wearable device.
s4wear:hasWeight	s4wear:Wearable	xsd:double	It specifies the weight of a given Wearable device.
s4wear:meansOfTransport	s4wear:Wearer	xsd:string	If the Wearable is placed on a means of transport, this property specifies which is it.
s4wear:wearerRangeAge	s4wear:Wearer	xsd:string	It represents the range of the Wearer's age.
s4wear:wearerStatus	s4wear:Wearer	xsd:string	It specifies the status of a Wearer. Possibly, the state could be a value extracted from a closed list of alternatives.

## 4.3 Instantiating SAREF4WEAR

This clause shows different examples of how to instantiate the SAREF4WEAR extension of SAREF.

In a **healthcare** scenario the wearer is represented by a user equipped with Wearable devices in charge of monitoring healthy parameters (e.g. heart rate, body temperature, blood oxygenation, etc.) and to inform the user in real-time about his/her status. This scenario can be instantiated into different situations ranging from the self-management of chronic diseases to the simple lifestyle monitor.

The example presented in Figure 9 depicts a wearer (`ex:Patient1`) who is equipped with a Wearable (`ex:AccuMed500`) that contains a photodetector (`ex:Photodetector1`); the sensor measures oxygen saturation (`ex:OxygenSaturation`) through a measurement (`ex:OxygenLevel97`). A similar example is depicted for a runner wearing a heart rate monitor that measures heart rate.




Figure 9: Healthcare example

Another scenario is that of **open air public events**, which refers to the description of open space public events, such as street festivals, by using the SAREF4WEAR extension. As an example, wearables and sensors are used for measuring the sound level limits, for equipping security staff with the necessary devices for receiving proper information, and for managing the crowd movements around the facility. The management of this challenge can be done by means of a network of Wearable devices.

The example presented in Figure 10 illustrates an event (`ex:MusicFestival2020`) that takes place in a facility (`ex:MusicFestival2020`). The facility contains different sound sensors (`ex:SoundSensor`) and multiple customers (`s4wear:User`) who are located through individual GPS trackers (`ex:GPSTracker`). The example also presents a member of the staff (`ex:Staff1`) who interacts with a crowd control Wearable (`ex:Receiver1`) that is able to measure queue sizes (`s4wear:QueueSize`); such Wearable has detected the queue created by customers in the toilets (`ex:ToiletsQueue`).




Figure 10: Open air event example

The **closed environment events** scenario differs from the previous one due to the environment in which events take place. Here, sensors are used for controlling access, checking the presence of undesired situations (e.g. blazes), and for alerting attendees about emergency situations. At the same time, stewards and security staff members are equipped with wearables for managing communications and for being informed about undesired events (e.g. brawls). Moreover, children could be equipped with wearables for avoiding their loss in the event facility.

The example presented in Figure 11 illustrates an event (`ex:VolleyLeagueFinals`) that takes place in a facility (`ex:ForumAssago`). The facility contains different smoke sensors (`ex:SmokeSensor`) and multiple customers (`s4wear:User`) who are located through individual GPS trackers (`ex:GPSTracker`). The example also presents the head of the staff (`ex:StaffHead`) who interacts with an audio control Wearable (`ex:Controller1`) that controls the speakers of the facility (`ex:FacilitySpeaker1`).




Figure 11: Closed environment event example



## 4.4 Observations

In the following, several observations about the SAREF4WEAR ontology and its usage are mentioned.

The hierarchies and individuals defined in the extension should not be considered exhaustive, the ontology currently represents those devices described in different relevant standards and directives. It might be needed to extend the hierarchies and lists of individuals for particular use cases, as well as to specialize some of the defined classes.

A last attention point is related to the possibility that this extension will overlap with existing standards partially related to the wearables domain, in particular:

- The IEEE™ P360 [i.2] (<https://standards.ieee.org/project/360.html#Working>). This standard gives overview, terminology and categorization for Wearable Consumer Electronic Devices. It outlines an architecture for a series of standard specifications that define technical requirements and testing methods for different aspects of Wearables, from basic security and suitability of wear, to various functional areas like health, fitness and infotainment, etc.
- The HL7 [i.3] (<http://www.hl7.org/>). This standard is more related to the healthcare domain, but it is very common and it contains functional model requirements for electronic as well as personal health records.

The SAREF4WEAR extension requires to be able to represent those devices that measure a certain feature of interest (and those features of interest that are measured by a device) independently of having measures from which this relationship could be inferred. Because of this, in this extension four new properties were created to relate **saref:Device** and **saref:FeatureOfInterest**: **s4wear:featureIsMeasuredByDevice**, **s4wear:featureIsControlledByDevice**, **s4wear:measuresFeature**, and **s4wear:controlsFeature**. These new properties, since they are generic and could be used in other extensions, might be included in a future version of the SAREF ontology.

---

## History

<b>Document history</b>		
V1.1.1	July 2020	Publication