



**Methods for Testing and Specification (MTS);
TTCN-3 Conformance Test Suite;
Part 1: Implementation Conformance Statement (ICS)**

Reference

RTS/MTS-102950-1ed151T3Conf

Keywords

conformance, ICS, testing, TTCN

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definitions and abbreviations.....	9
3.1 Definitions.....	9
3.2 Abbreviations	9
4 Conformance requirement concerning ICS	10
Annex A (normative): TTCN-3 conformance ICS pro forma.....	11
A.1 Instructions for completing the ICS pro forma.....	11
A.1.1 Other information.....	11
A.1.2 Purposes and structure.....	11
A.1.3 Conventions.....	11
A.2 Identification of the implementation	12
A.2.0 Identification overview.....	12
A.2.1 Date of the statement	12
A.2.2 Implementation under Test (IUT) identification	12
A.2.3 System under Test (SUT) identification	12
A.2.4 Product supplier.....	13
A.2.5 Client	13
A.2.6 ICS contact person.....	13
A.3 ICS pro forma tables.....	13
A.3.1 Global statement of conformance.....	13
A.3.2 Basic language elements	13
A.3.3 Identifiers and keywords	14
A.3.4 Scope rules	14
A.3.5 Scope of formal parameters.....	14
A.3.6 Uniqueness of identifiers.....	15
A.3.7 Ordering of language elements.....	15
A.3.8 Parameterization.....	16
A.3.9 Formal parameters.....	16
A.3.10 Formal parameters of kind value	18
A.3.11 Formal parameters of kind template	20
A.3.12 Formal parameters of kind timer	23
A.3.13 Formal parameters of kind port	24
A.3.14 Actual parameters.....	24
A.3.15 Cyclic definitions	40
A.3.16 Simple basic types and values	40
A.3.17 Basic string types and values.....	41
A.3.18 Accessing individual string elements	41
A.3.19 Lists of values.....	42
A.3.20 Lists of types	42
A.3.21 Ranges	43
A.3.22 String length restrictions	44
A.3.23 Pattern subtyping of character string types.....	44
A.3.24 Mixing patterns, lists and ranges	45
A.3.25 Using length restriction with other constraints	45
A.3.26 Structured types and values	45
A.3.27 Record type and values.....	47

A.3.28	Referencing fields of a record type.....	47
A.3.29	Set type and values	48
A.3.30	Records and sets of single types	48
A.3.31	Referencing elements of record of and set of types.....	50
A.3.32	Enumerated type and values	51
A.3.33	Unions	52
A.3.34	Referencing fields of a union type.....	53
A.3.35	Option and union	53
A.3.36	Arrays	54
A.3.37	The default type.....	56
A.3.38	Communication port types	56
A.3.39	Component types.....	57
A.3.40	Addressing entities inside the SUT	57
A.3.41	Type compatibility of non-structured types.....	58
A.3.42	Type compatibility of structured types	59
A.3.43	Type compatibility of enumerated types	60
A.3.44	Type compatibility of component types	60
A.3.45	Type compatibility of communication operations	60
A.3.46	Expression	60
A.3.47	Arithmetic operators.....	61
A.3.48	List operator	64
A.3.49	Relational operators.....	64
A.3.50	Logical operators.....	66
A.3.51	Bitwise operators.....	66
A.3.52	Shift operators	67
A.3.53	Rotate operators.....	67
A.3.54	Field references and list elements.....	67
A.3.55	Definition of a module	68
A.3.56	Module definitions part	68
A.3.57	Module parameters	68
A.3.58	Groups of definitions.....	69
A.3.59	General format of import.....	69
A.3.60	Importing single definitions	72
A.3.61	Importing groups	72
A.3.62	Importing definitions of the same kind.....	72
A.3.63	Importing all definitions of a module.....	73
A.3.64	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules	73
A.3.65	Importing of import statements from TTCN-3 modules	73
A.3.66	Compatibility of language specifications of imports.....	73
A.3.67	Definition of friend modules	74
A.3.68	Visibility of definitions	74
A.3.69	Module control part.....	75
A.3.70	Port types, component types and test configurations.....	75
A.3.71	Communication ports	76
A.3.72	Declaring constants	76
A.3.73	Value variables	77
A.3.74	Template variables	77
A.3.75	Declaring timers	78
A.3.76	Declaring messages	79
A.3.77	Declaring procedure signatures	80
A.3.78	Declaring templates.....	80
A.3.79	Declaring message templates	80
A.3.80	Declaring signature templates	81
A.3.81	Global and local templates	81
A.3.82	In-line templates.....	82
A.3.83	Modified templates.....	82
A.3.84	Referencing individual string elements	83
A.3.85	Referencing record and set fields	84
A.3.86	Referencing record of and set of elements	84
A.3.87	Referencing signature parameters	85
A.3.88	Referencing union alternatives	85
A.3.89	Template restrictions	86

A.3.90	Match operation.....	89
A.3.91	Valueof operation.....	90
A.3.92	Concatenating templates of string and list types	90
A.3.93	Functions.....	91
A.3.94	Invoking functions.....	91
A.3.95	Predefined functions.....	92
A.3.96	External functions.....	97
A.3.97	Invoking function from specific places	97
A.3.98	Altsteps.....	98
A.3.99	Invoking altsteps	98
A.3.100	Test cases.....	99
A.3.101	Assignments	99
A.3.102	The if-else statement	99
A.3.103	The Select statements	100
A.3.104	The select union statement	100
A.3.105	The for statement.....	101
A.3.106	The while statement.....	101
A.3.107	The do-while statement	101
A.3.108	The label statement.....	101
A.3.109	The goto statement	102
A.3.110	The stop execution statement	102
A.3.111	The return statement.....	102
A.3.112	The log statement	102
A.3.113	The continue statement.....	103
A.3.114	Statement and operations for alternative behaviours.....	103
A.3.115	The alt statement	103
A.3.116	The repeat statement.....	104
A.3.117	The interleave statement.....	104
A.3.118	The default mechanism	105
A.3.119	The activate operation	106
A.3.120	Connection operations.....	106
A.3.121	The connect and map operations	107
A.3.122	The disconnect and unmap operations.....	108
A.3.123	Test case operations.....	109
A.3.124	The create operation	109
A.3.125	The start test component operation.....	110
A.3.126	The stop test behaviour operation.....	111
A.3.127	The kill test component operation	111
A.3.128	The alive operation.....	112
A.3.129	The running operation	113
A.3.130	The done operation.....	114
A.3.131	The killed operation.....	115
A.3.132	The send operation	117
A.3.133	The receive operation	117
A.3.134	The trigger operation.....	119
A.3.135	The call operation.....	121
A.3.136	The getcall operation.....	122
A.3.137	The reply operation	123
A.3.138	The getreply operation.....	124
A.3.139	The raise operation	126
A.3.140	The catch operation	126
A.3.141	The check operation	128
A.3.142	Timer operations	134
A.3.143	The stop timer operation.....	135
A.3.144	The running timer operation.....	135
A.3.145	The timeout operation	136
A.3.146	Test verdict operations	136
A.3.147	The verdict mechanism	137
A.3.148	The getverdict mechanism.....	138
A.3.149	Module control	139
A.3.150	The execute statement	139
A.3.151	The control part.....	140

A.3.152	Scope of attributes	141
A.3.153	Optional attributes	142
A.3.154	Matching specific values	142
A.3.155	Value list	143
A.3.156	Complemented value list	143
A.3.157	Any value	143
A.3.158	Any value or none	144
A.3.159	Value range	144
A.3.160	SuperSet	145
A.3.161	SubSet	146
A.3.162	Omitting optional fields.....	146
A.3.163	Any element	147
A.3.164	Any number of elements of no element.....	147
A.3.165	Permutation	148
A.3.166	Length restrictions.....	148
A.3.167	The ifpresent indicator.....	149
A.3.168	Matching character pattern	149
A.3.169	Set expression.....	149
A.3.170	Reference expression.....	150
A.3.171	Match expression n times	150
A.3.172	Match a referenced character set	151
A.3.173	Type compatibility rules for patterns.....	151
A.3.174	Case insensitive pattern matching	151
A.3.175	Preprocessing macros	152
A.4	Additional information for ICS	152
History	153

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

The present document is part 1 of a multi-part deliverable covering a TTCN-3 conformance test suite, as identified below:

- Part 1: "**Implementation Conformance Statement (ICS)**";
 - Part 2: "Test Suite Structure and Test Purposes (TSS&TP)";
 - Part 3: "Abstract Test Suite (ATS) and Implementation eXtra Information for Testing (IXIT)".
-

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document provides the Implementation Conformance Statement (ICS) pro forma for the conformance test suite for TTCN-3 as defined in ETSI ES 201 873-1 [1] in compliance with the relevant guidance given in the pro forma for TTCN-3 reference test suite ETSI TS 102 995 [i.9]. In the present document only the core language features, specified in ETSI ES 201 873-1 [1] have been considered but not the tool implementation (see [i.1] and [i.2]), language mapping (see [i.3], [i.4] and [i.5]) and language extension (see e.g. [i.6], [i.7] and [i.8]) aspects.

The supplier of an implementation which is claimed to conform to ETSI ES 201 873-1 [1] is required to complete a copy of the ICS pro forma provided in the annex A of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-1 (V4.7.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language".
- [2] ISO/IEC 9646-7 (1994): "Conformance testing methodology and framework - Part 7: Implementation Conformance Statement".
- [3] ISO/IEC 9646-1 (1992): "Information Technology - Open Systems Interconnection - Conformance Testing Methodology and Framework - Part 1: General concepts".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI ES 201 873-5: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 5: TTCN-3 Runtime Interface (TRI)".
- [i.2] ETSI ES 201 873-6: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)".
- [i.3] ETSI ES 201 873-7: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 7: Using ASN.1 with TTCN-3".
- [i.4] ETSI ES 201 873-8: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 8: The IDL to TTCN-3 Mapping".
- [i.5] ETSI ES 201 873-9: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 9: Using XML schema with TTCN-3".

- [i.6] ETSI ES 202 781: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Configuration and Deployment Support".
- [i.7] ETSI ES 202 784: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Advanced Parameterization".
- [i.8] ETSI ES 202 785: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Behaviour Types".
- [i.9] ETSI TS 102 995: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Proforma for TTCN-3 reference test suite".

3 Definitions and abbreviations

3.1 Definitions

For the Purposes of the present document, the terms and definitions given in ISO/IEC 9646-1 [3], ISO/IEC 9646-7 [2], ETSI ES 201 873-1 [1] (TTCN-3) and the following apply:

Abstract Test Suite (ATS): test suite composed of abstract test cases

ICS pro forma: document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

Implementation Conformance Statement (ICS): statement made by the supplier of an implementation claimed to conform to a given specification, stating which capabilities have been implemented

Implementation eXtra Information for Testing (IXIT): statement made by a supplier or implementor of an IUT which contains or references all of the information related to the IUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the IUT

Implementation Under Test (IUT): implementation of one or more OSI protocols in an adjacent user/provider relationship, being part of a real open system which is to be studied by testing

IXIT pro forma: document, in the form of a questionnaire, which when completed for the IUT becomes the IXIT

3.2 Abbreviations

For the Purposes of the present document, the following abbreviations apply:

ATS	Abstract Test Suite
ICS	Implementation Conformance Statement
IUT	Implementation under Test
IXIT	Implementation eXtra Information for Testing
MTC	Main Test Component
PTC	Parallel Test Component
SUT	System Under Test
TC	Test Case
TCI	TTCN-3 Control Interface
TP	Test Purpose
TRI	TTCN-3 Runtime Interface
TS	Test System
TSI	Test System Interface
TSS	Test Suite Structure
TSS&TP	Test Suite Structure and Test Purposes
TTCN-3	Testing and Test Control Notation edition 3
USI	User System Interface

4 Conformance requirement concerning ICS

If it claims to conform to the present document, the actual ICS pro forma to be filled in by a supplier shall be technically equivalent to the text of the ICS pro forma given in annex A, and shall preserve the numbering/naming and ordering of the pro forma items.

An ICS which conforms to the present document shall be a conforming ICS pro forma completed in accordance with the instructions for completion given in clause A.1.

Annex A (normative): TTCN-3 conformance ICS pro forma

A.1 Instructions for completing the ICS pro forma

A.1.1 Other information

More detailed instructions are given at the beginning of the different clauses of the ICS pro forma.

The supplier of the implementation shall complete the ICS pro forma in each of the spaces provided. If necessary, the supplier may provide additional comments separately in clause A.4.

A.1.2 Purposes and structure

The Purpose of this ICS pro forma is to provide a mechanism whereby a TTCN-3 tool vendor of the TTCN-3 core language [1] may provide information about the implementation in a standardized manner.

The ICS pro forma is subdivided into clauses for the following categories of information:

- instructions for completing the ICS pro forma;
- identification of the implementation;
- ICS pro forma tables (containing the global statement of conformance).

A.1.3 Conventions

The ICS pro forma is composed of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [2].

Item column

It contains a number that identifies the item in the table.

Item description column

It describes each respective item (e.g. parameters, timers, etc.).

Reference column

It gives reference to the TTCN-3 core language [1], except where explicitly stated otherwise.

Status column

The following notations, defined in ISO/IEC 9646-7 [2], are used for the status column:

- m mandatory - the capability is required to be supported.
- n/a not applicable - in the given context, it is impossible to use the capability. No answer in the support column is required.
- o optional - the capability may be supported or not.
- o.i qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies a unique group of related optional items and the logic of their selection which is defined immediately following the table.
- ci conditional - the requirement on the capability ("m", "o" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying a unique conditional status expression that is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ... THEN ... ELSE...) ELSE ..." shall be used to avoid ambiguities. If an ELSE clause is omitted, "ELSE n/a" shall be implied.

NOTE: Support of a capability means that the capability is implemented in conformance to the TTCN-3 core language [1].

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [2], are used for the support column:

- Y or y supported by the implementation.
- N or n not supported by the implementation.
- N/A or n/a or "no answer required" (allowed only if the status is N/A, directly or after evaluation of a conditional status).

Values allowed column

This column contains the values or the ranges of values allowed.

Values supported column

The support column shall be filled in by the supplier of the implementation. In this column the values or the ranges of values supported by the implementation shall be indicated.

References to items

For each possible item answer (answer in the support column) within the ICS pro forma, a unique reference exists. It is defined as the table identifier, followed by a slash character "/", followed by the item number in the table. If there's more than one support column in a table, the columns shall be discriminated by letters (a, b, etc.) respectively.

EXAMPLE: 5/4 is the reference to the answer of item 4 in Table 5.

A.2 Identification of the implementation

A.2.0 Identification overview

Identification of the Implementation under Test (IUT) and the system in which it resides - the System Under Test (SUT) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the ICS should be named as the contact person.

A.2.1 Date of the statement

Date of the statement:	
------------------------	--

A.2.2 Implementation under Test (IUT) identification

IUT name:	
IUT version:	

A.2.3 System under Test (SUT) identification

SUT name:	
Hardware configuration:	
Operating system:	

A.2.4 Product supplier

Name:	
Address:	
Telephone number:	
Facsimile number:	
E-mail address:	
Additional information:	

A.2.5 Client

Name:	
Address:	
Telephone number:	
Facsimile number:	
E-mail address:	
Additional information:	

A.2.6 ICS contact person

Name:	
Telephone number:	
Facsimile number:	
E-mail address:	
Additional information:	

A.3 ICS pro forma tables

A.3.1 Global statement of conformance

	(Yes/No)
Are all mandatory capabilities implemented?	

NOTE: Answering "No" to this question indicates non-conformance to the TTCN-3 core language. Non-supported mandatory capabilities are to be identified in the ICS, with an explanation of why the implementation is non-conforming.

A.3.2 Basic language elements

Table A.1: Basic language elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_05_TopLevel_001	When the IUT loads a module containing some definitions before the module declaration then the module is rejected	Clause 5	m	

A.3.3 Identifiers and keywords

Table A.2: Identifiers and keywords

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0501_Identifier_001	Can't pass a charstring value to an integer variable	Clause 5.1	m	
2	NegSyn_0501_Identifier_001	When the IUT loads a module containing an identifier named with a keyword then the module is rejected	Clause 5.1	m	
3	Syn_0501_Identifier_001	The IUT handle the identifiers case sensitively	Clause 5.1	m	

A.3.4 Scope rules

Table A.3: Scope rules

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0502_Scope_001	The IUT correctly handles definitions of local scope	Clause 5.2	m	
2	NegSem_0502_Scope_002	The IUT correctly handles definitions of local scope	Clause 5.2	m	
3	NegSem_0502_Scope_003	The IUT correctly handles definitions of local scope	Clause 5.2	m	
4	Sem_0502_Scope_001	The IUT handle scope hierarchy of component constants	Clause 5.2	m	
5	Sem_0502_Scope_002	The IUT handle scope hierarchy with component booleans	Clause 5.2	m	
6	Sem_0502_Scope_003	The IUT handles scope hierarchy via functions	Clause 5.2	m	
7	Sem_0502_Scope_004	The IUT correctly handles the scope of definitions made in the module part	Clause 5.2	m	
8	Sem_0502_Scope_008	The IUT correctly handles definitions of extended component scope	Clause 5.2	m	
9	Syn_0502_Scope_001	The IUT supports all the nine scope units	Clause 5.2	m	

A.3.5 Scope of formal parameters

Table A.4: Scope of formal parameters

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_050201_Scope_of_parameters_001	The IUT correctly handles scope of formal function parameters	Clause 5.2.1	m	
2	Sem_050201_Scope_of_parameters_002	The IUT correctly handles scope of formal function parameters	Clause 5.2.1	m	

A.3.6 Uniqueness of identifiers

Table A.5: Uniqueness of identifiers

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_050202_Uniqueness_001	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
2	NegSem_050202_Uniqueness_004	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
3	NegSem_050202_Uniqueness_005	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
4	NegSem_050202_Uniqueness_006	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
5	NegSem_050202_Uniqueness_007	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
6	NegSem_050202_Uniqueness_008	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
7	NegSem_050202_Uniqueness_009	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
8	NegSem_050202_Uniqueness_010	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
9	NegSem_050202_Uniqueness_011	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
10	NegSem_050202_Uniqueness_012	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
11	Sem_050202_Uniqueness_001	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
12	Sem_050202_Uniqueness_002	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	
13	Sem_050202_Uniqueness_003	The IUT correctly handles the uniqueness of variable names in its scope	Clause 5.2.2	m	

A.3.7 Ordering of language elements

Table A.6: Ordering of language elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0503_Ordering_001	Declarations are in the allowed ordering	Clause 5.3	m	
2	NegSem_0503_Ordering_002	Declarations are in the allowed ordering	Clause 5.3	m	
3	NegSem_0503_Ordering_003	Declarations are in the allowed ordering	Clause 5.3	m	
4	Sem_0503_Ordering_001	Allowed orderings of declarations are supported	Clause 5.3	m	
5	Sem_0503_Ordering_002	Allowed any ordering with component definitions are supported	Clause 5.3	m	
6	Sem_0503_Ordering_005	Allowed orderings of declarations are supported	Clause 5.3	m	

A.3.8 Parameterization

Table A.7: Parameterization

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0504_parametrization_incompatibility_001	The IUT correctly handles received testcase parametrization type incompatibility.	Clause 5.4	m	
2	NegSyn_0504_forbidden_parametrization_001	The IUT rejects forbidden module parametrization types.	Clause 5.4	m	
3	NegSyn_0504_forbidden_parametrization_002	The IUT rejects forbidden module parametrization types.	Clause 5.4	m	

A.3.9 Formal parameters

Table A.8: Formal parameters

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_050401_top_level_001	Verify that error is generated for incompatible actual value of in parameter	Clause 5.4.1	m	
2	NegSem_050401_top_level_002	Verify that error is generated for incompatible actual value of out parameter	Clause 5.4.1	m	
3	NegSem_050401_top_level_003	Verify that error is generated if actual inout parameter doesn't adhere to strong typing rules	Clause 5.4.1	m	
4	Sem_050401_top_level_001	Verify that in parameters can be read within parametrized content	Clause 5.4.1	m	
5	Sem_050401_top_level_002	Verify that out parameters can be read within parametrized content	Clause 5.4.1	m	
6	Sem_050401_top_level_003	Verify that inout parameters can be read within parametrized content	Clause 5.4.1	m	
7	Sem_050401_top_level_004	Verify that in parameters can be set within parametrized content	Clause 5.4.1	m	
8	Sem_050401_top_level_005	Verify that out parameters can be set within parametrized content	Clause 5.4.1	m	
9	Sem_050401_top_level_006	Verify that inout parameters can be set within parametrized content	Clause 5.4.1	m	
10	Sem_050401_top_level_007	Verify that in parameters can be used as actual in parameters of parameterized objects	Clause 5.4.1	m	
11	Sem_050401_top_level_008	Verify that in parameters can be used as actual out parameters of parameterized objects	Clause 5.4.1	m	
12	Sem_050401_top_level_009	Verify that in parameters can be used as actual inout parameters of parameterized objects	Clause 5.4.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
13	Sem_050401_top_level_010	Verify that out parameters can be used as actual in parameters of parameterized objects	Clause 5.4.1	m	
14	Sem_050401_top_level_011	Verify that out parameters can be used as actual out parameters of parameterized objects	Clause 5.4.1	m	
15	Sem_050401_top_level_012	Verify that out parameters can be used as actual inout parameters of parameterized objects	Clause 5.4.1	m	
16	Sem_050401_top_level_013	Verify that inout parameters can be used as actual in parameters of parameterized objects	Clause 5.4.1	m	
17	Sem_050401_top_level_014	Verify that inout parameters can be used as actual out parameters of parameterized objects	Clause 5.4.1	m	
18	Sem_050401_top_level_015	Verify that inout parameters can be used as actual inout parameters of parameterized objects	Clause 5.4.1	m	
19	Sem_050401_top_level_016	Verify that compatibility rules are used for passing in parameters	Clause 5.4.1	m	
20	Sem_050401_top_level_017	Verify that compatibility rules are used for passing out parameters	Clause 5.4.1	m	
21	Sem_050401_top_level_018	Verify that strong typing is used for passing inout parameters	Clause 5.4.1	m	
22	Sem_050401_top_level_019	Verify that @lazy modifier can be used for value parameters	Clause 5.4.1	m	
23	Sem_050401_top_level_020	Verify that @lazy modifier can be used for template parameters	Clause 5.4.1	m	
24	Sem_050401_top_level_021	Verify that @lazy parameters containing component variable references are properly evaluated	Clause 5.4.1	m	
25	Sem_050401_top_level_022	Verify that @fuzzy modifier can be used for value parameters	Clause 5.4.1	m	
26	Sem_050401_top_level_023	Verify that @fuzzy modifier can be used for template parameters	Clause 5.4.1	m	
27	Sem_050401_top_level_024	Verify that @fuzzy parameters containing component variable references are properly evaluated	Clause 5.4.1	m	
28	Sem_050401_top_level_025	Verify that default values of @lazy parameters are properly evaluated	Clause 5.4.1	m	
29	Sem_050401_top_level_026	Verify that default values of @fuzzy parameters are properly evaluated	Clause 5.4.1	m	
30	Sem_050401_top_level_027	Verify that passing lazy parameter to formal parameter without modifier disables lazy evaluation	Clause 5.4.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
31	Sem_050401_top_level_028	Verify that passing fuzzy parameter to formal parameter without modifier disables fuzzy evaluation	Clause 5.4.1	m	
32	Sem_050401_top_level_029	Verify that fuzzy parameter passed to lazy formal parameter enables lazy evaluation	Clause 5.4.1	m	

A.3.10 Formal parameters of kind value

Table A.9: Formal parameters of kind value

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_05040101_parameters_of_kind_value_001	Verify that in value formal parameters of template can't used dash as default value	Clause 5.4.1.1	m	
2	NegSem_05040101_parameters_of_kind_value_002	Verify that modified template can't used dash as default value when original value parameter had no default value	Clause 5.4.1.1	m	
3	NegSem_05040101_parameters_of_kind_value_003	Verify that template definitions can't contain out value formal parameters	Clause 5.4.1.1	m	
4	NegSem_05040101_parameters_of_kind_value_004	Verify that template definitions can't contain inout value formal parameters	Clause 5.4.1.1	m	
5	NegSem_05040101_parameters_of_kind_value_005	Verify that out value formal parameters can't have default values	Clause 5.4.1.1	m	
6	NegSem_05040101_parameters_of_kind_value_006	Verify that inout value formal parameters can't have default values	Clause 5.4.1.1	m	
7	NegSem_05040101_parameters_of_kind_value_007	Verify that incompatible value in default value assignment of value formal parameters causes error	Clause 5.4.1.1	m	
8	NegSem_05040101_parameters_of_kind_value_008	Verify that default value of value formal parameters can't reference component variables	Clause 5.4.1.1	m	
9	NegSem_05040101_parameters_of_kind_value_009	Verify that default value of value formal parameters can't reference other parameters	Clause 5.4.1.1	m	
10	NegSem_05040101_parameters_of_kind_value_010	Verify that default value of value formal parameters can't invoke functions with runs on clause	Clause 5.4.1.1	m	
11	NegSem_05040101_parameters_of_kind_value_011	Verify that error is generated if formal value parameter of function contains dash	Clause 5.4.1.1	m	
12	NegSem_05040101_parameters_of_kind_value_012	Verify that error is generated if formal value parameter of altstep contains dash	Clause 5.4.1.1	m	
13	NegSem_05040101_parameters_of_kind_value_013	Verify that error is generated if formal value parameter of test case contains dash	Clause 5.4.1.1	m	
14	NegSem_05040101_parameters_of_kind_value_014	Verify that out formal value parameters can't have lazy modifier	Clause 5.4.1.1	m	
15	NegSem_05040101_parameters_of_kind_value_015	Verify that out formal value parameters can't have fuzzy modifier	Clause 5.4.1.1	m	
16	NegSem_05040101_parameters_of_kind_value_016	Verify that inout formal value parameters can't have lazy modifier	Clause 5.4.1.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
17	NegSem_05040101_parameters_of_kind_value_017	Verify that inout formal value parameters can't have fuzzy modifier	Clause 5.4.1.1	m	
18	NegSyn_05040101_parameters_of_kind_value_001	Verify that const definition can't be parameterized	Clause 5.4.1.1	m	
19	NegSyn_05040101_parameters_of_kind_value_002	Verify that var definition can't be parameterized	Clause 5.4.1.1	m	
20	NegSyn_05040101_parameters_of_kind_value_003	Verify that template variable definition can't be parameterized	Clause 5.4.1.1	m	
21	NegSyn_05040101_parameters_of_kind_value_004	Verify that timer definition can't be parameterized	Clause 5.4.1.1	m	
22	NegSyn_05040101_parameters_of_kind_value_005	Verify that control definition can't be parameterized	Clause 5.4.1.1	m	
23	NegSyn_05040101_parameters_of_kind_value_006	Verify that record of definition can't be parameterized	Clause 5.4.1.1	m	
24	NegSyn_05040101_parameters_of_kind_value_007	Verify that set of definition can't be parameterized	Clause 5.4.1.1	m	
25	NegSyn_05040101_parameters_of_kind_value_008	Verify that enumerated definition can't be parameterized	Clause 5.4.1.1	m	
26	NegSyn_05040101_parameters_of_kind_value_009	Verify that port definition can't be parameterized	Clause 5.4.1.1	m	
27	NegSyn_05040101_parameters_of_kind_value_010	Verify that component definition can't be parameterized	Clause 5.4.1.1	m	
28	NegSyn_05040101_parameters_of_kind_value_011	Verify that subtype definition can't be parameterized	Clause 5.4.1.1	m	
29	NegSyn_05040101_parameters_of_kind_value_012	Verify that group definition can't be parameterized	Clause 5.4.1.1	m	
30	NegSyn_05040101_parameters_of_kind_value_013	Verify that import definition can't be parameterized	Clause 5.4.1.1	m	
31	Sem_05040101_parameters_of_kind_value_001	The IUT correctly handles parametrization through the use of module parameters	Clause 5.4.1.1	m	
32	Sem_05040101_parameters_of_kind_value_002	The IUT correctly handles parametrization through the use of module parameters	Clause 5.4.1.1	m	
33	Sem_05040101_parameters_of_kind_value_003	The IUT correctly handles parametrization through the use of module parameters	Clause 5.4.1.1	m	
34	Sem_05040101_parameters_of_kind_value_004	The IUT correctly handles parametrization through the use of module parameter.	Clause 5.4.1.1	m	
35	Sem_05040101_parameters_of_kind_value_005	Verify that template definition can contain in value formal parameters	Clause 5.4.1.1	m	
36	Sem_05040101_parameters_of_kind_value_006	Verify that local template definition can contain in value formal parameters	Clause 5.4.1.1	m	
37	Sem_05040101_parameters_of_kind_value_007	Verify that function definition can contain in, out and inout value formal parameters	Clause 5.4.1.1	m	
38	Sem_05040101_parameters_of_kind_value_008	Verify that altstep definition can contain in, out and inout value formal parameters	Clause 5.4.1.1	m	
39	Sem_05040101_parameters_of_kind_value_009	Verify that test case definition can contain in, out and inout value formal parameters	Clause 5.4.1.1	m	
40	Sem_05040101_parameters_of_kind_value_010	Verify that value formal parameters can be used in expressions	Clause 5.4.1.1	m	
41	Sem_05040101_parameters_of_kind_value_011	Verify that in value formal parameters of template can have default values	Clause 5.4.1.1	m	
42	Sem_05040101_parameters_of_kind_value_012	Verify that in value formal parameters of local template can have default values	Clause 5.4.1.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
43	Sem_05040101_parameters_of_kind_value_013	Verify that in value formal parameters of function can have default values	Clause 5.4.1.1	m	
44	Sem_05040101_parameters_of_kind_value_014	Verify that in value formal parameters of altstep can have default values	Clause 5.4.1.1	m	
45	Sem_05040101_parameters_of_kind_value_015	Verify that in value formal parameters of test case can have default values	Clause 5.4.1.1	m	
46	Sem_05040101_parameters_of_kind_value_016	Verify that in value formal parameters of modified template can used dash as default value	Clause 5.4.1.1	m	
47	Sem_05040101_parameters_of_kind_value_017	Verify that null is suitable default value of formal value parameters of component type	Clause 5.4.1.1	m	
48	Sem_05040101_parameters_of_kind_value_018	Verify that self is suitable default value of formal value parameters of component type	Clause 5.4.1.1	m	
49	Sem_05040101_parameters_of_kind_value_019	Verify that mtc is suitable default value of formal value parameters of component type	Clause 5.4.1.1	m	
50	Sem_05040101_parameters_of_kind_value_020	Verify that system is suitable default value of formal value parameters of component type	Clause 5.4.1.1	m	
51	Sem_05040101_parameters_of_kind_value_021	Verify that null can be used as default value of formal value parameters of default type	Clause 5.4.1.1	m	
52	Sem_05040101_parameters_of_kind_value_022	Verify that passing by value and by reference works correctly	Clause 5.4.1.1	m	

A.3.11 Formal parameters of kind template

Table A.10: Formal parameters of kind template

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_05040102_parameters_of_kind_template_001	Verify that in template formal parameters of template can't used dash as default value	Clause 5.4.1.2	m	
2	NegSem_05040102_parameters_of_kind_template_002	Verify that modified template can't used dash as default value when original template parameter had no default value	Clause 5.4.1.2	m	
3	NegSem_05040102_parameters_of_kind_template_003	Verify that template definitions can't contain out template formal parameters	Clause 5.4.1.2	m	
4	NegSem_05040102_parameters_of_kind_template_004	Verify that template definitions can't contain inout template formal parameters	Clause 5.4.1.2	m	
5	NegSem_05040102_parameters_of_kind_template_005	Verify that out template formal parameters can't have default values	Clause 5.4.1.2	m	
6	NegSem_05040102_parameters_of_kind_template_006	Verify that inout template formal parameters can't have default values	Clause 5.4.1.2	m	
7	NegSem_05040102_parameters_of_kind_template_007	Verify that incompatible template instance in default template assignment of template formal parameters causes error	Clause 5.4.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
8	NegSem_05040102_parameters_of_kind_template_008	Verify that default template instance of template formal parameters can't reference component elements	Clause 5.4.1.2	m	
9	NegSem_05040102_parameters_of_kind_template_009	Verify that default template instance of template formal parameters can't reference other parameters	Clause 5.4.1.2	m	
10	NegSem_05040102_parameters_of_kind_template_010	Verify that default template instance of template formal parameters can't invoke functions with runs on clause	Clause 5.4.1.2	m	
11	NegSem_05040102_parameters_of_kind_template_011	Verify that error is generated if formal template parameter of function contains dash	Clause 5.4.1.2	m	
12	NegSem_05040102_parameters_of_kind_template_012	Verify that error is generated if formal template parameter of altstep contains dash	Clause 5.4.1.2	m	
13	NegSem_05040102_parameters_of_kind_template_013	Verify that error is generated if formal template parameter of test case contains dash	Clause 5.4.1.2	m	
14	NegSem_05040102_parameters_of_kind_template_014	Verify that out formal template parameters can't have lazy modifier	Clause 5.4.1.2	m	
15	NegSem_05040102_parameters_of_kind_template_015	Verify that out formal template parameters can't have fuzzy modifier	Clause 5.4.1.2	m	
16	NegSem_05040102_parameters_of_kind_template_016	Verify that inout formal template parameters can't have lazy modifier	Clause 5.4.1.2	m	
17	NegSem_05040102_parameters_of_kind_template_017	Verify that inout formal template parameters can't have fuzzy modifier	Clause 5.4.1.2	m	
18	NegSyn_05040102_parameters_of_kind_template_001	Verify that module parameter of template kind is not allowed	Clause 5.4.1.2	m	
19	Sem_05040102_parameters_of_kind_template_001	The IUT correctly handles parametrization through the use of parameterized templates.	Clause 5.4.1.2	m	
20	Sem_05040102_parameters_of_kind_template_002	The IUT correctly handles parametrization through the use of parameterized templates.	Clause 5.4.1.2	m	
21	Sem_05040102_parameters_of_kind_template_003	Verify that template definition can contain in template formal parameters	Clause 5.4.1.2	m	
22	Sem_05040102_parameters_of_kind_template_004	Verify that local template definition can contain in template formal parameters	Clause 5.4.1.2	m	
23	Sem_05040102_parameters_of_kind_template_005	Verify that function definition can contain in, out and inout template formal parameters	Clause 5.4.1.2	m	
24	Sem_05040102_parameters_of_kind_template_006	Verify that altstep definition can contain in, out and inout template formal parameters	Clause 5.4.1.2	m	
25	Sem_05040102_parameters_of_kind_template_007	Verify that test case definition can contain in, out and inout template formal parameters	Clause 5.4.1.2	m	
26	Sem_05040102_parameters_of_kind_template_008	Verify that template formal parameters can be used in the same way as templates or template variables	Clause 5.4.1.2	m	
27	Sem_05040102_parameters_of_kind_template_009	Verify that in template formal parameters of template can have default values	Clause 5.4.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
28	Sem_05040102_parameters_of_kind_template_010	Verify that in template formal parameters of local template can have default values	Clause 5.4.1.2	m	
29	Sem_05040102_parameters_of_kind_template_011	Verify that in template formal parameters of function can have default values	Clause 5.4.1.2	m	
30	Sem_05040102_parameters_of_kind_template_012	Verify that in template formal parameters of altstep can have default values	Clause 5.4.1.2	m	
31	Sem_05040102_parameters_of_kind_template_013	Verify that in template formal parameters of test case can have default values	Clause 5.4.1.2	m	
32	Sem_05040102_parameters_of_kind_template_014	Verify that in template formal parameters of modified template can used dash as default value	Clause 5.4.1.2	m	
33	Sem_05040102_parameters_of_kind_template_015	Verify that template definition can contain in template formal parameters with omit restriction	Clause 5.4.1.2	m	
34	Sem_05040102_parameters_of_kind_template_016	Verify that local template definition can contain in template formal parameters with omit restriction	Clause 5.4.1.2	m	
35	Sem_05040102_parameters_of_kind_template_017	Verify that function definition can contain in, out and inout template formal parameters with omit restriction	Clause 5.4.1.2	m	
36	Sem_05040102_parameters_of_kind_template_018	Verify that altstep definition can contain in, out and inout template formal parameters with omit restriction	Clause 5.4.1.2	m	
37	Sem_05040102_parameters_of_kind_template_019	Verify that test case definition can contain in, out and inout template formal parameters with omit restriction	Clause 5.4.1.2	m	
38	Sem_05040102_parameters_of_kind_template_020	Verify that template definition can contain in template formal parameters with present restriction	Clause 5.4.1.2	m	
39	Sem_05040102_parameters_of_kind_template_021	Verify that local template definition can contain in template formal parameters with present restriction	Clause 5.4.1.2	m	
40	Sem_05040102_parameters_of_kind_template_022	Verify that function definition can contain in, out and inout template formal parameters with present restriction	Clause 5.4.1.2	m	
41	Sem_05040102_parameters_of_kind_template_023	Verify that altstep definition can contain in, out and inout template formal parameters with present restriction	Clause 5.4.1.2	m	
42	Sem_05040102_parameters_of_kind_template_024	Verify that test case definition can contain in, out and inout template formal parameters with present restriction	Clause 5.4.1.2	m	
43	Sem_05040102_parameters_of_kind_template_025	Verify that template definition can contain in template formal parameters with value restriction	Clause 5.4.1.2	m	
44	Sem_05040102_parameters_of_kind_template_026	Verify that local template definition can contain in template formal parameters with value restriction	Clause 5.4.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
45	Sem_05040102_parameters_of_kind_template_027	Verify that function definition can contain in, out and inout template formal parameters with value restriction	Clause 5.4.1.2	m	
46	Sem_05040102_parameters_of_kind_template_028	Verify that altstep definition can contain in, out and inout template formal parameters with value restriction	Clause 5.4.1.2	m	
47	Sem_05040102_parameters_of_kind_template_029	Verify that test case definition can contain in, out and inout template formal parameters with value restriction	Clause 5.4.1.2	m	
48	Sem_05040102_parameters_of_kind_template_030	Verify that template definition can contain in template formal parameters with short omit restriction	Clause 5.4.1.2	m	
49	Sem_05040102_parameters_of_kind_template_031	Verify that local template definition can contain in template formal parameters with short omit restriction	Clause 5.4.1.2	m	
50	Sem_05040102_parameters_of_kind_template_032	Verify that function definition can contain in, out and inout template formal parameters with short omit restriction	Clause 5.4.1.2	m	
51	Sem_05040102_parameters_of_kind_template_033	Verify that altstep definition can contain in, out and inout template formal parameters with short omit restriction	Clause 5.4.1.2	m	
52	Sem_05040102_parameters_of_kind_template_034	Verify that test case definition can contain in, out and inout template formal parameters with short omit restriction	Clause 5.4.1.2	m	
53	Sem_05040102_parameters_of_kind_template_035	Verify that null is suitable default value of formal template parameters of component type	Clause 5.4.1.2	m	
54	Sem_05040102_parameters_of_kind_template_036	Verify that self is suitable default value of formal template parameters of component type	Clause 5.4.1.2	m	
55	Sem_05040102_parameters_of_kind_template_037	Verify that mtc is suitable default value of formal template parameters of component type	Clause 5.4.1.2	m	
56	Sem_05040102_parameters_of_kind_template_038	Verify that system is suitable default value of formal template parameters of component type	Clause 5.4.1.2	m	

A.3.12 Formal parameters of kind timer

Table A.11: Formal parameters of kind timer

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_05040103_parameters_of_kind_timer_001	The IUT correctly handles parametrization through the use of timer parameters	Clause 5.4.1.3	m	

A.3.13 Formal parameters of kind port

Table A.12: Formal parameters of kind port

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_05040104_parameters_of_kind_port_001	The IUT accepts port parametrization types for functions	Clause 5.4.1.4	m	

A.3.14 Actual parameters

Table A.13: Actual parameters

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_050402_actual_parameters_001	Verify that template parameters can't be used as in formal value parameters of functions	Clause 5.4.2	m	
2	NegSem_050402_actual_parameters_002	Verify that template variables can't be used as in formal value parameters of functions	Clause 5.4.2	m	
3	NegSem_050402_actual_parameters_003	Verify that template in parameters can't be used as in formal value parameters of functions	Clause 5.4.2	m	
4	NegSem_050402_actual_parameters_004	Verify that template out parameters can't be used as in formal value parameters of functions	Clause 5.4.2	m	
5	NegSem_050402_actual_parameters_005	Verify that template inout parameters can't be used as in formal value parameters of functions	Clause 5.4.2	m	
6	NegSem_050402_actual_parameters_006	Verify that template parameters can't be used as in formal value parameters of templates	Clause 5.4.2	m	
7	NegSem_050402_actual_parameters_007	Verify that template variables can't be used as in formal value parameters of templates	Clause 5.4.2	m	
8	NegSem_050402_actual_parameters_008	Verify that template in parameters can't be used as in formal value parameters of templates	Clause 5.4.2	m	
9	NegSem_050402_actual_parameters_009	Verify that template out parameters can't be used as in formal value parameters of templates	Clause 5.4.2	m	
10	NegSem_050402_actual_parameters_010	Verify that template inout parameters can't be used as in formal value parameters of templates	Clause 5.4.2	m	
11	NegSem_050402_actual_parameters_011	Verify that template parameters can't be used as in formal value parameters of altsteps	Clause 5.4.2	m	
12	NegSem_050402_actual_parameters_012	Verify that template variables can't be used as in formal value parameters of altsteps	Clause 5.4.2	m	
13	NegSem_050402_actual_parameters_013	Verify that template in parameters can't be used as in formal value parameters of altsteps	Clause 5.4.2	m	
14	NegSem_050402_actual_parameters_014	Verify that template out parameters can't be used as in formal value parameters of altsteps	Clause 5.4.2	m	
15	NegSem_050402_actual_parameters_015	Verify that template inout parameters can't be used as in formal value parameters of altsteps	Clause 5.4.2	m	
16	NegSem_050402_actual_parameters_016	Verify that template parameters can't be used as in formal value parameters of test cases	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
17	NegSem_050402_actual_parameters_017	Verify that template variables can't be used as in formal value parameters of test cases	Clause 5.4.2	m	
18	NegSem_050402_actual_parameters_018	Verify that template in parameters can't be used as in formal value parameters of test cases	Clause 5.4.2	m	
19	NegSem_050402_actual_parameters_019	Verify that template out parameters can't be used as in formal value parameters of test cases	Clause 5.4.2	m	
20	NegSem_050402_actual_parameters_020	Verify that template inout parameters can't be used as in formal value parameters of test cases	Clause 5.4.2	m	
21	NegSem_050402_actual_parameters_021	Verify that literals can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
22	NegSem_050402_actual_parameters_022	Verify that module parameters can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
23	NegSem_050402_actual_parameters_023	Verify that constants can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
24	NegSem_050402_actual_parameters_024	Verify that function calls can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
25	NegSem_050402_actual_parameters_025	Verify that expressions can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
26	NegSem_050402_actual_parameters_026	Verify that template parameters can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
27	NegSem_050402_actual_parameters_027	Verify that template variables can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
28	NegSem_050402_actual_parameters_028	Verify that template in parameters can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
29	NegSem_050402_actual_parameters_029	Verify that template out parameters can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
30	NegSem_050402_actual_parameters_030	Verify that template inout parameters can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
31	NegSem_050402_actual_parameters_031	Verify that template variable element reference can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
32	NegSem_050402_actual_parameters_032	Verify that reference to elements of formal value parameters can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
33	NegSem_050402_actual_parameters_033	Verify that literals can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
34	NegSem_050402_actual_parameters_034	Verify that module parameters can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
35	NegSem_050402_actual_parameters_035	Verify that constants can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
36	NegSem_050402_actual_parameters_036	Verify that function calls can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
37	NegSem_050402_actual_parameters_037	Verify that expressions can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
38	NegSem_050402_actual_parameters_038	Verify that template parameters can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
39	NegSem_050402_actual_parameters_039	Verify that template variables can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
40	NegSem_050402_actual_parameters_040	Verify that template in parameters can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
41	NegSem_050402_actual_parameters_041	Verify that template out parameters can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
42	NegSem_050402_actual_parameters_042	Verify that template inout parameters can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
43	NegSem_050402_actual_parameters_043	Verify that template variable element reference can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
44	NegSem_050402_actual_parameters_044	Verify that reference to elements of formal value parameters can't be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
45	NegSem_050402_actual_parameters_045	Verify that literals can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
46	NegSem_050402_actual_parameters_046	Verify that module parameters can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
47	NegSem_050402_actual_parameters_047	Verify that constants can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
48	NegSem_050402_actual_parameters_048	Verify that function calls can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
49	NegSem_050402_actual_parameters_049	Verify that expressions can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
50	NegSem_050402_actual_parameters_050	Verify that template parameters can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
51	NegSem_050402_actual_parameters_051	Verify that template variables can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
52	NegSem_050402_actual_parameters_052	Verify that template in parameters can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
53	NegSem_050402_actual_parameters_053	Verify that template out parameters can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
54	NegSem_050402_actual_parameters_054	Verify that template inout parameters can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
55	NegSem_050402_actual_parameters_055	Verify that template variable element reference can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
56	NegSem_050402_actual_parameters_056	Verify that reference to elements of formal value parameters can't be used as inout formal value parameters of test cases	Clause 5.4.2	m	
57	NegSem_050402_actual_parameters_057	Verify that literals can't be used as out formal template parameters of functions	Clause 5.4.2	m	
58	NegSem_050402_actual_parameters_058	Verify that module parameters can't be used as out formal template parameters of functions	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
59	NegSem_050402_actual_parameters_059	Verify that constants can't be used as out formal template parameters of functions	Clause 5.4.2	m	
60	NegSem_050402_actual_parameters_060	Verify that function calls can't be used as out formal template parameters of functions	Clause 5.4.2	m	
61	NegSem_050402_actual_parameters_061	Verify that expressions can't be used as out formal template parameters of functions	Clause 5.4.2	m	
62	NegSem_050402_actual_parameters_062	Verify that template parameters can't be used as out formal template parameters of functions	Clause 5.4.2	m	
63	NegSem_050402_actual_parameters_063	Verify that literals can't be used as out formal template parameters of altsteps	Clause 5.4.2	m	
64	NegSem_050402_actual_parameters_064	Verify that module parameters can't be used as out formal template parameters of altsteps	Clause 5.4.2	m	
65	NegSem_050402_actual_parameters_065	Verify that constants can't be used as out formal template parameters of altsteps	Clause 5.4.2	m	
66	NegSem_050402_actual_parameters_066	Verify that function calls can't be used as out formal template parameters of altsteps	Clause 5.4.2	m	
67	NegSem_050402_actual_parameters_067	Verify that expressions can't be used as out formal template parameters of altsteps	Clause 5.4.2	m	
68	NegSem_050402_actual_parameters_068	Verify that template parameters can't be used as out formal template parameters of altsteps	Clause 5.4.2	m	
69	NegSem_050402_actual_parameters_069	Verify that literals can't be used as out formal template parameters of test cases	Clause 5.4.2	m	
70	NegSem_050402_actual_parameters_070	Verify that module parameters can't be used as out formal template parameters of test cases	Clause 5.4.2	m	
71	NegSem_050402_actual_parameters_071	Verify that constants can't be used as out formal template parameters of test cases	Clause 5.4.2	m	
72	NegSem_050402_actual_parameters_072	Verify that function calls can't be used as out formal template parameters of test cases	Clause 5.4.2	m	
73	NegSem_050402_actual_parameters_073	Verify that expressions can't be used as out formal template parameters of test cases	Clause 5.4.2	m	
74	NegSem_050402_actual_parameters_074	Verify that template parameters can't be used as out formal template parameters of test cases	Clause 5.4.2	m	
75	NegSem_050402_actual_parameters_075	Verify that literals can't be used as inout formal template parameters of functions	Clause 5.4.2	m	
76	NegSem_050402_actual_parameters_076	Verify that module parameters can't be used as inout formal template parameters of functions	Clause 5.4.2	m	
77	NegSem_050402_actual_parameters_077	Verify that constants can't be used as inout formal template parameters of functions	Clause 5.4.2	m	
78	NegSem_050402_actual_parameters_078	Verify that function calls can't be used as inout formal template parameters of functions	Clause 5.4.2	m	
79	NegSem_050402_actual_parameters_079	Verify that expressions can't be used as inout formal template parameters of functions	Clause 5.4.2	m	
80	NegSem_050402_actual_parameters_080	Verify that template parameters can't be used as inout formal template parameters of functions	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
81	NegSem_050402_actual_parameters_081	Verify that literals can't be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
82	NegSem_050402_actual_parameters_082	Verify that module parameters can't be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
83	NegSem_050402_actual_parameters_083	Verify that constants can't be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
84	NegSem_050402_actual_parameters_084	Verify that function calls can't be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
85	NegSem_050402_actual_parameters_085	Verify that expressions can't be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
86	NegSem_050402_actual_parameters_086	Verify that template parameters can't be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
87	NegSem_050402_actual_parameters_087	Verify that literals can't be used as inout formal template parameters of test cases	Clause 5.4.2	m	
88	NegSem_050402_actual_parameters_088	Verify that module parameters can't be used as inout formal template parameters of test cases	Clause 5.4.2	m	
89	NegSem_050402_actual_parameters_089	Verify that constants can't be used as inout formal template parameters of test cases	Clause 5.4.2	m	
90	NegSem_050402_actual_parameters_090	Verify that function calls can't be used as inout formal template parameters of test cases	Clause 5.4.2	m	
91	NegSem_050402_actual_parameters_091	Verify that expressions can't be used as inout formal template parameters of test cases	Clause 5.4.2	m	
92	NegSem_050402_actual_parameters_092	Verify that template parameters can't be used as inout formal template parameters of test cases	Clause 5.4.2	m	
93	NegSem_050402_actual_parameters_093	Verify that referencing errors are detected in actual parameters passed to in formal value parameters	Clause 5.4.2	m	
94	NegSem_050402_actual_parameters_094	Verify that referencing errors are detected in actual parameters passed to in formal template parameters	Clause 5.4.2	m	
95	NegSem_050402_actual_parameters_095	Verify that referencing errors are detected in actual parameters passed to out formal template parameters	Clause 5.4.2	m	
96	NegSem_050402_actual_parameters_096	Verify that referencing rules are correctly applied to actual parameters of inout formal template parameters	Clause 5.4.2	m	
97	NegSem_050402_actual_parameters_097	Verify that string item references can't be used as inout formal value parameters of functions	Clause 5.4.2	m	
98	NegSem_050402_actual_parameters_098	Verify that ordinary values can't be passed to timer parameters	Clause 5.4.2	m	
99	NegSem_050402_actual_parameters_099	Verify that values can't be passed to port parameters	Clause 5.4.2	m	
100	NegSem_050402_actual_parameters_100	Verify that list notation containing actual parameters in wrong order is not accepted	Clause 5.4.2	m	
101	NegSem_050402_actual_parameters_101	Verify that list notation containing less actual parameters than required is not accepted	Clause 5.4.2	m	
102	NegSem_050402_actual_parameters_102	Verify that parameter without default value can't be skipped	Clause 5.4.2	m	
103	NegSem_050402_actual_parameters_103	Verify that mixing list and assignment notation is not allowed in	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
		parameterized calls (value as actual parameter)			
104	NegSem_050402_actual_parameters_104	Verify that mixing list and assignment notation is not allowed in parameterized calls (skipped actual parameter)	Clause 5.4.2	m	
105	NegSem_050402_actual_parameters_105	Verify that parameters can't be assigned more than once in assignment notation	Clause 5.4.2	m	
106	NegSem_050402_actual_parameters_106	Verify that assignment notation that doesn't contain all parameters is not accepted	Clause 5.4.2	m	
107	NegSem_050402_actual_parameters_107	Verify that incompatible values can't be passed to in formal parameters	Clause 5.4.2	m	
108	NegSem_050402_actual_parameters_108	Verify that incompatible values can't be passed from out formal parameters	Clause 5.4.2	m	
109	NegSem_050402_actual_parameters_109	Verify that incompatible values can't be passed to inout formal parameters	Clause 5.4.2	m	
110	NegSem_050402_actual_parameters_110	Verify that values of compatible but distinct types can't be passed to inout formal parameters	Clause 5.4.2	m	
111	NegSem_050402_actual_parameters_111	Verify that incompatible templates can't be passed to template parameters with omit restriction	Clause 5.4.2	m	
112	NegSem_050402_actual_parameters_112	Verify that compatible templates can be passed to template parameters with value restriction	Clause 5.4.2	m	
113	NegSem_050402_actual_parameters_113	Verify that compatible templates can be passed to template parameters with present restriction	Clause 5.4.2	m	
114	NegSem_050402_actual_parameters_114	Verify that parametrized entities used as actual parameter can't be passed without parameter list	Clause 5.4.2	m	
115	NegSem_050402_actual_parameters_115	Verify that error is generated when no actual parameter list is used for functions with no parameters	Clause 5.4.2	m	
116	NegSem_050402_actual_parameters_116	Verify that error is generated when no actual parameter list is used for test cases with no parameters	Clause 5.4.2	m	
117	NegSem_050402_actual_parameters_117	Verify that error is generated when no actual parameter list is used for altsteps with no parameters	Clause 5.4.2	m	
118	NegSem_050402_actual_parameters_118	Verify that error is generated when empty actual parameter list is used for templates with no parameters	Clause 5.4.2	m	
119	NegSem_050402_actual_parameters_119	Verify that uninitialized values can't be passed to in formal parameters	Clause 5.4.2	m	
120	NegSem_050402_actual_parameters_120	Verify that uninitialized values can't be passed to inout formal parameters	Clause 5.4.2	m	
121	NegSem_050402_actual_parameters_121	Verify that function calls passed to lazy formal parameters can't contain inout parameters	Clause 5.4.2	m	
122	NegSem_050402_actual_parameters_122	Verify that function calls passed to fuzzy formal parameters can't contain inout parameters	Clause 5.4.2	m	
123	NegSem_050402_actual_parameters_123	Verify that function calls passed to lazy formal parameters can't contain out parameters	Clause 5.4.2	m	
124	NegSem_050402_actual_parameters_124	Verify that function calls passed to fuzzy formal parameters can't contain out parameters	Clause 5.4.2	m	
125	NegSem_050402_actual_parameters_125	Verify that error is generated when lazy variable is passed to inout formal parameter	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
126	NegSem_050402_actual_parameters_126	Verify that error is generated when fuzzy variable is passed to inout formal parameter	Clause 5.4.2	m	
127	NegSem_050402_actual_parameters_127	Verify that error is generated when lazy variable is passed to out formal parameter	Clause 5.4.2	m	
128	NegSem_050402_actual_parameters_128	Verify that error is generated when fuzzy variable is passed to out formal parameter	Clause 5.4.2	m	
129	NegSem_050402_actual_parameters_129	Verify that error is generated when passing record and its field to inout parameters	Clause 5.4.2	m	
130	NegSem_050402_actual_parameters_130	Verify that error is generated when passing set and its field to inout parameters	Clause 5.4.2	m	
131	NegSem_050402_actual_parameters_131	Verify that error is generated when passing union and its element to inout parameters	Clause 5.4.2	m	
132	NegSem_050402_actual_parameters_132	Verify that error is generated when passing record of and its element to inout parameters	Clause 5.4.2	m	
133	NegSem_050402_actual_parameters_133	Verify that error is generated when passing set of and its element to inout parameters	Clause 5.4.2	m	
134	NegSem_050402_actual_parameters_134	Verify that error is generated when passing array and its element to inout parameters	Clause 5.4.2	m	
135	NegSem_050402_actual_parameters_135	Verify that error is generated when passing anytype value and its element to inout parameters	Clause 5.4.2	m	
136	NegSem_050402_actual_parameters_136	Verify that error is generated when passing record and its sub-elements to inout parameters	Clause 5.4.2	m	
137	NegSem_050402_actual_parameters_137	Verify that error is generated when passing set and its sub-field to inout parameters	Clause 5.4.2	m	
138	NegSem_050402_actual_parameters_138	Verify that error is generated when passing union and its sub-element to inout parameters	Clause 5.4.2	m	
139	NegSem_050402_actual_parameters_139	Verify that error is generated when passing record of and its sub-element to inout parameters	Clause 5.4.2	m	
140	NegSem_050402_actual_parameters_140	Verify that error is generated when passing set of and its sub-element to inout parameters	Clause 5.4.2	m	
141	NegSem_050402_actual_parameters_141	Verify that error is generated when passing array and its sub-element to inout parameters	Clause 5.4.2	m	
142	NegSem_050402_actual_parameters_142	Verify that error is generated when passing anytype value and its sub-element to inout parameters	Clause 5.4.2	m	
143	NegSem_050402_actual_parameters_143	Verify that error is generated when passing distinct union alternatives to inout parameters	Clause 5.4.2	m	
144	NegSem_050402_actual_parameters_144	Verify that error is generated when passing distinct union alternatives to inout parameters	Clause 5.4.2	m	
145	NegSem_050402_actual_parameters_145	Verify that the fourth part of the Example 3 produces the expected error	Clause 5.4.2	m	
146	Sem_050402_actual_parameters_001	The IUT accepts allowed assignments of actual parameters	Clause 5.4.2	m	
147	Sem_050402_actual_parameters_002	The IUT accepts nested assignment of actual parameters	Clause 5.4.2	m	
148	Sem_050402_actual_parameters_003	Verify that literals can be used as in formal value parameters of functions	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
149	Sem_050402_actual_parameters_004	Verify that module parameters can be used as in formal value parameters of functions	Clause 5.4.2	m	
150	Sem_050402_actual_parameters_005	Verify that constants can be used as in formal value parameters of functions	Clause 5.4.2	m	
151	Sem_050402_actual_parameters_006	Verify that variables can be used as in formal value parameters of functions	Clause 5.4.2	m	
152	Sem_050402_actual_parameters_007	Verify that function calls can be used as in formal value parameters of functions	Clause 5.4.2	m	
153	Sem_050402_actual_parameters_008	Verify that in value parameters can be used as in formal value parameters of functions	Clause 5.4.2	m	
154	Sem_050402_actual_parameters_009	Verify that out value parameters can be used as in formal value parameters of functions	Clause 5.4.2	m	
155	Sem_050402_actual_parameters_010	Verify that inout value parameters can be used as in formal value parameters of functions	Clause 5.4.2	m	
156	Sem_050402_actual_parameters_011	Verify that expressions can be used as in formal value parameters of functions	Clause 5.4.2	m	
157	Sem_050402_actual_parameters_012	Verify that literals can be used as in formal value parameters of templates	Clause 5.4.2	m	
158	Sem_050402_actual_parameters_013	Verify that module parameters can be used as in formal value parameters of templates	Clause 5.4.2	m	
159	Sem_050402_actual_parameters_014	Verify that constants can be used as in formal value parameters of templates	Clause 5.4.2	m	
160	Sem_050402_actual_parameters_015	Verify that variables can be used as in formal value parameters of templates	Clause 5.4.2	m	
161	Sem_050402_actual_parameters_016	Verify that function calls can be used as in formal value parameters of templates	Clause 5.4.2	m	
162	Sem_050402_actual_parameters_017	Verify that in value parameters can be used as in formal value parameters of templates	Clause 5.4.2	m	
163	Sem_050402_actual_parameters_018	Verify that out value parameters can be used as in formal value parameters of templates	Clause 5.4.2	m	
164	Sem_050402_actual_parameters_019	Verify that inout value parameters can be used as in formal value parameters of templates	Clause 5.4.2	m	
165	Sem_050402_actual_parameters_020	Verify that expressions can be used as in formal value parameters of templates	Clause 5.4.2	m	
166	Sem_050402_actual_parameters_021	Verify that literals can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
167	Sem_050402_actual_parameters_022	Verify that module parameters can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
168	Sem_050402_actual_parameters_023	Verify that constants can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
169	Sem_050402_actual_parameters_024	Verify that variables can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
170	Sem_050402_actual_parameters_025	Verify that function calls can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
171	Sem_050402_actual_parameters_026	Verify that in value parameters can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
172	Sem_050402_actual_parameters_027	Verify that out value parameters can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
173	Sem_050402_actual_parameters_028	Verify that inout value parameters can be used as in formal value parameters of altsteps	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
174	Sem_050402_actual_parameters_029	Verify that expressions can be used as in formal value parameters of altsteps	Clause 5.4.2	m	
175	Sem_050402_actual_parameters_030	Verify that literals can be used as in formal value parameters of test cases	Clause 5.4.2	m	
176	Sem_050402_actual_parameters_031	Verify that module parameters can be used as in formal value parameters of test cases	Clause 5.4.2	m	
177	Sem_050402_actual_parameters_032	Verify that constants can be used as in formal value parameters of test cases	Clause 5.4.2	m	
178	Sem_050402_actual_parameters_033	Verify that variables can be used as in formal value parameters of test cases	Clause 5.4.2	m	
179	Sem_050402_actual_parameters_034	Verify that function calls can be used as in formal value parameters of test cases	Clause 5.4.2	m	
180	Sem_050402_actual_parameters_035	Verify that in value parameters can be used as in formal value parameters of test cases	Clause 5.4.2	m	
181	Sem_050402_actual_parameters_036	Verify that out value parameters can be used as in formal value parameters of test cases	Clause 5.4.2	m	
182	Sem_050402_actual_parameters_037	Verify that inout value parameters can be used as in formal value parameters of test cases	Clause 5.4.2	m	
183	Sem_050402_actual_parameters_038	Verify that expressions can be used as in formal value parameters of test cases	Clause 5.4.2	m	
184	Sem_050402_actual_parameters_039	Verify that variables can be used as inout formal value parameters of functions	Clause 5.4.2	m	
185	Sem_050402_actual_parameters_040	Verify that in value parameters can be used as inout formal value parameters of functions	Clause 5.4.2	m	
186	Sem_050402_actual_parameters_041	Verify that out value parameters can be used as inout formal value parameters of functions	Clause 5.4.2	m	
187	Sem_050402_actual_parameters_042	Verify that inout value parameters can be used as inout formal value parameters of functions	Clause 5.4.2	m	
188	Sem_050402_actual_parameters_043	Verify that variable element reference can be used as inout formal value parameters of functions	Clause 5.4.2	m	
189	Sem_050402_actual_parameters_044	Verify that reference to elements of formal value parameters can be used as inout formal value parameters of functions	Clause 5.4.2	m	
190	Sem_050402_actual_parameters_045	Verify that variables can be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
191	Sem_050402_actual_parameters_046	Verify that in value parameters can be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
192	Sem_050402_actual_parameters_047	Verify that out value parameters can be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
193	Sem_050402_actual_parameters_048	Verify that inout value parameters can be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
194	Sem_050402_actual_parameters_049	Verify that variable element reference can be used as inout formal value parameters of altsteps	Clause 5.4.2	m	
195	Sem_050402_actual_parameters_050	Verify that reference to elements of formal value parameters can be used as inout formal value parameters of altsteps	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
196	Sem_050402_actual_parameters_051	Verify that variables can be used as inout formal value parameters of test cases	Clause 5.4.2	m	
197	Sem_050402_actual_parameters_052	Verify that in value parameters can be used as inout formal value parameters of test cases	Clause 5.4.2	m	
198	Sem_050402_actual_parameters_053	Verify that out value parameters can be used as inout formal value parameters of test cases	Clause 5.4.2	m	
199	Sem_050402_actual_parameters_054	Verify that inout value parameters can be used as inout formal value parameters of test cases	Clause 5.4.2	m	
200	Sem_050402_actual_parameters_055	Verify that variable element reference can be used as inout formal value parameters of test cases	Clause 5.4.2	m	
201	Sem_050402_actual_parameters_056	Verify that reference to elements of formal value parameters can be used as inout formal value parameters of test cases	Clause 5.4.2	m	
202	Sem_050402_actual_parameters_057	Verify that literals can be used as in formal template parameters of functions	Clause 5.4.2	m	
203	Sem_050402_actual_parameters_058	Verify that module parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
204	Sem_050402_actual_parameters_059	Verify that constants can be used as in formal template parameters of functions	Clause 5.4.2	m	
205	Sem_050402_actual_parameters_060	Verify that variables can be used as in formal template parameters of functions	Clause 5.4.2	m	
206	Sem_050402_actual_parameters_061	Verify that function calls can be used as in formal template parameters of functions	Clause 5.4.2	m	
207	Sem_050402_actual_parameters_062	Verify that in value parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
208	Sem_050402_actual_parameters_063	Verify that out value parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
209	Sem_050402_actual_parameters_064	Verify that inout value parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
210	Sem_050402_actual_parameters_065	Verify that expressions can be used as in formal template parameters of functions	Clause 5.4.2	m	
211	Sem_050402_actual_parameters_066	Verify that template parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
212	Sem_050402_actual_parameters_067	Verify that template variables can be used as in formal template parameters of functions	Clause 5.4.2	m	
213	Sem_050402_actual_parameters_068	Verify that template in parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
214	Sem_050402_actual_parameters_069	Verify that template out parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
215	Sem_050402_actual_parameters_070	Verify that template inout parameters can be used as in formal template parameters of functions	Clause 5.4.2	m	
216	Sem_050402_actual_parameters_071	Verify that literals can be used as in formal template parameters of templates	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
217	Sem_050402_actual_parameters_072	Verify that module parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
218	Sem_050402_actual_parameters_073	Verify that constants can be used as in formal template parameters of templates	Clause 5.4.2	m	
219	Sem_050402_actual_parameters_074	Verify that variables can be used as in formal template parameters of templates	Clause 5.4.2	m	
220	Sem_050402_actual_parameters_075	Verify that function calls can be used as in formal template parameters of templates	Clause 5.4.2	m	
221	Sem_050402_actual_parameters_076	Verify that in value parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
222	Sem_050402_actual_parameters_077	Verify that out value parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
223	Sem_050402_actual_parameters_078	Verify that inout value parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
224	Sem_050402_actual_parameters_079	Verify that expressions can be used as in formal template parameters of templates	Clause 5.4.2	m	
225	Sem_050402_actual_parameters_080	Verify that template parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
226	Sem_050402_actual_parameters_081	Verify that template variables can be used as in formal template parameters of templates	Clause 5.4.2	m	
227	Sem_050402_actual_parameters_082	Verify that template in parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
228	Sem_050402_actual_parameters_083	Verify that template out parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
229	Sem_050402_actual_parameters_084	Verify that template inout parameters can be used as in formal template parameters of templates	Clause 5.4.2	m	
230	Sem_050402_actual_parameters_085	Verify that literals can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
231	Sem_050402_actual_parameters_086	Verify that module parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
232	Sem_050402_actual_parameters_087	Verify that constants can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
233	Sem_050402_actual_parameters_088	Verify that variables can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
234	Sem_050402_actual_parameters_089	Verify that function calls can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
235	Sem_050402_actual_parameters_090	Verify that in value parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
236	Sem_050402_actual_parameters_091	Verify that out value parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
237	Sem_050402_actual_parameters_092	Verify that inout value parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
238	Sem_050402_actual_parameters_093	Verify that expressions can be used as in formal template parameters of altsteps	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
239	Sem_050402_actual_parameters_094	Verify that template parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
240	Sem_050402_actual_parameters_095	Verify that template variables can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
241	Sem_050402_actual_parameters_096	Verify that template in parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
242	Sem_050402_actual_parameters_097	Verify that template out parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
243	Sem_050402_actual_parameters_098	Verify that template inout parameters can be used as in formal template parameters of altsteps	Clause 5.4.2	m	
244	Sem_050402_actual_parameters_099	Verify that literals can be used as in formal template parameters of test cases	Clause 5.4.2	m	
245	Sem_050402_actual_parameters_100	Verify that module parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
246	Sem_050402_actual_parameters_101	Verify that constants can be used as in formal template parameters of test cases	Clause 5.4.2	m	
247	Sem_050402_actual_parameters_102	Verify that variables can be used as in formal template parameters of test cases	Clause 5.4.2	m	
248	Sem_050402_actual_parameters_103	Verify that function calls can be used as in formal template parameters of test cases	Clause 5.4.2	m	
249	Sem_050402_actual_parameters_104	Verify that in value parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
250	Sem_050402_actual_parameters_105	Verify that out value parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
251	Sem_050402_actual_parameters_106	Verify that inout value parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
252	Sem_050402_actual_parameters_107	Verify that expressions can be used as in formal template parameters of test cases	Clause 5.4.2	m	
253	Sem_050402_actual_parameters_108	Verify that template parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
254	Sem_050402_actual_parameters_109	Verify that template variables can be used as in formal template parameters of test cases	Clause 5.4.2	m	
255	Sem_050402_actual_parameters_110	Verify that template in parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
256	Sem_050402_actual_parameters_111	Verify that template out parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
257	Sem_050402_actual_parameters_112	Verify that template inout parameters can be used as in formal template parameters of test cases	Clause 5.4.2	m	
258	Sem_050402_actual_parameters_113	Verify that template variables can be used as out formal template parameters of functions	Clause 5.4.2	m	
259	Sem_050402_actual_parameters_114	Verify that template in parameters can be used as out formal template parameters of functions	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
260	Sem_050402_actual_parameters_115	Verify that template out parameters can be used as out formal template parameters of functions	Clause 5.4.2	m	
261	Sem_050402_actual_parameters_116	Verify that template inout parameters can be used as out formal template parameters of functions	Clause 5.4.2	m	
262	Sem_050402_actual_parameters_117	Verify that template variable element reference can be used as out formal template parameters of functions	Clause 5.4.2	m	
263	Sem_050402_actual_parameters_118	Verify that reference to elements of formal value parameters can be used as out formal template parameters of functions	Clause 5.4.2	m	
264	Sem_050402_actual_parameters_119	Verify that template variables can be used as out formal template parameters of allsteps	Clause 5.4.2	m	
265	Sem_050402_actual_parameters_120	Verify that template in parameters can be used as out formal template parameters of allsteps	Clause 5.4.2	m	
266	Sem_050402_actual_parameters_121	Verify that template out parameters can be used as out formal template parameters of allsteps	Clause 5.4.2	m	
267	Sem_050402_actual_parameters_122	Verify that template inout parameters can be used as out formal template parameters of allsteps	Clause 5.4.2	m	
268	Sem_050402_actual_parameters_123	Verify that template variable element reference can be used as out formal template parameters of allsteps	Clause 5.4.2	m	
269	Sem_050402_actual_parameters_124	Verify that reference to elements of formal value parameters can be used as out formal template parameters of allsteps	Clause 5.4.2	m	
270	Sem_050402_actual_parameters_125	Verify that template variables can be used as out formal template parameters of test cases	Clause 5.4.2	m	
271	Sem_050402_actual_parameters_126	Verify that template in parameters can be used as out formal template parameters of test cases	Clause 5.4.2	m	
272	Sem_050402_actual_parameters_127	Verify that template out parameters can be used as out formal template parameters of test cases	Clause 5.4.2	m	
273	Sem_050402_actual_parameters_128	Verify that template inout parameters can be used as out formal template parameters of test cases	Clause 5.4.2	m	
274	Sem_050402_actual_parameters_129	Verify that template variable element reference can be used as out formal template parameters of test cases	Clause 5.4.2	m	
275	Sem_050402_actual_parameters_130	Verify that reference to elements of formal value parameters can be used as out formal template parameters of test cases	Clause 5.4.2	m	
276	Sem_050402_actual_parameters_131	Verify that template variables can be used as inout formal template parameters of functions	Clause 5.4.2	m	
277	Sem_050402_actual_parameters_132	Verify that template in parameters can be used as inout formal template parameters of functions	Clause 5.4.2	m	
278	Sem_050402_actual_parameters_133	Verify that template out parameters can be used as inout formal template parameters of functions	Clause 5.4.2	m	
279	Sem_050402_actual_parameters_134	Verify that template inout parameters can be used as inout formal template parameters of functions	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
280	Sem_050402_actual_parameters_135	Verify that template variable element reference can be used as inout formal template parameters of functions	Clause 5.4.2	m	
281	Sem_050402_actual_parameters_136	Verify that reference to elements of formal value parameters can be used as inout formal template parameters of functions	Clause 5.4.2	m	
282	Sem_050402_actual_parameters_137	Verify that template variables can be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
283	Sem_050402_actual_parameters_138	Verify that template in parameters can be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
284	Sem_050402_actual_parameters_139	Verify that template out parameters can be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
285	Sem_050402_actual_parameters_140	Verify that template inout parameters can be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
286	Sem_050402_actual_parameters_141	Verify that template variable element reference can be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
287	Sem_050402_actual_parameters_142	Verify that reference to elements of formal value parameters can be used as inout formal template parameters of altsteps	Clause 5.4.2	m	
288	Sem_050402_actual_parameters_143	Verify that template variables can be used as inout formal template parameters of test cases	Clause 5.4.2	m	
289	Sem_050402_actual_parameters_144	Verify that template in parameters can be used as inout formal template parameters of test cases	Clause 5.4.2	m	
290	Sem_050402_actual_parameters_145	Verify that template out parameters can be used as inout formal template parameters of test cases	Clause 5.4.2	m	
291	Sem_050402_actual_parameters_146	Verify that template inout parameters can be used as inout formal template parameters of test cases	Clause 5.4.2	m	
292	Sem_050402_actual_parameters_147	Verify that template variable element reference can be used as inout formal template parameters of test cases	Clause 5.4.2	m	
293	Sem_050402_actual_parameters_148	Verify that reference to elements of formal value parameters can be used as inout formal template parameters of test cases	Clause 5.4.2	m	
294	Sem_050402_actual_parameters_149	Verify that referencing rules are correctly applied to actual parameters of in formal value parameters	Clause 5.4.2	m	
295	Sem_050402_actual_parameters_150	Verify that referencing rules are correctly applied to actual parameters of in formal template parameters	Clause 5.4.2	m	
296	Sem_050402_actual_parameters_151	Verify that referencing rules are correctly applied to actual parameters of out formal value parameters	Clause 5.4.2	m	
297	Sem_050402_actual_parameters_152	Verify that referencing rules are correctly applied to actual parameters of out formal template parameters	Clause 5.4.2	m	
298	Sem_050402_actual_parameters_153	Verify that referencing rules are correctly applied to actual parameters of inout formal value parameters	Clause 5.4.2	m	
299	Sem_050402_actual_parameters_154	Verify that referencing rules are correctly applied to actual parameters of inout formal template parameters	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
300	Sem_050402_actual_parameters_155	Verify that out formal parameters are passed to actual parameter in correct (list notation)	Clause 5.4.2	m	
301	Sem_050402_actual_parameters_156	Verify that out formal parameters are passed to actual parameter in correct (assignment notation)	Clause 5.4.2	m	
302	Sem_050402_actual_parameters_157	Verify that component timers can be passed to timer parameters	Clause 5.4.2	m	
303	Sem_050402_actual_parameters_158	Verify that component timers can be passed to timer parameters	Clause 5.4.2	m	
304	Sem_050402_actual_parameters_159	Verify that timer parameters can be passed to timer parameters	Clause 5.4.2	m	
305	Sem_050402_actual_parameters_160	Verify that component ports can be passed to port parameters	Clause 5.4.2	m	
306	Sem_050402_actual_parameters_161	Verify that port parameters can be passed to port parameters	Clause 5.4.2	m	
307	Sem_050402_actual_parameters_162	Verify that actual parameters override default values	Clause 5.4.2	m	
308	Sem_050402_actual_parameters_163	Verify that default values are used if actual parameters are missing	Clause 5.4.2	m	
309	Sem_050402_actual_parameters_164	Verify that actual parameters override default templates	Clause 5.4.2	m	
310	Sem_050402_actual_parameters_165	Verify that default templates are used if actual parameters are missing	Clause 5.4.2	m	
311	Sem_050402_actual_parameters_166	Verify that actual parameters are evaluated in order of their appearance (list notation)	Clause 5.4.2	m	
312	Sem_050402_actual_parameters_167	Verify that actual parameters are evaluated in order of their appearance (assignment notation)	Clause 5.4.2	m	
313	Sem_050402_actual_parameters_168	Verify that rules for referencing are applied to actual parameters before passing to out formal parameters	Clause 5.4.2	m	
314	Sem_050402_actual_parameters_169	Verify that rules for referencing are applied to actual parameters before passing to inout formal parameters	Clause 5.4.2	m	
315	Sem_050402_actual_parameters_170	Verify that default parameters are evaluated in order of the formal parameter list (list notation)	Clause 5.4.2	m	
316	Sem_050402_actual_parameters_171	Verify that default parameters are evaluated in order of the formal parameter list (assignment notation)	Clause 5.4.2	m	
317	Sem_050402_actual_parameters_172	Verify that it is possible to use parametrized template with no parentheses if all parameters have default values	Clause 5.4.2	m	
318	Sem_050402_actual_parameters_173	Verify that it is possible to use parametrized template with empty parentheses	Clause 5.4.2	m	
319	Sem_050402_actual_parameters_174	Verify that actual parameter values override default values	Clause 5.4.2	m	
320	Sem_050402_actual_parameters_175	Verify that actual parameters in the beginning of list notation can be skipped	Clause 5.4.2	m	
321	Sem_050402_actual_parameters_176	Verify that multiple actual parameters of list notation can be skipped	Clause 5.4.2	m	
322	Sem_050402_actual_parameters_177	Verify that actual parameters at the end of list notation can be explicitly skipped	Clause 5.4.2	m	
323	Sem_050402_actual_parameters_178	Verify that missing actual parameters at the end of list notation are considered to be skipped (single parameter)	Clause 5.4.2	m	
324	Sem_050402_actual_parameters_179	Verify that missing actual parameters at the end of list notation are considered to be skipped (multiple parameter)	Clause 5.4.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
325	Sem_050402_actual_parameters_180	Verify that assignment notation containing all parameters in declaration order is accepted	Clause 5.4.2	m	
326	Sem_050402_actual_parameters_181	Verify that assignment notation containing all parameters in random order is accepted	Clause 5.4.2	m	
327	Sem_050402_actual_parameters_182	Verify that assignment notation can omit parameters with default value	Clause 5.4.2	m	
328	Sem_050402_actual_parameters_183	Verify that compatible values can be passed to in formal parameters	Clause 5.4.2	m	
329	Sem_050402_actual_parameters_184	Verify that compatible values can be passed from out formal parameters	Clause 5.4.2	m	
330	Sem_050402_actual_parameters_185	Verify that compatible templates can be passed to template parameters with omit restriction	Clause 5.4.2	m	
331	Sem_050402_actual_parameters_186	Verify that compatible templates can be passed to template parameters with value restriction	Clause 5.4.2	m	
332	Sem_050402_actual_parameters_187	Verify that compatible templates can be passed to template parameters with present restriction	Clause 5.4.2	m	
333	Sem_050402_actual_parameters_188	Verify that it is possible to use nested actual parameter lists	Clause 5.4.2	m	
334	Sem_050402_actual_parameters_189	Verify that empty actual parameter list can be used for functions with no parameters	Clause 5.4.2	m	
335	Sem_050402_actual_parameters_190	Verify that empty actual parameter list can be used for altsteps with no parameters	Clause 5.4.2	m	
336	Sem_050402_actual_parameters_191	Verify that partially initialized values can be passed to in formal parameters	Clause 5.4.2	m	
337	Sem_050402_actual_parameters_192	Verify that partially initialized values can be passed to inout formal parameters	Clause 5.4.2	m	
338	Sem_050402_actual_parameters_193	Verify that Example 1 can be executed	Clause 5.4.2	m	
339	Sem_050402_actual_parameters_194	Verify that Example 2 can be executed	Clause 5.4.2	m	
340	Sem_050402_actual_parameters_195	Verify that the first part of the Example 3 can be executed	Clause 5.4.2	m	
341	Sem_050402_actual_parameters_196	Verify that the third part of the Example 3 can be executed	Clause 5.4.2	m	
342	Sem_050402_actual_parameters_197	Verify that the first part of the Example 3 can be executed	Clause 5.4.2	m	
343	Sem_050402_actual_parameters_198	Verify that the the Example 4 can be executed	Clause 5.4.2	m	
344	Sem_050402_actual_parameters_199	Verify that the Example 5 can be executed	Clause 5.4.2	m	
345	Sem_050402_actual_parameters_200	Verify that the Example 6 can be executed	Clause 5.4.2	m	
346	Sem_050402_actual_parameters_201	Verify that the Example 7 can be executed	Clause 5.4.2	m	
347	Sem_050402_actual_parameters_202	Verify that the Example 8 can be executed	Clause 5.4.2	m	

A.3.15 Cyclic definitions

Table A.14: Cyclic definitions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0505_cyclic_definitions_001	Verify that an error is detected when two constants reference each other	Clause 5.5	m	
2	NegSem_0505_cyclic_definitions_002	Verify that an error is detected when a forbidden cyclic reference occurs in cyclic import	Clause 5.5	m	
3	Sem_0505_cyclic_definitions_001	The IUT correctly handles recursive functions	Clause 5.5	m	
4	Sem_0505_cyclic_definitions_002	The IUT correctly handles cyclic imports	Clause 5.5	m	
5	Sem_0505_cyclic_definitions_003	Verify that cyclic import containing cyclic function calls is allowed	Clause 5.5	m	
6	Sem_0505_cyclic_definitions_004	Verify that cyclic altsteps are allowed	Clause 5.5	m	

A.3.16 Simple basic types and values

Table A.15: Simple basic types and values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_060100_SimpleBasicTypes_001	Assign float to integer values	Clause 6.1.0	m	
2	NegSyn_060100_SimpleBasicTypes_002	Assign boolean to integer values	Clause 6.1.0	m	
3	NegSyn_060100_SimpleBasicTypes_003	Assign integer to float values	Clause 6.1.0	m	
4	NegSyn_060100_SimpleBasicTypes_004	Assign boolean to float values	Clause 6.1.0	m	
5	NegSyn_060100_SimpleBasicTypes_005	Assign verdicttype to float values	Clause 6.1.0	m	
6	NegSyn_060100_SimpleBasicTypes_006	Assign integer to verdicttype values	Clause 6.1.0	m	
7	Sem_060100_SimpleBasicTypes_001	Assign and read integer values	Clause 6.1.0	m	
8	Sem_060100_SimpleBasicTypes_002	Assign and read large integer values	Clause 6.1.0	m	
9	Sem_060100_SimpleBasicTypes_003	Assign and read float values	Clause 6.1.0	m	
10	Sem_060100_SimpleBasicTypes_004	Assign and read large float values	Clause 6.1.0	m	
11	Sem_060100_SimpleBasicTypes_005	Assign and read verdicts	Clause 6.1.0	m	
12	Syn_060100_SimpleBasicTypes_001	Assign different integer values	Clause 6.1.0	m	
13	Syn_060100_SimpleBasicTypes_002	Assign large integer values	Clause 6.1.0	m	
14	Syn_060100_SimpleBasicTypes_003	Assign different float values	Clause 6.1.0	m	
15	Syn_060100_SimpleBasicTypes_004	Assign small and large float values	Clause 6.1.0	m	
16	Syn_060100_SimpleBasicTypes_005	Accept float mantisa for float values	Clause 6.1.0	m	
17	Syn_060100_SimpleBasicTypes_006	Accept all verdict values	Clause 6.1.0	m	

A.3.17 Basic string types and values

Table A.16: Basic string types and values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_060101_TopLevel_001	Assign invalid bitstring value	Clause 6.1.1	m	
2	NegSyn_060101_TopLevel_002	Assign string to bitstring values	Clause 6.1.1	m	
3	NegSyn_060101_TopLevel_003	Assign octetstring to bitstring values	Clause 6.1.1	m	
4	NegSyn_060101_TopLevel_004	Assign invalid hexstring value	Clause 6.1.1	m	
5	NegSyn_060101_TopLevel_005	Assign string to hexstring values	Clause 6.1.1	m	
6	NegSyn_060101_TopLevel_006	Assign octetstring to hexstring values	Clause 6.1.1	m	
7	NegSyn_060101_TopLevel_007	Assign invalid hexstring value	Clause 6.1.1	m	
8	NegSyn_060101_TopLevel_008	Assign string to octetstring values	Clause 6.1.1	m	
9	NegSyn_060101_TopLevel_009	Assign hexstring to octetstring values	Clause 6.1.1	m	
10	NegSyn_060101_TopLevel_010	Assign invalid hexstring value	Clause 6.1.1	m	
11	Sem_060101_TopLevel_001	Assign and read bitstring	Clause 6.1.1	m	
12	Sem_060101_TopLevel_002	Assign and read hexstring	Clause 6.1.1	m	
13	Sem_060101_TopLevel_003	Assign and read octetstring	Clause 6.1.1	m	
14	Sem_060101_TopLevel_004	Assign and read charstring	Clause 6.1.1	m	
15	Sem_060101_TopLevel_005	Assign and read universal charstring	Clause 6.1.1	m	
16	Sem_060101_TopLevel_006	Assign and read universal charstring	Clause 6.1.1	m	
17	Sem_060101_TopLevel_007	Assign and read universal charstring using USI like notation	Clause 6.1.1	m	
18	Syn_060101_TopLevel_001	Assign different bitstring values	Clause 6.1.1	m	
19	Syn_060101_TopLevel_002	Assign different hexstring values	Clause 6.1.1	m	
20	Syn_060101_TopLevel_003	Assign different octetstring values	Clause 6.1.1	m	

A.3.18 Accessing individual string elements

Table A.17: Accessing individual string elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_06010101_AccessStringElements_001	Access bitstring elements	Clause 6.1.1.1	m	
2	Sem_06010101_AccessStringElements_002	Access octetstring elements	Clause 6.1.1.1	m	
3	Sem_06010101_AccessStringElements_003	Access hexstring elements	Clause 6.1.1.1	m	
4	Sem_06010101_AccessStringElements_004	Access bitstring elements	Clause 6.1.1.1	m	
5	Sem_06010101_AccessStringElements_005	Access hexstring elements	Clause 6.1.1.1	m	
6	Sem_06010101_AccessStringElements_006	Access octetstring elements	Clause 6.1.1.1	m	
7	Sem_06010101_AccessStringElements_007	Access charstring elements	Clause 6.1.1.1	m	
8	Sem_06010101_AccessStringElements_008	Access charstring elements	Clause 6.1.1.1	m	
9	Sem_06010101_AccessStringElements_009	Access charstring elements with non printable characters	Clause 6.1.1.1	m	

A.3.19 Lists of values

Table A.18: Lists of values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06010201_ListOfValues_001	Assign values to restricted bitstring	Clause 6.1.2.1	m	
2	NegSem_06010201_ListOfValues_002	Assign values to restricted hexstring	Clause 6.1.2.1	m	
3	NegSem_06010201_ListOfValues_003	Assign values to restricted octetstring	Clause 6.1.2.1	m	
4	NegSem_06010201_ListOfValues_004	Assign values to restricted charstring	Clause 6.1.2.1	m	
5	NegSem_06010201_ListOfValues_005	Assign values to restricted integer	Clause 6.1.2.1	m	
6	NegSem_06010201_ListOfValues_006	Assign values to restricted float	Clause 6.1.2.1	m	
7	Sem_06010201_ListOfValues_001	Assign invalid values to restricted bitstring	Clause 6.1.2.1	m	

A.3.20 Lists of types

Table A.19: Lists of types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06010202_ListOfTypes_001	Assign invalid values to list of types restricted bitstring	Clause 6.1.2.2	m	
2	NegSem_06010202_ListOfTypes_002	Assign invalid values to list of types restricted hexstring	Clause 6.1.2.2	m	
3	NegSem_06010202_ListOfTypes_003	Assign invalid values to list of types restricted octetstring	Clause 6.1.2.2	m	
4	NegSem_06010202_ListOfTypes_004	Assign invalid values to list of types restricted charstring	Clause 6.1.2.2	m	
5	NegSem_06010202_ListOfTypes_005	Assign invalid values to list of types restricted universal charstrings	Clause 6.1.2.2	m	
6	NegSem_06010202_ListOfTypes_006	Assign invalid values to list of types restricted integers	Clause 6.1.2.2	m	
7	NegSem_06010202_ListOfTypes_007	Assign invalid values to list of types restricted floats	Clause 6.1.2.2	m	
8	NegSem_06010202_ListOfTypes_008	Assign invalid values to list of types restricted boolean value	Clause 6.1.2.2	m	
9	NegSem_06010202_ListOfTypes_009	Assign invalid values to list of types restricted verdicttype	Clause 6.1.2.2	m	
10	Sem_06010202_ListOfTypes_001	Assign values to list of types restricted bitstring	Clause 6.1.2.2	m	
11	Sem_06010202_ListOfTypes_002	Assign values to list of types restricted hexstring	Clause 6.1.2.2	m	
12	Sem_06010202_ListOfTypes_003	Assign values to list of types restricted octetstring	Clause 6.1.2.2	m	
13	Sem_06010202_ListOfTypes_004	Assign values to list of types restricted charstring	Clause 6.1.2.2	m	
14	Sem_06010202_ListOfTypes_005	Assign values to list of types unicharstring allows non-printable characters	Clause 6.1.2.2	m	
15	Sem_06010202_ListOfTypes_006	Assign values to list of types restricted integers	Clause 6.1.2.2	m	
16	Sem_06010202_ListOfTypes_007	Assign values to list of types restricted floats	Clause 6.1.2.2	m	
17	Sem_06010202_ListOfTypes_008	Assign values to list of types restricted boolean value	Clause 6.1.2.2	m	
18	Sem_06010202_ListOfTypes_009	Assign values to list of types restricted verdicttype	Clause 6.1.2.2	m	

A.3.21 Ranges

Table A.20: Ranges

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06010203_Ranges_001	Assign invalid values to restricted integer	Clause 6.1.2.3	m	
2	NegSem_06010203_Ranges_002	Assign invalid values to restricted integer	Clause 6.1.2.3	m	
3	NegSem_06010203_Ranges_003	Assure that not_a_number is not allowed in float range subtyping	Clause 6.1.2.3	m	
4	NegSem_06010203_Ranges_004	Assign invalid values to restricted integer with exclusive bounds	Clause 6.1.2.3	m	
5	NegSem_06010203_Ranges_005	Assign invalid values to restricted integer with exclusive bounds	Clause 6.1.2.3	m	
6	NegSem_06010203_Ranges_006	Assign range to boolean not permitted	Clause 6.1.2.3	m	
7	NegSem_06010203_Ranges_007	Assign invalid value to range constrained charstring	Clause 6.1.2.3	m	
8	NegSem_06010203_Ranges_008	Assign invalid value to range constrained charstring	Clause 6.1.2.3	m	
9	NegSem_06010203_Ranges_009	Assign invalid value to range constrained charstring	Clause 6.1.2.3	m	
10	NegSem_06010203_Ranges_010	Assign invalid values to restricted float	Clause 6.1.2.3	m	
11	NegSem_06010203_Ranges_011	Assign invalid values to range restricted float	Clause 6.1.2.3	m	
12	NegSem_06010203_Ranges_012	Assign invalid values to range excluded restricted float	Clause 6.1.2.3	m	
13	NegSem_06010203_Ranges_013	Assign invalid value to range constrained universal charstring	Clause 6.1.2.3	m	
14	NegSem_06010203_Ranges_014	Assign invalid value to range constrained universal charstring with mixed bounds	Clause 6.1.2.3	m	
15	NegSem_06010203_Ranges_015	Assign invalid value to range constrained charstring	Clause 6.1.2.3	m	
16	NegSem_06010203_Ranges_016	Invalid value infinity for range constrained charstring	Clause 6.1.2.3	m	
17	NegSem_06010203_Ranges_017	Invalid value -infinity for range constrained charstring	Clause 6.1.2.3	m	
18	Sem_06010203_Ranges_001	Assign values to range restricted integer	Clause 6.1.2.3	m	
19	Sem_06010203_Ranges_002	Assign values to infinity range restricted integer	Clause 6.1.2.3	m	
20	Sem_06010203_Ranges_003	Assign values to range restricted integer with exclusive bounds	Clause 6.1.2.3	m	
21	Sem_06010203_Ranges_004	Assign values to range restricted cahrstring with inclusive bounds	Clause 6.1.2.3	m	
22	Sem_06010203_Ranges_005	Assign values to range restricted cahrstring with exclusive bounds	Clause 6.1.2.3	m	
23	Sem_06010203_Ranges_006	Assign values to range restricted cahrstring with mixed bounds	Clause 6.1.2.3	m	
24	Sem_06010203_Ranges_007	Assign values to range restricted universal charstring	Clause 6.1.2.3	m	
25	Sem_06010203_Ranges_008	Assign values to range restricted universal charstring with mixed bounds	Clause 6.1.2.3	m	

A.3.22 String length restrictions

Table A.21: String length restrictions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06010204_StringLengtRestrict_001	Assign invalid values to length restricted bitstring	Clause 6.1.2.4	m	
2	NegSem_06010204_StringLengtRestrict_002	Assign invalid values to length restricted bitstring	Clause 6.1.2.4	m	
3	NegSem_06010204_StringLengtRestrict_003	Assign invalid values to length restricted hexstring	Clause 6.1.2.4	m	
4	NegSem_06010204_StringLengtRestrict_004	Assign invalid values to length restricted hexstring	Clause 6.1.2.4	m	
5	NegSem_06010204_StringLengtRestrict_005	Assign invalid values to length restricted octetstring	Clause 6.1.2.4	m	
6	NegSem_06010204_StringLengtRestrict_006	Assign invalid values to length restricted octetstring	Clause 6.1.2.4	m	
7	NegSem_06010204_StringLengtRestrict_007	Assign invalid values to length restricted charstring	Clause 6.1.2.4	m	
8	NegSem_06010204_StringLengtRestrict_008	Assign invalid values to length restricted charstring	Clause 6.1.2.4	m	
9	NegSyn_06010204_StringLengtRestrict_001	upper boundary should be greater than lower boundary in string length restrictions	Clause 6.1.2.4	m	
10	NegSyn_06010204_StringLengtRestrict_002	boundary integers should be non negative integers	Clause 6.1.2.4	m	
11	Sem_06010204_StringLengtRestrict_001	Assign values to list of types restricted bitstring	Clause 6.1.2.4	m	
12	Sem_06010204_StringLengtRestrict_002	Assign values to list of types restricted hexstring	Clause 6.1.2.4	m	
13	Sem_06010204_StringLengtRestrict_003	Assign values to list of types restricted octetstring	Clause 6.1.2.4	m	
14	Sem_06010204_StringLengtRestrict_004	Assign values to list of types restricted charstring	Clause 6.1.2.4	m	

A.3.23 Pattern subtyping of character string types

Table A.22: Pattern subtyping of character string types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06010205_StringPattern_001	Assign invalid values to pattern restricted character strings	Clause 6.1.2.5	m	
2	NegSyn_06010205_StringPattern_001	Assign values to pattern restricted character strings without @nocase modifier	Clause 6.1.2.5	m	
3	NegSyn_06010205_StringPattern_002	Assign quadruple values to pattern restricted character strings	Clause 6.1.2.5	m	
4	Sem_06010205_StringPattern_001	Assign values to pattern restricted character strings	Clause 6.1.2.5	m	
5	Sem_06010205_StringPattern_002	Assign values to pattern restricted character strings	Clause 6.1.2.5	m	
6	Sem_06010205_StringPattern_003	Assign values to pattern restricted character strings with @nocase modifier	Clause 6.1.2.5	m	

A.3.24 Mixing patterns, lists and ranges

Table A.23: Mixing patterns, lists and ranges

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0601020601_MixingSubtype_001	Assign invalid values to mixed restricted floats	Clause 6.1.2.6.1	m	
2	NegSem_0601020601_MixingSubtype_002	Assign invalid values to mixed restricted integers	Clause 6.1.2.6.1	m	
3	Sem_0601020601_MixingSubtype_001	Assign values to mixed restricted floats	Clause 6.1.2.6.1	m	
4	Sem_0601020601_MixingSubtype_002	Assign values to mixed restricted integers	Clause 6.1.2.6.1	m	

A.3.25 Using length restriction with other constraints

Table A.24: Using length restriction with other constraints

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0601020602_StringMixing_001	Assign invalid values to mixed restricted character strings	Clause 6.1.2.6.2	m	
2	NegSem_0601020602_StringMixing_002	Assign invalid values to mixed restricted character strings	Clause 6.1.2.6.2	m	
3	NegSem_0601020602_StringMixing_003	Assign invalid values to mixed restricted character strings	Clause 6.1.2.6.2	m	
4	NegSem_0601020602_StringMixing_004	Assign invalid values to mixed restricted bit strings	Clause 6.1.2.6.2	m	
5	NegSem_0601020602_StringMixing_005	Assign invalid values to mixed restricted hex strings	Clause 6.1.2.6.2	m	
6	NegSem_0601020602_StringMixing_006	Assign invalid values to mixed restricted octet strings	Clause 6.1.2.6.2	m	
7	Sem_0601020602_StringMixing_001	Assign values to mixed restricted character strings	Clause 6.1.2.6.2	m	
8	Sem_0601020602_StringMixing_002	Assign values to mixed restricted character strings	Clause 6.1.2.6.2	m	
9	Sem_0601020602_StringMixing_003	Assign values to mixed restricted character strings	Clause 6.1.2.6.2	m	
10	Sem_0601020602_StringMixing_004	Assign values to mixed restricted bit strings	Clause 6.1.2.6.2	m	
11	Sem_0601020602_StringMixing_005	Assign values to mixed restricted hex strings	Clause 6.1.2.6.2	m	
12	Sem_0601020602_StringMixing_006	Assign values to mixed restricted octet strings	Clause 6.1.2.6.2	m	
13	Sem_0601020602_StringMixing_007	Assign values to pattern restricted character strings using @nocase modifier	Clause 6.1.2.6.2	m	

A.3.26 Structured types and values

Table A.25: Structured types and values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060201_RecordTypeValues_001	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
2	NegSem_060201_RecordTypeValues_002	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
3	NegSyn_060201_RecordTypeValues_001	The omit keyword shall not be used for mandatory fields	Clause 6.2	m	
4	NegSyn_060201_RecordTypeValues_002	The omit keyword shall not be used for mandatory fields	Clause 6.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
5	Sem_060201_RecordTypeValues_001	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
6	Sem_060201_RecordTypeValues_002	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
7	Sem_060201_RecordTypeValues_003	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
8	NegSem_060202_SetTypeValues_002	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
9	NegSem_060202_SetTypeValues_003	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
10	NegSyn_060202_SetTypeValues_001	The omit keyword shall not be used for mandatory fields.	Clause 6.2	m	
11	NegSyn_060202_SetTypeValues_002	The omit keyword shall not be used for mandatory fields.	Clause 6.2	m	
12	Sem_060202_SetTypeValues_005	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
13	Sem_060202_SetTypeValues_006	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
14	Sem_060202_SetTypeValues_007	Assignments with "implicit omit" attribute are correctly handled	Clause 6.2	m	
15	NegSem_0602_TopLevel_001	Value list notation can not be used for a union type	Clause 6.2	m	
16	NegSem_0602_TopLevel_002	Indexed notation can not be used for a record type	Clause 6.2	m	
17	NegSem_0602_TopLevel_003	Indexed notation can not be used for a set type	Clause 6.2	m	
18	NegSem_0602_TopLevel_004	Indexed notation can not be used for a union type	Clause 6.2	m	
19	NegSyn_0602_TopLevel_001	Invalid recursive union type definition causing an error	Clause 6.2	m	
20	NegSyn_0602_TopLevel_002	Invalid recursive record type definition causing an error	Clause 6.2	m	
21	NegSyn_0602_TopLevel_003	Combined value list and assignment notation not allowed in the same (immediate) context	Clause 6.2	m	
22	Sem_0602_TopLevel_001	Assignment notation can be used for a record type	Clause 6.2	m	
23	Sem_0602_TopLevel_002	Assignment notation can be used for a record of type	Clause 6.2	m	
24	Sem_0602_TopLevel_003	Assignment notation can be used for a set type	Clause 6.2	m	
25	Sem_0602_TopLevel_004	Assignment notation can be used for a set of type	Clause 6.2	m	
26	Sem_0602_TopLevel_005	Assignment notation can be used for a union type	Clause 6.2	m	
27	Sem_0602_TopLevel_006	Assignment notation can be used for an array	Clause 6.2	m	
28	Sem_0602_TopLevel_007	Value list notation can be used for a record type	Clause 6.2	m	
29	Sem_0602_TopLevel_008	Value list notation can be used for a record of type	Clause 6.2	m	
30	Sem_0602_TopLevel_009	Indexed notation can be used for an arrays	Clause 6.2	m	
31	Sem_0602_TopLevel_010	Value list notation can be used for a set of type	Clause 6.2	m	
32	Sem_0602_TopLevel_011	Value list notation can be used for an array	Clause 6.2	m	
33	Sem_0602_TopLevel_012	Indexed notation can be used for a record of type	Clause 6.2	m	
34	Sem_0602_TopLevel_013	Indexed notation can be used for a set of type	Clause 6.2	m	
35	Sem_0602_TopLevel_014	Value list notation can be used for a set type and the values	Clause 6.2	m	
36	Syn_0602_TopLevel_001	Valid recursive union type definition	Clause 6.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
37	Syn_0602_TopLevel_002	Valid recursive record type definition	Clause 6.2	m	
38	Syn_0602_TopLevel_003	Valid recursive record type definition	Clause 6.2	m	
39	Syn_0602_TopLevel_004	constant definition of a record type	Clause 6.2	m	
40	Syn_0602_TopLevel_005	Fields not mentioned are implicitly left unspecified	Clause 6.2	m	

A.3.27 Record type and values

Table A.26: Record type and values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_060201_RecordTypeValues_001	The element identifiers are local to the record and shall be unique within the record (but do not have to be globally unique)	Clause 6.2.1	m	
2	Syn_060201_RecordTypeValues_002	The IUT correctly handles empty record definitions	Clause 6.2.1	m	

A.3.28 Referencing fields of a record type

Table A.27: Referencing fields of a record type

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06020101_ReferencingRecordFields_001	The dot notation used in record type definitions is correctly handled	Clause 6.2.1.1	m	
2	NegSem_06020101_ReferencingRecordFields_002	Verify that record fields can't reference themselves	Clause 6.2.1.1	m	
3	NegSem_06020101_ReferencingRecordFields_003	Verify that referencing uninitialized record on the right hand of an assignment is not allowed	Clause 6.2.1.1	m	
4	NegSem_06020101_ReferencingRecordFields_004	Verify that referencing omitted record on the right hand of an assignment is not allowed	Clause 6.2.1.1	m	
5	Sem_06020101_ReferencingRecordFields_001	The dot notation used in record type definitions is correctly handled	Clause 6.2.1.1	m	
6	Sem_06020101_ReferencingRecordFields_002	The dot notation used in record type definitions is correctly handled	Clause 6.2.1.1	m	
7	Sem_06020101_ReferencingRecordFields_003	The dot notation used in record type definitions is correctly handled	Clause 6.2.1.1	m	
8	Sem_06020101_ReferencingRecordFields_004	The dot notation used in record type definitions is correctly handled	Clause 6.2.1.1	m	
9	Sem_06020101_ReferencingRecordFields_005	Verify that dot notation can be used for referencing elements on the right hand side of an assignment	Clause 6.2.1.1	m	
10	Sem_06020101_ReferencingRecordFields_006	Verify that dot notation can be used for referencing sub-elements on the right hand side of an assignment	Clause 6.2.1.1	m	
11	Sem_06020101_ReferencingRecordFields_007	Verify that dot notation can be used for referencing function invocation results	Clause 6.2.1.1	m	
12	Sem_06020101_ReferencingRecordFields_008	Verify that mandatory fields are created and uninitialized when expanding uninitialized record values	Clause 6.2.1.1	m	
13	Sem_06020101_ReferencingRecordFields_009	Verify that optional fields are created and uninitialized when expanding uninitialized record values (explicit omit)	Clause 6.2.1.1	m	
14	Sem_06020101_ReferencingRecordFields_010	Verify that optional fields are created and omitted when expanding uninitialized record values (implicit omit)	Clause 6.2.1.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
15	Sem_06020101_ReferencingRecordFields_011	Verify that referencing fields nested deep inside uninitialized record invokes expansion	Clause 6.2.1.1	m	
16	Sem_06020101_ReferencingRecordFields_012	Verify that expansion of uninitialized record values works when other constructive types are involved	Clause 6.2.1.1	m	
17	Sem_06020101_ReferencingRecordFields_013	Verify that mandatory fields are created and uninitialized when expanding omitted record values	Clause 6.2.1.1	m	
18	Sem_06020101_ReferencingRecordFields_014	Verify that optional fields are created and uninitialized when expanding omitted record values (explicit omit)	Clause 6.2.1.1	m	
19	Sem_06020101_ReferencingRecordFields_015	Verify that optional fields are created and omitted when expanding omitted record values (implicit omit)	Clause 6.2.1.1	m	
20	Sem_06020101_ReferencingRecordFields_016	Verify that referencing fields nested deep inside omitted record invokes expansion	Clause 6.2.1.1	m	
21	Sem_06020101_ReferencingRecordFields_017	Verify that expansion of omitted record values works when other constructive types are involved	Clause 6.2.1.1	m	

A.3.29 Set type and values

Table A.28: Set type and values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060202_SetTypeValues_001	The dot notation used in set type definitions is correctly handled	Clause 6.2.2	m	
2	Sem_060202_SetTypeValues_001	The dot notation used in set type definitions is correctly handled	Clause 6.2.2	m	
3	Sem_060202_SetTypeValues_002	The dot notation used in set type definitions is correctly handled	Clause 6.2.2	m	
4	Sem_060202_SetTypeValues_003	The dot notation used in set type definitions is correctly handled	Clause 6.2.2	m	
5	Sem_060202_SetTypeValues_004	The dot notation used in set type definitions is correctly handled	Clause 6.2.2	m	
6	Syn_060202_SetTypeValues_001	The element identifiers are local to the set and shall be unique within the record (but do not have to be globally unique)	Clause 6.2.2	m	
7	Syn_060202_SetTypeValues_002	The IUT correctly handles empty set definitions	Clause 6.2.2	m	

A.3.30 Records and sets of single types

Table A.29: Records and sets of single types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060203_records_and_sets_of_single_types_003	negative index applied to a record of value on the right hand side of an assignment	Clause 6.2.3	m	
2	NegSem_060203_records_and_sets_of_single_types_004	negative index applied to a set of value on the right hand side of an assignment	Clause 6.2.3	m	
3	NegSem_060203_records_and_sets_of_single_types_005	negative index applied to a record of value on the left hand side of an assignment	Clause 6.2.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
4	NegSem_060203_records_and_sets_of_single_types_006	negative index applied to a set of value on the left hand side of an assignment	Clause 6.2.3	m	
5	NegSem_060203_records_and_sets_of_single_types_007	wrong index type applied to a record of value on the right hand side of an assignment	Clause 6.2.3	m	
6	NegSem_060203_records_and_sets_of_single_types_008	wrong index type applied to a set of value on the right hand side of an assignment	Clause 6.2.3	m	
7	NegSem_060203_records_and_sets_of_single_types_009	wrong index type applied to a record of value on the left hand side of an assignment	Clause 6.2.3	m	
8	NegSem_060203_records_and_sets_of_single_types_016	array as a record-of value index on right hand side (less items than record-of dimension)	Clause 6.2.3	m	
9	NegSem_060203_records_and_sets_of_single_types_017	array as a record-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	
10	NegSem_060203_records_and_sets_of_single_types_018	fixed-size record-of as a record-of value index on right hand side (less items than record-of dimension)	Clause 6.2.3	m	
11	NegSem_060203_records_and_sets_of_single_types_019	fixed-size record-of as a record-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	
12	NegSem_060203_records_and_sets_of_single_types_020	fixed-size set-of as a record-of value index on right hand side	Clause 6.2.3	m	
13	NegSem_060203_records_and_sets_of_single_types_021	fixed-size set-of as a record-of value index on left hand side	Clause 6.2.3	m	
14	NegSem_060203_records_and_sets_of_single_types_022	variable-size record-of as a record-of value index on right hand side	Clause 6.2.3	m	
15	NegSem_060203_records_and_sets_of_single_types_023	variable-size record-of as a record-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	
16	Sem_060203_records_and_sets_of_single_types_020	referencing non-existent element of set of value (left-hand side)	Clause 6.2.3	m	
17	Sem_060203_records_and_sets_of_single_types_021	referencing element of uninitialized record of value (left-hand side)	Clause 6.2.3	m	
18	Sem_060203_records_and_sets_of_single_types_022	referencing element of uninitialized set of value (left-hand side)	Clause 6.2.3	m	
19	Sem_060203_records_and_sets_of_single_types_023	array as a record-of value index on right hand side (dimensions match)	Clause 6.2.3	m	
20	Sem_060203_records_and_sets_of_single_types_024	array as a record-of value index on left hand side (dimensions match)	Clause 6.2.3	m	
21	Sem_060203_records_and_sets_of_single_types_025	array as a record-of value index on right hand side (less items than record-of dimension)	Clause 6.2.3	m	
22	Sem_060203_records_and_sets_of_single_types_026	array as a record-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	
23	Sem_060203_records_and_sets_of_single_types_027	fixed-size record-of as a record-of value index on right hand side (dimensions match)	Clause 6.2.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
24	Sem_060203_records_and_sets_of_single_types_028	fixed-size record-of as a record-of value index on left hand side (dimensions match)	Clause 6.2.3	m	
25	Sem_060203_records_and_sets_of_single_types_029	fixed-size record-of as a record-of value index on right hand side (less items than record-of dimension)	Clause 6.2.3	m	
26	Sem_060203_records_and_sets_of_single_types_030	fixed-size record-of as a record-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	
27	Sem_060203_records_and_sets_of_single_types_031	array as a set-of value index on right hand side (dimensions match)	Clause 6.2.3	m	
28	Sem_060203_records_and_sets_of_single_types_032	array as a set-of value index on left hand side (dimensions match)	Clause 6.2.3	m	
29	Sem_060203_records_and_sets_of_single_types_033	array as a set-of value index on right hand side (less items than record-of dimension)	Clause 6.2.3	m	
30	Sem_060203_records_and_sets_of_single_types_034	array as a set-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	
31	Sem_060203_records_and_sets_of_single_types_035	fixed-size set-of as a record-of value index on right hand side (dimensions match)	Clause 6.2.3	m	
32	Sem_060203_records_and_sets_of_single_types_036	fixed-size set-of as a record-of value index on left hand side (dimensions match)	Clause 6.2.3	m	
33	Sem_060203_records_and_sets_of_single_types_037	fixed-size set-of as a record-of value index on right hand side (less items than record-of dimension)	Clause 6.2.3	m	
34	Sem_060203_records_and_sets_of_single_types_038	fixed-size record-of as a set-of value index on left hand side (less items than record-of dimension)	Clause 6.2.3	m	

A.3.31 Referencing elements of record of and set of types

Table A.30: Referencing elements of record of and set of types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060203_records_and_sets_of_single_types_001	Ensure that the inner type referencing is correctly handled	Clause 6.2.3.2	m	
2	NegSem_060203_records_and_sets_of_single_types_002	Ensure that the inner type referencing is correctly handled	Clause 6.2.3.2	m	
3	NegSem_060203_records_and_sets_of_single_types_010	Wrong index type applied to a set of value on the left hand side of an assignment	Clause 6.2.3.2	m	
4	NegSem_060203_records_and_sets_of_single_types_011	Record of index greater than the upper bound (left-hand side)	Clause 6.2.3.2	m	
5	NegSem_060203_records_and_sets_of_single_types_012	Set of index greater than the upper bound (left-hand side)	Clause 6.2.3.2	m	
6	NegSem_060203_records_and_sets_of_single_types_013	Wrong index type applied to a record of value on the right hand side of an assignment	Clause 6.2.3.2	m	
7	NegSem_060203_records_and_sets_of_single_types_014	Wrong index type applied to a record of value on the right hand side of an assignment	Clause 6.2.3.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
8	NegSem_060203_records_and_sets_of_single_types_015	Verify that an error is generated when sending a partially initialized record of value	Clause 6.2.3.2	m	
9	NegSyn_060203_records_and_sets_of_single_types_001	Ensure that value list can't contain an empty assignment	Clause 6.2.3.2	m	
10	Sem_060203_records_and_sets_of_single_types_001	Ensure that the inner type referencing is correctly handled	Clause 6.2.3.2	m	
11	Sem_060203_records_and_sets_of_single_types_002	Verify assignment of explicitly identified elements to record of values	Clause 6.2.3.2	m	
12	Sem_060203_records_and_sets_of_single_types_003	Verify assignment of explicitly identified elements to set of values	Clause 6.2.3.2	m	
13	Sem_060203_records_and_sets_of_single_types_004	Verify handling of missing elements in assignment notation for record of values	Clause 6.2.3.2	m	
14	Sem_060203_records_and_sets_of_single_types_005	Verify handling of missing elements in assignment notation for set of values	Clause 6.2.3.2	m	
15	Sem_060203_records_and_sets_of_single_types_006	Verify handling of missing and ignored elements during record of value re-assignment	Clause 6.2.3.2	m	
16	Sem_060203_records_and_sets_of_single_types_007	Verify handling of missing and ignored elements during record of value re-assignment	Clause 6.2.3.2	m	
17	Sem_060203_records_and_sets_of_single_types_008	Verify handling of value list assignment used for initialization of record of values	Clause 6.2.3.2	m	
18	Sem_060203_records_and_sets_of_single_types_009	Verify handling of value list assignment used for initialization of set of values	Clause 6.2.3.2	m	
19	Sem_060203_records_and_sets_of_single_types_010	Verify handling of value list assignment used for update of record of values	Clause 6.2.3.2	m	
20	Sem_060203_records_and_sets_of_single_types_011	Verify handling of value list assignment used for update of set of values	Clause 6.2.3.2	m	
21	Sem_060203_records_and_sets_of_single_types_012	Verify handling of index notation applied to record of values on right-hand side	Clause 6.2.3.2	m	
22	Sem_060203_records_and_sets_of_single_types_013	Verify handling of index notation applied to set of values on right-hand side	Clause 6.2.3.2	m	
23	Sem_060203_records_and_sets_of_single_types_014	Verify handling of index notation applied to record of values on left-hand side	Clause 6.2.3.2	m	
24	Sem_060203_records_and_sets_of_single_types_015	Verify handling of index notation applied to set of values on left-hand side	Clause 6.2.3.2	m	
25	Sem_060203_records_and_sets_of_single_types_016	Verify the first element of a record of value is accessible by an index notation	Clause 6.2.3.2	m	
26	Sem_060203_records_and_sets_of_single_types_017	Verify the first element of a set of value is accessible by an index notation	Clause 6.2.3.2	m	
27	Sem_060203_records_and_sets_of_single_types_019	Referencing non-existent element of record of value (left-hand side)	Clause 6.2.3.2	m	
28	Sem_060207_arrays_009	Verify the first element of an array is accessible by an index notation	Clause 6.2.3.2	m	

A.3.32 Enumerated type and values

Table A.31: Enumerated type and values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060204_enumerated_type_and_values_002	Two equal user-assigned enumerated values	Clause 6.2.4	m	
2	NegSem_060204_enumerated_type_and_values_003	Using enumerated value number directly (left hand side of assignments)	Clause 6.2.4	m	
3	NegSem_060204_enumerated_type_and_values_004	Using enumerated value number directly (right hand side of assignments)	Clause 6.2.4	m	
4	NegSem_060204_enumerated_type_and_values_005	Using enumerated value without implicit or explicit type reference	Clause 6.2.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
5	NegSem_060204_enumerated_type_and_values_006	Modulepar with the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
6	NegSem_060204_enumerated_type_and_values_007	Formal parameter with the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
7	NegSem_060204_enumerated_type_and_values_008	Constant with the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
8	NegSem_060204_enumerated_type_and_values_009	Variable with the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
9	NegSem_060204_enumerated_type_and_values_010	Template with the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
10	NegSem_060204_enumerated_type_and_values_011	Parameterized template with default parameters and the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
11	NegSyn_060204_enumerated_type_and_values_001	Constant as user-assigned enumerated values	Clause 6.2.4	m	
12	NegSyn_060204_enumerated_type_and_values_002	Expression as user-assigned enumerated value	Clause 6.2.4	m	
13	Sem_060204_enumerated_type_and_values_001	Reusing enumerated value identifier in another enumerated type declaration	Clause 6.2.4	m	
14	Sem_060204_enumerated_type_and_values_002	Automatic numbering of enumerated items	Clause 6.2.4	m	
15	Sem_060204_enumerated_type_and_values_003	Explicit numbering of enumerated items	Clause 6.2.4	m	
16	Sem_060204_enumerated_type_and_values_004	Mixed automatic and explicit numbering of enumerated items	Clause 6.2.4	m	
17	Sem_060204_enumerated_type_and_values_005	Using enumerated value with implicit type reference	Clause 6.2.4	m	
18	Sem_060204_enumerated_type_and_values_006	Parameterized template without default parameters and with the same name as one of enumerated values of the imported parent type	Clause 6.2.4	m	
19	Syn_060204_enumerated_type_and_values_001	Enumerated type declaration	Clause 6.2.4	m	
20	Syn_060204_enumerated_type_and_values_002	Enumerated type declaration with user-assigned values	Clause 6.2.4	m	
21	Sem_060207_arrays_006	Verify handling of value list assignment used for update of arrays	Clause 6.2.4	m	

A.3.33 Unions

Table A.32: Unions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_06020503_nested_type_definition_for_field_types_001	Union type declaration	Clause 6.2.5	m	
2	NegSem_060205_top_level_001	Assignment notation for union values with two items	Clause 6.2.5	m	
3	NegSem_060205_top_level_002	Assignment notation for union values with unknown alternative	Clause 6.2.5	m	
4	NegSem_060205_top_level_003	"Not used" symbol in union value notations	Clause 6.2.5	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
5	NegSem_060205_top_level_004	Omit symbol in union value notations	Clause 6.2.5	m	
6	NegSem_060205_top_level_005	Value list notation used for union value definition	Clause 6.2.5	m	
7	NegSyn_060205_top_level_001	Union type declaration with two equal identifiers	Clause 6.2.5	m	
8	Sem_060205_top_level_001	Assignment notation for union values	Clause 6.2.5	m	
9	Syn_060205_top_level_001	Union type declaration	Clause 6.2.5	m	
10	Syn_060205_top_level_002	Union type declaration with single item	Clause 6.2.5	m	

A.3.34 Referencing fields of a union type

Table A.33: Referencing fields of a union type

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_06020501_referencing_fields_of_union_type_001	unknown union alternative in value dot notation	Clause 6.2.5.1	m	
2	NegSem_06020501_referencing_fields_of_union_type_002	unknown union alternative in extended type reference	Clause 6.2.5.1	m	
3	NegSem_06020501_referencing_fields_of_union_type_003	union alternative referencing itself	Clause 6.2.5.1	m	
4	NegSem_06020501_referencing_fields_of_union_type_004	union alternative referencing indirectly itself	Clause 6.2.5.1	m	
5	NegSem_06020501_referencing_fields_of_union_type_005	union alternative constraint passed through extended type reference	Clause 6.2.5.1	m	
6	NegSem_06020501_referencing_fields_of_union_type_006	referencing not chosen alternative on right hand side of assignment	Clause 6.2.5.1	m	
7	NegSem_06020501_referencing_fields_of_union_type_007	referencing alternative of uninitialized union on right hand side of assignment	Clause 6.2.5.1	m	
8	NegSem_06020501_referencing_fields_of_union_type_008	referencing alternative of omitted union on right hand side of assignment	Clause 6.2.5.1	m	
9	Sem_06020501_referencing_fields_of_union_type_002	union alternative in extended type reference	Clause 6.2.5.1	m	
10	Sem_06020501_referencing_fields_of_union_type_003	union constraint not applied to extended type reference to its item	Clause 6.2.5.1	m	
11	Sem_06020501_referencing_fields_of_union_type_004	referencing alternative on left hand side of assignment	Clause 6.2.5.1	m	
12	Sem_06020501_referencing_fields_of_union_type_005	referencing nested alternative on left hand side of assignment	Clause 6.2.5.1	m	
13	Sem_06020501_referencing_fields_of_union_type_006	referencing field of structured alternative on left hand side of assignment	Clause 6.2.5.1	m	

A.3.35 Option and union

Table A.34: Option and union

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_06020502_option_and_union_001	referencing alternative on left hand side of assignment	Clause 6.2.5.2	m	

A.3.36 Arrays

Table A.35: Arrays

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060204_enumerated_type_and_values_001	not unique identifiers in enumerated type declaration	Clause 6.2.7	m	
2	NegSem_060207_arrays_001	ensure that the value limitation is correctly handled within array	Clause 6.2.7	m	
3	NegSem_060207_arrays_002	ensure that the inner type referencing is correctly handled	Clause 6.2.7	m	
4	NegSem_060207_arrays_003	negative index applied to an array on the right hand side of an assignment	Clause 6.2.7	m	
5	NegSem_060207_arrays_004	negative index applied to an array on the left hand side of an assignment	Clause 6.2.7	m	
6	NegSem_060207_arrays_005	wrong index type applied to an array on the right hand side of an assignment	Clause 6.2.7	m	
7	NegSem_060207_arrays_006	wrong index type applied to an array on the left hand side of an assignment	Clause 6.2.7	m	
8	NegSem_060207_arrays_007	array index greater than the upper bound (left-hand side)	Clause 6.2.7	m	
9	NegSem_060207_arrays_008	wrong index type applied to an array on the right hand side of an assignment	Clause 6.2.7	m	
10	NegSem_060207_arrays_009	Verify than an error is generated when sending a partially initialized array	Clause 6.2.7	m	
11	NegSem_060207_arrays_010	ensure that the value limitation is correctly handled within array	Clause 6.2.7	m	
12	NegSem_060207_arrays_011	runtime resolved constant in array type declaration	Clause 6.2.7	m	
13	NegSem_060207_arrays_012	runtime resolved constant in array variable declaration	Clause 6.2.7	m	
14	NegSem_060207_arrays_013	variable in array variable declaration	Clause 6.2.7	m	
15	NegSem_060207_arrays_014	modulepar in array variable declaration	Clause 6.2.7	m	
16	NegSem_060207_arrays_015	zero dimension array	Clause 6.2.7	m	
17	NegSem_060207_arrays_016	array with negative dimension	Clause 6.2.7	m	
18	NegSem_060207_arrays_017	zero in array dimension (range notation)	Clause 6.2.7	m	
19	NegSem_060207_arrays_018	negative value in array dimension (range notation)	Clause 6.2.7	m	
20	NegSem_060207_arrays_019	float instead of integer in array dimension	Clause 6.2.7	m	
21	NegSem_060207_arrays_020	integer array with too many items as multidimensional array index	Clause 6.2.7	m	
22	NegSem_060207_arrays_021	variable-size record of integer as multidimensional array index	Clause 6.2.7	m	
23	NegSem_060207_arrays_022	using lower than allowed custom array index on the right hand side of assignments	Clause 6.2.7	m	
24	NegSem_060207_arrays_023	using lower than allowed custom array index on the left hand side of assignments	Clause 6.2.7	m	
25	NegSem_060207_arrays_024	using greater than allowed custom array index on the right hand side of assignments	Clause 6.2.7	m	
26	NegSem_060207_arrays_025	using greater than allowed custom array index on the left hand side of assignments	Clause 6.2.7	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
27	NegSem_060207_arrays_026	referencing uninitialized array element on the right hand side of assignments	Clause 6.2.7	m	
28	NegSem_060207_arrays_027	referencing element of uninitialized arrays on the right hand side of assignments	Clause 6.2.7	m	
29	NegSem_060207_arrays_028	referencing element of omitted arrays on the right hand side of assignments	Clause 6.2.7	m	
30	NegSyn_060207_arrays_001	ensure that array can't contain an empty assignment	Clause 6.2.7	m	
31	NegSyn_060207_arrays_002	ensure that array field can't contain an empty index	Clause 6.2.7	m	
32	NegSyn_060207_arrays_003	ensure that array field can't contain an empty index	Clause 6.2.7	m	
33	NegSyn_060207_arrays_004	infinity in array variable dimension	Clause 6.2.7	m	
34	Sem_060207_arrays_001	Verify that value list notation can be used for an array	Clause 6.2.7	m	
35	Sem_060207_arrays_002	Verify assignment of explicitly identified elements to arrays	Clause 6.2.7	m	
36	Sem_060207_arrays_003	Verify handling of missing elements in assignment notation for arrays	Clause 6.2.7	m	
37	Sem_060207_arrays_004	Verify handling of missing and ignored elements during an array re-assignment	Clause 6.2.7	m	
38	Sem_060207_arrays_005	Verify handling of value list assignment used for initialization of arrays	Clause 6.2.7	m	
39	Sem_060207_arrays_007	Verify handling of index notation applied to array on right-hand side	Clause 6.2.7	m	
40	Sem_060207_arrays_008	Verify handling of index notation applied to array on left-hand side	Clause 6.2.7	m	
41	Sem_060207_arrays_010	Verify that arrays can be used to specify record of type and they are compatible	Clause 6.2.7	m	
42	Sem_060207_arrays_011	index notation applied to omitted array field on left hand side of assignment	Clause 6.2.7	m	
43	Sem_060207_arrays_012	referencing element of uninitialized array (left-hand side)	Clause 6.2.7	m	
44	Sem_060207_arrays_013	ensure that the two dimensional array type referencing is correctly handled	Clause 6.2.7	m	
45	Sem_060207_arrays_014	Verify assignment of explicitly identified elements to two dimensional array	Clause 6.2.7	m	
46	Sem_060207_arrays_015	constant expression in array dimension	Clause 6.2.7	m	
47	Sem_060207_arrays_016	predefined function in array dimension	Clause 6.2.7	m	
48	Sem_060207_arrays_017	integer array as multidimensional array index	Clause 6.2.7	m	
49	Sem_060207_arrays_018	fixed-size record of integer as multidimensional array index	Clause 6.2.7	m	
50	Sem_060207_arrays_019	integer array as multidimensional array index (less items than dimension count)	Clause 6.2.7	m	
51	Sem_060207_arrays_020	using custom array index on the right hand side of assignments	Clause 6.2.7	m	
52	Sem_060207_arrays_021	using custom array index on the left hand side of assignments	Clause 6.2.7	m	
53	Sem_060207_arrays_022	using less indexes than array dimensions on the right hand side of assignments	Clause 6.2.7	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
54	Sem_060207_arrays_023	using less indexes than array dimensions on the left hand side of assignments	Clause 6.2.7	m	
55	Syn_060207_arrays_001	array specified in variable declaration	Clause 6.2.7	m	
56	Syn_060207_arrays_002	multidimensional array type declaration	Clause 6.2.7	m	
57	Syn_060207_arrays_003	multidimensional array specified in variable declaration	Clause 6.2.7	m	
58	Syn_060207_arrays_004	array type dimension specified as a range	Clause 6.2.7	m	
59	Syn_060207_arrays_005	multiple array type dimensions specified as a range	Clause 6.2.7	m	
60	Syn_060207_arrays_006	array variable dimension specified as a range	Clause 6.2.7	m	
61	Syn_060207_arrays_007	multiple array variable dimensions specified as a range	Clause 6.2.7	m	

A.3.37 The default type

Table A.36: The default type

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_060208_default_type_001	Verify than a reference to an activated default can be assigned to a default variable	Clause 6.2.8	m	
2	Sem_060208_default_type_002	Verify than null value can be assigned to a default variable	Clause 6.2.8	m	
3	Sem_060208_default_type_003	Verify than existing default references can be assigned	Clause 6.2.8	m	

A.3.38 Communication port types

Table A.37: Communication port types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060209_Communication PortTypes_001	Restriction of port definitions are appropriately handles	Clause 6.2.9	m	
2	NegSem_060209_Communication PortTypes_002	Restriction of port definitions are appropriately handles	Clause 6.2.9	m	
3	NegSem_060209_Communication PortTypes_003	Restriction of port definitions are appropriately handles	Clause 6.2.9	m	
4	NegSem_060209_Communication PortTypes_004	Verify that an error is generated when a message port type definition contains no message types	Clause 6.2.9	m	
5	NegSem_060209_Communication PortTypes_005	Verify that an error is generated when a procedure port type definition contains no signatures	Clause 6.2.9	m	
6	NegSem_060209_Communication PortTypes_006	Verify that an error is generated when a signature port definition contains multiple address clauses	Clause 6.2.9	m	
7	NegSem_060209_Communication PortTypes_007	Verify that an error is generated when a signature port definition contains multiple map clauses	Clause 6.2.9	m	
8	NegSem_060209_Communication PortTypes_008	Verify that an error is generated when a signature port definition contains multiple unmap clauses	Clause 6.2.9	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
9	Sem_060209_CommunicationPortTypes_004	Map and unmap param and local port address are allowed in a testcase block	Clause 6.2.9	m	
10	Sem_060209_CommunicationPortTypes_005	Parameter MessageType of the port shall be data type	Clause 6.2.9	m	
11	Syn_060209_CommunicationPortTypes_001	Message-based ports are accepted	Clause 6.2.9	m	
12	Syn_060209_CommunicationPortTypes_002	Message-based ports with address are accepted	Clause 6.2.9	m	
13	Syn_060209_CommunicationPortTypes_003	Verify that it is possible to define procedute-based port types	Clause 6.2.9	m	
14	Syn_060209_CommunicationPortTypes_004	Procedure-based ports with address are accepted	Clause 6.2.9	m	
15	Syn_060209_CommunicationPortTypes_005	Map param is accepted by the port definition	Clause 6.2.9	m	
16	Syn_060209_CommunicationPortTypes_006	Unmap param is accepted by the port definition	Clause 6.2.9	m	
17	Syn_060209_CommunicationPortTypes_007	Complex port definition are accepted	Clause 6.2.9	m	
18	Syn_060209_CommunicationPortTypes_008	Procedure-base port type definition can contain map parameter definition	Clause 6.2.9	m	
19	Syn_060209_CommunicationPortTypes_009	Procedure-base port type definition can contain unmap parameter definition	Clause 6.2.9	m	
20	Syn_060209_CommunicationPortTypes_010	Complex procedure-based port type definition are accepted	Clause 6.2.9	m	

A.3.39 Component types

Table A.38: Component types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_060210_ReuseofComponentTypes_001	Cyclic extension is not allowed	Clause 6.2.10	m	
2	NegSyn_060210_ReuseofComponentTypes_002	Extending a component that occurs name clash is not allowed	Clause 6.2.10	m	
3	NegSyn_060210_ReuseofComponentTypes_003	Extending a component that occurs name clash is not allowed	Clause 6.2.10	m	
4	Sem_060210_ReuseofComponentTypes_001	Extending a component with another component works properly	Clause 6.2.10	m	
5	Sem_060210_ReuseofComponentTypes_002	Extending a component with several other component works properly	Clause 6.2.10	m	
6	Sem_060210_ReuseofComponentTypes_003	Extending a component with and extended component works properly	Clause 6.2.10	m	

A.3.40 Addressing entities inside the SUT

Table A.39: Addressing entities inside the SUT

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060212_AddressngEntitiesInsideSut_001	Ensure right type checking for address types in ports	Clause 6.2.12	m	
2	NegSem_060212_AddressngEntitiesInsideSut_002	Address type can't be used in a from part of receive operation with connected ports	Clause 6.2.12	m	
3	NegSem_060212_AddressngEntitiesInsideSut_003	Address type can't be used in a sender part of receive operation with connected ports	Clause 6.2.12	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
4	NegSem_060212_AddressingEntitiesInsideSut_004	Address type can't be used in a to part of sender operation with connected ports	Clause 6.2.12	m	
5	Sem_060212_AddressingEntitiesInsideSut_001	Ensure null assignment is accepted for addresses	Clause 6.2.12	m	
6	Sem_060212_AddressingEntitiesInsideSut_002	The right port address is used	Clause 6.2.12	m	

A.3.41 Type compatibility of non-structured types

Table A.40: Type compatibility of non-structured types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060301_non_structured_types_001	The IUT correctly handles assignments from incompatible type ranges	Clause 6.3.1	m	
2	NegSem_060301_non_structured_types_002	The IUT correctly handles assignments from incompatible type ranges	Clause 6.3.1	m	
3	NegSem_060301_non_structured_types_003	The IUT correctly handles assignments from incompatible type ranges	Clause 6.3.1	m	
4	NegSem_060301_non_structured_types_004	The IUT correctly handles assignments from incompatible type ranges	Clause 6.3.1	m	
5	NegSem_060301_non_structured_types_005	The IUT correctly handles assignments from incompatible type ranges	Clause 6.3.1	m	
6	NegSem_060301_non_structured_types_006	The IUT correctly handles assignments from incompatible type ranges	Clause 6.3.1	m	
7	NegSem_060301_non_structured_types_007	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
8	NegSem_060301_non_structured_types_008	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
9	NegSem_060301_non_structured_types_009	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
10	NegSem_060301_non_structured_types_010	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
11	NegSem_060301_non_structured_types_011	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
12	NegSem_060301_non_structured_types_012	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
13	Sem_060301_non_structured_types_001	The IUT correctly handles assignments from compatible type ranges	Clause 6.3.1	m	
14	Sem_060301_non_structured_types_002	The IUT correctly handles assignments from compatible size restrictions	Clause 6.3.1	m	
15	Sem_060301_non_structured_types_003	The IUT correctly handles assignments from compatible type ranges	Clause 6.3.1	m	
16	Sem_060301_non_structured_types_004	The IUT correctly handles assignments from compatible type ranges	Clause 6.3.1	m	

A.3.42 Type compatibility of structured types

Table A.41: Type compatibility of structured types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060302_structured_types_002	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
2	NegSem_060302_structured_types_003	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
3	NegSem_060302_structured_types_004	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
4	NegSem_060302_structured_types_005	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
5	NegSem_060302_structured_types_006	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
6	NegSem_060302_structured_types_007	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
7	NegSem_060302_structured_types_008	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
8	NegSem_060302_structured_types_009	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
9	NegSem_060302_structured_types_010	The IUT rejects assignments from incompatible types or type ranges	Clause 6.3.2	m	
10	NegSem_060302_structured_types_011	The IUT rejects assignments from structures having incompatible anytypes	Clause 6.3.2	m	
11	NegSem_060302_structured_types_012	The IUT rejects assignments having mismatch between undefined and omitted elements	Clause 6.3.2	m	
12	NegSem_060302_structured_types_013	The IUT rejects assignments having mismatch between undefined and omitted elements	Clause 6.3.2	m	
13	NegSem_060302_structured_types_014	The IUT rejects assignments between incompatible structures	Clause 6.3.2	m	
14	NegSem_060302_structured_types_015	The IUT rejects assignments between incompatible structures	Clause 6.3.2	m	
15	NegSem_060302_structured_types_016	The IUT rejects assignments between incompatible structures	Clause 6.3.2	m	
16	NegSem_060302_structured_types_017	The IUT rejects assignments between incompatible structures	Clause 6.3.2	m	
17	NegSem_060302_structured_types_018	The IUT rejects assignments between incompatible structures	Clause 6.3.2	m	
18	NegSem_060302_structured_types_019	The IUT correctly handles assignments from structures having compatible types and lengths	Clause 6.3.2	m	
19	Sem_060302_structured_types_001	The IUT correctly handles assignments from structures having compatible types and type ranges	Clause 6.3.2	m	
20	Sem_060302_structured_types_002	The IUT correctly handles assignments from structures having compatible types and lengths	Clause 6.3.2	m	
21	Sem_060302_structured_types_003	The IUT correctly handles assignments from structures having compatible types and type ranges	Clause 6.3.2	m	
22	Sem_060302_structured_types_004	The IUT correctly handles assignments from structures having compatible anytypes	Clause 6.3.2	m	
23	Sem_060302_structured_types_005	The IUT correctly handles assignments from structures having compatible types and type ranges	Clause 6.3.2	m	
24	Sem_060302_structured_types_006	The IUT correctly handles assignments from structures having compatible types and lengths	Clause 6.3.2	m	

A.3.43 Type compatibility of enumerated types

Table A.42: Type compatibility of enumerated types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060302_structured_types_001	Reject assignment of other enumerated types since they are only compatible to synonym types	Clause 6.3.2.1	m	

A.3.44 Type compatibility of component types

Table A.43: Type compatibility of component types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060303_component_types_001	The IUT correctly handles component incompatibility due to differing list of constant definitions	Clause 6.3.3	m	
2	NegSem_060303_component_types_002	The IUT correctly handles component incompatibility due to differing constant types having same name	Clause 6.3.3	m	
3	Sem_060303_component_types_001	The IUT correctly handles assignments from structures having compatible components	Clause 6.3.3	m	
4	Sem_060303_component_types_002	The IUT correctly handles assignments from structures having compatible components	Clause 6.3.3	m	

A.3.45 Type compatibility of communication operations

Table A.44: Type compatibility of communication operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_060304_compatibility_of_communication_operations_001	compatible but not strongly typed value in send operation	Clause 6.3.4	m	
2	NegSem_060304_compatibility_of_communication_operations_002	compatible but not strongly typed value in receive operation	Clause 6.3.4	m	
3	NegSem_060304_compatibility_of_communication_operations_003	compatible but not strongly typed value in raise operation	Clause 6.3.4	m	
4	NegSem_060304_compatibility_of_communication_operations_004	compatible but not strongly typed value in raise operation	Clause 6.3.4	m	
5	NegSem_060304_compatibility_of_communication_operations_005	compatible but not strongly typed value in trigger operation	Clause 6.3.4	m	

A.3.46 Expression

Table A.45: Expression

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_07_toplevel_001	function without return clause in expression	Clause 7	m	
2	NegSem_07_toplevel_002	template used as expression operand	Clause 7	m	
3	NegSem_07_toplevel_003	uninitialized value in an expression	Clause 7	m	
4	NegSem_07_toplevel_004	partially initialized value in an expression	Clause 7	m	
5	NegSem_07_toplevel_005	null value in an expression	Clause 7	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
6	Sem_07_toplevel_001	expression composed of several expressions	Clause 7	m	
7	Sem_07_toplevel_002	compound expression as an operand of array type	Clause 7	m	
8	Sem_07_toplevel_003	compound expression as an operand of record type	Clause 7	m	
9	Sem_07_toplevel_004	compound expression as an operand of record-of type	Clause 7	m	
10	Sem_07_toplevel_005	compound expression as an operand of set-of type	Clause 7	m	
11	Sem_07_toplevel_006	element of partially initialized structured value	Clause 7	m	

A.3.47 Arithmetic operators

Table A.46: Arithmetic operators

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_070101_ArithmeticOperators_001	Arithmetic operators are for integer and float values	Clause 7.1.1	m	
2	NegSem_070101_ArithmeticOperators_002	Arithmetic operators can handle same type of variables	Clause 7.1.1	m	
3	NegSem_070101_ArithmeticOperators_003	Mod arithmetic operator can handle integer variables	Clause 7.1.1	m	
4	NegSem_070101_ArithmeticOperators_004	Rem arithmetic operator can handle integer variables	Clause 7.1.1	m	
5	NegSem_070101_ArithmeticOperators_006	Arithmetic operators can not handle special float values	Clause 7.1.1	m	
6	NegSem_070101_ArithmeticOperators_008	In x mod y arithmetic operator y is non-zero positive number	Clause 7.1.1	m	
7	NegSem_070101_ArithmeticOperators_009	In x rem y arithmetic operator y is non-zero positive number	Clause 7.1.1	m	
8	NegSem_070101_ArithmeticOperators_010	In x rem y arithmetic operator y is non-zero positive number	Clause 7.1.1	m	
9	Sem_070101_ArithmeticOperators_001	The addition of two integer variables is evaluated correctly	Clause 7.1.1	m	
10	Sem_070101_ArithmeticOperators_002	The addition of multiple integer variables is evaluated correctly	Clause 7.1.1	m	
11	Sem_070101_ArithmeticOperators_003	The addition of two integer variables is evaluated correctly when the expression contains a negative value	Clause 7.1.1	m	
12	Sem_070101_ArithmeticOperators_004	The subtraction of two integer variables is evaluated correctly	Clause 7.1.1	m	
13	Sem_070101_ArithmeticOperators_005	The subtraction of multiple integer variables is evaluated correctly	Clause 7.1.1	m	
14	Sem_070101_ArithmeticOperators_006	The multiplication of two integer variables is evaluated correctly	Clause 7.1.1	m	
15	Sem_070101_ArithmeticOperators_007	The multiplication of multiple integer variables is evaluated correctly	Clause 7.1.1	m	
16	Sem_070101_ArithmeticOperators_008	The division of two integer variables is evaluated correctly	Clause 7.1.1	m	
17	Sem_070101_ArithmeticOperators_009	The division of multiple integer variables is evaluated correctly	Clause 7.1.1	m	
18	Sem_070101_ArithmeticOperators_010	The application of the modulo operator on integer variables is evaluated correctly when the remainder is zero	Clause 7.1.1	m	
19	Sem_070101_ArithmeticOperators_011	The application of the modulo operator on integer variables is evaluated correctly when the integer value is smaller than the modulo value	Clause 7.1.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
20	Sem_070101_ArithmeticOperators_012	The application of the modulo operator on integer variables is evaluated correctly when the integer value greater than the modulo value	Clause 7.1.1	m	
21	Sem_070101_ArithmeticOperators_013	The application of the modulo operator on integer variables is evaluated correctly when two consecutive modulo operators are applied	Clause 7.1.1	m	
22	Sem_070101_ArithmeticOperators_014	The application of the modulo operator on integer variables is evaluated correctly when the operand is a negative integer	Clause 7.1.1	m	
23	Sem_070101_ArithmeticOperators_015	The application of the remainder operator on integer variables is evaluated correctly when the operand is a negative integer	Clause 7.1.1	m	
24	Sem_070101_ArithmeticOperators_016	The application of the remainder operator on integer variables is evaluated correctly when the operand is a negative integer	Clause 7.1.1	m	
25	Sem_070101_ArithmeticOperators_017	The consecutive application of the remainder operator and the modulo operator on integer variables is evaluated correctly	Clause 7.1.1	m	
26	Sem_070101_ArithmeticOperators_018	Operator combinations and the modulo operator on integer variables is evaluated correctly	Clause 7.1.1	m	
27	Sem_070101_ArithmeticOperators_019	The addition operator works on float variables	Clause 7.1.1	m	
28	Sem_070101_ArithmeticOperators_020	The subtraction operator works on float variables	Clause 7.1.1	m	
29	Sem_070101_ArithmeticOperators_021	The multiplication operator works on float variables	Clause 7.1.1	m	
30	Sem_070101_ArithmeticOperators_022	The division operator works on float variables	Clause 7.1.1	m	
31	Sem_070101_ArithmeticOperators_023	The combination of different operators works on float variables	Clause 7.1.1	m	
32	Sem_070101_ArithmeticOperators_024	The operator precedence is evaluated correctly	Clause 7.1.1	m	
33	Sem_070101_ArithmeticOperators_025	The operator precedence is evaluated correctly	Clause 7.1.1	m	
34	Sem_070101_ArithmeticOperators_026	The operator precedence is evaluated correctly	Clause 7.1.1	m	
35	Sem_070101_ArithmeticOperators_027	Arithmetic operators can handle special float values	Clause 7.1.1	m	
36	Sem_070101_ArithmeticOperators_028	Arithmetic operators can handle special float values	Clause 7.1.1	m	
37	Sem_070101_ArithmeticOperators_029	Arithmetic operators can handle special float values	Clause 7.1.1	m	
38	Sem_070101_ArithmeticOperators_030	Arithmetic operators can handle special float values	Clause 7.1.1	m	
39	Sem_070101_ArithmeticOperators_031	Arithmetic operators can handle special float values	Clause 7.1.1	m	
40	Sem_070101_ArithmeticOperators_032	Arithmetic operators can handle special float values	Clause 7.1.1	m	
41	Sem_070101_ArithmeticOperators_033	Arithmetic operators can handle special float values	Clause 7.1.1	m	
42	Sem_070101_ArithmeticOperators_034	Arithmetic operators can handle special float values	Clause 7.1.1	m	
43	Sem_070101_ArithmeticOperators_035	Arithmetic operators can handle special float values	Clause 7.1.1	m	
44	Sem_070101_ArithmeticOperators_036	Arithmetic operators can handle special float values	Clause 7.1.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
45	Sem_070101_ArithmeticOperators_037	Arithmetic operators can handle special float values	Clause 7.1.1	m	
46	Sem_070101_ArithmeticOperators_038	Arithmetic operators can handle special float values	Clause 7.1.1	m	
47	Sem_070101_ArithmeticOperators_039	Arithmetic operators can handle special float values	Clause 7.1.1	m	
48	Sem_070101_ArithmeticOperators_040	Arithmetic operators can handle special float values	Clause 7.1.1	m	
49	Sem_070101_ArithmeticOperators_041	Arithmetic operators can handle special float values	Clause 7.1.1	m	
50	Sem_070101_ArithmeticOperators_042	Arithmetic operators can handle special float values	Clause 7.1.1	m	
51	Sem_070101_ArithmeticOperators_043	Arithmetic operators can handle special float values	Clause 7.1.1	m	
52	Sem_070101_ArithmeticOperators_044	Arithmetic operators can handle special float values	Clause 7.1.1	m	
53	Sem_070101_ArithmeticOperators_045	Arithmetic operators can handle special float values	Clause 7.1.1	m	
54	Sem_070101_ArithmeticOperators_046	Arithmetic operators can handle special float values	Clause 7.1.1	m	
55	Sem_070101_ArithmeticOperators_047	Arithmetic operators can handle special float values	Clause 7.1.1	m	
56	Sem_070101_ArithmeticOperators_048	Arithmetic operators can handle special float values	Clause 7.1.1	m	
57	Sem_070101_ArithmeticOperators_049	Arithmetic operators can handle special float values	Clause 7.1.1	m	
58	Sem_070101_ArithmeticOperators_050	Arithmetic operators can handle special float values	Clause 7.1.1	m	
59	Syn_070101_ArithmeticOperators_001	The addition of two integers in a constant is accepted	Clause 7.1.1	m	
60	Syn_070101_ArithmeticOperators_002	The subtraction of two integers in a constant is accepted	Clause 7.1.1	m	
61	Syn_070101_ArithmeticOperators_003	The multiplication of two integers in a constant is accepted	Clause 7.1.1	m	
62	Syn_070101_ArithmeticOperators_004	The division of two integers in a constant is accepted	Clause 7.1.1	m	
63	Syn_070101_ArithmeticOperators_005	The modulo operator on two integers is accepted	Clause 7.1.1	m	
64	Syn_070101_ArithmeticOperators_006	The remainder operator on two integers is accepted	Clause 7.1.1	m	
65	Syn_070101_ArithmeticOperators_007	Operator combinations on integers is accepted	Clause 7.1.1	m	
66	Syn_070101_ArithmeticOperators_008	The addition operator on float constants is accepted	Clause 7.1.1	m	
67	Syn_070101_ArithmeticOperators_009	The subtraction operator on float constants is accepted	Clause 7.1.1	m	
68	Syn_070101_ArithmeticOperators_010	The multiplication operator on float constants is accepted	Clause 7.1.1	m	
69	Syn_070101_ArithmeticOperators_011	The division operator on float constants is accepted	Clause 7.1.1	m	
70	Syn_070101_ArithmeticOperators_012	A combination of operators on float constants is accepted	Clause 7.1.1	m	

A.3.48 List operator

Table A.47: List operator

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_070102_ListOperator_001	The list operator on bitstrings is evaluated correctly	Clause 7.1.2	m	
2	Sem_070102_ListOperator_002	The list operator on charstrings is evaluated correctly	Clause 7.1.2	m	
3	Sem_070102_ListOperator_003	The list operator on record of is evaluated correctly	Clause 7.1.2	m	
4	Sem_070102_ListOperator_004	The list operator on set of is evaluated correctly	Clause 7.1.2	m	
5	Sem_070102_ListOperator_005	The list operator on arrays is evaluated correctly	Clause 7.1.2	m	
6	Sem_070102_ListOperator_006	The list operator on record of is evaluated correctly	Clause 7.1.2	m	

A.3.49 Relational operators

Table A.48: Relational operators

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_070101_ArithmeticOperators_051	The equal to operator on address with value null is evaluated correctly	Clause 7.1.3	m	
2	Sem_070101_ArithmeticOperators_052	The not equal to operator on address with value null is evaluated correctly	Clause 7.1.3	m	
3	NegSem_070103_RelationalOperators_001	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
4	NegSem_070103_RelationalOperators_002	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
5	NegSem_070103_RelationalOperators_003	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
6	NegSem_070103_RelationalOperators_004	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
7	NegSem_070103_RelationalOperators_005	The not equal to operator on address can not be evaluated if value is uninitialized	Clause 7.1.3	m	
8	NegSyn_070103_RelationalOperators_001	The greater operator on address can not be evaluated	Clause 7.1.3	m	
9	NegSyn_070103_RelationalOperators_002	The less operator on address can not be evaluated	Clause 7.1.3	m	
10	NegSyn_070103_RelationalOperators_003	The less or equal to operator on address can not be evaluated	Clause 7.1.3	m	
11	NegSyn_070103_RelationalOperators_004	The greater or equal to operator on address can not be evaluated	Clause 7.1.3	m	
12	Sem_070103_RelationalOperators_001	The equals operator on integers is evaluated correctly	Clause 7.1.3	m	
13	Sem_070103_RelationalOperators_002	The equals operator on floats is evaluated correctly	Clause 7.1.3	m	
14	Sem_070103_RelationalOperators_003	The equals operator on enumerations is evaluated correctly	Clause 7.1.3	m	
15	Sem_070103_RelationalOperators_004	The less than operator on integers is evaluated correctly	Clause 7.1.3	m	
16	Sem_070103_RelationalOperators_005	The less than operator on floats is evaluated correctly	Clause 7.1.3	m	
17	Sem_070103_RelationalOperators_006	The less than operator on enumerations is evaluated correctly	Clause 7.1.3	m	
18	Sem_070103_RelationalOperators_007	The less than or equal to operator on integers is evaluated correctly with differing values	Clause 7.1.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
19	Sem_070103_RelationalOperators_008	The less than or equal to operator on integers is evaluated correctly with equal values	Clause 7.1.3	m	
20	Sem_070103_RelationalOperators_009	The less than or equal to operator on floats is evaluated correctly with differing values	Clause 7.1.3	m	
21	Sem_070103_RelationalOperators_010	The less than or equal to operator on floats is evaluated correctly with equal values	Clause 7.1.3	m	
22	Sem_070103_RelationalOperators_011	The less than or equal to operator on enumerations is evaluated correctly with differing values	Clause 7.1.3	m	
23	Sem_070103_RelationalOperators_012	The less than or equal to operator on enumerations is evaluated correctly with equal values	Clause 7.1.3	m	
24	Sem_070103_RelationalOperators_013	The greater than operator on integers is evaluated correctly	Clause 7.1.3	m	
25	Sem_070103_RelationalOperators_014	The less than operator on floats is evaluated correctly	Clause 7.1.3	m	
26	Sem_070103_RelationalOperators_015	The less than operator on enumerations is evaluated correctly	Clause 7.1.3	m	
27	Sem_070103_RelationalOperators_016	The greater than or equal to operator on integers is evaluated correctly with differing values	Clause 7.1.3	m	
28	Sem_070103_RelationalOperators_017	The greater than or equal to operator on integers is evaluated correctly with equal values	Clause 7.1.3	m	
29	Sem_070103_RelationalOperators_018	The greater than or equal to operator on floats is evaluated correctly with differing values	Clause 7.1.3	m	
30	Sem_070103_RelationalOperators_019	The greater than or equal to operator on floats is evaluated correctly with equal values	Clause 7.1.3	m	
31	Sem_070103_RelationalOperators_020	The less than or equal to operator on enumerations is evaluated correctly with differing values	Clause 7.1.3	m	
32	Sem_070103_RelationalOperators_021	The greater than or equal to operator on enumerations is evaluated correctly with equal values	Clause 7.1.3	m	
33	Sem_070103_RelationalOperators_022	The not equals operator on integers is evaluated correctly	Clause 7.1.3	m	
34	Sem_070103_RelationalOperators_023	The not equals operator on floats is evaluated correctly	Clause 7.1.3	m	
35	Sem_070103_RelationalOperators_024	The not equals operator on enumerations is evaluated correctly	Clause 7.1.3	m	
36	Sem_070103_RelationalOperators_025	The equals operator on sets is evaluated correctly	Clause 7.1.3	m	
37	Sem_070103_RelationalOperators_026	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
38	Sem_070103_RelationalOperators_030	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
39	Sem_070103_RelationalOperators_031	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
40	Sem_070103_RelationalOperators_032	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
41	Sem_070103_RelationalOperators_033	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
42	Sem_070103_RelationalOperators_034	The equals operator on records is evaluated correctly	Clause 7.1.3	m	
43	Sem_070103_RelationalOperators_035	The equal to operator on address is evaluated correctly with equal values	Clause 7.1.3	m	
44	Sem_070103_RelationalOperators_036	The equal to operator on address is evaluated correctly with equal values	Clause 7.1.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
45	Sem_070103_RelationalOperators_037	The not equal to operator on record type address is evaluated correctly	Clause 7.1.3	m	
46	Sem_070103_RelationalOperators_038	Less than operator evaluates correctly infinity special float	Clause 7.1.3	m	
47	Sem_070103_RelationalOperators_039	Less than or equal to operator evaluates correctly infinity special float	Clause 7.1.3	m	
48	Sem_070103_RelationalOperators_040	Greater than operator evaluates correctly -infinity special float	Clause 7.1.3	m	
49	Sem_070103_RelationalOperators_041	Greater than or equal to operator evaluates correctly -infinity special float	Clause 7.1.3	m	
50	Sem_070103_RelationalOperators_042	Equal to operator evaluates correctly -infinity special float	Clause 7.1.3	m	
51	Sem_070103_RelationalOperators_043	Equal to operator evaluates correctly infinity special float	Clause 7.1.3	m	
52	Sem_070103_RelationalOperators_044	Not equal to operator evaluates correctly infinity special float	Clause 7.1.3	m	
53	Sem_070103_RelationalOperators_045	NaN special float is evaluated correctly in a relation	Clause 7.1.3	m	
54	Sem_070103_RelationalOperators_046	NaN special float is evaluated correctly in a relation	Clause 7.1.3	m	
55	Sem_070103_RelationalOperators_047	Infinity special float is evaluated correctly in a relation	Clause 7.1.3	m	

A.3.50 Logical operators

Table A.49: Logical operators

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_070104_LogicalOperators_001	The boolean operator supports negation	Clause 7.1.4	m	
2	Sem_070104_LogicalOperators_002	The the and operator with true and false as operands work on boolean variables	Clause 7.1.4	m	

A.3.51 Bitwise operators

Table A.50: Bitwise operators

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_070105_BitwiseOperators_001	The bitwise negation operator works as expected	Clause 7.1.5	m	
2	Sem_070105_BitwiseOperators_002	The bitwise negation operator works as expected on hexstrings	Clause 7.1.5	m	

A.3.52 Shift operators

Table A.51: Shift operators

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_070106_ShiftOperators_001	The shift left operator works as expected on bitstrings	Clause 7.1.6	m	
2	Sem_070106_ShiftOperators_002	The shift left operator works as expected on hexstrings	Clause 7.1.6	m	
3	Sem_070106_ShiftOperators_003	The shift right operator works as expected on bitstrings	Clause 7.1.6	m	
4	Sem_070106_ShiftOperators_004	The shift right operator works as expected on hexstrings	Clause 7.1.6	m	

A.3.53 Rotate operators

Table A.52: Rotate operators

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_070107_RotateOperators_001	The rotate left operator works as expected on bitstrings	Clause 7.1.7	m	
2	Sem_070107_RotateOperators_002	The rotate left operator works as expected on hexstrings	Clause 7.1.7	m	
3	Sem_070107_RotateOperators_003	The rotate right operator works as expected on bitstrings	Clause 7.1.7	m	
4	Sem_070107_RotateOperators_004	The rotate right operator works as expected on hexstrings	Clause 7.1.7	m	

A.3.54 Field references and list elements

Table A.53: Field references and list elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_0702_FieldReferencesAndListElements_001	The IUT correctly handles field referencing	Clause 7.2	m	
2	Sem_0702_FieldReferencesAndListElements_002	The IUT correctly handles field referencing	Clause 7.2	m	

A.3.55 Definition of a module

Table A.54: Definition of a module

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_0801_DefinitionOfAModule_001	A module definition with multiple language specifications is rejected	Clause 8.1	m	
2	Syn_0801_DefinitionOfAModule_001	A "plain" module definition is accepted	Clause 8.1	m	
3	Syn_0801_DefinitionOfAModule_002	A module definition with language specification is accepted	Clause 8.1	m	
4	Syn_0801_DefinitionOfAModule_003	A module definition with language and package is accepted	Clause 8.1	m	
5	Syn_0801_DefinitionOfAModule_004	A module definition with package and without language is accepted	Clause 8.1	m	
6	Syn_0801_DefinitionOfAModule_005	A module definition with ed4.3.1 language and package is accepted	Clause 8.1	m	
7	Syn_0801_DefinitionOfAModule_006	A module definition with ed4.4.1 language and package is accepted	Clause 8.1	m	
8	Syn_0801_DefinitionOfAModule_007	A module definition with ed4.5.1 language and package is accepted	Clause 8.1	m	
9	Syn_0801_DefinitionOfAModule_008	A module definition with ed4.6.1 language and package is accepted	Clause 8.1	m	
10	Syn_0801_DefinitionOfAModule_009	A module definition with ed4.7.1 language and package is accepted	Clause 8.1	m	

A.3.56 Module definitions part

Table A.55: Module definitions part

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_0802_ModuleDefinitionsPart_001	A TypeDef module definition with public visibility is accepted	Clause 8.2	m	
2	Syn_0802_ModuleDefinitionsPart_002	A TypeDef module definition with private visibility is accepted	Clause 8.2	m	

A.3.57 Module parameters

Table A.56: Module parameters

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_080201_ModuleParameters_001	A reference to plain module parameter with a default value delivers the default value unless it is overwritten	Clause 8.2.1	m	
2	Syn_080201_ModuleParameters_001	Plain module parameters are accepted	Clause 8.2.1	m	
3	Syn_080201_ModuleParameters_002	Plain module parameters with default values are accepted	Clause 8.2.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
4	Syn_080201_ModuleParameters_003	Plain module parameters with default values and visibility modifiers are accepted	Clause 8.2.1	m	

A.3.58 Groups of definitions

Table A.57: Groups of definitions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_080202_GroupOfDefinitions_001	A definition within a group is accepted	Clause 8.2.2	m	
2	Syn_080202_GroupOfDefinitions_002	A definition within a nested group is accepted	Clause 8.2.2	m	
3	Syn_080202_GroupOfDefinitions_003	A definition within a group with public visibility modifier is accepted	Clause 8.2.2	m	
4	Syn_080202_GroupOfDefinitions_004	A definition within a group with public visibility modifier and attributes is accepted	Clause 8.2.2	m	

A.3.59 General format of import

Table A.58: General format of import

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_08020301_GeneralFormatOfImport_001	Name handling of imported enumerations is properly handled	Clause 8.2.3.1	m	
2	NegSem_08020301_GeneralFormatOfImport_002	Name handling of imported enumerations is properly handled	Clause 8.2.3.1	m	
3	NegSem_08020301_GeneralFormatOfImport_005	Make sure that the identifier of the current module can't be used for prefixing imported entities	Clause 8.2.3.1	m	
4	NegSem_08020301_GeneralFormatOfImport_006	The only top-level visible definitions of a module may be imported.	Clause 8.2.3.1	m	
5	NegSem_08020301_GeneralFormatOfImport_007	Verify that information about message types is imported together with port type	Clause 8.2.3.1	m	
6	NegSem_08020301_GeneralFormatOfImport_008	Verify that identifiers of module parameter types are not imported together with module parameters	Clause 8.2.3.1	m	
7	NegSem_08020301_GeneralFormatOfImport_009	Verify that identifiers of constant types are not imported together with constants	Clause 8.2.3.1	m	
8	NegSem_08020301_GeneralFormatOfImport_010	Verify that identifiers of field types are not imported together with structured types	Clause 8.2.3.1	m	
9	NegSem_08020301_GeneralFormatOfImport_011	Verify that identifiers of message types are not imported together with port types	Clause 8.2.3.1	m	
10	NegSem_08020301_GeneralFormatOfImport_012	Verify that identifiers of signatures are not imported together with port types	Clause 8.2.3.1	m	
11	NegSem_08020301_GeneralFormatOfImport_013	Verify that identifiers of constant types are not imported together with component types	Clause 8.2.3.1	m	
12	NegSem_08020301_GeneralFormatOfImport_014	Verify that identifiers of variable types are not imported together with component types	Clause 8.2.3.1	m	
13	NegSem_08020301_GeneralFormatOfImport_015	Verify that identifiers of port types are not imported together with component types	Clause 8.2.3.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
14	NegSem_08020301_GeneralFormatOfImport_016	Verify that identifiers of parameter types are not imported together with signatures	Clause 8.2.3.1	m	
15	NegSem_08020301_GeneralFormatOfImport_017	Verify that identifiers of return types are not imported together with signatures	Clause 8.2.3.1	m	
16	NegSem_08020301_GeneralFormatOfImport_018	Verify that identifiers of exception types are not imported together with signatures	Clause 8.2.3.1	m	
17	NegSem_08020301_GeneralFormatOfImport_019	Verify that identifiers of template types are not imported together with data templates	Clause 8.2.3.1	m	
18	NegSem_08020301_GeneralFormatOfImport_020	Verify that identifiers of parameter types are not imported together with data templates	Clause 8.2.3.1	m	
19	NegSem_08020301_GeneralFormatOfImport_021	Verify that identifiers of constants are not imported together with data templates	Clause 8.2.3.1	m	
20	NegSem_08020301_GeneralFormatOfImport_022	Verify that identifiers of module parameters are not imported together with data templates	Clause 8.2.3.1	m	
21	NegSem_08020301_GeneralFormatOfImport_023	Verify that identifiers of functions are not imported together with data templates	Clause 8.2.3.1	m	
22	NegSem_08020301_GeneralFormatOfImport_024	Verify that identifiers of signatures are not imported together with signature templates	Clause 8.2.3.1	m	
23	NegSem_08020301_GeneralFormatOfImport_025	Verify that identifiers of constants are not imported together with signature templates	Clause 8.2.3.1	m	
24	NegSem_08020301_GeneralFormatOfImport_026	Verify that identifiers of module parameters are not imported together with signature templates	Clause 8.2.3.1	m	
25	NegSem_08020301_GeneralFormatOfImport_027	Verify that identifiers of functions are not imported together with signature templates	Clause 8.2.3.1	m	
26	NegSem_08020301_GeneralFormatOfImport_028	Verify that identifiers of parameter types are not imported together with functions	Clause 8.2.3.1	m	
27	NegSem_08020301_GeneralFormatOfImport_029	Verify that identifiers of return type are not imported together with functions	Clause 8.2.3.1	m	
28	NegSem_08020301_GeneralFormatOfImport_030	Verify that identifiers of component types are not imported together with functions	Clause 8.2.3.1	m	
29	NegSem_08020301_GeneralFormatOfImport_031	Verify that identifiers of parameter types are not imported together with external functions	Clause 8.2.3.1	m	
30	NegSem_08020301_GeneralFormatOfImport_032	Verify that identifiers of return type are not imported together with external functions	Clause 8.2.3.1	m	
31	NegSem_08020301_GeneralFormatOfImport_033	Verify that identifiers of parameter types are not imported together with altsteps	Clause 8.2.3.1	m	
32	NegSem_08020301_GeneralFormatOfImport_034	Verify that identifiers of component types are not imported together with altsteps	Clause 8.2.3.1	m	
33	NegSem_08020301_GeneralFormatOfImport_035	Verify that identifiers of parameter types are not imported together with test cases	Clause 8.2.3.1	m	
34	NegSem_08020301_GeneralFormatOfImport_036	Verify that identifiers of component types (runs on) are not imported together with test cases	Clause 8.2.3.1	m	
35	NegSem_08020301_GeneralFormatOfImport_037	Verify that identifiers of component types (system) are not imported together with test cases	Clause 8.2.3.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
36	NegSem_08020301_GeneralFormatOfImport_038	Verify that definition from inside an imported function can't be referenced	Clause 8.2.3.1	m	
37	NegSem_08020301_GeneralFormatOfImport_039	Verify that import clause can't override language tag of imported module	Clause 8.2.3.1	m	
38	NegSem_08020301_GeneralFormatOfImport_040	Verify that unsupported language concepts can't be used when language is set by import clause	Clause 8.2.3.1	m	
39	NegSyn_08020301_GeneralFormatOfImport_001	Import statement can't be used in test case blocks	Clause 8.2.3.1	m	
40	NegSyn_08020301_GeneralFormatOfImport_002	Import statement can't be used in module control part	Clause 8.2.3.1	m	
41	Sem_08020301_GeneralFormatOfImport_003	Make sure that local definition takes precedence over imported one when their identifiers are equal	Clause 8.2.3.1	m	
42	Sem_08020301_GeneralFormatOfImport_004	Make sure that imported enumeration values take precedence over local definition	Clause 8.2.3.1	m	
43	Sem_08020301_GeneralFormatOfImport_005	Make sure that it is possible to use module prefix for local definitions	Clause 8.2.3.1	m	
44	Sem_08020301_GeneralFormatOfImport_006	Make sure that it is possible to use module prefix for local definitions	Clause 8.2.3.1	m	
45	Sem_08020301_GeneralFormatOfImport_007	Make sure that it is possible to use module prefix for imported definitions	Clause 8.2.3.1	m	
46	Sem_08020301_GeneralFormatOfImport_008	Verify that structured type is imported together with its field names and nested type definitions	Clause 8.2.3.1	m	
47	Sem_08020301_GeneralFormatOfImport_009	Verify that component type is imported together with constant, variable, timer and port names	Clause 8.2.3.1	m	
48	Sem_08020301_GeneralFormatOfImport_010	Verify that signature is imported together with parameter names	Clause 8.2.3.1	m	
49	Sem_08020301_GeneralFormatOfImport_011	Verify that parameterized template is imported together with parameter names	Clause 8.2.3.1	m	
50	Sem_08020301_GeneralFormatOfImport_012	Verify that function is imported together with parameter names	Clause 8.2.3.1	m	
51	Sem_08020301_GeneralFormatOfImport_013	Verify that altstep is imported together with parameter names	Clause 8.2.3.1	m	
52	Sem_08020301_GeneralFormatOfImport_014	Verify that test case is imported together with parameter names	Clause 8.2.3.1	m	
53	Sem_08020301_GeneralFormatOfImport_015	Verify that information about module parameter type is imported together with module parameter	Clause 8.2.3.1	m	
54	Sem_08020301_GeneralFormatOfImport_016	Verify that information about type of constant is imported together with constant	Clause 8.2.3.1	m	
55	Sem_08020301_GeneralFormatOfImport_017	Verify using of import clause with language tag for impoting module having identical language tag	Clause 8.2.3.1	m	
56	Sem_08020301_GeneralFormatOfImport_018	Verify using of import clause with language tag for impoting module with no language tag	Clause 8.2.3.1	m	
57	Sem_08020301_GeneralFormatOfImport_019	Verify that type of port is imported from a module as expected	Clause 8.2.3.1	m	
58	Sem_08020301_GeneralFormatOfImport_020	Verify that prefixed type is evaluated as expected	Clause 8.2.3.1	m	
59	Syn_08020301_GeneralFormatOfImport_001	Import all is accepted.	Clause 8.2.3.1	m	
60	Syn_08020301_GeneralFormatOfImport_002	Import of specific types is accepted.	Clause 8.2.3.1	m	

A.3.60 Importing single definitions

Table A.59: Importing single definitions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_08020302_ImportingSingleDefinitions_001	The value of an explicitly imported constant can be read and carries the same value	Clause 8.2.3.2	m	
2	Sem_08020302_ImportingSingleDefinitions_002	The value of an explicitly imported template can be read and carries the same value	Clause 8.2.3.2	m	

A.3.61 Importing groups

Table A.60: Importing groups

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_08020303_ImportingGroups_001	Constants listed as exceptions in imported groups are not accessible	Clause 8.2.3.3	m	
2	Sem_08020303_ImportingGroups_001	A const defined in a group can be accessed if the group is imported	Clause 8.2.3.3	m	
3	Sem_08020303_ImportingGroups_002	The IUT properly handles 'except' clause in group import definitions	Clause 8.2.3.3	m	
4	Sem_08020303_ImportingGroups_003	but that it is in fact a shortcut notation for explicit imports	Clause 8.2.3.3	m	

A.3.62 Importing definitions of the same kind

Table A.61: Importing definitions of the same kind

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_08020301_GeneralFormatOfImport_003	Transitive import rules are properly handled	Clause 8.2.3.4	m	
2	NegSem_08020301_GeneralFormatOfImport_004	Transitive import rules are properly handled	Clause 8.2.3.4	m	
3	Sem_08020301_GeneralFormatOfImport_001	Transitive imports are properly handled	Clause 8.2.3.4	m	
4	Sem_08020301_GeneralFormatOfImport_002	Enumerated type definitions are automatically imported when needed	Clause 8.2.3.4	m	
5	Sem_08020304_ImportingDefinitionsOfTheSameKind_001	An import of all constants allows access to a sample constant	Clause 8.2.3.4	m	
6	Sem_08020304_ImportingDefinitionsOfTheSameKind_002	A previously valid const import is not removed by an import covering the same definition with an except	Clause 8.2.3.4	m	
7	Sem_08020304_ImportingDefinitionsOfTheSameKind_003	A previously valid const import is not removed by a second import statement excluding the same definition	Clause 8.2.3.4	m	

A.3.63 Importing all definitions of a module

Table A.62: Importing all definitions of a module

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_08020305_ImportingAllDefinitionsOfAModule_001	The constant is not visible after import with except.	Clause 8.2.3.5	m	
2	NegSem_08020305_ImportingAllDefinitionsOfAModule_002	The constant is not visible after import with except.	Clause 8.2.3.5	m	
3	Sem_08020305_ImportingAllDefinitionsOfAModule_001	The constant is be visible after multiple imports.	Clause 8.2.3.5	m	
4	Sem_08020305_ImportingAllDefinitionsOfAModule_002	The constant is be visible after multiple imports.	Clause 8.2.3.5	m	

A.3.64 Import definitions from other TTCN-3 editions and from non-TTCN-3 modules

Table A.63: Import definitions from other TTCN-3 editions and from non-TTCN-3 modules

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_08020306_ImportingDefinitionsFromOtherT3EditionsAndFromNonT3Modules_001	It is possible to import from previous language versions	Clause 8.2.3.6	m	
2	Syn_08020306_ImportingDefinitionsFromOtherT3EditionsAndFromNonT3Modules_001	Imports work with language references when importing definitions of the same kinds (in this case constants) is accepted	Clause 8.2.3.6	m	
3	Syn_08020306_ImportingDefinitionsFromOtherT3EditionsAndFromNonT3Modules_002	Imports work with language references when importing all definitions of another module is accepted	Clause 8.2.3.6	m	

A.3.65 Importing of import statements from TTCN-3 modules

Table A.64: Importing of import statements from TTCN-3 modules

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_08020307_ImportingOfImportStatementsFromT3Modules_001	The import of import statements works for import all	Clause 8.2.3.7	m	
2	NegSem_08020307_ImportingOfImportStatementsFromT3Modules_002	The import of import statements works for import all	Clause 8.2.3.7	m	
3	Sem_08020307_ImportingOfImportStatementsFromT3Modules_001	The import of import statements works for import all	Clause 8.2.3.7	m	

A.3.66 Compatibility of language specifications of imports

Table A.65: Compatibility of language specifications of imports

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_08020308_CompatibilityOfLanguageSpecificationsInImports_001	Imports referring to future TTCN-3 versions are rejected	Clause 8.2.3.8	m	
2	NegSem_08020308_CompatibilityOfLanguageSpecificationsInImports_002	Verify that modules with explicit language tag can't import from newer TTCN-3 versions	Clause 8.2.3.8	m	
3	NegSem_08020308_CompatibilityOfLanguageSpecificationsInImports_003	Verify that modules with explicit language tag can't import from newer TTCN-3 versions	Clause 8.2.3.8	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
4	Sem_08020308_CompatibilityOfLanguageSpecificationsInImports_001	Verify that modules with explicit language tag can import from older TTCN-3 versions	Clause 8.2.3.8	m	
5	Sem_08020308_CompatibilityOfLanguageSpecificationsInImports_002	Verify that modules with explicit language tag can import from older TTCN-3 versions	Clause 8.2.3.8	m	

A.3.67 Definition of friend modules

Table A.66: Definition of friend modules

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_080204_DefinitionOfFriendModules_001	Friend visibility works for a sample constant	Clause 8.2.4	m	
2	NegSem_080204_DefinitionOfFriendModules_002	Private definitions are not made visible by friend declarations (for a constant sample definition)	Clause 8.2.4	m	
3	Sem_080204_DefinitionOfFriendModules_001	Friend visibility works for a sample constant	Clause 8.2.4	m	

A.3.68 Visibility of definitions

Table A.67: Visibility of definitions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_080205_VisibilityOfDefinitions_001	Private definition (in this case a sample constant) is not visible using a normal import	Clause 8.2.5	m	
2	NegSem_080205_VisibilityOfDefinitions_002	Private definition (in this case a sample constant) is not visible using an import of a friend module	Clause 8.2.5	m	
3	NegSem_080205_VisibilityOfDefinitions_003	Friend definition (in this case a sample constant) is not visible using a group import of a non-friend module	Clause 8.2.5	m	
4	NegSem_080205_VisibilityOfDefinitions_004	Private definition (in this case a sample constant) is not visible using a group import of a non-friend module	Clause 8.2.5	m	
5	NegSem_080205_VisibilityOfDefinitions_005	Private definition (in this case a sample constant) is not visible using a group import of a friend module	Clause 8.2.5	m	
6	Sem_080205_VisibilityOfDefinitions_001	Explicitly defined public definitions (in this case a sample constant) are visible when imported	Clause 8.2.5	m	
7	Sem_080205_VisibilityOfDefinitions_002	Explicitly defined public definitions (in this case a sample constant) are visible when imported by a friend module	Clause 8.2.5	m	
8	Sem_080205_VisibilityOfDefinitions_003	Explicitly defined public definitions (in this case a sample constant) are visible when imported through a group	Clause 8.2.5	m	
9	Sem_080205_VisibilityOfDefinitions_004	Explicitly defined public definitions (in this case a sample constant) are visible when imported through a group of a friend module	Clause 8.2.5	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
10	Sem_080205_VisibilityOfDefinitions_005	Friend definitions (in this case a sample constant) are visible when imported through a group of a friend module	Clause 8.2.5	m	

A.3.69 Module control part

Table A.68: Module control part

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_0803_ModuleControlPart_001	There's not more than one control part	Clause 8.3	m	
2	Sem_0803_ModuleControlPart_001	The verdict returned from a test case to the control-part doesn't influence the execution of a second test case. The result of the last test case execution corresponds to the overall test verdict	Clause 8.3	m	
3	Syn_0803_ModuleControlPart_001	The module control is able to accept execute statements	Clause 8.3	m	
4	Syn_0803_ModuleControlPart_002	The module control part with a few commonly used statements is accepted	Clause 8.3	m	
5	Syn_0803_ModuleControlPart_003	An empty control part is accepted	Clause 8.3	m	

A.3.70 Port types, component types and test configurations

Table A.69: Port types, component types and test configurations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0901_Communication_ports_002	It is not possible to connect a mapped port	Clause 9	m	
2	NegSem_0901_Communication_ports_003	It is not possible to connect a port with two other ports owned by the same component	Clause 9	m	
3	Sem_0901_Communication_ports_001	The IUT correctly handles loopback message	Clause 9	m	
4	Sem_0901_Communication_ports_002	The the IUT receives the message sent by mycompA	Clause 9	m	
5	Sem_0901_Communication_ports_003	The the IUT receives the message sent by mycompB and mycompC	Clause 9	m	
6	Sem_0901_Communication_ports_004	The IUT correctly handles message exch. between ports	Clause 9	m	
7	Sem_0901_Communication_ports_005	The the IUT receives the message sent by mycompA	Clause 9	m	
8	NegSem_0902_Communication_ports_001	The IUT correctly handles the assoc. of two port to the same system interface	Clause 9	m	
9	NegSem_0902_Communication_ports_002	The mycomp is connected to two system interface port.	Clause 9	m	
10	NegSem_0902_Communication_ports_003	The two system interf. port can't connect	Clause 9	m	
11	NegSem_0902_Communication_ports_004	The a connected port can't be mapped	Clause 9	m	
12	Sem_0902_Communication_ports_001	The IUT port correctly mapped with a system interface	Clause 9	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
13	Sem_0902_Communication_ports_002	The IUTs two ports are mapped correctly to system interfaces	Clause 9	m	
14	Syn_0902_Communication_ports_001	Two component can be mapped by one system interface	Clause 9	m	

A.3.71 Communication ports

Table A.70: Communication ports

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_0901_Communication_ports_001	A port owned by a component can't be connected with two other ports	Clause 9.1	m	
2	NegSem_0901_Communication_ports_004	Verify that it is not possible to map a connected port	Clause 9.1	m	
3	NegSem_0901_Communication_ports_005	Verify that it is not possible to connect a port with a port owned by the same component	Clause 9.1	m	
4	NegSem_0901_Communication_ports_006	Verify that only 1:1 connection between component port and TSI are allowed	Clause 9.1	m	
5	NegSem_0901_Communication_ports_007	Verify that a two TSI port can't be connected	Clause 9.1	m	
6	NegSem_0901_Communication_ports_008	Verify that mapping an already connected port is not allowed	Clause 9.1	m	
7	NegSem_0901_Communication_ports_009	Verify that connections within the test system interface are not allowed	Clause 9.1	m	
8	NegSyn_0901_Communication_ports_001	Verify that a two TSI port can't be connected	Clause 9.1	m	
9	Sem_0901_Communication_ports_006	Verify that a port can connect to itself	Clause 9.1	m	
10	Sem_0901_Communication_ports_007	Verify that a port can connect to another port of the same component	Clause 9.1	m	
11	Sem_0901_Communication_ports_008	Verify that more than one component port can mapped to a single system port	Clause 9.1	m	
12	Sem_0901_Communication_ports_009	Verify that a component port can be connected to two other component ports	Clause 9.1	m	
13	Sem_0901_Communication_ports_010	Verify that a component port can be mapped to TSI port	Clause 9.1	m	
14	Sem_0901_Communication_ports_011	Verify that a component ports can be mapped to TSI ports	Clause 9.1	m	

A.3.72 Declaring constants

Table A.71: Declaring constants

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_10_Constants_001	Assign rnd to constant used in type, not allowed since constant expressions used in types have to be known at compile-time	Clause 10	m	
2	NegSem_10_Constants_002	A value is assigned only once to a constant	Clause 10	m	
3	NegSem_10_Constants_003	Constant shall not be of port type	Clause 10	m	
4	NegSem_10_Constants_004	Dot notation of a field in a record, which actual value is null shall cause an error	Clause 10	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
5	NegSem_10_Constants_005	Index notation of a field in a set of type, which actual value is null shall cause an error	Clause 10	m	
6	Sem_10_Constants_001	Assign and read constants	Clause 10	m	
7	Sem_10_Constants_002	Assign and read constants values	Clause 10	m	
8	Sem_10_Constants_003	Single expression and constant values	Clause 10	m	
9	Sem_10_Constants_004	Constant used within invoke function with return	Clause 10	m	
10	Sem_10_Constants_005	Constant used within predefined function	Clause 10	m	
11	Sem_10_Constants_006	Record type used as a constant	Clause 10	m	
12	Sem_10_Constants_007	Record type used as a constant with optional fields	Clause 10	m	
13	Sem_10_Constants_008	Set type used as a constant	Clause 10	m	
14	Sem_10_Constants_009	Set type used as a constant with optional fields	Clause 10	m	
15	Syn_10_Constants_001	Create constants	Clause 10	m	
16	Syn_10_Constants_002	Assign default constants values	Clause 10	m	
17	Syn_10_Constants_003	Assign component constants values	Clause 10	m	
18	Syn_10_Constants_004	Define constants in different scopes	Clause 10	m	

A.3.73 Value variables

Table A.72: Value variables

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1101_ValueVars_001	Variables should be assigned only by values	Clause 11.1	m	
2	NegSem_1101_ValueVars_002	Partially initialized variables are evaluated correctly	Clause 11.1	m	
3	NegSem_1101_ValueVars_003	Dot notation referencing to a field, which actual value is null shall cause an error	Clause 11.1	m	
4	NegSem_1101_ValueVars_004	Index notation referencing to a "set of", which actual value is null shall cause an error	Clause 11.1	m	
5	NegSyn_1101_ValueVars_001	Define variables in module scope	Clause 11.1	m	
6	Sem_1101_ValueVars_001	Define variables in different scopes	Clause 11.1	m	
7	Sem_1101_ValueVars_002	Define variables in different scopes	Clause 11.1	m	
8	Sem_1101_ValueVars_003	Read and write variables	Clause 11.1	m	
9	Sem_1101_ValueVars_004	Partially initialized variables are evaluated correctly	Clause 11.1	m	
10	Sem_1101_ValueVars_005	Partially initialized variables are evaluated correctly	Clause 11.1	m	
11	Syn_1101_ValueVars_001	Define variables in different scopes	Clause 11.1	m	

A.3.74 Template variables

Table A.73: Template variables

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1102_TemplateVars_001	Template variables should be assigned with uninitialized variables	Clause 11.2	m	
2	NegSem_1102_TemplateVars_002	Partially initialized templates are evaluated correctly	Clause 11.2	m	
3	NegSem_1102_TemplateVars_003	Dot notation referencing to a field, which actual value is null shall cause an error	Clause 11.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
4	NegSem_1102_TemplateVars_004	Index notation referencing to a set of, which actual value is null shall cause an error	Clause 11.2	m	
5	NegSyn_1102_TemplateVars_001	Define template variables in module scope	Clause 11.2	m	
6	Sem_1102_TemplateVars_001	Define variables in different scopes	Clause 11.2	m	
7	Sem_1102_TemplateVars_002	Partially initialized templates are evaluated correctly	Clause 11.2	m	
8	Sem_1102_TemplateVars_003	Partially initialized templates are evaluated correctly	Clause 11.2	m	
9	Syn_1102_TemplateVars_001	Define template variables in different scopes	Clause 11.2	m	

A.3.75 Declaring timers

Table A.74: Declaring timers

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_12_toplevel_timer_001	Ensure timer can not be initialized with negative duration	Clause 12	m	
2	NegSem_12_toplevel_timer_002	Ensure timer in array can not be initialized with negative duration	Clause 12	m	
3	NegSem_12_toplevel_timer_003	Ensure uninitialized timer can't be started	Clause 12	m	
4	NegSem_12_toplevel_timer_004	Ensure uninitialized timer in array can't be started	Clause 12	m	
5	NegSem_12_toplevel_timer_005	Ensure uninitialized timer in array can't be started	Clause 12	m	
6	NegSem_12_toplevel_timer_006	Ensure timer declaration syntax - reject single timer instance initialized with array	Clause 12	m	
7	NegSem_12_toplevel_timer_007	Ensure timer declaration syntax -- reject array initialization with wrong number of initializers	Clause 12	m	
8	NegSem_12_toplevel_timer_008	Ensure timer declaration syntax -- reject array of timers initialized with a single float value	Clause 12	m	
9	NegSyn_12_toplevel_timer_001	Ensure timer can't be used in module control parts when declared in components	Clause 12	m	
10	NegSyn_12_toplevel_timer_002	Ensure timer declaration syntax	Clause 12	m	
11	NegSyn_12_toplevel_timer_003	Ensure timer declaration syntax	Clause 12	m	
12	NegSyn_12_toplevel_timer_005	Ensure timer declaration syntax	Clause 12	m	
13	NegSyn_12_toplevel_timer_006	Ensure timer array declaration syntax	Clause 12	m	
14	NegSyn_12_toplevel_timer_007	Ensure timer array declaration syntax	Clause 12	m	
15	Sem_12_toplevel_timer_001	Ensure timer can be declared in components	Clause 12	m	
16	Sem_12_toplevel_timer_002	Ensure timer can be declared in module control parts	Clause 12	m	
17	Sem_12_toplevel_timer_003	Ensure timer can be declared in altsteps	Clause 12	m	
18	Sem_12_toplevel_timer_004	Ensure timer can be declared in functions	Clause 12	m	
19	Sem_12_toplevel_timer_005	Ensure timer can be declared in test cases	Clause 12	m	
20	Sem_12_toplevel_timer_006	Ensure timer's elapsed time is plausible	Clause 12	m	
21	Sem_12_toplevel_timer_007	Ensure timer can be declared in components but used in test cases	Clause 12	m	
22	Sem_12_toplevel_timer_008	Ensure timer can be declared in components but used in functions	Clause 12	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
23	Sem_12_toplevel_timer_009	Ensure timer can be declared in components but used in allsteps	Clause 12	m	
24	Syn_12_toplevel_timer_001	Ensure non-initialized timer declaration syntax	Clause 12	m	
25	Syn_12_toplevel_timer_002	Ensure timer array declaration syntax	Clause 12	m	
26	Syn_12_toplevel_timer_003	Ensure definition of a list of timers is allowed as a single declaration	Clause 12	m	
27	Syn_12_toplevel_timer_004	Ensure timer array initialization syntax	Clause 12	m	
28	Syn_12_toplevel_timer_005	Ensure timer declaration with expression	Clause 12	m	
29	Syn_12_toplevel_timer_006	Ensure timer declaration with expression	Clause 12	m	
30	Sem_13_declaring_msg_001	Ensure received messages can be a combination of value and matching mechanism	Clause 12	m	

A.3.76 Declaring messages

Table A.75: Declaring messages

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_13_toplevel_declaring_msg_various_types_001	Port with type anytype can send and receive messages of any basic or structured type: 'record' type	Clause 13	m	
2	Sem_13_toplevel_declaring_msg_various_types_002	Port with type anytype can send and receive messages of any basic or structured type: 'record of' type	Clause 13	m	
3	Sem_13_toplevel_declaring_msg_various_types_003	Port with type anytype can send and receive messages of any basic or structured type: 'enum' type	Clause 13	m	
4	Sem_13_toplevel_declaring_msg_various_types_004	Port with type anytype can send and receive messages of any basic or structured type: 'set' type	Clause 13	m	
5	Sem_13_toplevel_declaring_msg_various_types_005	Port with type anytype can send and receive messages of any basic or structured type: 'union' type	Clause 13	m	
6	Sem_13_toplevel_declaring_msg_various_types_006	Port with type anytype can send and receive messages of any basic or structured type: 'bitstring' type	Clause 13	m	
7	Sem_13_toplevel_declaring_msg_various_types_007	Port with type anytype can send and receive messages of any basic or structured type: 'boolean' type	Clause 13	m	
8	Sem_13_toplevel_declaring_msg_various_types_008	Port with type anytype can send and receive messages of any basic or structured type: 'charstring' type	Clause 13	m	
9	Sem_13_toplevel_declaring_msg_various_types_009	Port with type anytype can send and receive messages of any basic or structured type: 'float' type	Clause 13	m	
10	Sem_13_toplevel_declaring_msg_various_types_010	Port with type anytype can send and receive messages of any basic or structured type: 'hexstring' type	Clause 13	m	
11	Sem_13_toplevel_declaring_msg_various_types_011	Port with type anytype can send and receive messages of any basic or structured type: 'integer' type	Clause 13	m	
12	Sem_13_toplevel_declaring_msg_various_types_012	Port with type anytype can send and receive messages of any basic or structured type: 'octetstring' type	Clause 13	m	
13	Sem_13_toplevel_declaring_msg_various_types_013	Port with type anytype can send and receive messages of any basic or structured type: 'universal charstring' type	Clause 13	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
14	Sem_13_toplevel_declaring_msg_various_types_014	Port with type anytype can send and receive messages of any basic or structured type: 'verdictype' type	Clause 13	m	

A.3.77 Declaring procedure signatures

Table A.76: Declaring procedure signatures

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1400_procedure_signatures_002	Blocking calls needs response or exception handling	Clause 14	m	
2	Sem_1400_procedure_signatures_001	The IUT calls signature exception	Clause 14	m	
3	Sem_1400_procedure_signatures_002	With noblock signature the IUT can raise exception	Clause 14	m	
4	Sem_1400_procedure_signatures_003	Non blocking signatures can raise exception	Clause 14	m	
5	Sem_1400_procedure_signatures_004	Multiple calls can be send without ack using non-blocking signature	Clause 14	m	

A.3.78 Declaring templates

Table A.77: Declaring templates

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_15_TopLevel_001	A template formed from a union is rejected when the union somehow contains a default type field	Clause 15	m	
2	NegSem_15_TopLevel_002	A template formed from a union is rejected when the union somehow contains a port type field	Clause 15	m	
3	NegSem_15_TopLevel_003	A template shall not be of default type	Clause 15	m	
4	NegSem_15_TopLevel_004	A template shall not be of port type	Clause 15	m	
5	Syn_15_TopLevel_001	A simple template with a single charstring field is accepted	Clause 15	m	

A.3.79 Declaring message templates

Table A.78: Declaring message templates

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_1501_DeclaringMessageTemplates_001	A simple record-based message template can be defined	Clause 15.1	m	
2	Syn_1501_DeclaringMessageTemplates_002	A simple record-based message template with a wildcard ? is accepted	Clause 15.1	m	
3	Syn_1501_DeclaringMessageTemplates_003	A simple record-based message template can be defined with a pattern in a charstring field	Clause 15.1	m	
4	Syn_1501_DeclaringMessageTemplates_004	A primitive type template can be defined with a ? wildcard	Clause 15.1	m	
5	Syn_1501_DeclaringMessageTemplates_005	A primitive type template can be defined with a one-of notation	Clause 15.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
6	Syn_1501_DeclaringMessageTemplates_006	All port operations are accepted	Clause 15.1	m	

A.3.80 Declaring signature templates

Table A.79: Declaring signature templates

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_1502_DeclaringSignatureTemplates_001	Test in-line templates for accepting procedure replies	Clause 15.2	m	
2	Sem_1502_DeclaringSignatureTemplates_002	Test in-line templates for accepting procedure replies	Clause 15.2	m	
3	Sem_1502_DeclaringSignatureTemplates_003	Test in-line templates for accepting procedure replies	Clause 15.2	m	
4	Syn_1502_DeclaringSignatureTemplates_001	Signature templates with explicit values are accepted	Clause 15.2	m	
5	Syn_1502_DeclaringSignatureTemplates_002	Signature templates with wildcards are accepted	Clause 15.2	m	
6	Syn_1502_DeclaringSignatureTemplates_003	The basic operations call and getreply are accepted	Clause 15.2	m	
7	Syn_1502_DeclaringSignatureTemplates_004	The raise and catch operations are accepted	Clause 15.2	m	

A.3.81 Global and local templates

Table A.80: Global and local templates

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1503_GlobalAndLocalTemplates_001	There's an error for re-assignment of a global non-parameterized template	Clause 15.3	m	
2	NegSem_1503_GlobalAndLocalTemplates_002	There's an error for re-assignment of a global non-parameterized template	Clause 15.3	m	
3	NegSem_1503_GlobalAndLocalTemplates_003	There's an error for re-assignment of a global parameterized template	Clause 15.3	m	
4	NegSem_1503_GlobalAndLocalTemplates_004	There's an error for re-assignment of a local parameterized template	Clause 15.3	m	
5	NegSyn_1503_GlobalAndLocalTemplates_001	There's an error if no value is assigned in a global non-parameterized template declaration	Clause 15.3	m	
6	NegSyn_1503_GlobalAndLocalTemplates_002	There's an error if no value is assigned in a local non-parameterized template declaration	Clause 15.3	m	
7	NegSyn_1503_GlobalAndLocalTemplates_003	There's an error if no value is assigned in a global parameterized template declaration	Clause 15.3	m	
8	NegSyn_1503_GlobalAndLocalTemplates_004	There's an error if no value is assigned in a local parameterized template declaration	Clause 15.3	m	
9	Sem_1503_GlobalAndLocalTemplates_001	A template values can be accessed with the dot notation as expected	Clause 15.3	m	
10	Sem_1503_GlobalAndLocalTemplates_002	A template actual parameter is passed through correctly	Clause 15.3	m	
11	Sem_1503_GlobalAndLocalTemplates_003	A send operation with actual parameters of a global parameterized template is accepted	Clause 15.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
12	Sem_1503_GlobalAndLocalTemplates_004	A parameterized local template in a test case is accepted	Clause 15.3	m	
13	Sem_1503_GlobalAndLocalTemplates_005	A send operation with actual parameters of a global parameterized template is accepted with the actual parameter being a template parameter	Clause 15.3	m	
14	Sem_1503_GlobalAndLocalTemplates_006	A send operation with actual parameters of a global parameterized template is accepted with the actual parameter being an inline template	Clause 15.3	m	
15	Syn_1503_GlobalAndLocalTemplates_001	A global parameterized template is accepted	Clause 15.3	m	
16	Syn_1503_GlobalAndLocalTemplates_004	A parameterized local template in the control part is accepted	Clause 15.3	m	
17	Syn_1503_GlobalAndLocalTemplates_005	A parameterized local template in a function is accepted	Clause 15.3	m	
18	Syn_1503_GlobalAndLocalTemplates_006	A parameterized local template in an altstep is accepted	Clause 15.3	m	

A.3.82 In-line templates

Table A.81: In-line templates

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_1504_InlineTemplates_001	Inline templates are accepted	Clause 15.4	m	
2	Syn_1504_InlineTemplates_002	Modified parameterized inline templates are accepted	Clause 15.4	m	
3	Syn_1504_InlineTemplates_003	Modified plain inline templates are accepted	Clause 15.4	m	

A.3.83 Modified templates

Table A.82: Modified templates

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1505_ModifiedTemplates_001	A modified template doesn't refer to itself	Clause 15.5	m	
2	NegSem_1505_ModifiedTemplates_002	A modified template doesn't omit possible parameters of the base template	Clause 15.5	m	
3	NegSem_1505_ModifiedTemplates_003	A modified template doesn't omit possible parameters introduced in any modification step	Clause 15.5	m	
4	NegSem_1505_ModifiedTemplates_004	Parameter names in modified templates are the same	Clause 15.5	m	
5	NegSem_1505_ModifiedTemplates_005	The dash in default parameter values of a modified templates is only accepted when the base template actually has a default value	Clause 15.5	m	
6	NegSem_1505_ModifiedTemplates_006	The same parameter name is used when modifying the base template	Clause 15.5	m	
7	NegSem_1505_ModifiedTemplates_007	The same parameter type is used when modifying the base template	Clause 15.5	m	
8	NegSyn_1505_ModifiedTemplates_001	The base template and modified template can't be the same	Clause 15.5	m	
9	Sem_1505_ModifiedTemplates_001	The values of plain modified template definitions are as expected	Clause 15.5	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
10	Sem_1505_ModifiedTemplates_002	A modified template of a record of type using index notation access works as expected	Clause 15.5	m	
11	Sem_1505_ModifiedTemplates_003	Default values in formal parameters of modified templates are working as expected	Clause 15.5	m	
12	Sem_1505_ModifiedTemplates_004	Default values in formal parameters of modified templates are working as expected when the modified template uses the dash for the default value	Clause 15.5	m	
13	Sem_1505_ModifiedTemplates_005	Default values in formal parameters of modified templates are working as expected	Clause 15.5	m	
14	Sem_1505_ModifiedTemplates_006	Default values in formal parameters of modified templates are working as expected	Clause 15.5	m	
15	Sem_1505_ModifiedTemplates_007	Default values in formal parameters of modified templates are working as expected	Clause 15.5	m	
16	Sem_1505_ModifiedTemplates_008	The values of plain modified template definitions are as expected	Clause 15.5	m	
17	Sem_1505_ModifiedTemplates_009	Default values in formal parameters of modified templates are working as expected	Clause 15.5	m	
18	Sem_1505_ModifiedTemplates_010	Default values in formal parameters of modified templates are working as expected	Clause 15.5	m	
19	Syn_1505_ModifiedTemplates_001	Plain modified template definitions are accepted	Clause 15.5	m	
20	Syn_1505_ModifiedTemplates_002	A modified template doesn't omit possible parameters introduced in any modification step	Clause 15.5	m	
21	Syn_1505_ModifiedTemplates_003	The default values in formal parameters of modified templates are accepted	Clause 15.5	m	
22	Syn_1505_ModifiedTemplates_004	Dash as default parameter values are accepted	Clause 15.5	m	

A.3.84 Referencing individual string elements

Table A.83: Referencing individual string elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_150601_ReferencingIndividualStringElements_001	The referencing of individual string elements inside templates or template fields is forbidden	Clause 15.6.1	m	

A.3.85 Referencing record and set fields

Table A.84: Referencing record and set fields

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_150602_ReferencingRecordAndSetFields_001	Fields with omit values on the right-hand side of an assignment are rejected	Clause 15.6.2	m	
2	NegSem_150602_ReferencingRecordAndSetFields_002	Fields with * values on the right-hand side of an assignment are rejected	Clause 15.6.2	m	
3	NegSem_150602_ReferencingRecordAndSetFields_003	Value lists on the right-hand side of an assignment are not accepted	Clause 15.6.2	m	
4	NegSem_150602_ReferencingRecordAndSetFields_004	Complement lists on the right-hand side of an assignment are not accepted	Clause 15.6.2	m	
5	NegSem_150602_ReferencingRecordAndSetFields_005	Referencing a template field with the ifpresent attribute causes a rejection	Clause 15.6.2	m	
6	NegSem_150602_ReferencingRecordAndSetFields_006	Referencing a field of an address type, which actual value is null shall cause rejection	Clause 15.6.2	m	
7	Sem_150602_ReferencingRecordAndSetFields_001	? shall be returned for mandatory subfields and * shall be returned for optional subfields	Clause 15.6.2	m	
8	Sem_150602_ReferencingRecordAndSetFields_002	The recursive anyvalue expansion is performed correctly when new values are assigned	Clause 15.6.2	m	
9	Sem_150602_ReferencingRecordAndSetFields_003	? shall be returned for mandatory subfields and * shall be returned for optional subfields	Clause 15.6.2	m	
10	Sem_150602_ReferencingRecordAndSetFields_004	? shall be returned for mandatory subfields and * shall be returned for optional subfields	Clause 15.6.2	m	

A.3.86 Referencing record of and set of elements

Table A.85: Referencing record of and set of elements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_150603_ReferencingRecordOfAndSetElements_001	Referencing an element within a value list causes an error in the context of record of	Clause 15.6.3	m	
2	NegSem_150603_ReferencingRecordOfAndSetElements_002	Access to uninitialized fields in the context of record of is rejected	Clause 15.6.3	m	
3	NegSem_150603_ReferencingRecordOfAndSetElements_003	Anyvalueornone fields in the context of record of is rejected	Clause 15.6.3	m	
4	NegSem_150603_ReferencingRecordOfAndSetElements_004	Complement value lists in the context of record of are rejected	Clause 15.6.3	m	
5	NegSem_150603_ReferencingRecordOfAndSetElements_005	Subset in the context of record of are rejected	Clause 15.6.3	m	
6	NegSem_150603_ReferencingRecordOfAndSetElements_006	Superset in the context of record of are rejected	Clause 15.6.3	m	
7	NegSem_150603_ReferencingRecordOfAndSetElements_007	Access into permutation in record of templates is forbidden	Clause 15.6.3	m	
8	NegSem_150603_ReferencingRecordOfAndSetElements_008	Access to record of indexes is forbidden when a previous index entry is a permutation with a *	Clause 15.6.3	m	
9	NegSem_150603_ReferencingRecordOfAndSetElements_009	Access to ifpresent fields is not allowed	Clause 15.6.3	m	
10	NegSem_150603_ReferencingRecordOfAndSetElements_010	Referencing AnyValueOrNone fields is not allowed	Clause 15.6.3	m	
11	NegSem_150603_ReferencingRecordOfAndSetElements_011	Referencing uninitialized fields is not allowed	Clause 15.6.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
12	NegSem_150603_ReferencingRecordOfAndSetElements_012	Referencing uninitialized fields is not allowed	Clause 15.6.3	m	
13	NegSem_150603_ReferencingRecordOfAndSetElements_013	Referencing uninitialized fields is not allowed	Clause 15.6.3	m	
14	NegSem_150603_ReferencingRecordOfAndSetElements_014	Referencing an element within a value list causes an error in the context of set of	Clause 15.6.3	m	
15	NegSem_150603_ReferencingRecordOfAndSetElements_015	Referencing an element of an address type, which actual value is null shall cause an error	Clause 15.6.3	m	
16	Sem_150603_ReferencingRecordOfAndSetElements_001	Assignment of an anyvalue on the right hand side yields an anyvalue in the context of record of	Clause 15.6.3	m	
17	Sem_150603_ReferencingRecordOfAndSetElements_002	Assignment to a anyvalue in the context of record of is handled correctly	Clause 15.6.3	m	
18	Sem_150603_ReferencingRecordOfAndSetElements_003	Assignment to a anyvalue in the context of record of is handled correctly in two subsequent assignments	Clause 15.6.3	m	
19	Sem_150603_ReferencingRecordOfAndSetElements_004	Assignment to a anyvalue in the context of record of is handled correctly when the first element is changed	Clause 15.6.3	m	
20	Sem_150603_ReferencingRecordOfAndSetElements_005	Access outside permutation fields is allowed and works as expected	Clause 15.6.3	m	
21	Sem_150603_ReferencingRecordOfAndSetElements_006	Referencing an element within a record of, set of or array field to which omit is assigned works as expected	Clause 15.6.3	m	
22	Sem_150603_ReferencingRecordOfAndSetElements_007	Referencing an element within a record of, set of or array field to which omit is assigned works as expected	Clause 15.6.3	m	

A.3.87 Referencing signature parameters

Table A.86: Referencing signature parameters

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_150604_ReferencingSignatureParameters_001	Test modification of signature parameters	Clause 15.6.4	m	
2	Sem_150604_ReferencingSignatureParameters_001	Test modification of signature parameters	Clause 15.6.4	m	

A.3.88 Referencing union alternatives

Table A.87: Referencing union alternatives

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_150605_Referencing_union_alternatives_001	Template variables doesn't allow referencing alternatives inside an union with omit	Clause 15.6.5	m	
2	NegSem_150605_Referencing_union_alternatives_002	Template variables doesn't allow referencing alternatives inside an union with AnyValueOrNone	Clause 15.6.5	m	
3	NegSem_150605_Referencing_union_alternatives_003	Template variables doesn't allow referencing alternatives inside an union with list	Clause 15.6.5	m	
4	NegSem_150605_Referencing_union_alternatives_004	Template variables doesn't allow referencing alternatives inside an union with complemented list	Clause 15.6.5	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
5	NegSem_150605_Referencing_union_alternatives_005	Referencing an alternative of a union template field to which the ifpresent attribute is attached, shall cause an error	Clause 15.6.5	m	
6	NegSem_150605_Referencing_union_alternatives_006	Referencing an alternative of an address type, which actual value is null shall cause	Clause 15.6.5	m	
7	Sem_150605_Referencing_union_alternatives_001	Template variables allow referencing alternatives inside a union template definition	Clause 15.6.5	m	
8	Sem_150605_Referencing_union_alternatives_002	Template variables allow referencing with an Anyvalue union template	Clause 15.6.5	m	
9	Sem_150605_Referencing_union_alternatives_003	Template variables allow referencing with an Anyvalue union template	Clause 15.6.5	m	
10	Sem_150605_Referencing_union_alternatives_004	Template variables allow referencing with an Anyvalue union template	Clause 15.6.5	m	

A.3.89 Template restrictions

Table A.88: Template restrictions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1508_TemplateRestrictions_001	Template(omit) is rejected with anyvalue(?)	Clause 15.8	m	
2	NegSem_1508_TemplateRestrictions_002	Template(omit) is rejected with setof template	Clause 15.8	m	
3	NegSem_1508_TemplateRestrictions_003	Template(omit) is rejected with anyvalueornone(*)	Clause 15.8	m	
4	NegSem_1508_TemplateRestrictions_004	Template(omit) is rejected with value ranges	Clause 15.8	m	
5	NegSem_1508_TemplateRestrictions_005	Template(omit) is rejected with supersets	Clause 15.8	m	
6	NegSem_1508_TemplateRestrictions_006	Template(omit) is rejected with subsets	Clause 15.8	m	
7	NegSem_1508_TemplateRestrictions_007	Template(omit) is rejected with patterns	Clause 15.8	m	
8	NegSem_1508_TemplateRestrictions_008	Template(omit) is rejected with anyelement inside values	Clause 15.8	m	
9	NegSem_1508_TemplateRestrictions_009	Template(omit) is rejected with anyelemenornone inside values	Clause 15.8	m	
10	NegSem_1508_TemplateRestrictions_010	Template(omit) is rejected with permutation inside values	Clause 15.8	m	
11	NegSem_1508_TemplateRestrictions_011	Template(omit) is rejected with length restrictions	Clause 15.8	m	
12	NegSem_1508_TemplateRestrictions_012	Template(omit) is rejected with length restrictions	Clause 15.8	m	
13	NegSem_1508_TemplateRestrictions_013	Template(omit) is rejected with length restrictions	Clause 15.8	m	
14	NegSem_1508_TemplateRestrictions_014	Template(value) is rejected with anyvalue(?)	Clause 15.8	m	
15	NegSem_1508_TemplateRestrictions_015	Template(value) is rejected with valuelist	Clause 15.8	m	
16	NegSem_1508_TemplateRestrictions_016	Template(value) is rejected with anyvalueornone(*)	Clause 15.8	m	
17	NegSem_1508_TemplateRestrictions_017	Template(value) is rejected with value ranges	Clause 15.8	m	
18	NegSem_1508_TemplateRestrictions_018	Template(value) is rejected with supersets	Clause 15.8	m	
19	NegSem_1508_TemplateRestrictions_019	Template(value) is rejected with supersets	Clause 15.8	m	
20	NegSem_1508_TemplateRestrictions_020	Template(value) is rejected with patterns	Clause 15.8	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
21	NegSem_1508_TemplateRestrictions_021	Template(value) is rejected with anyelement inside values	Clause 15.8	m	
22	NegSem_1508_TemplateRestrictions_022	Template(value) is rejected with permutation inside values	Clause 15.8	m	
23	NegSem_1508_TemplateRestrictions_023	Template(value) is rejected with length restrictions	Clause 15.8	m	
24	NegSem_1508_TemplateRestrictions_024	Template(value) is rejected with length restrictions	Clause 15.8	m	
25	NegSem_1508_TemplateRestrictions_025	Template(present) refuses omitvalue as a whole	Clause 15.8	m	
26	NegSem_1508_TemplateRestrictions_026	Template(value) refuses omit as a whole	Clause 15.8	m	
27	NegSem_1508_TemplateRestrictions_027	ensure that symbols created during template expansion are checked against omit template restriction	Clause 15.8	m	
28	NegSem_1508_TemplateRestrictions_028	ensure that symbols created during template expansion are checked against value template restriction	Clause 15.8	m	
29	NegSem_1508_TemplateRestrictions_029	The template(present) with anyvalue(?) can't be assigned to an omit restricted variable template	Clause 15.8	m	
30	NegSem_1508_TemplateRestrictions_030	Unrestricted template with anyvalue(?) can't be assigned to an omit restricted variable template	Clause 15.8	m	
31	NegSem_1508_TemplateRestrictions_031	Template(omit) can't be assigned to a variable template(value) if omit	Clause 15.8	m	
32	NegSem_1508_TemplateRestrictions_032	Template(present) can't be assigned to a template(value) variable if contains anyvalueornone(*)	Clause 15.8	m	
33	NegSem_1508_TemplateRestrictions_033	An unrestricted template can't be assigned to a template(value) variable if contains anyvalueornone(*)	Clause 15.8	m	
34	NegSem_1508_TemplateRestrictions_034	A template with omit restriction can't be assigned to a template(present)variable if omit	Clause 15.8	m	
35	NegSem_1508_TemplateRestrictions_035	An unrestricted template can't be assigned to a template(present)variable if omit	Clause 15.8	m	
36	NegSem_1508_TemplateRestrictions_036	Template(present) can't be parameter to a template(omit) if contains anyvalueornone(*)	Clause 15.8	m	
37	NegSem_1508_TemplateRestrictions_037	Template(present) can't be parameter to template(omit) if contains anyvalue(?)	Clause 15.8	m	
38	NegSem_1508_TemplateRestrictions_038	Template(omit) can't be parameter to template(value) if it is omit	Clause 15.8	m	
39	NegSem_1508_TemplateRestrictions_039	Template(present) can't be parameter to template(value) if it contains anyvalueornone(*)	Clause 15.8	m	
40	NegSem_1508_TemplateRestrictions_040	Unrestricted template can't be parameter to template(value) if it contains anyvalueornone(*)	Clause 15.8	m	
41	NegSem_1508_TemplateRestrictions_041	Template (omit) can't be parameter to template(present) if it contains omit	Clause 15.8	m	
42	NegSem_1508_TemplateRestrictions_042	The an unrestricted template can't be parameter to template(present) if it contains omit	Clause 15.8	m	
43	NegSem_1508_TemplateRestrictions_049	Template(present) can't be parameter to a template(omit)	Clause 15.8	m	
44	NegSem_1508_TemplateRestrictions_050	Decoded content match is not allowed for omit template restriction	Clause 15.8	m	
45	NegSem_1508_TemplateRestrictions_051	Decoded content match is not allowed for omit template restriction	Clause 15.8	m	
46	Sem_1508_TemplateRestrictions_001	A value can be assigned to a template(omit) variable	Clause 15.8	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
47	Sem_1508_TemplateRestrictions_002	A template(omit) can be assigned to a template(omit) variable	Clause 15.8	m	
48	Sem_1508_TemplateRestrictions_003	A template(value) can be assigned to a template(omit) variable	Clause 15.8	m	
49	Sem_1508_TemplateRestrictions_004	A value can be assigned to a template(value) variable	Clause 15.8	m	
50	Sem_1508_TemplateRestrictions_005	A template(value) can be assigned to a template(value) variable	Clause 15.8	m	
51	Sem_1508_TemplateRestrictions_006	A value can be assigned to a template(present) variable	Clause 15.8	m	
52	Sem_1508_TemplateRestrictions_007	A template(omit) can be assigned to a template(present) variable	Clause 15.8	m	
53	Sem_1508_TemplateRestrictions_008	A template(value) can be assigned to a template(present) variable	Clause 15.8	m	
54	Sem_1508_TemplateRestrictions_009	A template(present) can be assigned to a template(present) variable	Clause 15.8	m	
55	Sem_1508_TemplateRestrictions_010	A value can be assigned to a template variable	Clause 15.8	m	
56	Sem_1508_TemplateRestrictions_011	A template(omit) can be assigned to a template variable	Clause 15.8	m	
57	Sem_1508_TemplateRestrictions_012	A template(value) can be assigned to a template variable	Clause 15.8	m	
58	Sem_1508_TemplateRestrictions_013	A template(present) can be assigned to a template variable	Clause 15.8	m	
59	Sem_1508_TemplateRestrictions_014	A template can be assigned to a template variable	Clause 15.8	m	
60	Sem_1508_TemplateRestrictions_015	A base template can be modified without restrictions	Clause 15.8	m	
61	Sem_1508_TemplateRestrictions_016	A base template can be modified with template(present) restriction	Clause 15.8	m	
62	Sem_1508_TemplateRestrictions_017	A base template can be modified with template(omit) restriction	Clause 15.8	m	
63	Sem_1508_TemplateRestrictions_018	A base template can be modified with template(value) restriction	Clause 15.8	m	
64	Sem_1508_TemplateRestrictions_019	A template(present) base template can be modified with template(present) restriction	Clause 15.8	m	
65	Sem_1508_TemplateRestrictions_020	A template(present) base template can be modified with template(value) restriction	Clause 15.8	m	
66	Sem_1508_TemplateRestrictions_021	A template(omit) base template can be modified with template(omit) restriction	Clause 15.8	m	
67	Sem_1508_TemplateRestrictions_022	A template(omit) base template can be modified with template(value) restriction	Clause 15.8	m	
68	Sem_1508_TemplateRestrictions_023	A template(value) base template can be modified with template(value) restriction	Clause 15.8	m	
69	Sem_1508_TemplateRestrictions_024	Template(present) base templates are allowed to be modified to template(omit)	Clause 15.8	m	
70	Sem_1508_TemplateRestrictions_025	Template(omit) base templates are allowed to be modified to template(present)	Clause 15.8	m	
71	Sem_1508_TemplateRestrictions_026	Template(value) base templates are allowed to be modified to template(present)	Clause 15.8	m	
72	Sem_1508_TemplateRestrictions_027	Template(value) base templates are allowed to be modified to template(omit)	Clause 15.8	m	
73	Sem_1508_TemplateRestrictions_028	Template(value) base templates are allowed to be modified to template	Clause 15.8	m	
74	Sem_1508_TemplateRestrictions_029	Template(omit) base templates are allowed to be modified to template	Clause 15.8	m	
75	Sem_1508_TemplateRestrictions_030	Template(present) base templates are allowed to be modified to template	Clause 15.8	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
76	Sem_1508_TemplateRestrictions_031	The restrictiveness of parameters template(value)->template(present) is handled correctly	Clause 15.8	m	
77	Sem_1508_TemplateRestrictions_032	The restrictiveness of parameters template(value)->template(omit) is handled correctly	Clause 15.8	m	
78	Sem_1508_TemplateRestrictions_033	The restrictiveness of parameters template(value)->template is handled correctly	Clause 15.8	m	
79	Sem_1508_TemplateRestrictions_034	The restrictiveness of parameters template(omit)->template(present) is handled correctly	Clause 15.8	m	
80	Sem_1508_TemplateRestrictions_035	The restrictiveness of parameters template(omit)->template(present) is handled correctly	Clause 15.8	m	
81	Sem_1508_TemplateRestrictions_036	The restrictiveness of parameters template(omit)->template(present) is handled correctly	Clause 15.8	m	
82	Sem_1508_TemplateRestrictions_043	The an unrestricted template can be parameter to template(present)	Clause 15.8	m	
83	Sem_1508_TemplateRestrictions_044	Template (omit) can be parameter to template(present)	Clause 15.8	m	
84	Sem_1508_TemplateRestrictions_045	Unrestricted template can be parameter to template(value)	Clause 15.8	m	
85	Sem_1508_TemplateRestrictions_046	Template(present) can be parameter to template(value)	Clause 15.8	m	
86	Sem_1508_TemplateRestrictions_047	Template(omit) can be parameter to template(value)	Clause 15.8	m	
87	Sem_1508_TemplateRestrictions_048	Template(present) can be parameter to template(omit)	Clause 15.8	m	
88	Sem_1508_TemplateRestrictions_049	Decoded content match is allowed for present template restriction	Clause 15.8	m	
89	Syn_1508_TemplateRestrictions_001	Template(omit) is accepted with value omitvalue	Clause 15.8	m	
90	Syn_1508_TemplateRestrictions_002	Template(omit) is accepted with a concrete value	Clause 15.8	m	
91	Syn_1508_TemplateRestrictions_003	Template(value) is accepted with a concrete value	Clause 15.8	m	
92	Syn_1508_TemplateRestrictions_004	Template(present) is accepted with a concrete value	Clause 15.8	m	

A.3.90 Match operation

Table A.89: Match operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1509_MatchOperation_001	The match operation refuses two templates as actual parameters	Clause 15.9	m	
2	Sem_1509_MatchOperation_001	The match operation works as expected on a template with range restriction when the tested value is inside the range	Clause 15.9	m	
3	Sem_1509_MatchOperation_002	The match operation works as expected on a template with range restriction when the tested value is outside the range	Clause 15.9	m	
4	Sem_1509_MatchOperation_003	The match operation works correctly on records in the positive case	Clause 15.9	m	
5	Sem_1509_MatchOperation_004	The match operation works correctly on records in the negative case	Clause 15.9	m	
6	Sem_1509_MatchOperation_005	The match operation works correctly if the types are incompatible	Clause 15.9	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
7	Sem_1509_MatchOperation_006	The match operation works correctly on records with optional fields in the positive case	Clause 15.9	m	
8	Sem_1509_MatchOperation_007	The match operation works correctly on sets in the positive case	Clause 15.9	m	
9	Sem_1509_MatchOperation_008	The match operation works correctly on sets in the negative case	Clause 15.9	m	
10	Sem_1509_MatchOperation_009	The match operation works correctly if the set types are incompatible	Clause 15.9	m	
11	Sem_1509_MatchOperation_010	The match operation works correctly on sets with optional fields in the positive case	Clause 15.9	m	

A.3.91 Valueof operation

Table A.90: Valueof operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1510_ValueOfOperation_001	The valueof function works correctly on omit	Clause 15.10	m	
2	NegSem_1510_ValueOfOperation_002	The valueof function works correctly on templates with wildcards	Clause 15.10	m	
3	NegSem_1510_ValueOfOperation_003	The valueof function works correctly on regular value templates	Clause 15.10	m	
4	NegSem_1510_ValueOfOperation_004	The valueof function works correctly on range templates	Clause 15.10	m	
5	NegSem_1510_ValueOfOperation_005	check that runtime error occurs if valueof is applied to uninitialized template	Clause 15.10	m	
6	NegSem_1510_ValueOfOperation_006	check that runtime error occurs if valueof is applied to partially initialized template	Clause 15.10	m	
7	Sem_1510_ValueOfOperation_001	The valueof operation works as expected for fully initialized templates	Clause 15.10	m	

A.3.92 Concatenating templates of string and list types

Table A.91: Concatenating templates of string and list types

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1511_ConcatenatingTemplatesOfStringAndListTypes_001	Concatenation of octetstring types yields an even number of digits	Clause 15.11	m	
2	NegSem_1511_ConcatenatingTemplatesOfStringAndListTypes_002	Concatenation of strings types yields an error if specified ranges are not fixed length	Clause 15.11	m	
3	NegSem_1511_ConcatenatingTemplatesOfStringAndListTypes_003	A simple concatenation of non-wildcard octetstring is not allowed to yield in a non-even number of hexadecimals	Clause 15.11	m	
4	NegSem_1511_ConcatenatingTemplatesOfStringAndListTypes_004	The inline template definitions are correctly concatenated	Clause 15.11	m	
5	NegSem_1511_ConcatenatingTemplatesOfStringAndListTypes_005	The inline template definitions are correctly concatenated	Clause 15.11	m	
6	NegSem_1511_ConcatenatingTemplatesOfStringAndListTypes_006	Concatenation of octetstring types and ? patterns works as expected	Clause 15.11	m	
7	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_001	Concatenation of charstring types works as expected (variant 1)	Clause 15.11	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
8	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_002	Concatenation of octetstring types works as expected (variant 2)	Clause 15.11	m	
9	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_003	Concatenation of bitstring types works as expected	Clause 15.11	m	
10	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_004	Concatenation of octetstring types works as expected (variant 1)	Clause 15.11	m	
11	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_005	Concatenation of octetstring types works as expected (variant 2)	Clause 15.11	m	
12	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_006	A concatenation of charstrings with a fixed length AnyValueOrNone be matched	Clause 15.11	m	
13	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_007	Concatenations of record of charstrings are accepted	Clause 15.11	m	
14	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_008	Concatenations of record of charstrings work when parameterized	Clause 15.11	m	
15	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_009	Concatenations of set of integers are accepted	Clause 15.11	m	
16	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_010	The inline template definitions are correctly concatenated	Clause 15.11	m	
17	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_011	Concatenation of octetstring types works as expected (matching patterns in quotation)	Clause 15.11	m	
18	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_012	Concatenation of octetstring types and ? patterns works as expected	Clause 15.11	m	
19	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_013	Concatenation of octetstring types and ? patterns works as expected	Clause 15.11	m	
20	Sem_1511_ConcatenatingTemplatesOfStringAndListTypes_014	Concatenation of charstring and universal charstring types are concatenated as expected	Clause 15.11	m	

A.3.93 Functions

Table A.92: Functions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1601_toplevel_001	The IUT correctly handles function definitions	Clause 16.1	m	
2	NegSem_1601_toplevel_002	The IUT correctly handles function definitions	Clause 16.1	m	
3	NegSem_1601_toplevel_003	The IUT correctly handles function definitions	Clause 16.1	m	
4	NegSem_1601_toplevel_004	The IUT correctly handles function definitions	Clause 16.1	m	
5	NegSem_1601_toplevel_005	The IUT correctly handles function definitions	Clause 16.1	m	
6	NegSem_1601_toplevel_006	The IUT correctly handles function definitions	Clause 16.1	m	
7	Sem_1601_toplevel_001	The IUT correctly handles function definitions	Clause 16.1	m	
8	Sem_1601_toplevel_002	The IUT correctly handles function definitions	Clause 16.1	m	
9	Sem_1601_toplevel_003	The IUT correctly handles function definitions	Clause 16.1	m	

A.3.94 Invoking functions

Table A.93: Invoking functions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_160101_invoking_functions_001	The IUT correctly handles function invocations	Clause 16.1.1	m	

A.3.95 Predefined functions

Table A.94: Predefined functions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_160102_predefined_functions_001	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
2	NegSem_160102_predefined_functions_002	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
3	NegSem_160102_predefined_functions_003	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
4	NegSem_160102_predefined_functions_004	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
5	NegSem_160102_predefined_functions_005	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
6	NegSem_160102_predefined_functions_006	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
7	NegSem_160102_predefined_functions_007	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
8	NegSem_160102_predefined_functions_008	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
9	NegSem_160102_predefined_functions_009	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
10	NegSem_160102_predefined_functions_010	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
11	NegSem_160102_predefined_functions_017	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
12	NegSem_160102_predefined_functions_018	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
13	NegSem_160102_predefined_functions_019	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
14	NegSem_160102_predefined_functions_021	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
15	NegSem_160102_predefined_functions_022	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
16	NegSem_160102_predefined_functions_023	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
17	NegSem_160102_predefined_functions_024	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
18	NegSem_160102_predefined_functions_025	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
19	NegSem_160102_predefined_functions_026	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
20	NegSem_160102_predefined_functions_027	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
21	NegSem_160102_predefined_functions_028	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
22	NegSem_160102_predefined_functions_029	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
23	NegSem_160102_predefined_functions_030	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
24	NegSem_160102_predefined_functions_031	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
25	NegSem_160102_predefined_functions_032	An error is generated when the parameter of the encvalue function contains a matching symbol	Clause 16.1.2	m	
26	NegSem_160102_predefined_functions_033	An error is detected when the parameter of the encvalue function contains an uninitialized value	Clause 16.1.2	m	
27	NegSem_160102_predefined_functions_034	An error is detected when the parameter of the encvalue function contains a partially initialized value	Clause 16.1.2	m	
28	NegSem_160102_predefined_functions_035	An error is detected when the first parameter of the decvalue function contains an uninitialized value	Clause 16.1.2	m	
29	NegSem_160102_predefined_functions_036	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
30	NegSem_160102_predefined_functions_037	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
31	NegSem_160102_predefined_functions_038	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
32	Sem_160102_predefined_functions_001	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
33	Sem_160102_predefined_functions_002	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
34	Sem_160102_predefined_functions_003	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
35	Sem_160102_predefined_functions_004	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
36	Sem_160102_predefined_functions_005	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
37	Sem_160102_predefined_functions_006	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
38	Sem_160102_predefined_functions_007	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
39	Sem_160102_predefined_functions_008	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
40	Sem_160102_predefined_functions_009	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
41	Sem_160102_predefined_functions_010	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
42	Sem_160102_predefined_functions_011	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
43	Sem_160102_predefined_functions_012	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
44	Sem_160102_predefined_functions_013	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
45	Sem_160102_predefined_functions_014	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
46	Sem_160102_predefined_functions_015	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
47	Sem_160102_predefined_functions_016	Predefined encvalue function works correctly (as specified in clause C.5.1 of [1])	Clause 16.1.2	m	
48	Sem_160102_predefined_functions_017	Predefined decvalue function performs full decoding correctly	Clause 16.1.2	m	
49	Sem_160102_predefined_functions_018	Predefined decvalue function performs decoding if there are more bits than needed	Clause 16.1.2	m	
50	Sem_160102_predefined_functions_019	Predefined decvalue function works properly in case of decoding failure	Clause 16.1.2	m	
51	Sem_160102_predefined_functions_020	Predefined decvalue function works properly in case of not enough bits	Clause 16.1.2	m	
52	Sem_160102_predefined_functions_021	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
53	Sem_160102_predefined_functions_022	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
54	Sem_160102_predefined_functions_023	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
55	Sem_160102_predefined_functions_024	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
56	Sem_160102_predefined_functions_025	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.33 of [1])	Clause 16.1.2	m	
57	Sem_160102_predefined_functions_026	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
58	Sem_160102_predefined_functions_027	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
59	Sem_160102_predefined_functions_028	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
60	Sem_160102_predefined_functions_029	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
61	Sem_160102_predefined_functions_030	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
62	Sem_160102_predefined_functions_031	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
63	Sem_160102_predefined_functions_032	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
64	Sem_160102_predefined_functions_033	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
65	Sem_160102_predefined_functions_034	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
66	Sem_160102_predefined_functions_035	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
67	Sem_160102_predefined_functions_036	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
68	Sem_160102_predefined_functions_037	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
69	Sem_160102_predefined_functions_038	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
70	Sem_160102_predefined_functions_039	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
71	Sem_160102_predefined_functions_040	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
72	Sem_160102_predefined_functions_041	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
73	Sem_160102_predefined_functions_042	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
74	Sem_160102_predefined_functions_043	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
75	Sem_160102_predefined_functions_044	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
76	Sem_160102_predefined_functions_045	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
77	Sem_160102_predefined_functions_046	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
78	Sem_160102_predefined_functions_047	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
79	Sem_160102_predefined_functions_048	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
80	Sem_160102_predefined_functions_049	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
81	Sem_160102_predefined_functions_050	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
82	Sem_160102_predefined_functions_051	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
83	Sem_160102_predefined_functions_052	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
84	Sem_160102_predefined_functions_053	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
85	Sem_160102_predefined_functions_054	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
86	Sem_160102_predefined_functions_055	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
87	Sem_160102_predefined_functions_056	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
88	Sem_160102_predefined_functions_057	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
89	Sem_160102_predefined_functions_058	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
90	Sem_160102_predefined_functions_059	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
91	Sem_160102_predefined_functions_060	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
92	Sem_160102_predefined_functions_061	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.3.5 of [1])	Clause 16.1.2	m	
93	Sem_160102_predefined_functions_063	Predefined encvalue_unichar function works properly in case of encoding universal charstring	Clause 16.1.2	m	
94	Sem_160102_predefined_functions_064	Predefined encvalue_unichar function works properly in case of encoding universal charstring	Clause 16.1.2	m	
95	Sem_160102_predefined_functions_065	Predefined decvalue function works properly in case of encoding universal charstring	Clause 16.1.2	m	
96	Sem_160102_predefined_functions_066	Predefined encvalue_unichar function works properly in case of encoding universal charstring	Clause 16.1.2	m	
97	Sem_160102_predefined_functions_067	Predefined encvalue_unichar function works properly in case of encoding universal charstring	Clause 16.1.2	m	
98	Sem_160102_predefined_functions_068	Predefined encvalue_unichar function works properly in case of encoding universal charstring	Clause 16.1.2	m	
99	Sem_160102_predefined_functions_069	Predefined encvalue_unichar function works properly in case of encoding universal charstring	Clause 16.1.2	m	
100	Sem_160102_predefined_functions_070	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
101	Sem_160102_predefined_functions_071	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
102	Sem_160102_predefined_functions_072	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
103	Sem_160102_predefined_functions_073	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
104	Sem_160102_predefined_functions_074	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
105	Sem_160102_predefined_functions_075	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
106	Sem_160102_predefined_functions_076	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
107	Sem_160102_predefined_functions_077	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
108	Sem_160102_predefined_functions_078	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	
109	Sem_160102_predefined_functions_079	Predefined decvalue_unichar function works properly	Clause 16.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
110	Sem_160102_predefined_functions_080	Predefined decvalue and decvalue_unichar function works properly in case of uninitialized encode value is given	Clause 16.1.2	m	
111	Sem_160102_predefined_functions_081	Predefined function get_stringencoding works properly	Clause 16.1.2	m	
112	Sem_160102_predefined_functions_082	Predefined function for removing Byte order mark works properly	Clause 16.1.2	m	
113	Sem_160102_predefined_functions_083	Predefined function isvalue() works properly	Clause 16.1.2	m	
114	Sem_160102_predefined_functions_084	Predefined function isvalue() works properly	Clause 16.1.2	m	
115	Sem_160102_predefined_functions_085	Predefined function isvalue() works properly	Clause 16.1.2	m	
116	Sem_160102_predefined_functions_086	Predefined function isvalue() works properly	Clause 16.1.2	m	
117	Sem_160102_predefined_functions_087	Predefined function isvalue() works properly	Clause 16.1.2	m	
118	Sem_160102_predefined_functions_088	Predefined function isvalue() works properly	Clause 16.1.2	m	
119	Sem_160102_predefined_functions_089	Predefined function isvalue() works properly	Clause 16.1.2	m	
120	Sem_160102_predefined_functions_090	The IUT recognizes predefined functions and correctly evaluates them (as specified by clause C.4.1 of [1])	Clause 16.1.2	m	
121	Sem_160102_predefined_functions_091	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	
122	Sem_160102_predefined_functions_092	The IUT recognizes predefined functions and correctly evaluates them (as specified by annex C of [1])	Clause 16.1.2	m	

A.3.96 External functions

Table A.95: External functions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_160103_external_functions_001	The IUT recognizes external functions	Clause 16.1.3	m	
2	Sem_160103_external_functions_001	The IUT recognizes external functions	Clause 16.1.3	m	
3	Sem_160103_external_functions_002	The IUT recognizes external functions	Clause 16.1.3	m	

A.3.97 Invoking function from specific places

Table A.96: Invoking function from specific places

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_160104_invoking_functions_from_specific_places_001	The IUT recognizes restrictions described in clause 16.1.4. It is presumed that the list given in clause 16.1.4 describes mandatory restrictions	Clause 16.1.4	m	
2	NegSem_160104_invoking_functions_from_specific_places_002	The IUT recognizes restrictions described in clause 16.1.4. It is presumed that the list given in clause 16.1.4 describes mandatory restrictions	Clause 16.1.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
3	NegSem_160104_invoking_functions_from_specific_places_003	The IUT recognizes restrictions described in clause 16.1.4. It is presumed that the list given in clause 16.1.4 describes mandatory restrictions	Clause 16.1.4	m	
4	NegSem_160104_invoking_functions_from_specific_places_004	The IUT recognizes restrictions described in clause 16.1.4. It is presumed that the list given in clause 16.1.4 describes mandatory restrictions	Clause 16.1.4	m	

A.3.98 Altsteps

Table A.97: Altsteps

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1602_toplevel_001	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
2	NegSem_1602_toplevel_002	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
3	NegSem_1602_toplevel_003	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
4	NegSem_1602_toplevel_004	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
5	NegSem_1602_toplevel_005	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
6	NegSem_1602_toplevel_006	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
7	NegSyn_1602_toplevel_001	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	
8	Sem_1602_toplevel_001	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2	m	

A.3.99 Invoking altsteps

Table A.98: Invoking altsteps

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_160201_invoking_altsteps_001	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2.1	m	
2	Sem_160201_invoking_altsteps_001	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2.1	m	
3	Sem_160201_invoking_altsteps_002	The IUT recognizes altstep definitions and correctly evaluates them	Clause 16.2.1	m	
4	Sem_160201_invoking_altsteps_003	Altsteps are correctly handled for dynamically mapped ports	Clause 16.2.1	m	
5	Sem_160201_invoking_altsteps_004	Altsteps are correctly handled for dynamically mapped ports	Clause 16.2.1	m	

A.3.100 Test cases

Table A.99: Test cases

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1603_testcases_001	The IUT properly evaluates invocation of testcases	Clause 16.3	m	
2	NegSem_1603_testcases_002	The IUT properly evaluates invocation of testcases	Clause 16.3	m	
3	Syn_1603_testcases_001	The IUT properly evaluates invocation of testcases with system clause	Clause 16.3	m	

A.3.101 Assignments

Table A.100: Assignments

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1901_assignments_001	The IUT properly evaluates assignment statements	Clause 19.1	m	
2	NegSem_1901_assignments_002	The IUT properly evaluates assignment statements	Clause 19.1	m	
3	NegSem_1901_assignments_003	The IUT properly evaluates assignment statements	Clause 19.1	m	
4	NegSem_1901_assignments_004	Omit assignment to a record non-optional value is not allowed	Clause 19.1	m	
5	NegSem_1901_assignments_005	Omit assignment to set of non-optional value is not allowed	Clause 19.1	m	
6	NegSem_1901_assignments_006	Omit assignment to an array is not allowed	Clause 19.1	m	
7	NegSyn_1901_assignments_001	The IUT properly evaluates assignment statements	Clause 19.1	m	
8	Sem_1901_assignments_001	The IUT properly evaluates assignment statements	Clause 19.1	m	
9	Sem_1901_assignments_002	Uninitialized at the right-hand side of the assignment shall also become uninitialized at the left-hand side	Clause 19.1	m	
10	Sem_1901_assignments_003	The right-hand side of the assignment of a structured value is evaulted correctly	Clause 19.1	m	
11	Sem_1901_assignments_004	Ensure that the right-hand side of the assignment of a structured value is evaulted correctly	Clause 19.1	m	

A.3.102 The if-else statement

Table A.101: The if-else statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_1902_if_else_statement_001	If statement requires curly brackets for the body	Clause 19.2	m	
2	Sem_1902_if_else_statement_001	The IUT properly evaluates if-else statements	Clause 19.2	m	
3	Sem_1902_if_else_statement_002	The IUT properly evaluates if-else statements	Clause 19.2	m	

A.3.103 The Select statements

Table A.102: The Select statements

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_190301_select_case_statement_001	The IUT properly evaluates select-case statements	Clause 19.3	m	
2	Sem_190301_select_case_statement_002	The IUT properly evaluates select-case statements	Clause 19.3	m	
3	Sem_190301_select_case_statement_003	The IUT properly evaluates select-case statements	Clause 19.3	m	
4	Sem_190301_select_case_statement_004	The IUT properly evaluates select-case statements	Clause 19.3	m	

A.3.104 The select union statement

Table A.103: The select union statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_190301_select_union_statement_001	Verify that header part of select-union statements can't contain anything else than union instances	Clause 19.3.2	m	
2	NegSem_190301_select_union_statement_002	Verify that uninitialized value can't be used in select union header	Clause 19.3.2	m	
3	NegSem_190301_select_union_statement_003	Verify that unknown alternatives can't be use in case statements	Clause 19.3.2	m	
4	NegSem_190301_select_union_statement_004	Verify that the same alternative can't be used in two case statements (simple case)	Clause 19.3.2	m	
5	NegSem_190301_select_union_statement_005	Verify that the same alternative can't be used in two case statements (list item)	Clause 19.3.2	m	
6	Sem_190301_select_union_statement_001	Verify that it is possible to use a select union statement with several branches	Clause 19.3.2	m	
7	Sem_190301_select_union_statement_002	Verify that it is possible to use comma separated list of alternatives in case branches	Clause 19.3.2	m	
8	Sem_190301_select_union_statement_003	Verify that it is possible to use an else branches	Clause 19.3.2	m	
9	Sem_190301_select_union_statement_004	Verify that else branch is executed if no case is defined for the selected alternative	Clause 19.3.2	m	
10	Sem_190301_select_union_statement_005	Verify that no branch is executed if the's no suitable case branch	Clause 19.3.2	m	
11	Sem_190301_select_union_statement_006	Verify that partially initialized value can be used in select union header	Clause 19.3.2	m	

A.3.105 The for statement

Table A.104: The for statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1904_for_statement_001	The IUT properly evaluates for statements	Clause 19.4	m	
2	Sem_1904_for_statement_001	The IUT properly evaluates for statements	Clause 19.4	m	
3	Sem_1904_for_statement_002	The IUT properly evaluates for statements	Clause 19.4	m	
4	Sem_1904_for_statement_003	The IUT properly evaluates for statements	Clause 19.4	m	

A.3.106 The while statement

Table A.105: The while statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1905_while_statement_001	The IUT properly evaluates while statements	Clause 19.5	m	
2	Sem_1905_while_statement_001	The IUT properly evaluates while statements	Clause 19.5	m	
3	Sem_1905_while_statement_002	The IUT properly evaluates while statements	Clause 19.5	m	
4	Sem_1905_while_statement_003	The IUT properly evaluates while statements	Clause 19.5	m	

A.3.107 The do-while statement

Table A.106: The do-while statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1906_do_while_statement_001	The IUT properly evaluates do-while statements	Clause 19.6	m	
2	Sem_1906_do_while_statement_001	The IUT properly evaluates do-while statements	Clause 19.6	m	
3	Sem_1906_do_while_statement_002	The IUT properly evaluates do-while statements	Clause 19.6	m	
4	Sem_1906_do_while_statement_003	The IUT properly evaluates do-while statements	Clause 19.6	m	

A.3.108 The label statement

Table A.107: The label statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1907_label_statement_001	The IUT correctly handles label naming uniqueness	Clause 19.7	m	
2	NegSyn_1907_label_statement_001	The IUT correctly handles label syntax	Clause 19.7	m	
3	NegSyn_1907_label_statement_002	The IUT correctly handles label syntax	Clause 19.7	m	
4	Syn_1907_label_statement_001	The IUT correctly handles label syntax	Clause 19.7	m	

A.3.109 The goto statement

Table A.108: The goto statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1908_goto_statement_001	The IUT correctly handles goto statements	Clause 19.8	m	
2	NegSem_1908_goto_statement_002	The IUT correctly handles goto statements	Clause 19.8	m	
3	NegSem_1908_goto_statement_003	The IUT correctly handles goto statements	Clause 19.8	m	
4	Sem_1908_goto_statement_001	The IUT correctly handles goto statements	Clause 19.8	m	
5	Sem_1908_goto_statement_002	The IUT correctly handles goto statements	Clause 19.8	m	
6	Sem_1908_goto_statement_003	The IUT correctly handles goto statements	Clause 19.8	m	

A.3.110 The stop execution statement

Table A.109: The stop execution statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_1909_stop_statement_001	The IUT correctly handles stop statements.	Clause 19.9	m	
2	Sem_1909_stop_statement_002	The IUT correctly handles stop statements.	Clause 19.9	m	
3	Sem_1909_stop_statement_003	stop statement in a function called from a PTC	Clause 19.9	m	
4	Sem_1909_stop_statement_004	stop statement in a function called from a PTC	Clause 19.9	m	

A.3.111 The return statement

Table A.110: The return statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1910_return_statement_001	The IUT correctly handles return statements	Clause 19.10	m	
2	Sem_1910_return_statement_001	The IUT correctly handles return statements	Clause 19.10	m	
3	Sem_1910_return_statement_002	The IUT correctly handles return statements	Clause 19.10	m	

A.3.112 The log statement

Table A.111: The log statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1911_log_statement_001	The IUT properly evaluates log statements	Clause 19.11	m	
2	Sem_1911_log_statement_001	The IUT properly evaluates log statements	Clause 19.11	m	
3	Sem_1911_log_statement_002	The IUT properly evaluates log statements	Clause 19.11	m	
4	Sem_1911_log_statement_003	The IUT properly evaluates log statements	Clause 19.11	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
5	Sem_1911_log_statement_004	The IUT properly evaluates log statements	Clause 19.11	m	
6	Sem_1911_log_statement_005	The IUT properly evaluates log statements	Clause 19.11	m	

A.3.113 The continue statement

Table A.112: The continue statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_1913_continue_statement_001	The IUT properly evaluates continue statements	Clause 19.13	m	

A.3.114 Statement and operations for alternative behaviours

Table A.113: Statement and operations for alternative behaviours

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_20_TopLevel_001	Alt-statements are accepted	Clause 20	m	
2	Syn_20_TopLevel_002	Repeat in an alt-statement is accepted	Clause 20	m	
3	Syn_20_TopLevel_003	The interleave-statement is accepted	Clause 20	m	
4	Syn_20_TopLevel_004	Defaults and the activate statement is accepted	Clause 20	m	
5	Syn_20_TopLevel_005	Defaults and the activate statement is accepted	Clause 20	m	

A.3.115 The alt statement

Table A.114: The alt statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2002_TheAltStatement_001	Dynamic error if a test component is completely blocked	Clause 20.2	m	
2	NegSem_2002_TheAltStatement_002	Create in guard statements	Clause 20.2	m	
3	NegSem_2002_TheAltStatement_003	Running (timer) in guard statements	Clause 20.2	m	
4	NegSem_2002_TheAltStatement_004	Running (component) in guard statements	Clause 20.2	m	
5	NegSem_2002_TheAltStatement_005	Alive in guard statements	Clause 20.2	m	
6	NegSem_2002_TheAltStatement_006	Activate in guard statements	Clause 20.2	m	
7	NegSem_2002_TheAltStatement_007	Create in alt branch event	Clause 20.2	m	
8	NegSem_2002_TheAltStatement_008	Running (timer) in alt branch event	Clause 20.2	m	
9	NegSem_2002_TheAltStatement_009	Running (component) in alt branch event	Clause 20.2	m	
10	NegSem_2002_TheAltStatement_010	Alive in alt branch event	Clause 20.2	m	
11	NegSem_2002_TheAltStatement_011	Create in alt branch event	Clause 20.2	m	
12	NegSem_2002_TheAltStatement_012	Create in altstep branch	Clause 20.2	m	
13	NegSem_2002_TheAltStatement_013	Running (timer) in altstep branch	Clause 20.2	m	
14	NegSem_2002_TheAltStatement_014	Running (component) in altstep branch	Clause 20.2	m	
15	NegSem_2002_TheAltStatement_015	Alive in altstep branch	Clause 20.2	m	
16	NegSem_2002_TheAltStatement_016	Create in altstep branch	Clause 20.2	m	
17	Sem_2002_TheAltStatement_001	The alt-statement works as expected (loopback case)	Clause 20.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
18	Sem_2002_TheAltStatement_002	The alt-statement with a guard works as expected (loopback case)	Clause 20.2	m	
19	Sem_2002_TheAltStatement_003	The alt-statement processes the alternatives in order (loopback case)	Clause 20.2	m	
20	Sem_2002_TheAltStatement_004	Activated defaults are processed in the reverse order (loopback case)	Clause 20.2	m	
21	Sem_2002_TheAltStatement_005	The else branch is executed when nothing else matched (loopback case)	Clause 20.2	m	
22	Sem_2002_TheAltStatement_006	An altstep invocation works as expected (loopback case)	Clause 20.2	m	
23	Sem_2002_TheAltStatement_007	An altstep invocation works as expected and that the optional statement block is executed after the altstep statement block (loopback case)	Clause 20.2	m	
24	Sem_2002_TheAltStatement_008	The done-block in an alt-statement is triggered as expected (loopback case)	Clause 20.2	m	
25	Sem_2002_TheAltStatement_009	The killed-block in an alt-statement is triggered as expected when the component is killed (loopback case)	Clause 20.2	m	
26	Sem_2002_TheAltStatement_010	The timeout branch is taken as expected (loopback case)	Clause 20.2	m	
27	Sem_2002_TheAltStatement_011	The behavior continues after the alt-statement (loopback case)	Clause 20.2	m	
28	Sem_2002_TheAltStatement_012	Alt statements are correctly handled for dynamically mapped ports	Clause 20.2	m	
29	Sem_2002_TheAltStatement_013	Alt statements are correctly handled for dynamically mapped ports	Clause 20.2	m	
30	Sem_2002_TheAltStatement_014	no default activation after else	Clause 20.2	m	
31	Sem_2003_the_repeat_statement_002	repeat in procedure call block	Clause 20.2	m	
32	Sem_2003_the_repeat_statement_003	repeat in alstep branch of alt statements	Clause 20.2	m	
33	Sem_2003_the_repeat_statement_004	repeat in executed default	Clause 20.2	m	

A.3.116 The repeat statement

Table A.115: The repeat statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2003_the_repeat_statement_001	The IUT correctly processes repeat statements	Clause 20.3	m	
2	Sem_2003_the_repeat_statement_001	The IUT correctly processes repeat statements	Clause 20.3	m	

A.3.117 The interleave statement

Table A.116: The interleave statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2004_InterleaveStatement_001	Validate that interleave statements are properly handled	Clause 20.4	m	
2	NegSem_2004_InterleaveStatement_002	While loop inside interleave	Clause 20.4	m	
3	NegSem_2004_InterleaveStatement_003	Do-while loop inside interleave	Clause 20.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
4	NegSem_2004_InterleaveStatement_004	Goto inside interleave	Clause 20.4	m	
5	NegSem_2004_InterleaveStatement_005	Activate call inside interleave	Clause 20.4	m	
6	NegSem_2004_InterleaveStatement_006	Deactivate call inside interleave	Clause 20.4	m	
7	NegSem_2004_InterleaveStatement_007	Stop inside interleave	Clause 20.4	m	
8	NegSem_2004_InterleaveStatement_008	Repeat inside interleave	Clause 20.4	m	
9	NegSem_2004_InterleaveStatement_009	Return inside interleave	Clause 20.4	m	
10	NegSem_2004_InterleaveStatement_010	Explicit altstep call inside interleave	Clause 20.4	m	
11	NegSem_2004_InterleaveStatement_011	Direct function call containing reception statement inside interleave	Clause 20.4	m	
12	NegSem_2004_InterleaveStatement_012	Indirect function call containing reception statement inside interleave	Clause 20.4	m	
13	NegSyn_2004_InterleaveStatement_001	Validate that interleave statements are properly handled	Clause 20.4	m	
14	NegSyn_2004_InterleaveStatement_002	Validate that interleave statements are properly handled	Clause 20.4	m	
15	Sem_2004_InterleaveStatement_001	Validate that interleave statements are properly handled	Clause 20.4	m	
16	Sem_2004_InterleaveStatement_002	Validate that interleave statements are properly handled	Clause 20.4	m	
17	Sem_2004_InterleaveStatement_003	while loop inside interleave	Clause 20.4	m	
18	Syn_2004_InterleaveStatement_001	Validate that interleave statements are properly handled	Clause 20.4	m	

A.3.118 The default mechanism

Table A.117: The default mechanism

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_200501_the_default_mechanism_001	Verify unsuccessful default termination	Clause 20.5.1	m	
2	Sem_200501_the_default_mechanism_001	Verify that activated default is invoked	Clause 20.5.1	m	
3	Sem_200501_the_default_mechanism_002	Verify that default are processed in interleave	Clause 20.5.1	m	
4	Sem_200501_the_default_mechanism_003	Verify than default are processed in interleave	Clause 20.5.1	m	
5	Sem_200501_the_default_mechanism_004	Verify that default processing order is correct	Clause 20.5.1	m	
6	Sem_200501_the_default_mechanism_005	Verify that default processing order is correct	Clause 20.5.1	m	
7	Sem_200501_the_default_mechanism_006	Verify repeat command behaviour in invoked default	Clause 20.5.1	m	
8	Sem_200501_the_default_mechanism_007	Verify break command behaviour in invoked default	Clause 20.5.1	m	
9	Sem_200501_the_default_mechanism_008	Verify stop command behaviour in invoked default	Clause 20.5.1	m	
10	NegSem_200503_the_deactivate_operation_001	Verify that deactivate deactivated default causes error	Clause 20.5.1	m	
11	NegSem_200503_the_deactivate_operation_002	Verify that deactivate uninitialized default causes error	Clause 20.5.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
12	NegSem_200503_the_deactivate_operation_003	Verify that error is generated when deactivated reference is on incorrect type	Clause 20.5.1	m	
13	Sem_200503_the_deactivate_operation_001	Verify that deactivate removes default from list of defaults	Clause 20.5.1	m	
14	Sem_200503_the_deactivate_operation_002	Verify that deactivate removes default from list of defaults	Clause 20.5.1	m	
15	Sem_200503_the_deactivate_operation_003	Verify that deactivate without parameter clear list of defaults	Clause 20.5.1	m	
16	Sem_200503_the_deactivate_operation_004	Verify that deactivate null works correctly	Clause 20.5.1	m	

A.3.119 The activate operation

Table A.118: The activate operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_200502_the_activate_operation_001	Verify error is generated if activated altstep runs on incompatible component	Clause 20.5.2	m	
2	NegSem_200502_the_activate_operation_002	Verify error is generated when passing local timer	Clause 20.5.2	m	
3	NegSem_200502_the_activate_operation_003	Verify error is generated when activating altstep with out parameters	Clause 20.5.2	m	
4	NegSem_200502_the_activate_operation_004	Verify error is generated when activating altstep with inout parameters	Clause 20.5.2	m	
5	NegSem_200502_the_activate_operation_005	Verify error is generated when activating function	Clause 20.5.2	m	
6	NegSem_200502_the_activate_operation_006	Local timer as a parameter of activated altstep in module control	Clause 20.5.2	m	
7	NegSem_200502_the_activate_operation_007	Local timer (referenced through timer parameter) as a parameter of activated altstep in module control	Clause 20.5.2	m	
8	Sem_200502_the_activate_operation_001	Verify that activate operation can be used as standalone statement	Clause 20.5.2	m	
9	Sem_200502_the_activate_operation_002	Verify that parameters are passed at activation time	Clause 20.5.2	m	
10	Sem_200502_the_activate_operation_003	Verify that passing component timer to activated altstep	Clause 20.5.2	m	
11	Sem_200502_the_activate_operation_004	Verify passing port parameter to activated altstep	Clause 20.5.2	m	
12	Sem_200502_the_activate_operation_005	Control block timer as a parameter of activated altstep	Clause 20.5.2	m	
13	Sem_200502_the_activate_operation_006	Control block timer (referenced through timer parameter) as a parameter of activated altstep	Clause 20.5.2	m	

A.3.120 Connection operations

Table A.119: Connection operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2101_TopLevel_001	Verify that connect operation can't contain a system port	Clause 21.1	m	
2	NegSem_2101_TopLevel_002	Verify that map operation fails if both operands are component ports	Clause 21.1	m	

A.3.121 The connect and map operations

Table A.120: The connect and map operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210101_connect_and_map_operations_001	Verify that connect operation rejects ports with incompatible message type lists	Clause 21.1.1	m	
2	NegSem_210101_connect_and_map_operations_002	Verify that connect operation rejects ports with only partially compatible message type lists	Clause 21.1.1	m	
3	NegSem_210101_connect_and_map_operations_003	Verify that map operation rejects ports with incompatible message type lists	Clause 21.1.1	m	
4	NegSem_210101_connect_and_map_operations_004	Verify that connect operation rejects ports with only partially compatible message type lists	Clause 21.1.1	m	
5	NegSem_210101_connect_and_map_operations_005	Verify that map parameters can't be used when not declared in the port type	Clause 21.1.1	m	
6	NegSem_210101_connect_and_map_operations_006	Verify that type incompatibility in map parameters is detected	Clause 21.1.1	m	
7	NegSem_210101_connect_and_map_operations_007	Verify that parameter count mismatch in map param clause is detected	Clause 21.1.1	m	
8	NegSem_210101_connect_and_map_operations_008	violation of strong typing rules for local ports in connect operations	Clause 21.1.1	m	
9	NegSem_210101_connect_and_map_operations_009	violation of strong typing rules for MTC ports in connect operations	Clause 21.1.1	m	
10	NegSem_210101_connect_and_map_operations_010	violation of strong typing rules for PTC ports in connect operations	Clause 21.1.1	m	
11	NegSem_210101_connect_and_map_operations_011	violation of strong typing rules for local ports in map operations	Clause 21.1.1	m	
12	NegSem_210101_connect_and_map_operations_012	violation of strong typing rules for MTC ports in map operations	Clause 21.1.1	m	
13	NegSem_210101_connect_and_map_operations_013	violation of strong typing rules for PTC ports in map operations	Clause 21.1.1	m	
14	NegSem_210101_connect_and_map_operations_014	violation of strong typing rules for system ports in map operations	Clause 21.1.1	m	
15	NegSem_210101_connect_operation_001	The the IUT doesn't allows two output port connection	Clause 21.1.1	m	
16	NegSem_210101_connect_operation_002	The the IUT doesn't allow connecting incompatible ports	Clause 21.1.1	m	
17	NegSem_210101_map_operation_001	IUT can't map input port with output port	Clause 21.1.1	m	
18	NegSem_210101_map_operation_002	IUT can't map input port with output port	Clause 21.1.1	m	
19	Sem_210101_connect_and_map_operations_001	Connect operation accepts ports with compatible message type list containing several types	Clause 21.1.1	m	
20	Sem_210101_connect_and_map_operations_002	Connect operation accepts ports where outlist of the 1st port is a subset of inlist of the 2 nd port	Clause 21.1.1	m	
21	Sem_210101_connect_and_map_operations_003	Connect operation accepts ports where outlist of the 2 nd port is a subset of inlist of the 1 st port	Clause 21.1.1	m	
22	Sem_210101_connect_and_map_operations_004	Connect operation accepts ports where outlist of both ports are subsets of inlist of the counterpart ports	Clause 21.1.1	m	
23	Sem_210101_connect_and_map_operations_005	Map operation accepts ports with compatible message type list containing several types	Clause 21.1.1	m	
24	Sem_210101_connect_and_map_operations_006	Map operation accepts ports with compatible message type list containing several types	Clause 21.1.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
25	Sem_210101_connect_and_map_operations_007	Map operation accepts ports with compatible message type list containing several types	Clause 21.1.1	m	
26	Sem_210101_connect_and_map_operations_008	Map operation accepts ports with compatible message type list containing several types	Clause 21.1.1	m	
27	Sem_210101_connect_and_map_operations_009	Map param statements are allowed in testcase block	Clause 21.1.1	m	
28	Sem_210101_connect_and_map_operations_010	Verify that the param part can be skipped in map operations	Clause 21.1.1	m	
29	Sem_210102_disconnect_operation_002	Disconnect has no effect on components that are not connected	Clause 21.1.1	m	

A.3.122 The disconnect and unmap operations

Table A.121: The disconnect and unmap operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210102_disconnect_and_unmap_operations_001	Verify that unmap operation can't contain a system port reference	Clause 21.1.2	m	
2	NegSem_210102_disconnect_and_unmap_operations_002	Verify that disconnecting all ports of all components is not possible in PTC	Clause 21.1.2	m	
3	NegSem_210102_disconnect_and_unmap_operations_003	Verify that unmapping all ports of all components is not possible in PTC	Clause 21.1.2	m	
4	NegSem_210102_disconnect_and_unmap_operations_004	Verify that unmap parameters can't be used when not declared in the port type	Clause 21.1.2	m	
5	NegSem_210102_disconnect_and_unmap_operations_005	Verify that type incompatibility in unmap parameters is detected	Clause 21.1.2	m	
6	NegSem_210102_disconnect_and_unmap_operations_006	Verify that parameter count mismatch in unmap param clause is detected	Clause 21.1.2	m	
7	NegSem_210102_disconnect_and_unmap_operations_007	Verify that the param clause can't be used when unmap contains no system port reference	Clause 21.1.2	m	
8	NegSem_210102_disconnect_and_unmap_operations_008	violation of strong typing rules for local ports in disconnect operations	Clause 21.1.2	m	
9	NegSem_210102_disconnect_and_unmap_operations_009	violation of strong typing rules for MTC ports in disconnect operations	Clause 21.1.2	m	
10	NegSem_210102_disconnect_and_unmap_operations_010	violation of strong typing rules for PTC ports in disconnect operations	Clause 21.1.2	m	
11	NegSem_210102_disconnect_and_unmap_operations_011	violation of strong typing rules for local ports in unmap operations	Clause 21.1.2	m	
12	NegSem_210102_disconnect_and_unmap_operations_012	violation of strong typing rules for MTC ports in unmap operations	Clause 21.1.2	m	
13	NegSem_210102_disconnect_and_unmap_operations_013	violation of strong typing rules for PTC ports in unmap operations	Clause 21.1.2	m	
14	NegSem_210102_disconnect_and_unmap_operations_014	violation of strong typing rules for system ports in unmap operations	Clause 21.1.2	m	
15	NegSem_210102_disconnect_operation_001	Mapped port can't disconnect	Clause 21.1.2	m	
16	Sem_210102_disconnect_and_unmap_operations_001	Disconnect operation with two parameters works correctly	Clause 21.1.2	m	
17	Sem_210102_disconnect_and_unmap_operations_002	Disconnect operation with one parameter works correctly	Clause 21.1.2	m	
18	Sem_210102_disconnect_and_unmap_operations_003	Disconnect operation with all ports of a component works correctly	Clause 21.1.2	m	
19	Sem_210102_disconnect_and_unmap_operations_004	Disconnect operation with no argument works correctly	Clause 21.1.2	m	
20	Sem_210102_disconnect_and_unmap_operations_005	Unmap operation with one system port as a parameter works correctly	Clause 21.1.2	m	
21	Sem_210102_disconnect_and_unmap_operations_006	Unmap operation with one component port as a parameter works correctly	Clause 21.1.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
22	Sem_210102_disconnect_and_unmap_operations_007	Unmap operation with all ports of a component works correctly	Clause 21.1.2	m	
23	Sem_210102_disconnect_and_unmap_operations_008	Unmap operation with no parameters works correctly	Clause 21.1.2	m	
24	Sem_210102_disconnect_and_unmap_operations_009	All component notation works correctly in unmap operations	Clause 21.1.2	m	
25	Sem_210102_disconnect_and_unmap_operations_010	Verify that no error is generated when unmapping ports that are not mapped	Clause 21.1.2	m	
26	Sem_210102_disconnect_and_unmap_operations_011	Unmap param statements are allowed in testcase block	Clause 21.1.2	m	
27	Sem_210102_disconnect_and_unmap_operations_012	Verify that the param part can be skipped in unmap operations	Clause 21.1.2	m	
28	Sem_210102_disconnect_and_unmap_operations_013	Verify that the param clause can be used when unmap contains a single system port parameter	Clause 21.1.2	m	
29	Sem_210102_disconnect_operation_001	All component notation work correctly in disconnect operation	Clause 21.1.2	m	
30	Sem_210102_unmap_operation_001	Umap operation of a system and component port works correctly	Clause 21.1.2	m	
31	Sem_210102_unmap_operation_002	Umap operation of a component and system port works correctly	Clause 21.1.2	m	

A.3.123 Test case operations

Table A.122: Test case operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2102_testcase_stop_001	Stopping test case	Clause 21.2	m	

A.3.124 The create operation

Table A.123: The create operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210301_CreateOperation_001	Named components on hosts are accepted	Clause 21.3.1	m	
2	NegSem_210301_CreateOperation_002	Named components on hosts are accepted	Clause 21.3.1	m	
3	NegSem_210301_CreateOperation_003	Named components on hosts are accepted	Clause 21.3.1	m	
4	Sem_210301_CreateOperation_001	Unnamed components can be created	Clause 21.3.1	m	
5	Sem_210301_CreateOperation_002	Named components can be created	Clause 21.3.1	m	
6	Sem_210301_CreateOperation_003	Unnamed alive components on hosts can be created	Clause 21.3.1	m	
7	Sem_210301_CreateOperation_004	Named alive components can be created	Clause 21.3.1	m	
8	Syn_210301_CreateOperation_001	Named components on hosts are accepted	Clause 21.3.1	m	

A.3.125 The start test component operation

Table A.124: The start test component operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210302_Start_test_component_001	Non-alive ptc can't start again	Clause 21.3.2	m	
2	NegSem_210302_Start_test_component_002	Only component type is allowed for ptc declaration	Clause 21.3.2	m	
3	NegSem_210302_Start_test_component_003	Altstep in test component start operation	Clause 21.3.2	m	
4	NegSem_210302_Start_test_component_004	Starting behaviour on already running non-alive component	Clause 21.3.2	m	
5	NegSem_210302_Start_test_component_005	Starting behaviour on already running non-alive component	Clause 21.3.2	m	
6	NegSem_210302_Start_test_component_006	Function invocation in the start operation doesn't return a component	Clause 21.3.2	m	
7	NegSem_210302_Start_test_component_007	Starting function with incompatible "runs on" clause	Clause 21.3.2	m	
8	NegSem_210302_Start_test_component_008	Passing port to started component function	Clause 21.3.2	m	
9	NegSem_210302_Start_test_component_009	Passing default to started component function	Clause 21.3.2	m	
10	NegSem_210302_Start_test_component_010	Passing timer to started component function	Clause 21.3.2	m	
11	NegSem_210302_Start_test_component_011	Passing structured value containing ports to started component function	Clause 21.3.2	m	
12	NegSem_210302_Start_test_component_012	Passing default to started component function	Clause 21.3.2	m	
13	Sem_210302_Start_test_component_001	Alive test components are allowed to start another function	Clause 21.3.2	m	
14	Sem_210302_Start_test_component_002	Component variable reference in start operation	Clause 21.3.2	m	
15	Sem_210302_Start_test_component_003	Test component as a result of function invocation in start operation	Clause 21.3.2	m	
16	Sem_210302_Start_test_component_004	Component variable value reuse in alive component	Clause 21.3.2	m	
17	Sem_210302_Start_test_component_005	Timer reuse in alive component	Clause 21.3.2	m	
18	Sem_210302_Start_test_component_006	Port reuse in alive component	Clause 21.3.2	m	
19	Sem_210302_Start_test_component_007	Verdict value reuse in alive component	Clause 21.3.2	m	
20	Sem_210302_Start_test_component_008	Timer reuse in alive component	Clause 21.3.2	m	
21	Sem_210302_Start_test_component_009	Deactivation of defaults in alive components	Clause 21.3.2	m	
22	Sem_210302_Start_test_component_010	Starting function with compatible "runs on" clause	Clause 21.3.2	m	
23	Sem_210303_Stop_test_component_009	Verdict value reuse in alive component after explicit stop	Clause 21.3.2	m	

A.3.126 The stop test behaviour operation

Table A.125: The stop test behaviour operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210303_Stop_test_component_001	Restarting explicitly stopped non-alive component	Clause 21.3.3	m	
2	NegSem_210303_Stop_test_component_002	Stopping all PTCs from a PTC	Clause 21.3.3	m	
3	NegSem_210303_Stop_test_component_003	Applying stop operation to a variable of a different than component type	Clause 21.3.3	m	
4	NegSem_210303_Stop_test_component_004	Applying stop operation to a function call result of a different than component type	Clause 21.3.3	m	
5	Sem_210303_Stop_test_component_001	Component.stop causes the stopping of the target component.	Clause 21.3.3	m	
6	Sem_210303_Stop_test_component_002	Self.stop stops current component	Clause 21.3.3	m	
7	Sem_210303_Stop_test_component_003	Stopping MTC from PTC	Clause 21.3.3	m	
8	Sem_210303_Stop_test_component_004	Stop.self in MTC	Clause 21.3.3	m	
9	Sem_210303_Stop_test_component_005	Alive component restart after explicit stop	Clause 21.3.3	m	
10	Sem_210303_Stop_test_component_006	Component variable value reuse in alive component after explicit stop	Clause 21.3.3	m	
11	Sem_210303_Stop_test_component_007	Timer reuse in alive component after explicit stop	Clause 21.3.3	m	
12	Sem_210303_Stop_test_component_008	Port reuse in alive component after explicit stop	Clause 21.3.3	m	
13	Sem_210303_Stop_test_component_010	Deactivation of defaults in alive components after explicit stop	Clause 21.3.3	m	
14	Sem_210303_Stop_test_component_011	Stopping all PTCs	Clause 21.3.3	m	
15	NegSem_210304_kill_test_component_002	Restarting explicitly killed alive component	Clause 21.3.3	m	

A.3.127 The kill test component operation

Table A.126: The kill test component operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210304_kill_test_component_001	Restarting explicitly killed non-alive component	Clause 21.3.4	m	
2	NegSem_210304_kill_test_component_003	Killing all PTCs from a PTC	Clause 21.3.4	m	
3	NegSem_210304_kill_test_component_004	Applying kill operation to a variable of a different than component type	Clause 21.3.4	m	
4	NegSem_210304_kill_test_component_005	Applying kill operation to a function call result of a different than component type	Clause 21.3.4	m	
5	Sem_210304_kill_test_component_001	Kill operator stops a non alive test components.	Clause 21.3.4	m	
6	Sem_210304_kill_test_component_002	All component kill stop all ptcs	Clause 21.3.4	m	
7	Sem_210304_kill_test_component_003	Kill operator stops only non alive test components	Clause 21.3.4	m	
8	Sem_210304_kill_test_component_004	Self kill called in a functions stops non alive test comp.	Clause 21.3.4	m	
9	Sem_210304_kill_test_component_005	Standalone kill in alive PTC	Clause 21.3.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
10	Sem_210304_kill_test_component_006	Killing MTC from PTC	Clause 21.3.4	m	

A.3.128 The alive operation

Table A.127: The alive operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210305_alive_operation_001	Verify that error occurs when any from alive is applied to single component	Clause 21.3.5	m	
2	NegSem_210305_alive_operation_002	Verify that error occurs when any from alive is applied to 1D array and index target is array	Clause 21.3.5	m	
3	NegSem_210305_alive_operation_003	Verify that error occurs when any from alive is applied to 1D array and index target has wrong type	Clause 21.3.5	m	
4	NegSem_210305_alive_operation_004	Verify that any from alive index redirection for multi-D arrays requires arrays of correct size	Clause 21.3.5	m	
5	NegSem_210305_alive_operation_005	Verify that any from alive index redirection for multi-D arrays requires arrays	Clause 21.3.5	m	
6	NegSem_210305_alive_operation_006	partially initialized array in any from ComponentArrayRef.alive	Clause 21.3.5	m	
7	NegSyn_210305_alive_operation_001	Verify that error occurs when using index redirection in component.alive operation	Clause 21.3.5	m	
8	NegSyn_210305_alive_operation_002	Verify that error occurs when using index redirection in any component.alive operation	Clause 21.3.5	m	
9	NegSyn_210305_alive_operation_003	Verify that error occurs when using index redirection in all component.alive operation	Clause 21.3.5	m	
10	NegSyn_210305_alive_operation_004	Verify that error occurs when using index redirection in function instance.alive operation	Clause 21.3.5	m	
11	Sem_210305_alive_operation_001	Testing alive operator with an alive test component	Clause 21.3.5	m	
12	Sem_210305_alive_operation_002	Test all component alive operator with alive test components	Clause 21.3.5	m	
13	Sem_210305_alive_operation_003	Alive operator gives a correct boolean result	Clause 21.3.5	m	
14	Sem_210305_alive_operation_004	Test any component alive operator with multiple test components	Clause 21.3.5	m	
15	Sem_210305_alive_operation_005	Verify that any from alive returns false if no component is alive	Clause 21.3.5	m	
16	Sem_210305_alive_operation_006	Verify that any from alive returns true if at least one component is inactive	Clause 21.3.5	m	
17	Sem_210305_alive_operation_007	Verify that any from alive returns true if at least one component is running	Clause 21.3.5	m	
18	Sem_210305_alive_operation_008	Verify that any from alive doesn't assign index when no component is alive	Clause 21.3.5	m	
19	Sem_210305_alive_operation_009	Verify that any from alive assigns index	Clause 21.3.5	m	
20	Sem_210305_alive_operation_010	Verify that any from alive can be used inside expressions	Clause 21.3.5	m	
21	Sem_210305_alive_operation_011	Verify that any from alive index redirection works for multidimensional arrays	Clause 21.3.5	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
22	Sem_210305_alive_operation_012	Verify that any from alive doesn't change index variable when no component is alive	Clause 21.3.5	m	
23	Sem_210305_alive_operation_013	Verify any from alive index redirection to lazy variable	Clause 21.3.5	m	
24	Sem_210305_alive_operation_014	Verify any from alive index redirection to fuzzy variable	Clause 21.3.5	m	

A.3.129 The running operation

Table A.128: The running operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210306_running_operation_001	Verify that error occurs when any from running is applied to single component	Clause 21.3.6	m	
2	NegSem_210306_running_operation_002	Verify that error occurs when any from running is applied to 1D array and index target is array	Clause 21.3.6	m	
3	NegSem_210306_running_operation_003	Verify that error occurs when any from running is applied to 1D array and index target has wrong type	Clause 21.3.6	m	
4	NegSem_210306_running_operation_004	Verify that any from running index redirection for multi-D arrays requires arrays of correct size	Clause 21.3.6	m	
5	NegSem_210306_running_operation_005	Verify that any from running index redirection for multi-D arrays requires arrays	Clause 21.3.6	m	
6	NegSem_210306_running_operation_006	partially initialized array in any from ComponentArrayRef.running	Clause 21.3.6	m	
7	NegSyn_210306_running_operation_001	Verify that error occurs when using index redirection in component.running operation	Clause 21.3.6	m	
8	NegSyn_210306_running_operation_002	Verify that error occurs when using index redirection in any component.running operation	Clause 21.3.6	m	
9	NegSyn_210306_running_operation_003	Verify that error occurs when using index redirection in all component.running operation	Clause 21.3.6	m	
10	NegSyn_210306_running_operation_004	Verify that error occurs when using index redirection in function instance.running operation	Clause 21.3.6	m	
11	Sem_210306_running_operation_001	Check that running operator provides information about test components.	Clause 21.3.6	m	
12	Sem_210306_running_operation_002	Any component with running can check the status of the test components	Clause 21.3.6	m	
13	Sem_210306_running_operation_003	Verify that any from running returns false if no component is running	Clause 21.3.6	m	
14	Sem_210306_running_operation_004	Verify that any from running returns true if at least one component is running	Clause 21.3.6	m	
15	Sem_210306_running_operation_005	Verify that any from running doesn't assign index when no component is running	Clause 21.3.6	m	
16	Sem_210306_running_operation_006	Verify that any from running doesn't change index variable when no component is running	Clause 21.3.6	m	
17	Sem_210306_running_operation_007	Verify that any from running assigns index	Clause 21.3.6	m	
18	Sem_210306_running_operation_008	Verify that any from running can be used inside expressions	Clause 21.3.6	m	
19	Sem_210306_running_operation_009	Verify that any from running index redirection works for multidimensional arrays	Clause 21.3.6	m	
20	Sem_210306_running_operation_010	Verify any from running index redirection to lazy variable	Clause 21.3.6	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
21	Sem_210306_running_operation_011	Verify any from running index redirection to fuzzy variable	Clause 21.3.6	m	
22	Sem_210306_running_operation_012	Verify that all component.running produces true if some components haven't been started	Clause 21.3.6	m	

A.3.130 The done operation

Table A.129: The done operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210307_done_operation_001	Done operator can be used only for ptcs.	Clause 21.3.7	m	
2	NegSem_210307_done_operation_002	Verify that error occurs when any from done is applied to single component	Clause 21.3.7	m	
3	NegSem_210307_done_operation_003	Verify that error occurs when any from done is applied to 1D array and index target is array	Clause 21.3.7	m	
4	NegSem_210307_done_operation_004	Verify that error occurs when any from done is applied to 1D array and index target has wrong type	Clause 21.3.7	m	
5	NegSem_210307_done_operation_005	Verify that any from done index redirection for multi-D arrays requires arrays of correct size	Clause 21.3.7	m	
6	NegSem_210307_done_operation_006	Verify that any from done index redirection for multi-D arrays requires arrays	Clause 21.3.7	m	
7	NegSem_210307_done_operation_007	Variable of incorrect type used for storing verdict in done operation	Clause 21.3.7	m	
8	NegSem_210307_done_operation_008	Storing verdict in any component.done operation	Clause 21.3.7	m	
9	NegSem_210307_done_operation_009	Storing verdict in all component.done operation	Clause 21.3.7	m	
10	NegSem_210307_done_operation_010	Partially initialized array in any from ComponentArrayRef.done	Clause 21.3.7	m	
11	NegSyn_210307_done_operation_001	Verify that error occurs when using index redirection in component.done operation	Clause 21.3.7	m	
12	NegSyn_210307_done_operation_002	Verify that error occurs when using index redirection in any component.done operation	Clause 21.3.7	m	
13	NegSyn_210307_done_operation_003	Verify that error occurs when using index redirection in all component.done operation	Clause 21.3.7	m	
14	NegSyn_210307_done_operation_004	Verify that error occurs when using index redirection in function instance.done operation	Clause 21.3.7	m	
15	Sem_210307_done_operation_001	All component with done can check that at least one test component is not done	Clause 21.3.7	m	
16	Sem_210307_done_operation_002	Verify that any from done is not triggered if no component has been started	Clause 21.3.7	m	
17	Sem_210307_done_operation_003	Verify that any from done matches if at least one	Clause 21.3.7	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
		component is stopped or killed			
18	Sem_210307_done_operation_004	Verify that any from done doesn't assign index when no component has been stopped or killed	Clause 21.3.7	m	
19	Sem_210307_done_operation_005	Verify that any from done doesn't change index variable when no component has been stopped or killed	Clause 21.3.7	m	
20	Sem_210307_done_operation_006	Verify that any from done assigns index	Clause 21.3.7	m	
21	Sem_210307_done_operation_007	Verify that any from done is not triggered if all components are executing function	Clause 21.3.7	m	
22	Sem_210307_done_operation_008	Verify that any from done index redirection works for multidimensional arrays	Clause 21.3.7	m	
23	Sem_210307_done_operation_009	Verify any from done index redirection to lazy variable	Clause 21.3.7	m	
24	Sem_210307_done_operation_010	Verify any from done index redirection to fuzzy variable	Clause 21.3.7	m	
25	Sem_210307_done_operation_011	Verify that all component.done produces true if some components haven't been started	Clause 21.3.7	m	
26	Sem_210307_done_operation_012	Storing verdict in done operation	Clause 21.3.7	m	
27	NegSem_210308_killed_operation_010	Partially initialized array in any from ComponentArrayRef.killed	Clause 21.3.7	m	

A.3.131 The killed operation

Table A.130: The killed operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_210308_killed_operation_001	Killed operator is only valid for ptcs.	Clause 21.3.8	m	
2	NegSem_210308_killed_operation_002	Verify that error occurs when any from killed is applied to single component	Clause 21.3.8	m	
3	NegSem_210308_killed_operation_003	Verify that error occurs when any from killed is applied to 1D array and index target is array	Clause 21.3.8	m	
4	NegSem_210308_killed_operation_004	Verify that error occurs when any from killed is applied to 1D array and index target has wrong type	Clause 21.3.8	m	
5	NegSem_210308_killed_operation_005	Verify that any from killed index redirection for multi-D arrays requires arrays of correct size	Clause 21.3.8	m	
6	NegSem_210308_killed_operation_006	Verify that any from killed index redirection for multi-D arrays requires arrays	Clause 21.3.8	m	
7	NegSem_210308_killed_operation_007	variable of incorrect type used for storing verdict in killed operation	Clause 21.3.8	m	
8	NegSem_210308_killed_operation_008	storing verdict in any component.killed operation	Clause 21.3.8	m	
9	NegSem_210308_killed_operation_009	storing verdict in all component.killed operation	Clause 21.3.8	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
10	NegSyn_210308_killed_operation_001	Verify that error occurs when using index redirection in component.killed operation	Clause 21.3.8	m	
11	NegSyn_210308_killed_operation_002	Verify that error occurs when using index redirection in any component.killed operation	Clause 21.3.8	m	
12	NegSyn_210308_killed_operation_003	Verify that error occurs when using index redirection in all component.killed operation	Clause 21.3.8	m	
13	NegSyn_210308_killed_operation_004	Verify that error occurs when using index redirection in function instance.killed operation	Clause 21.3.8	m	
14	Sem_210308_killed_operation_001	All component kill can be checked with killed operator	Clause 21.3.8	m	
15	Sem_210308_killed_operation_002	check that any component and killed operator can check that at least one test component is running or not	Clause 21.3.8	m	
16	Sem_210308_killed_operation_003	The alive keyword is properly evaluated	Clause 21.3.8	m	
17	Sem_210308_killed_operation_004	Verify that any from killed is not triggered if no component has been started	Clause 21.3.8	m	
18	Sem_210308_killed_operation_005	Verify that any from killed matches if at least one component is stopped or killed	Clause 21.3.8	m	
19	Sem_210308_killed_operation_006	Verify that any from killed doesn't assign index when no component has been killed	Clause 21.3.8	m	
20	Sem_210308_killed_operation_007	Verify that any from killed doesn't change index variable when no component has been killed	Clause 21.3.8	m	
21	Sem_210308_killed_operation_008	Verify that any from killed assigns index	Clause 21.3.8	m	
22	Sem_210308_killed_operation_009	Verify that any from killed is not triggered if all components are executing function	Clause 21.3.8	m	
23	Sem_210308_killed_operation_010	Verify that any from killed index redirection works for multidimensional arrays	Clause 21.3.8	m	
24	Sem_210308_killed_operation_011	Verify any from killed index redirection to lazy variable	Clause 21.3.8	m	
25	Sem_210308_killed_operation_012	Verify any from killed index redirection to fuzzy variable	Clause 21.3.8	m	
26	Sem_210308_killed_operation_013	Verify that any from killed is not triggered if when alive component has stopped execution	Clause 21.3.8	m	
27	Sem_210308_killed_operation_014	Storing verdict in killed operation	Clause 21.3.8	m	

A.3.132 The send operation

Table A.131: The send operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220201_SendOperation_001	The IUT correctly handles message sending operations	Clause 22.2.1	m	
2	NegSem_220201_SendOperation_002	The IUT correctly handles message sending operations	Clause 22.2.1	m	
3	NegSem_220201_SendOperation_003	The IUT correctly handles message sending operations	Clause 22.2.1	m	
4	NegSem_220201_SendOperation_004	The IUT correctly handles message sending operations	Clause 22.2.1	m	
5	NegSem_220201_SendOperation_005	Missing to clause in case of one-to-many connections	Clause 22.2.1	m	
6	NegSem_220201_SendOperation_006	Partially initialized template	Clause 22.2.1	m	
7	NegSem_220201_SendOperation_007	No type prefix in inline template	Clause 22.2.1	m	
8	NegSem_220201_SendOperation_008	Incompatible address value in send operation	Clause 22.2.1	m	
9	NegSem_220201_SendOperation_009	Null address in the to clause of send operation	Clause 22.2.1	m	
10	NegSem_220201_SendOperation_010	Null component in the to clause of send operation	Clause 22.2.1	m	
11	NegSem_220201_SendOperation_011	Send operation on disconnected and unmapped ports	Clause 22.2.1	m	
12	Sem_220201_SendOperation_001	The IUT correctly handles message sending operations	Clause 22.2.1	m	
13	Sem_220201_SendOperation_002	The IUT correctly handles message sending operations	Clause 22.2.1	m	
14	Sem_220201_SendOperation_003	The IUT correctly handles message sending operations	Clause 22.2.1	m	
15	Sem_220201_SendOperation_004	The IUT correctly handles message sending operations	Clause 22.2.1	m	
16	Sem_220201_SendOperation_005	Unicast send operation	Clause 22.2.1	m	
17	Sem_220201_SendOperation_006	Multicast send operation	Clause 22.2.1	m	
18	Sem_220201_SendOperation_007	Broadcast send operation	Clause 22.2.1	m	

A.3.133 The receive operation

Table A.132: The receive operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220202_ReceiveOperation_001	The IUT correctly handles message receiving operations	Clause 22.2.2	m	
2	NegSem_220202_ReceiveOperation_002	No type prefix in ambiguous inline template	Clause 22.2.2	m	
3	NegSem_220202_ReceiveOperation_003	Type mismatch in redirect value assignment	Clause 22.2.2	m	
4	NegSem_220202_ReceiveOperation_004	Type mismatch in redirect assignment of message fields	Clause 22.2.2	m	
5	NegSem_220202_ReceiveOperation_005	Applying @decoded to a forbidden field	Clause 22.2.2	m	
6	NegSem_220202_ReceiveOperation_006	Decoding error in @decoded redirect assignment	Clause 22.2.2	m	
7	NegSem_220202_ReceiveOperation_007	Invalid format value in @decoded redirect assignment	Clause 22.2.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
8	NegSem_220202_ReceiveOperation_008	Value of wrong type in @decoded redirect assignment	Clause 22.2.2	m	
9	NegSem_220202_ReceiveOperation_009	Encoding parameter of @decoded redirect assignment applied to incorrect type	Clause 22.2.2	m	
10	NegSem_220202_ReceiveOperation_010	Attempting to store component name in redirect assignment	Clause 22.2.2	m	
11	NegSem_220202_ReceiveOperation_011	Attempting to receive a type missing from the port list	Clause 22.2.2	m	
12	NegSem_220202_ReceiveOperation_012	Value redirect assignment in receive any message statement	Clause 22.2.2	m	
13	NegSem_220202_ReceiveOperation_013	Trying to store address when receiving on connected port	Clause 22.2.2	m	
14	NegSem_220202_ReceiveOperation_014	Type mismatch in sender redirect assignment	Clause 22.2.2	m	
15	NegSem_220202_ReceiveOperation_015	Null component reference in from clause of receive operation	Clause 22.2.2	m	
16	NegSem_220202_ReceiveOperation_016	Null address reference in from clause of receive operation	Clause 22.2.2	m	
17	NegSem_220202_ReceiveOperation_017	Index redirection in standard port.receive	Clause 22.2.2	m	
18	NegSem_220202_ReceiveOperation_018	Index redirection in any port.receive	Clause 22.2.2	m	
19	NegSem_220202_ReceiveOperation_019	Insufficient value range of variable in index redirection	Clause 22.2.2	m	
20	NegSem_220202_ReceiveOperation_020	Insufficient array dimension of variable in index redirection	Clause 22.2.2	m	
21	NegSem_220202_ReceiveOperation_021	Insufficient element value range of variable in index redirection	Clause 22.2.2	m	
22	NegSem_220202_ReceiveOperation_022	Incompatible from and sender clause	Clause 22.2.2	m	
23	NegSem_220202_ReceiveOperation_023	Incompatible declmatch and @decoded value redirect	Clause 22.2.2	m	
24	Sem_220202_ReceiveOperation_001	The IUT correctly handles message receiving operations	Clause 22.2.2	m	
25	Sem_220202_ReceiveOperation_002	The IUT correctly handles message receiving operations	Clause 22.2.2	m	
26	Sem_220202_ReceiveOperation_003	The IUT correctly handles message receiving operations	Clause 22.2.2	m	
27	Sem_220202_ReceiveOperation_004	The IUT correctly handles message receiving operations	Clause 22.2.2	m	
28	Sem_220202_ReceiveOperation_005	The IUT correctly handles message receiving operations	Clause 22.2.2	m	
29	Sem_220202_ReceiveOperation_006	Receive with a from clause (single item)	Clause 22.2.2	m	
30	Sem_220202_ReceiveOperation_007	Receive with a from clause (multiple items)	Clause 22.2.2	m	
31	Sem_220202_ReceiveOperation_008	Receive with a from clause (any component)	Clause 22.2.2	m	
32	Sem_220202_ReceiveOperation_009	Redirect assignment of message fields	Clause 22.2.2	m	
33	Sem_220202_ReceiveOperation_010	Redirect assignment of message fields	Clause 22.2.2	m	
34	Sem_220202_ReceiveOperation_011	@decoded redirect assignment of a bitstring field	Clause 22.2.2	m	
35	Sem_220202_ReceiveOperation_012	@decoded redirect assignment of a hexstring field	Clause 22.2.2	m	
36	Sem_220202_ReceiveOperation_013	@decoded redirect assignment of an octetstring field	Clause 22.2.2	m	
37	Sem_220202_ReceiveOperation_014	@decoded redirect assignment of a charstring field	Clause 22.2.2	m	
38	Sem_220202_ReceiveOperation_015	@decoded redirect assignment of a universal charstring field	Clause 22.2.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
39	Sem_220202_ReceiveOperation_016	@decoded redirect assignment with encoding parameter	Clause 22.2.2	m	
40	Sem_220202_ReceiveOperation_017	Redirect assignment storing a component	Clause 22.2.2	m	
41	Sem_220202_ReceiveOperation_018	Redirect assignment storing an address	Clause 22.2.2	m	
42	Sem_220202_ReceiveOperation_019	Any from port.receive statement	Clause 22.2.2	m	
43	Sem_220202_ReceiveOperation_020	Single dimensional index redirect in any from port.receive statement	Clause 22.2.2	m	
44	Sem_220202_ReceiveOperation_021	Multidimensional index redirect in any from port.receive statement	Clause 22.2.2	m	
45	Sem_220202_ReceiveOperation_022	Standalone receive as a shorthand for alt statement	Clause 22.2.2	m	
46	Sem_220202_ReceiveOperation_023	Single dimensional index redirect in any from port.receive statement	Clause 22.2.2	m	
47	Sem_220202_ReceiveOperation_024	Lazy variable in value redirect	Clause 22.2.2	m	
48	Sem_220202_ReceiveOperation_025	Lazy variable in sender redirect	Clause 22.2.2	m	
49	Sem_220202_ReceiveOperation_026	Lazy variable in index redirect	Clause 22.2.2	m	
50	Sem_220202_ReceiveOperation_027	Fuzzy variable in value redirect	Clause 22.2.2	m	
51	Sem_220202_ReceiveOperation_028	Fuzzy variable in sender redirect	Clause 22.2.2	m	
52	Sem_220202_ReceiveOperation_029	Fuzzy variable in @index redirect	Clause 22.2.2	m	

A.3.134 The trigger operation

Table A.133: The trigger operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220203_TriggerOperation_001	The IUT correctly handles message trigger operations	Clause 22.2.3	m	
2	NegSem_220203_TriggerOperation_002	No type prefix in ambiguous inline template	Clause 22.2.3	m	
3	NegSem_220203_TriggerOperation_003	Type mismatch in redirect value assignment	Clause 22.2.3	m	
4	NegSem_220203_TriggerOperation_004	Type mismatch in redirect assignment of message fields	Clause 22.2.3	m	
5	NegSem_220203_TriggerOperation_005	Applying @decoded to a forbidden field	Clause 22.2.3	m	
6	NegSem_220203_TriggerOperation_006	Decoding error in @decoded redirect assignment	Clause 22.2.3	m	
7	NegSem_220203_TriggerOperation_007	Invalid format value in @decoded redirect assignment	Clause 22.2.3	m	
8	NegSem_220203_TriggerOperation_008	Value of wrong type in @decoded redirect assignment	Clause 22.2.3	m	
9	NegSem_220203_TriggerOperation_009	Encoding parameter of @decoded redirect assignment applied to incorrect type	Clause 22.2.3	m	
10	NegSem_220203_TriggerOperation_010	Attempting to store component name in redirect assignment	Clause 22.2.3	m	
11	NegSem_220203_TriggerOperation_011	Attempting to receive a type missing from the port list	Clause 22.2.3	m	
12	NegSem_220203_TriggerOperation_012	Value redirect assignment in receive any message statement	Clause 22.2.3	m	
13	NegSem_220203_TriggerOperation_013	Trying to store address with trigger operation on connected port	Clause 22.2.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
14	NegSem_220203_TriggerOperation_014	Type mismatch in sender redirect assignment	Clause 22.2.3	m	
15	NegSem_220203_TriggerOperation_015	Null component reference in from clause of trigger operation	Clause 22.2.3	m	
16	NegSem_220203_TriggerOperation_016	Null address reference in from clause of receive operation	Clause 22.2.3	m	
17	NegSem_220203_TriggerOperation_017	Index redirection in standard port.trigger	Clause 22.2.3	m	
18	NegSem_220203_TriggerOperation_018	Index redirection in any port.receive	Clause 22.2.3	m	
19	NegSem_220203_TriggerOperation_019	Insufficient value range of variable in index redirection	Clause 22.2.3	m	
20	NegSem_220203_TriggerOperation_020	Insufficient array dimension of variable in index redirection	Clause 22.2.3	m	
21	NegSem_220203_TriggerOperation_021	Insufficient element value range of variable in index redirection	Clause 22.2.3	m	
22	NegSem_220203_TriggerOperation_022	Incompatible from and sender clause	Clause 22.2.3	m	
23	NegSem_220203_TriggerOperation_023	Incompatible decmatch and @decoded value redirect	Clause 22.2.3	m	
24	Sem_220203_TriggerOperation_001	The IUT correctly handles message trigger operations	Clause 22.2.3	m	
25	Sem_220203_TriggerOperation_002	The IUT correctly handles message trigger operations	Clause 22.2.3	m	
26	Sem_220203_TriggerOperation_003	The IUT correctly handles message trigger operations	Clause 22.2.3	m	
27	Sem_220203_TriggerOperation_004	The IUT correctly handles message trigger operations	Clause 22.2.3	m	
28	Sem_220203_TriggerOperation_005	The IUT correctly handles message trigger operations	Clause 22.2.3	m	
29	Sem_220203_TriggerOperation_006	Trigger with a from clause (single item)	Clause 22.2.3	m	
30	Sem_220203_TriggerOperation_007	Trigger with a from clause (multiple items)	Clause 22.2.3	m	
31	Sem_220203_TriggerOperation_008	Trigger with a from clause (any component)	Clause 22.2.3	m	
32	Sem_220203_TriggerOperation_009	Redirect assignment of message fields	Clause 22.2.3	m	
33	Sem_220203_TriggerOperation_010	Redirect assignment of message fields	Clause 22.2.3	m	
34	Sem_220203_TriggerOperation_011	@decoded redirect assignment of a bitstring field	Clause 22.2.3	m	
35	Sem_220203_TriggerOperation_012	@decoded redirect assignment of a hexstring field	Clause 22.2.3	m	
36	Sem_220203_TriggerOperation_013	@decoded redirect assignment of an octetstring field	Clause 22.2.3	m	
37	Sem_220203_TriggerOperation_014	@decoded redirect assignment of a charstring field	Clause 22.2.3	m	
38	Sem_220203_TriggerOperation_015	@decoded redirect assignment of a universal charstring field	Clause 22.2.3	m	
39	Sem_220203_TriggerOperation_016	@decoded redirect assignment with encoding parameter	Clause 22.2.3	m	
40	Sem_220203_TriggerOperation_017	Redirect assignment storing a component	Clause 22.2.3	m	
41	Sem_220203_TriggerOperation_018	Redirect assignment storing an address	Clause 22.2.3	m	
42	Sem_220203_TriggerOperation_019	Any from port.trigger statement	Clause 22.2.3	m	
43	Sem_220203_TriggerOperation_020	Single dimensional index redirect in any from port.trigger statement	Clause 22.2.3	m	
44	Sem_220203_TriggerOperation_021	Multidimensional index redirect in any from port.trigger statement	Clause 22.2.3	m	
45	Sem_220203_TriggerOperation_022	Standalone trigger as a shorthand for alt statement	Clause 22.2.3	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
46	Sem_220203_TriggerOperation_023	Lazy variable in value redirect	Clause 22.2.3	m	
47	Sem_220203_TriggerOperation_024	Lazy variable in sender redirect	Clause 22.2.3	m	
48	Sem_220203_TriggerOperation_025	Lazy variable in index redirect	Clause 22.2.3	m	
49	Sem_220203_TriggerOperation_026	Fuzzy variable in value redirect	Clause 22.2.3	m	
50	Sem_220203_TriggerOperation_027	Fuzzy variable in sender redirect	Clause 22.2.3	m	
51	Sem_220203_TriggerOperation_028	Fuzzy variable in @index redirect	Clause 22.2.3	m	

A.3.135 The call operation

Table A.134: The call operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_1400_procedure_signatures_001	Nonblocking signature contains in parameter	Clause 22.3.1	m	
2	NegSem_220301_CallOperation_001	The IUT correctly handles procedure call operations	Clause 22.3.1	m	
3	NegSem_220301_CallOperation_002	The IUT correctly procedure calls	Clause 22.3.1	m	
4	NegSem_220301_CallOperation_003	Null component in the to clause of the call operation	Clause 22.3.1	m	
5	NegSem_220301_CallOperation_004	Null component in the multicast list of the to clause of the call operation	Clause 22.3.1	m	
6	Sem_220301_CallOperation_001	The IUT correctly handles procedure call operations	Clause 22.3.1	m	
7	Sem_220301_CallOperation_002	The IUT correctly handles procedure call operations	Clause 22.3.1	m	
8	Sem_220301_CallOperation_003	The IUT correctly handles non-blocking procedure call	Clause 22.3.1	m	
9	Sem_220301_CallOperation_004	The IUT correctly handles multiple client calls to the same server	Clause 22.3.1	m	
10	Sem_220301_CallOperation_005	The IUT correctly handles broadcast/multicast procedure call	Clause 22.3.1	m	
11	Sem_220301_CallOperation_006	The IUT correctly handles broadcast/multicast procedure call	Clause 22.3.1	m	
12	Sem_220301_CallOperation_007	The IUT correctly handles blocking procedure call	Clause 22.3.1	m	

A.3.136 The getcall operation

Table A.135: The getcall operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220302_GetcallOperation_001	Getcall operations are only used on procedure based ports	Clause 22.3.2	m	
2	NegSem_220302_GetcallOperation_002	Getcall operation doesn't allow value assignment	Clause 22.3.2	m	
3	NegSem_220302_GetcallOperation_003	Getcall for any call doesn't allow param assignment	Clause 22.3.2	m	
4	NegSem_220302_getcall_operation_004	Verify that error occurs when any from getcall is applied to single port	Clause 22.3.2	m	
5	NegSem_220302_getcall_operation_005	Verify that error occurs when any from getcall is applied to 1D array and index target is array	Clause 22.3.2	m	
6	NegSem_220302_getcall_operation_006	Verify that error occurs when any from getcall is applied to 1D array and index target has wrong type	Clause 22.3.2	m	
7	NegSem_220302_getcall_operation_007	Verify that any from getcall index redirection for multi-D arrays requires arrays of correct size	Clause 22.3.2	m	
8	NegSem_220302_getcall_operation_008	Verify that any from getcall index redirection for multi-D arrays requires arrays	Clause 22.3.2	m	
9	NegSem_220302_getcall_operation_009	Null component in the from clause of the getcall operation	Clause 22.3.2	m	
10	NegSem_220302_getcall_operation_010	Null component in the multicast list of the from clause of the getcall operation	Clause 22.3.2	m	
11	NegSem_220302_getcall_operation_011	Applying @decoded to a forbidden field	Clause 22.3.2	m	
12	NegSem_220302_getcall_operation_012	Ddecoding error in @decoded redirect assignment	Clause 22.3.2	m	
13	NegSem_220302_getcall_operation_013	Invalid format value in @decoded redirect assignment	Clause 22.3.2	m	
14	NegSem_220302_getcall_operation_014	Value of wrong type in @decoded redirect assignment	Clause 22.3.2	m	
15	NegSem_220302_getcall_operation_015	Encoding parameter of @decoded redirect assignment applied to incorrect type	Clause 22.3.2	m	
16	NegSem_220302_getcall_operation_016	Incompatible from and sender clause in getreply operation	Clause 22.3.2	m	
17	NegSem_220302_getcall_operation_017	Incompatible declmatch and @decoded value redirect	Clause 22.3.2	m	
18	NegSyn_220302_getcall_operation_001	Verify that error occurs when using index redirection in port.getcall operation	Clause 22.3.2	m	
19	NegSyn_220302_getcall_operation_002	Verify that error occurs when using index redirection in any port.getcall operation	Clause 22.3.2	m	
20	Sem_220302_GetcallOperation_001	Getcall operations remove only matching procedure from the queue	Clause 22.3.2	m	
21	Sem_220302_GetcallOperation_002	Getcall operations remove the matching procedure from the queue	Clause 22.3.2	m	
22	Sem_220302_GetcallOperation_003	The getcall operation can be correctly restricted to a certain client	Clause 22.3.2	m	
23	Sem_220302_GetcallOperation_004	The getcall operation can be correctly restricted to a certain client	Clause 22.3.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
24	Sem_220302_GetcallOperation_005	Getcall operations work with any port attribute	Clause 22.3.2	m	
25	Sem_220302_getcall_operation_006	Verify that any from getcall is not triggered if there hasn't been any call	Clause 22.3.2	m	
26	Sem_220302_getcall_operation_007	Verify that any from getcall matches if at least one port contains enqueued call	Clause 22.3.2	m	
27	Sem_220302_getcall_operation_008	Verify that any from getcall doesn't assign index when there's no suitable match	Clause 22.3.2	m	
28	Sem_220302_getcall_operation_009	Verify that any from getcall doesn't change index variable when no there's no suitable match	Clause 22.3.2	m	
29	Sem_220302_getcall_operation_010	Verify that any from done assigns index	Clause 22.3.2	m	
30	Sem_220302_getcall_operation_011	Verify that any from getcall index redirection works for multidimensional arrays	Clause 22.3.2	m	
31	Sem_220302_getcall_operation_012	Verify any from getcall index redirection to lazy variable	Clause 22.3.2	m	
32	Sem_220302_getcall_operation_013	Verify any from getcall index redirection to fuzzy variable	Clause 22.3.2	m	
33	Sem_220302_getcall_operation_014	@decoded redirect assignment of a bitstring field	Clause 22.3.2	m	
34	Sem_220302_getcall_operation_015	@decoded redirect assignment of a hexstring field	Clause 22.3.2	m	
35	Sem_220302_getcall_operation_016	@decoded redirect assignment of an octetstring field	Clause 22.3.2	m	
36	Sem_220302_getcall_operation_017	@decoded redirect assignment of a charstring field	Clause 22.3.2	m	
37	Sem_220302_getcall_operation_018	@decoded redirect assignment of a universal charstring field	Clause 22.3.2	m	
38	Sem_220302_getcall_operation_019	@decoded redirect assignment with encoding parameter	Clause 22.3.2	m	

A.3.137 The reply operation

Table A.136: The reply operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220303_ReplyOperation_001	Reply operations are only used on procedure based ports	Clause 22.3.3	m	
2	NegSem_220303_ReplyOperation_002	Null component in the to clause of the reply operation	Clause 22.3.3	m	
3	NegSem_220303_ReplyOperation_003	Null component in the multicast list of the to clause of the reply operation	Clause 22.3.3	m	
4	Sem_220303_ReplyOperation_001	The IUT correctly handles reply to multiple clients on the same server	Clause 22.3.3	m	
5	Sem_220303_ReplyOperation_002	The IUT correctly handles reply to multiple clients on the same server	Clause 22.3.3	m	

A.3.138 The getreply operation

Table A.137: The getreply operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220304_getreply_operation_001	Verify that error occurs when any from getreply is applied to single port	Clause 22.3.4	m	
2	NegSem_220304_getreply_operation_002	Verify that error occurs when any from getreply is applied to 1D array and index target is array	Clause 22.3.4	m	
3	NegSem_220304_getreply_operation_003	Verify that error occurs when any from getreply is applied to 1D array and index target has wrong type	Clause 22.3.4	m	
4	NegSem_220304_getreply_operation_004	Verify that any from getreply index redirection for multi-D arrays requires arrays of correct size	Clause 22.3.4	m	
5	NegSem_220304_getreply_operation_005	Verify that any from getreply index redirection for multi-D arrays requires arrays	Clause 22.3.4	m	
6	NegSem_220304_getreply_operation_006	null component in the from clause of the getreply operation	Clause 22.3.4	m	
7	NegSem_220304_getreply_operation_007	null component in the multicast list of the from clause of the getreply operation	Clause 22.3.4	m	
8	NegSem_220304_getreply_operation_008	applying @decoded to a forbidden parameter field	Clause 22.3.4	m	
9	NegSem_220304_getreply_operation_009	decoding error in @decoded redirect parameter assignment	Clause 22.3.4	m	
10	NegSem_220304_getreply_operation_010	invalid format value in @decoded redirect parameter assignment	Clause 22.3.4	m	
11	NegSem_220304_getreply_operation_011	value of wrong type in @decoded redirect parameter assignment	Clause 22.3.4	m	
12	NegSem_220304_getreply_operation_012	encoding parameter of @decoded redirect parameter assignment applied to incorrect type	Clause 22.3.4	m	
13	NegSem_220304_getreply_operation_013	incompatible from and sender clause in getreply operation	Clause 22.3.4	m	
14	NegSem_220304_getreply_operation_014	incompatible decmatch and @decoded parameter redirect	Clause 22.3.4	m	
15	NegSem_220304_getreply_operation_015	applying @decoded to a forbidden parameter field	Clause 22.3.4	m	
16	NegSem_220304_getreply_operation_016	decoding error in @decoded redirect value assignment	Clause 22.3.4	m	
17	NegSem_220304_getreply_operation_017	invalid format value in @decoded redirect value assignment	Clause 22.3.4	m	
18	NegSem_220304_getreply_operation_018	value of wrong type in @decoded redirect value assignment	Clause 22.3.4	m	
19	NegSem_220304_getreply_operation_019	encoding parameter of @decoded redirect value assignment applied to incorrect type	Clause 22.3.4	m	
20	NegSem_220304_getreply_operation_020	incompatible decmatch and @decoded value redirect	Clause 22.3.4	m	
21	NegSyn_220304_getreply_operation_001	Verify that error occurs when using index redirection in port.getreply operation	Clause 22.3.4	m	
22	NegSyn_220304_getreply_operation_002	Verify that error occurs when using index redirection in any port.getreply operation	Clause 22.3.4	m	
23	Sem_220304_getreply_operation_001	Verify that any from getreply is not triggered if there hasn't been any reply	Clause 22.3.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
24	Sem_220304_getreply_operation_002	Verify that any from getreply matches if at least one port contains enqueued reply	Clause 22.3.4	m	
25	Sem_220304_getreply_operation_003	Verify that any from getreply doesn't assign index when there's no suitable match	Clause 22.3.4	m	
26	Sem_220304_getreply_operation_004	Verify that any from getreply doesn't change index variable when no there's no suitable match	Clause 22.3.4	m	
27	Sem_220304_getreply_operation_005	Verify that any from done assigns index	Clause 22.3.4	m	
28	Sem_220304_getreply_operation_006	Verify that any from getreply index redirection works for multidimensional arrays	Clause 22.3.4	m	
29	Sem_220304_getreply_operation_007	Verify any from getreply index redirection to lazy variable	Clause 22.3.4	m	
30	Sem_220304_getreply_operation_008	Verify any from getreply index redirection to fuzzy variable	Clause 22.3.4	m	
31	Sem_220304_getreply_operation_009	@decoded redirect parameter assignment of a bitstring field	Clause 22.3.4	m	
32	Sem_220304_getreply_operation_010	@decoded redirect parameter assignment of a hexstring field	Clause 22.3.4	m	
33	Sem_220304_getreply_operation_011	@decoded redirect parameter assignment of an octetstring field	Clause 22.3.4	m	
34	Sem_220304_getreply_operation_012	@decoded redirect parameter assignment of a charstring field	Clause 22.3.4	m	
35	Sem_220304_getreply_operation_013	@decoded redirect parameter assignment of a universal charstring field	Clause 22.3.4	m	
36	Sem_220304_getreply_operation_014	@decoded redirect parameter assignment with encoding parameter	Clause 22.3.4	m	
37	Sem_220304_getreply_operation_015	@decoded redirect value assignment of a bitstring field	Clause 22.3.4	m	
38	Sem_220304_getreply_operation_016	@decoded redirect value assignment of a hexstring field	Clause 22.3.4	m	
39	Sem_220304_getreply_operation_017	@decoded redirect value assignment of an octetstring field	Clause 22.3.4	m	
40	Sem_220304_getreply_operation_018	@decoded redirect value assignment of a charstring field	Clause 22.3.4	m	
41	Sem_220304_getreply_operation_019	@decoded redirect value assignment of a universal charstring field	Clause 22.3.4	m	
42	Sem_220304_getreply_operation_020	@decoded redirect value assignment with encoding parameter	Clause 22.3.4	m	

A.3.139 The raise operation

Table A.138: The raise operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220305_raise_operation_001	raised exception type not in the list of available exceptions	Clause 22.3.5	m	
2	NegSem_220305_raise_operation_002	exception raised for a signature with no exception list	Clause 22.3.5	m	
3	NegSem_220305_raise_operation_003	raised exception type is ambiguous	Clause 22.3.5	m	
4	NegSem_220305_raise_operation_004	missing to clause in case of 1 to n connection	Clause 22.3.5	m	
5	NegSem_220305_raise_operation_005	exception on a message port	Clause 22.3.5	m	
6	NegSem_220305_raise_operation_006	exception procedure signature not in the port list	Clause 22.3.5	m	
7	NegSem_220305_raise_operation_007	value of incorrect type in the to clause of the raise operation	Clause 22.3.5	m	
8	NegSem_220305_raise_operation_008	null in the to clause of the raise operation	Clause 22.3.5	m	
9	NegSem_220305_raise_operation_009	raise operation on disconnected and unmapped ports	Clause 22.3.5	m	
10	Sem_220305_raise_operation_001	simple raise operation	Clause 22.3.5	m	
11	Sem_220305_raise_operation_002	unicast raise operation	Clause 22.3.5	m	
12	Sem_220305_raise_operation_003	broadcast raise operation	Clause 22.3.5	m	
13	Sem_220305_raise_operation_004	multicast raise operation	Clause 22.3.5	m	

A.3.140 The catch operation

Table A.139: The catch operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_220306_catch_operation_001	Verify that error occurs when any from catch is applied to single port	Clause 22.3.6	m	
2	NegSem_220306_catch_operation_002	Verify that error occurs when any from catch is applied to 1D array and index target is array	Clause 22.3.6	m	
3	NegSem_220306_catch_operation_003	Verify that error occurs when any from catch is applied to 1D array and index target has wrong type	Clause 22.3.6	m	
4	NegSem_220306_catch_operation_004	Verify that any from catch index redirection for multi-D arrays requires arrays of correct size	Clause 22.3.6	m	
5	NegSem_220306_catch_operation_005	Verify that any from catch index redirection for multi-D arrays requires arrays	Clause 22.3.6	m	
6	NegSem_220306_catch_operation_006	null component in the from clause of the catch operation	Clause 22.3.6	m	
7	NegSem_220306_catch_operation_007	null component in the multicast list of the from clause of the catch operation	Clause 22.3.6	m	
8	NegSem_220306_catch_operation_008	applying @decoded to a forbidden exception field	Clause 22.3.6	m	
9	NegSem_220306_catch_operation_009	decoding error in @decoded redirect value assignment	Clause 22.3.6	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
10	NegSem_220306_catch_operation_010	invalid format value in @decoded redirect value assignment	Clause 22.3.6	m	
11	NegSem_220306_catch_operation_011	value of wrong type in @decoded redirect value assignment	Clause 22.3.6	m	
12	NegSem_220306_catch_operation_012	encoding parameter of @decoded redirect value assignment applied to incorrect type	Clause 22.3.6	m	
13	NegSem_220306_catch_operation_013	incompatible from and sender clause in catch operation	Clause 22.3.6	m	
14	NegSem_220306_catch_operation_014	incompatible decmatch and @decoded value redirect	Clause 22.3.6	m	
15	NegSyn_220306_catch_operation_001	Verify that error occurs when using index redirection in port.catch operation	Clause 22.3.6	m	
16	NegSyn_220306_catch_operation_002	Verify that error occurs when using index redirection in any port.catch operation	Clause 22.3.6	m	
17	NegSyn_220306_catch_operation_003	Verify that error occurs when any from catch is applied to 1D array and index target has wrong type	Clause 22.3.6	m	
18	Sem_220306_catch_operation_001	Verify that any from catch is not triggered if there hasn't been any exception	Clause 22.3.6	m	
19	Sem_220306_catch_operation_002	Verify that any from catch matches if at least one port contains enqueued reply	Clause 22.3.6	m	
20	Sem_220306_catch_operation_003	Verify that any from catch doesn't assign index when there's no suitable match	Clause 22.3.6	m	
21	Sem_220306_catch_operation_004	Verify that any from catch doesn't change index variable when no there's no suitable match	Clause 22.3.6	m	
22	Sem_220306_catch_operation_005	Verify that any from done assigns index	Clause 22.3.6	m	
23	Sem_220306_catch_operation_006	Verify that any from catch index redirection works for multidimensional arrays	Clause 22.3.6	m	
24	Sem_220306_catch_operation_007	Verify any from catch index redirection to lazy variable	Clause 22.3.6	m	
25	Sem_220306_catch_operation_008	Verify any from catch index redirection to fuzzy variable	Clause 22.3.6	m	
26	Sem_220306_catch_operation_009	@decoded redirect value assignment of a bitstring field	Clause 22.3.6	m	
27	Sem_220306_catch_operation_010	@decoded redirect value assignment of a hexstring field	Clause 22.3.6	m	
28	Sem_220306_catch_operation_011	@decoded redirect value assignment of an octetstring field	Clause 22.3.6	m	
29	Sem_220306_catch_operation_012	@decoded redirect value assignment of a charstring field	Clause 22.3.6	m	
30	Sem_220306_catch_operation_013	@decoded redirect value assignment of a universal charstring field	Clause 22.3.6	m	
31	Sem_220306_catch_operation_014	@decoded redirect value assignment with encoding parameter	Clause 22.3.6	m	

A.3.141 The check operation

Table A.140: The check operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2204_the_check_operation_001	Null component reference in from clause of check operation	Clause 22.4	m	
2	NegSem_2204_the_check_operation_002	Null address reference in from clause of check operation	Clause 22.4	m	
3	NegSem_2204_the_check_operation_003	Incompatible from and sender clause	Clause 22.4	m	
4	Sem_2204_the_check_operation_001	Verify that port.check(receive) works correctly inside alt	Clause 22.4	m	
5	Sem_2204_the_check_operation_002	Verify that port.check(receive) with assignment works correctly inside alt	Clause 22.4	m	
6	Sem_2204_the_check_operation_003	Verify that port.check(receive) works correctly as standalone statement	Clause 22.4	m	
7	Sem_2204_the_check_operation_004	Verify that port.check(receive) with assignment works correctly as standalone statement	Clause 22.4	m	
8	Sem_2204_the_check_operation_005	Verify that any port.check(receive) works correctly inside alt	Clause 22.4	m	
9	Sem_2204_the_check_operation_006	Verify that any port.check(receive) with assignment works correctly inside alt	Clause 22.4	m	
10	Sem_2204_the_check_operation_007	Verify that any port.check(receive) works correctly as standalone statement	Clause 22.4	m	
11	Sem_2204_the_check_operation_008	Verify that any port.check(receive) with assignment works correctly as standalone statement	Clause 22.4	m	
12	Sem_2204_the_check_operation_009	Verify behaviour of port.check(receive) in case of unsuccessful match inside alt	Clause 22.4	m	
13	Sem_2204_the_check_operation_010	Verify behaviour of port.check(receive) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
14	Sem_2204_the_check_operation_011	Verify port.check(receive) behaviour in case of unsuccessful match in standalone statement	Clause 22.4	m	
15	Sem_2204_the_check_operation_012	Verify behaviour of port.check(receive) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
16	Sem_2204_the_check_operation_013	Verify any port.check(receive) behaviour in case of unsuccessful match inside alt	Clause 22.4	m	
17	Sem_2204_the_check_operation_014	Verify behaviour of any port.check(receive) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
18	Sem_2204_the_check_operation_015	Verify any port.check(receive) behaviour in case of unsuccessful match in standalone statement	Clause 22.4	m	
19	Sem_2204_the_check_operation_016	Verify behaviour of any port.check(receive) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
20	Sem_2204_the_check_operation_017	Verify behaviour of port.check(receive) in case of successful match inside alt	Clause 22.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
21	Sem_2204_the_check_operatio n_018	Verify behavior of port.check(receive) with assignment in case of successful match inside alt	Clause 22.4	m	
22	Sem_2204_the_check_operatio n_019	Verify behaviour of port.check(receive) in case of successful match in standalone statement	Clause 22.4	m	
23	Sem_2204_the_check_operatio n_020	Verify behaviour of port.check(receive) with assignment in case of successful match works correctly as standalone statement	Clause 22.4	m	
24	Sem_2204_the_check_operatio n_021	Verify behaviour of any port.check(receive) in case of successful match inside alt	Clause 22.4	m	
25	Sem_2204_the_check_operatio n_022	Verify behavior of any port.check(receive) with assignment in case of successful match inside alt	Clause 22.4	m	
26	Sem_2204_the_check_operatio n_023	Verify behaviour of any port.check(receive) in case of successful match in standalone statement	Clause 22.4	m	
27	Sem_2204_the_check_operatio n_024	Verify behaviour of any port.check(receive) with assignment in case of successful match works correctly as standalone statement	Clause 22.4	m	
28	Sem_2204_the_check_operatio n_025	Verify that port.check(getcall) works correctly inside alt	Clause 22.4	m	
29	Sem_2204_the_check_operatio n_026	Verify that port.check(getcall) with assignment works correctly inside alt	Clause 22.4	m	
30	Sem_2204_the_check_operatio n_027	Verify that port.check(getcall) works correctly as standalone statement	Clause 22.4	m	
31	Sem_2204_the_check_operatio n_028	Verify that port.check(getcall) with assignment works correctly as standalone statement	Clause 22.4	m	
32	Sem_2204_the_check_operatio n_029	Verify that any port.check(getcall) works correctly inside alt	Clause 22.4	m	
33	Sem_2204_the_check_operatio n_030	Verify that any port.check(getcall) with assignment works correctly inside alt	Clause 22.4	m	
34	Sem_2204_the_check_operatio n_031	Verify that any port.check(getcall) works correctly as standalone statement	Clause 22.4	m	
35	Sem_2204_the_check_operatio n_032	Verify that any port.check(getcall) with assignment works correctly as standalone statement	Clause 22.4	m	
36	Sem_2204_the_check_operatio n_033	Verify behaviour of port.check(getcall) in case of unsuccessful match inside alt	Clause 22.4	m	
37	Sem_2204_the_check_operatio n_034	Verify behaviour of port.check(getcall) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
38	Sem_2204_the_check_operatio n_035	Verify behaviour of port.check(getcall) in case of unsuccessful match in standalone statement	Clause 22.4	m	
39	Sem_2204_the_check_operatio n_036	Verify behaviour of port.check(getcall) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
40	Sem_2204_the_check_operation_037	Verify behaviour of any port.check(getcall) in case of unsuccessful match inside alt	Clause 22.4	m	
41	Sem_2204_the_check_operation_038	Verify behaviour of any port.check(getcall) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
42	Sem_2204_the_check_operation_039	Verify behaviour of any port.check(getcall) in case of unsuccessful match in standalone statement	Clause 22.4	m	
43	Sem_2204_the_check_operation_040	Verify behaviour of any port.check(getcall) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
44	Sem_2204_the_check_operation_041	Verify behaviour of port.check(getcall) in case of successful match inside alt	Clause 22.4	m	
45	Sem_2204_the_check_operation_042	Verify behaviour of port.check(getcall) with assignment in case of successful match inside alt	Clause 22.4	m	
46	Sem_2204_the_check_operation_043	Verify behaviour of port.check(getcall) in case of successful match in standalone statement	Clause 22.4	m	
47	Sem_2204_the_check_operation_044	Verify behaviour of port.check(getcall) with assignment in case of successful match in standalone statement	Clause 22.4	m	
48	Sem_2204_the_check_operation_045	Verify behaviour of any port.check(getcall) in case of successful match inside alt	Clause 22.4	m	
49	Sem_2204_the_check_operation_046	Verify behaviour of any port.check(getcall) with assignment in case of successful match inside alt	Clause 22.4	m	
50	Sem_2204_the_check_operation_047	Verify behaviour of any port.check(getcall) in case of successful match in standalone statement	Clause 22.4	m	
51	Sem_2204_the_check_operation_048	Verify behaviour of any port.check(getcall) with assignment in case of successful match in standalone statement	Clause 22.4	m	
52	Sem_2204_the_check_operation_049	Verify that port.check(getreply) works correctly inside alt	Clause 22.4	m	
53	Sem_2204_the_check_operation_050	Verify that port.check(getreply) with assignment works correctly inside alt	Clause 22.4	m	
54	Sem_2204_the_check_operation_051	Verify that port.check(getreply) works correctly as standalone statement	Clause 22.4	m	
55	Sem_2204_the_check_operation_052	Verify that port.check(getreply) with assignment works correctly as standalone statement	Clause 22.4	m	
56	Sem_2204_the_check_operation_053	Verify that any port.check(getreply) works correctly inside alt	Clause 22.4	m	
57	Sem_2204_the_check_operation_054	Verify that any port.check(getreply) with assignment works correctly inside alt	Clause 22.4	m	
58	Sem_2204_the_check_operation_055	Verify that any port.check(getreply) works correctly as standalone statement	Clause 22.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
59	Sem_2204_the_check_operation_056	Verify that any port.check(getreply) with assignment works correctly as standalone statement	Clause 22.4	m	
60	Sem_2204_the_check_operation_057	Verify behaviour of port.check(getreply) in case of unsuccessful match inside alt	Clause 22.4	m	
61	Sem_2204_the_check_operation_058	Verify behaviour of port.check(getreply) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
62	Sem_2204_the_check_operation_059	Verify behaviour of port.check(getreply) in case of unsuccessful match in standalone statement	Clause 22.4	m	
63	Sem_2204_the_check_operation_060	Verify behaviour of port.check(getreply) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
64	Sem_2204_the_check_operation_061	Verify behaviour of any port.check(getreply) in case of unsuccessful match inside alt	Clause 22.4	m	
65	Sem_2204_the_check_operation_062	Verify behaviour of any port.check(getreply) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
66	Sem_2204_the_check_operation_063	Verify behaviour of any port.check(getreply) in case of unsuccessful match in standalone statement	Clause 22.4	m	
67	Sem_2204_the_check_operation_064	Verify behaviour of any port.check(getreply) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
68	Sem_2204_the_check_operation_065	Verify behaviour of port.check(getreply) in case of successful match inside alt	Clause 22.4	m	
69	Sem_2204_the_check_operation_066	Verify behaviour of port.check(getreply) with assignment in case of successful match inside alt	Clause 22.4	m	
70	Sem_2204_the_check_operation_067	Verify behaviour of port.check(getreply) in case of successful match in standalone statement	Clause 22.4	m	
71	Sem_2204_the_check_operation_068	Verify behaviour of port.check(getreply) with assignment in case of successful match in standalone statement	Clause 22.4	m	
72	Sem_2204_the_check_operation_069	Verify behaviour of any port.check(getreply) in case of successful match inside alt	Clause 22.4	m	
73	Sem_2204_the_check_operation_070	Verify behaviour of any port.check(getreply) with assignment in case of successful match inside alt	Clause 22.4	m	
74	Sem_2204_the_check_operation_071	Verify behaviour of any port.check(getreply) in case of successful match in standalone statement	Clause 22.4	m	
75	Sem_2204_the_check_operation_072	Verify behaviour of any port.check(getreply) with assignment in case of successful match in standalone statement	Clause 22.4	m	
76	Sem_2204_the_check_operation_073	Verify that port.check(catch) works correctly inside alt	Clause 22.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
77	Sem_2204_the_check_operatio n_074	Verify that port.check(catch) with assignment works correctly inside alt	Clause 22.4	m	
78	Sem_2204_the_check_operatio n_075	Verify that port.check(catch) works correctly as standalone statement	Clause 22.4	m	
79	Sem_2204_the_check_operatio n_076	Verify that port.check(catch) with assignment works correctly as standalone statement	Clause 22.4	m	
80	Sem_2204_the_check_operatio n_077	Verify that any port.check(catch) works correctly inside alt	Clause 22.4	m	
81	Sem_2204_the_check_operatio n_078	Verify that any port.check(catch) with assignment works correctly inside alt	Clause 22.4	m	
82	Sem_2204_the_check_operatio n_079	Verify that any port.check(catch) works correctly as standalone statement	Clause 22.4	m	
83	Sem_2204_the_check_operatio n_080	Verify that any port.check(catch) with assignment works correctly as standalone statement	Clause 22.4	m	
84	Sem_2204_the_check_operatio n_081	Verify behaviour of port.check(catch) in case of unsuccessful match inside alt	Clause 22.4	m	
85	Sem_2204_the_check_operatio n_082	Verify behaviour of port.check(catch) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
86	Sem_2204_the_check_operatio n_083	Verify behaviour of port.check(catch) in case of unsuccessful match in standalone statement	Clause 22.4	m	
87	Sem_2204_the_check_operatio n_084	Verify behaviour of port.check(catch) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
88	Sem_2204_the_check_operatio n_085	Verify behaviour of any port.check(catch) in case of unsuccessful match inside alt	Clause 22.4	m	
89	Sem_2204_the_check_operatio n_086	Verify behaviour of any port.check(catch) with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
90	Sem_2204_the_check_operatio n_087	Verify behaviour of any port.check(catch) in case of unsuccessful match in standalone statement	Clause 22.4	m	
91	Sem_2204_the_check_operatio n_088	Verify behaviour of any port.check(catch) with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
92	Sem_2204_the_check_operatio n_089	Verify behaviour of port.check(catch) in case of successful match inside alt	Clause 22.4	m	
93	Sem_2204_the_check_operatio n_090	Verify behaviour of port.check(catch) with assignment in case of successful match inside alt	Clause 22.4	m	
94	Sem_2204_the_check_operatio n_091	Verify behaviour of port.check(catch) in case of successful match in standalone statement	Clause 22.4	m	
95	Sem_2204_the_check_operatio n_092	Verify behaviour of port.check(catch) with assignment in case of successful match in standalone statement	Clause 22.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
96	Sem_2204_the_check_operation_093	Verify behaviour of any port.check(catch) in case of successful match inside alt	Clause 22.4	m	
97	Sem_2204_the_check_operation_094	Verify behaviour of any port.check(catch) with assignment in case of successful match inside alt	Clause 22.4	m	
98	Sem_2204_the_check_operation_095	Verify behaviour of any port.check(catch) in case of successful match in standalone statement	Clause 22.4	m	
99	Sem_2204_the_check_operation_096	Verify behaviour of any port.check(catch) with assignment in case of successful match in standalone statement	Clause 22.4	m	
100	Sem_2204_the_check_operation_097	Verify that port.check works correctly inside alt	Clause 22.4	m	
101	Sem_2204_the_check_operation_098	Verify that port.check with assignment works correctly inside alt	Clause 22.4	m	
102	Sem_2204_the_check_operation_099	Verify that port.check works correctly as standalone statement	Clause 22.4	m	
103	Sem_2204_the_check_operation_100	Verify that port.check with assignment works correctly as standalone statement	Clause 22.4	m	
104	Sem_2204_the_check_operation_101	Verify that any port.check works correctly inside alt	Clause 22.4	m	
105	Sem_2204_the_check_operation_102	Verify that any port.check with assignment works correctly inside alt	Clause 22.4	m	
106	Sem_2204_the_check_operation_103	Verify that any port.check works correctly as standalone statement	Clause 22.4	m	
107	Sem_2204_the_check_operation_104	Verify that any port.check(catch) with assignment works correctly as standalone statement	Clause 22.4	m	
108	Sem_2204_the_check_operation_105	Verify behaviour of port.check in case of unsuccessful match inside alt	Clause 22.4	m	
109	Sem_2204_the_check_operation_106	Verify behaviour of port.check with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
110	Sem_2204_the_check_operation_107	Verify behaviour of port.check in case of unsuccessful match in standalone statement	Clause 22.4	m	
111	Sem_2204_the_check_operation_108	Verify behaviour of port.check with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
112	Sem_2204_the_check_operation_109	Verify any port.check behaviour in case of unsuccessful match inside alt	Clause 22.4	m	
113	Sem_2204_the_check_operation_110	Verify behaviour of any port.check with assignment in case of unsuccessful match inside alt	Clause 22.4	m	
114	Sem_2204_the_check_operation_111	Verify behaviour of any port.check in case of unsuccessful match in standalone statement	Clause 22.4	m	
115	Sem_2204_the_check_operation_112	Verify behaviour of any port.check with assignment in case of unsuccessful match in standalone statement	Clause 22.4	m	
116	Sem_2204_the_check_operation_113	Verify behaviour of port.check in case of successful match inside alt	Clause 22.4	m	
117	Sem_2204_the_check_operation_114	Verify behaviour of port.check with assignment in case of successful match inside alt	Clause 22.4	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
118	Sem_2204_the_check_operation_115	Verify behaviour of port.check in case of successful match in standalone statement	Clause 22.4	m	
119	Sem_2204_the_check_operation_116	Verify behaviour of port.check with assignment in case of successful match in standalone statement	Clause 22.4	m	
120	Sem_2204_the_check_operation_117	Verify behaviour of any port.check in case of successful match inside alt	Clause 22.4	m	
121	Sem_2204_the_check_operation_118	Verify behaviour of any port.check with assignment in case of successful match inside alt	Clause 22.4	m	
122	Sem_2204_the_check_operation_119	Verify behaviour of any port.check in case of successful match in standalone statement	Clause 22.4	m	
123	Sem_2204_the_check_operation_120	Verify behaviour of any port.check with assignment in case of successful match in standalone statement	Clause 22.4	m	

A.3.142 Timer operations

Table A.141: Timer operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2302_timer_start_001	Ensure infinity is not allowed	Clause 23	m	
2	NegSem_2302_timer_start_002	Ensure not_a_number is not allowed	Clause 23	m	
3	NegSem_2302_timer_start_003	Ensure negative value is not allowed	Clause 23	m	
4	NegSem_2302_timer_start_004	Ensure negative infinity is not allowed	Clause 23	m	
5	NegSyn_2302_timer_start_001	Ensure timer start syntax	Clause 23	m	
6	NegSyn_2302_timer_start_002	Ensure timer start syntax	Clause 23	m	
7	NegSyn_2302_timer_start_003	Ensure timer start syntax	Clause 23	m	
8	NegSyn_2302_timer_start_004	Ensure timer start syntax	Clause 23	m	
9	NegSyn_2302_timer_start_005	Ensure timer start syntax	Clause 23	m	
10	NegSyn_2302_timer_start_006	Ensure timer start syntax	Clause 23	m	
11	NegSyn_2302_timer_start_007	Ensure timer start syntax	Clause 23	m	
12	NegSyn_2302_timer_start_008	Ensure timer start syntax	Clause 23	m	
13	NegSyn_2302_timer_start_009	Ensure timer start syntax	Clause 23	m	
14	NegSyn_2302_timer_start_010	Ensure timer start syntax	Clause 23	m	
15	NegSyn_2302_timer_start_011	Ensure timer start syntax	Clause 23	m	
16	NegSyn_2302_timer_start_012	Ensure timer start syntax	Clause 23	m	
17	NegSyn_2302_timer_start_013	Ensure timer start syntax	Clause 23	m	
18	Sem_2302_timer_start_001	Ensure timer runs from zero to stated value	Clause 23	m	
19	Sem_2302_timer_start_002	Ensure timer can be restarted	Clause 23	m	
20	Sem_2302_timer_start_003	Ensure timer default value can be modified by start value	Clause 23	m	
21	Sem_2302_timer_start_004	Ensure timer with value 0.0 expires immediately	Clause 23	m	
22	NegSem_23_toplevel_001	Ensure timer operations are not allowed outside of module control, test case, function, altstep	Clause 23	m	
23	NegSem_23_toplevel_002	Ensure timer operations are not allowed outside of module control, test case, function, altstep	Clause 23	m	
24	NegSyn_23_toplevel_001	Ensure timer operations are not allowed outside of module control, test case, function, altstep	Clause 23	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
25	NegSyn_23_toplevel_002	Ensure timer operations are not allowed outside of module control, test case, function, altstep	Clause 23	m	
26	Syn_23_toplevel_001	Ensure timer allowed in module control, test case, function, altstep	Clause 23	m	
27	Syn_23_toplevel_002	Ensure timer allowed in module control, test case, function, altstep	Clause 23	m	

A.3.143 The stop timer operation

Table A.142: The stop timer operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_2303_timer_stop_001	Ensure timer stop syntax	Clause 23.3	m	
2	NegSyn_2303_timer_stop_002	Ensure timer stop syntax	Clause 23.3	m	
3	NegSyn_2303_timer_stop_003	Ensure all timer stop syntax	Clause 23.3	m	
4	NegSyn_2303_timer_stop_004	Ensure all timer stop syntax	Clause 23.3	m	
5	NegSyn_2303_timer_stop_005	Ensure all timer stop syntax	Clause 23.3	m	
6	NegSyn_2303_timer_stop_006	Ensure all timer stop syntax	Clause 23.3	m	
7	Sem_2303_timer_stop_002	Ensure timer stop sets elapsed time to zero	Clause 23.3	m	
8	Sem_2303_timer_stop_003	Ensure timer all timer identifier	Clause 23.3	m	
9	Sem_2303_timer_stop_004	Ensure can be stopped after timeout	Clause 23.3	m	
10	Syn_2303_timer_stop_006	Ensure timer stop syntax	Clause 23.3	m	
11	Syn_2303_timer_stop_007	Ensure all timer stop syntax	Clause 23.3	m	

A.3.144 The running timer operation

Table A.143: The running timer operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_2305_timer_running_001	Ensure timer running syntax	Clause 23.5	m	
2	NegSyn_2305_timer_running_002	Ensure timer running syntax	Clause 23.5	m	
3	NegSyn_2305_timer_running_003	Ensure timer running syntax	Clause 23.5	m	
4	NegSyn_2305_timer_running_004	Ensure timer running syntax	Clause 23.5	m	
5	NegSyn_2305_timer_running_005	Ensure timer running syntax	Clause 23.5	m	
6	NegSyn_2305_timer_running_006	Ensure timer running syntax: disallow all timer.running	Clause 23.5	m	
7	Sem_2305_timer_running_001	Ensure timer running any timer identifier works	Clause 23.5	m	
8	Sem_2305_timer_running_002	Ensure timer running operation works	Clause 23.5	m	
9	Sem_2305_timer_running_003	Ensure timer running operation works	Clause 23.5	m	
10	Sem_2305_timer_running_004	Ensure timer running operation works	Clause 23.5	m	
11	Sem_2305_timer_running_005	Correct number of timers from a timer array is still running	Clause 23.5	m	
12	Syn_2306_timer_timeout_001	Ensure timer running syntax	Clause 23.5	m	

A.3.145 The timeout operation

Table A.144: The timeout operation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSyn_2306_timer_timeout_001	Ensure timer timeout syntax	Clause 23.6	m	
2	NegSyn_2306_timer_timeout_002	Ensure timer timeout can't be used in boolean expressions	Clause 23.6	m	
3	NegSyn_2306_timer_timeout_003	Ensure timer timeout syntax	Clause 23.6	m	
4	NegSyn_2306_timer_timeout_004	Ensure timer timeout syntax	Clause 23.6	m	
5	NegSyn_2306_timer_timeout_005	Ensure timer timeout syntax	Clause 23.6	m	
6	NegSyn_2306_timer_timeout_006	Ensure timer timeout syntax	Clause 23.6	m	
7	NegSyn_2306_timer_timeout_007	Ensure timer timeout syntax	Clause 23.6	m	
8	Sem_2306_timer_timeout_001	Ensure timer timeout operations: non-started timer doesn't timeout	Clause 23.6	m	
9	Sem_2306_timer_timeout_002	Ensure timer timeout operations: timed-out timer doesn't timeout until restarted	Clause 23.6	m	
10	Sem_2306_timer_timeout_003	Ensure timer timeout happen in order from the shortest to the longest	Clause 23.6	m	
11	Sem_2306_timer_timeout_004	Ensure any timer.timeout operation	Clause 23.6	m	
12	Sem_2306_timer_timeout_005	Ensure any timer.timeout operation for timeouts that are not in scope	Clause 23.6	m	
13	Sem_2306_timer_timeout_006	Ensure any timer.timeout operation handles timeout of any timer in the component, not only visible from a function or altstep	Clause 23.6	m	
14	Sem_2306_timer_timeout_007	Ensure timer timeout happen in order from the shortest to the longest	Clause 23.6	m	
15	Sem_2306_timer_timeout_008	Timeout of a timer from a timer array works correctly	Clause 23.6	m	
16	Sem_2306_timer_timeout_009	removing random timeout when using any timer.timeout	Clause 23.6	m	

A.3.146 Test verdict operations

Table A.145: Test verdict operations

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_13_declaring_msg_002	Ensure received messages can't be matched with wrong template	Clause 24	m	
2	Sem_13_declaring_msg_003	Ensure instances of messages can be declared by in-line templates	Clause 24	m	
3	Sem_13_declaring_msg_004	Ensure instances of messages can be declared by global templates	Clause 24	m	
4	Sem_13_declaring_msg_005	Ensure instances of messages can be declared and passed via template variables	Clause 24	m	
5	Sem_13_declaring_msg_006	Ensure instances of messages can be declared and passed via inline template	Clause 24	m	
6	Sem_13_declaring_msg_007	Ensure instances of messages can be declared and passed via parameter	Clause 24	m	
7	Sem_13_declaring_msg_008	Ensure instances of messages can be declared and passed via template parameter	Clause 24	m	
8	Sem_13_declaring_msg_009	Ensure instances of messages can be declared and passed via template parameter	Clause 24	m	
9	NegSem_2402_setverdict_params_001	Ensure setverdict accepts parameters of verdicttype only	Clause 24	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
10	NegSem_2402_setverdict_params_002	Ensure setverdict accepts parameters of verdicttype only	Clause 24	m	
11	NegSem_2402_setverdict_params_003	Ensure setverdict accepts values of verdicttype only	Clause 24	m	
12	NegSem_2402_setverdict_params_004	Ensure setverdict accepts values only as the parameter	Clause 24	m	
13	NegSem_2402_setverdict_params_005	Ensure setverdict accepts values only as the parameter	Clause 24	m	
14	Sem_2402_setverdict_logging_001	Ensure logging constraints	Clause 24	m	
15	Sem_2402_setverdict_params_001	Ensure setverdict accepts values only as the parameter	Clause 24	m	
16	Sem_2402_setverdict_params_002	Ensure setverdict accepts values only as the parameter	Clause 24	m	
17	Sem_2402_setverdict_params_003	Ensure logging constraints	Clause 24	m	
18	NegSem_24_toplevel_001	Ensure getverdict is not allowed in constant initialization in control part	Clause 24	m	
19	NegSem_24_toplevel_002	Ensure getverdict is not allowed in parameter initialization in control part	Clause 24	m	
20	NegSem_24_toplevel_003	Ensure getverdict is not allowed in variable definition in control part	Clause 24	m	
21	NegSem_24_toplevel_004	Ensure setverdict is not allowed in part within compound statement	Clause 24	m	
22	NegSem_24_toplevel_005	Ensure setverdict is not allowed in control part at the top level	Clause 24	m	
23	Syn_24_toplevel_001	Ensure setverdict and getverdict are allowed in functions	Clause 24	m	
24	Syn_24_toplevel_002	Ensure setverdict and getverdict are allowed in test cases	Clause 24	m	
25	Syn_24_toplevel_003	Ensure setverdict and getverdict are allowed in atsteps	Clause 24	m	

A.3.147 The verdict mechanism

Table A.146: The verdict mechanism

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2401_SetverdictError	Setverdict can't set error verdict	Clause 24.1	m	
2	Sem_2401_GlobalVerdict_001	Ensure overwriting rules for global verdict: pass can overwrite none.	Clause 24.1	m	
3	Sem_2401_GlobalVerdict_002	Ensure overwriting rules for global verdict: inconc can overwrite none.	Clause 24.1	m	
4	Sem_2401_GlobalVerdict_003	Ensure overwriting rules for global verdict: fail can overwrite none.	Clause 24.1	m	
5	Sem_2401_GlobalVerdict_004	Ensure overwriting rules for global verdict: none can't overwrite pass.	Clause 24.1	m	
6	Sem_2401_GlobalVerdict_005	Ensure overwriting rules for global verdict: inconc can overwrite pass.	Clause 24.1	m	
7	Sem_2401_GlobalVerdict_006	Ensure overwriting rules for global verdict: fail can overwrite pass.	Clause 24.1	m	
8	Sem_2401_GlobalVerdict_007	Ensure overwriting rules for global verdict: none can't overwrite inconc.	Clause 24.1	m	
9	Sem_2401_GlobalVerdict_008	Ensure overwriting rules for global verdict: pass can't overwrite inconc.	Clause 24.1	m	
10	Sem_2401_GlobalVerdict_009	Ensure overwriting rules for global verdict: fail can overwrite inconc.	Clause 24.1	m	
11	Sem_2401_GlobalVerdict_010	Ensure overwriting rules for global verdict: none can't overwrite fail.	Clause 24.1	m	
12	Sem_2401_GlobalVerdict_011	Ensure overwriting rules for global verdict: pass can't overwrite fail.	Clause 24.1	m	
13	Sem_2401_GlobalVerdict_012	Ensure overwriting rules for global verdict: inconc can't overwrite fail.	Clause 24.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
14	Sem_2401_InitiallyNone_001	Local verdicts initializes with none	Clause 24.1	m	
15	Sem_2401_LocalVerdict_001	Ensure overwriting rules for local verdict: pass can overwrite none.	Clause 24.1	m	
16	Sem_2401_LocalVerdict_002	Ensure overwriting rules for local verdict: inconc can overwrite none.	Clause 24.1	m	
17	Sem_2401_LocalVerdict_003	Ensure overwriting rules for local verdict: fail can overwrite none.	Clause 24.1	m	
18	Sem_2401_LocalVerdict_004	Ensure overwriting rules for local verdict: none can't overwrite pass.	Clause 24.1	m	
19	Sem_2401_LocalVerdict_005	Ensure overwriting rules for local verdict: inconc can overwrite pass.	Clause 24.1	m	
20	Sem_2401_LocalVerdict_006	Ensure overwriting rules for local verdict: fail can overwrite pass.	Clause 24.1	m	
21	Sem_2401_LocalVerdict_007	Ensure overwriting rules for local verdict: none can't overwrite inconc.	Clause 24.1	m	
22	Sem_2401_LocalVerdict_008	Ensure overwriting rules for local verdict: pass can't overwrite inconc.	Clause 24.1	m	
23	Sem_2401_LocalVerdict_009	Ensure overwriting rules for local verdict: fail can overwrite inconc.	Clause 24.1	m	
24	Sem_2401_LocalVerdict_010	Ensure overwriting rules for local verdict: none can't overwrite fail.	Clause 24.1	m	
25	Sem_2401_LocalVerdict_011	Ensure overwriting rules for local verdict: pass can't overwrite fail.	Clause 24.1	m	
26	Sem_2401_LocalVerdict_012	Ensure overwriting rules for local verdict: inconc can't overwrite fail.	Clause 24.1	m	
27	Syn_2401_FiveValues_001	There are five values of verdicttype	Clause 24.1	m	

A.3.148 The getverdict mechanism

Table A.147: The getverdict mechanism

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_2403_getverdict_001	Ensure getverdict returns the actual verdict none	Clause 24.3	m	
2	Sem_2403_getverdict_002	Ensure getverdict returns the actual verdict inconc	Clause 24.3	m	
3	Sem_2403_getverdict_003	Ensure getverdict returns the actual verdict pass	Clause 24.3	m	
4	Sem_2403_getverdict_004	Ensure getverdict returns the actual verdict fail	Clause 24.3	m	
5	Sem_2403_getverdict_005	Ensure getverdict none for uninitialized verdict	Clause 24.3	m	

A.3.149 Module control

Table A.148: Module control

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_26_ModuleControl_001	Assignments in the control part are accepted.	Clause 26	m	
2	Syn_26_ModuleControl_002	If-else constructs in the control part are accepted.	Clause 26	m	
3	Syn_26_ModuleControl_003	Select-case constructs in the control part are accepted.	Clause 26	m	
4	Syn_26_ModuleControl_004	For loop constructs in the control part are accepted.	Clause 26	m	
5	Syn_26_ModuleControl_005	While loop constructs in the control part are accepted.	Clause 26	m	
6	Syn_26_ModuleControl_006	Label and goto constructs in the control part are accepted.	Clause 26	m	
7	Syn_26_ModuleControl_007	The stop construct in the control part is accepted.	Clause 26	m	
8	Syn_26_ModuleControl_008	The break construct in the control part is accepted.	Clause 26	m	
9	Syn_26_ModuleControl_009	The continue construct in the control part is accepted.	Clause 26	m	
10	Syn_26_ModuleControl_010	The continue construct in the control part is accepted.	Clause 26	m	
11	Syn_26_ModuleControl_011	The alt/timeout construct in the control part is accepted.	Clause 26	m	
12	Syn_26_ModuleControl_012	The repeat construct in the control part is accepted.	Clause 26	m	
13	Syn_26_ModuleControl_013	The interleave construct in the control part is accepted.	Clause 26	m	
14	Syn_26_ModuleControl_015	Start/stop/read/running timer constructs in the control part are accepted.	Clause 26	m	
15	Syn_26_ModuleControl_016	The action construct in the control part is accepted.	Clause 26	m	
16	Syn_26_ModuleControl_017	The execute construct in the control part is accepted.	Clause 26	m	

A.3.150 The execute statement

Table A.149: The execute statement

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2601_ExecuteStatement_001	Non-float timeout parameters in the execute statement are rejected (in this case int).	Clause 26.1	m	
2	NegSem_2601_ExecuteStatement_002	Non-float timeout parameters in the execute statement are rejected (in this case charstring).	Clause 26.1	m	
3	NegSem_2601_ExecuteStatement_003	Host id can be only charstring.	Clause 26.1	m	
4	NegSem_2601_ExecuteStatement_004	Execution rejects test case execution with infinity timer guard	Clause 26.1	m	
5	Sem_2601_ExecuteStatement_001	Parameters are passed correctly into the test case.	Clause 26.1	m	
6	Sem_2601_ExecuteStatement_002	Multiple parameters of different types are passed correctly into the test case.	Clause 26.1	m	
7	Sem_2601_ExecuteStatement_003	The timeout specified with the execute statement is respected.	Clause 26.1	m	
8	Sem_2601_ExecuteStatement_004	The verdict none works correctly.	Clause 26.1	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
9	Sem_2601_ExecuteStatement_005	The verdict pass works correctly.	Clause 26.1	m	
10	Sem_2601_ExecuteStatement_006	The verdict inconc works correctly.	Clause 26.1	m	
11	Sem_2601_ExecuteStatement_007	The timeout specified with the execute statement is respected.	Clause 26.1	m	
12	Sem_2601_ExecuteStatement_008	The user error sets the verdict error correctly.	Clause 26.1	m	
13	Sem_2601_ExecuteStatement_009	Host id restriction is correctly handled.	Clause 26.1	m	

A.3.151 The control part

Table A.150: The control part

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2602_TheControlPart_001	Setverdict statements are not allowed in the control part.	Clause 26.2	m	
2	NegSem_2602_TheControlPart_002	The create component is not allowed in the control part.	Clause 26.2	m	
3	NegSem_2602_TheControlPart_003	The create alive component is not allowed in the control part.	Clause 26.2	m	
4	NegSem_2602_TheControlPart_004	The start statement is not allowed in the control part.	Clause 26.2	m	
5	NegSem_2602_TheControlPart_005	The stop statement is not allowed in the control part.	Clause 26.2	m	
6	NegSem_2602_TheControlPart_006	The kill statement is not allowed in the control part.	Clause 26.2	m	
7	NegSem_2602_TheControlPart_007	The alive operation is not allowed in the control part.	Clause 26.2	m	
8	NegSem_2602_TheControlPart_008	The running operation is not allowed in the control part.	Clause 26.2	m	
9	NegSem_2602_TheControlPart_009	The done operation is not allowed in the control part.	Clause 26.2	m	
10	NegSem_2602_TheControlPart_010	The killed operation is not allowed in the control part.	Clause 26.2	m	
11	NegSem_2602_TheControlPart_011	The connect statements are not allowed in the control part.	Clause 26.2	m	
12	NegSem_2602_TheControlPart_012	The disconnect statements are not allowed in the control part.	Clause 26.2	m	
13	NegSem_2602_TheControlPart_013	The map statements are not allowed in the control part.	Clause 26.2	m	
14	NegSem_2602_TheControlPart_014	The unmap statements are not allowed in the control part.	Clause 26.2	m	
15	NegSem_2602_TheControlPart_015	The send statements are not allowed in the control part.	Clause 26.2	m	
16	NegSem_2602_TheControlPart_016	The receive statements are not allowed in the control part.	Clause 26.2	m	
17	NegSem_2602_TheControlPart_017	The call statements are not allowed in the control part.	Clause 26.2	m	
18	NegSem_2602_TheControlPart_018	The reply statements are not allowed in the control part.	Clause 26.2	m	
19	NegSem_2602_TheControlPart_019	The raise statements are not allowed in the control part.	Clause 26.2	m	
20	NegSem_2602_TheControlPart_020	The trigger statements are not allowed in the control part.	Clause 26.2	m	
21	NegSem_2602_TheControlPart_021	The getcall statements are not allowed in the control part.	Clause 26.2	m	
22	NegSem_2602_TheControlPart_022	The getreply statements are not allowed in the control part.	Clause 26.2	m	
23	NegSem_2602_TheControlPart_023	The catch statements are not allowed in the control part.	Clause 26.2	m	
24	NegSem_2602_TheControlPart_024	The check statements are not allowed in the control part.	Clause 26.2	m	

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
25	NegSem_2602_TheControlPart_025	The clear statements are not allowed in the control part.	Clause 26.2	m	
26	NegSem_2602_TheControlPart_026	The start statements on ports are not allowed in the control part.	Clause 26.2	m	
27	NegSem_2602_TheControlPart_027	The stop statements on ports are not allowed in the control part.	Clause 26.2	m	
28	NegSem_2602_TheControlPart_028	The halt statements are not allowed in the control part.	Clause 26.2	m	
29	NegSem_2602_TheControlPart_029	Alternative behaviours are only used to control timer behavior in the control part.	Clause 26.2	m	
30	NegSem_2602_TheControlPart_030	Getverdict statements are not allowed in the control part.	Clause 26.2	m	
31	NegSem_2602_TheControlPart_031	Execute statements are not executed from test cases.	Clause 26.2	m	
32	NegSem_2602_TheControlPart_032	The create alive named component is not allowed in the control part.	Clause 26.2	m	
33	NegSem_2602_TheControlPart_033	The create named component is not allowed in the control part.	Clause 26.2	m	
34	NegSem_2602_TheControlPart_034	The create named component on host is not allowed in the control part.	Clause 26.2	m	
35	NegSem_2602_TheControlPart_035	Alternative behaviours are only used to control timer behavior in the control part.	Clause 26.2	m	
36	Sem_2602_TheControlPart_001	The selection/deselection of test cases using boolean conditions works as expected.	Clause 26.2	m	
37	Sem_2602_TheControlPart_002	The execution of test cases works from within a function.	Clause 26.2	m	
38	Sem_2602_TheControlPart_003	The selection of test cases can be achieved based on resulting verdict types.	Clause 26.2	m	

A.3.152 Scope of attributes

Table A.151: Scope of attributes

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Syn_270101_ScopeOfAttributes_001	Attributes for language elements are accepted.	Clause 27.1.1	m	
2	Syn_270101_ScopeOfAttributes_002	Attributes for language elements are accepted.	Clause 27.1.1	m	
3	Syn_270101_ScopeOfAttributes_003	Attributes for individual fields are accepted.	Clause 27.1.1	m	
4	Syn_270101_ScopeOfAttributes_004	Attributes for individual fields are accepted.	Clause 27.1.1	m	

A.3.153 Optional attributes

Table A.152: Optional attributes

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_2707_OptionalAttributes_002	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
2	NegSem_2707_OptionalAttributes_003	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
3	Sem_2707_OptionalAttributes_001	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
4	Sem_2707_OptionalAttributes_002	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
5	Sem_2707_OptionalAttributes_003	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
6	Sem_2707_OptionalAttributes_004	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
7	Sem_2707_OptionalAttributes_005	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
8	Sem_2707_OptionalAttributes_006	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
9	Sem_2707_OptionalAttributes_007	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
10	Sem_2707_OptionalAttributes_008	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	
11	Syn_2707_OptionalAttributes_001	The IUT correctly handles attribute definitions and their scoping rules	Clause 27.7	m	

A.3.154 Matching specific values

Table A.153: Matching specific values

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B0101_matching_specific_value_001	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
2	Sem_B0101_matching_specific_value_002	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
3	Sem_B0101_matching_specific_value_003	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
4	Sem_B0101_matching_specific_value_004	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
5	Sem_B0101_matching_specific_value_005	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
6	Sem_B0101_matching_specific_value_006	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
7	Sem_B0101_matching_specific_value_007	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
8	Sem_B0101_matching_specific_value_008	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
9	Sem_B0101_matching_specific_value_009	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
10	Sem_B0101_matching_specific_value_010	The IUT correctly handles template matching of specific values	Clause B.1.1	m	
11	Sem_B0101_matching_specific_value_011	The IUT correctly handles template matching of specific values	Clause B.1.1	m	

A.3.155 Value list

Table A.154: Value list

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010201_value_list_001	The IUT correctly handles template matching of listed multiple values	Clause B.1.2.1	m	

A.3.156 Complemented value list

Table A.155: Complemented value list

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010202_complemented_value_list_001	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
2	NegSem_B010202_complemented_value_list_002	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
3	NegSem_B010202_complemented_value_list_003	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
4	NegSem_B010202_complemented_value_list_004	The IUT correctly handles template matching of complemented value omit	Clause B.1.2.2	m	
5	Sem_B010202_complemented_value_list_001	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
6	Sem_B010202_complemented_value_list_002	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
7	Sem_B010202_complemented_value_list_003	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
8	Sem_B010202_complemented_value_list_004	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
9	Sem_B010202_complemented_value_list_005	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
10	Sem_B010202_complemented_value_list_006	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
11	Sem_B010202_complemented_value_list_007	The IUT correctly handles template matching of complemented value listing	Clause B.1.2.2	m	
12	Sem_B010202_complemented_value_list_008	The IUT correctly handles template matching of complemented value omit	Clause B.1.2.2	m	

A.3.157 Any value

Table A.156: Any value

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010203_any_value_001	The IUT correctly handles template matching of ? values	Clause B.1.2.3	m	
2	Sem_B010203_any_value_002	The IUT correctly handles template matching of ? values	Clause B.1.2.3	m	

A.3.158 Any value or none

Table A.157: Any value or none

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010204_any_value_or_none_001	The IUT correctly handles template matching of * values	Clause B.1.2.4	m	
2	NegSem_B010204_any_value_or_none_002	The IUT correctly handles template matching of * values	Clause B.1.2.4	m	
3	NegSem_B010204_any_value_or_none_003	AnyValueOrNone can't be used for matching non-optional value	Clause B.1.2.4	m	
4	NegSem_B010204_any_value_or_none_004	AnyValueOrNone can't be used for matching compulsory fields	Clause B.1.2.4	m	
5	Sem_B010204_any_value_or_none_001	The IUT correctly handles template matching of * values	Clause B.1.2.4	m	
6	Sem_B010204_any_value_or_none_002	AnyValueOrNone can be assigned to top-level template	Clause B.1.2.4	m	
7	Sem_B010204_any_value_or_none_003	AnyValueOrNone can be used for matching optional fields	Clause B.1.2.4	m	

A.3.159 Value range

Table A.158: Value range

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010205_value_range_001	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
2	NegSem_B010205_value_range_002	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
3	NegSem_B010205_value_range_003	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
4	Sem_B010205_value_range_001	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
5	Sem_B010205_value_range_002	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
6	Sem_B010205_value_range_003	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
7	Sem_B010205_value_range_004	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
8	Sem_B010205_value_range_005	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
9	Sem_B010205_value_range_006	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
10	Sem_B010205_value_range_007	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	
11	Sem_B010205_value_range_008	The IUT correctly handles template matching of value range definitions	Clause B.1.2.5	m	

A.3.160 SuperSet

Table A.159: SuperSet

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010206_superset_001	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
2	NegSem_B010206_superset_002	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
3	NegSem_B010206_superset_003	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
4	NegSem_B010206_superset_004	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
5	NegSem_B010206_superset_005	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
6	NegSem_B010206_superset_006	The IUT correctly handles template matching of subset definition	Clause B.1.2.6	m	
7	NegSem_B010206_superset_007	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
8	NegSem_B010206_superset_008	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
9	NegSem_B010206_superset_009	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
10	Sem_B010206_superset_001	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
11	Sem_B010206_superset_002	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
12	Sem_B010206_superset_003	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
13	Sem_B010206_superset_004	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
14	Sem_B010206_superset_005	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
15	Sem_B010206_superset_006	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
16	Sem_B010206_superset_007	The IUT correctly handles template matching of superset definitions	Clause B.1.2.6	m	
17	Sem_B010206_superset_008	The IUT correctly handles template matching of superset definition	Clause B.1.2.6	m	
18	NegSem_B010207_subset_003	The IUT correctly handles template matching of subset definitions	Clause B.1.2.6	m	
19	NegSem_B010207_subset_004	The IUT correctly handles template matching of subset definitions	Clause B.1.2.6	m	
20	NegSem_B010207_subset_005	The IUT correctly handles template matching of subset definitions	Clause B.1.2.6	m	
21	NegSem_B010207_subset_006	The IUT correctly handles template matching of subset definitions	Clause B.1.2.6	m	
22	NegSem_B010207_subset_007	The IUT correctly handles template matching of subset definitions	Clause B.1.2.6	m	
23	NegSem_B010207_subset_008	The IUT correctly handles template matching of subset definitions	Clause B.1.2.6	m	

A.3.161 SubSet

Table A.160: SubSet

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010207_subset_001	The IUT correctly handles template matching of superset definitions	Clause B.1.2.7	m	
2	NegSem_B010207_subset_002	The IUT correctly handles template matching of superset definitions	Clause B.1.2.7	m	
3	Sem_B010207_subset_001	The IUT correctly handles template matching of superset definitions	Clause B.1.2.7	m	
4	Sem_B010207_subset_002	The IUT correctly handles template matching of superset definitions	Clause B.1.2.7	m	
5	Sem_B010207_subset_003	The IUT correctly handles template matching of superset definitions	Clause B.1.2.7	m	
6	Sem_B010207_subset_004	The IUT correctly handles template matching of subset definition	Clause B.1.2.7	m	
7	Sem_B010207_subset_005	The IUT correctly handles template matching of subset definition	Clause B.1.2.7	m	
8	Sem_B010207_subset_006	The IUT correctly handles template matching of subset definition	Clause B.1.2.7	m	
9	Sem_B010207_subset_007	The IUT correctly handles template matching of subset definition	Clause B.1.2.7	m	
10	Sem_B010207_subset_008	The IUT correctly handles template matching of subset definition	Clause B.1.2.7	m	

A.3.162 Omitting optional fields

Table A.161: Omitting optional fields

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010208_omit_value_001	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
2	NegSem_B010208_omit_value_002	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
3	NegSem_B010208_omit_value_003	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
4	Sem_B010208_omit_value_001	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
5	Sem_B010208_omit_value_002	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
6	Sem_B010208_omit_value_003	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
7	Sem_B010208_omit_value_004	The IUT correctly handles template matching of omit values	Clause B.1.2.8	m	
8	Sem_B010209_decoded_content_001	The IUT correctly handles content decoding	Clause B.1.2.8	m	
9	Sem_B010209_decoded_content_002	The IUT correctly handles content decoding	Clause B.1.2.8	m	
10	Sem_B010209_decoded_content_003	The IUT correctly handles content decoding	Clause B.1.2.8	m	
11	Sem_B010209_decoded_content_004	The IUT correctly handles content decoding	Clause B.1.2.8	m	
12	Sem_B010209_decoded_content_005	The IUT correctly handles content decoding	Clause B.1.2.8	m	

A.3.163 Any element

Table A.162: Any element

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010301_any_element_001	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
2	Sem_B010301_any_element_002	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
3	Sem_B010301_any_element_003	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
4	Sem_B010301_any_element_004	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
5	Sem_B010301_any_element_005	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
6	Sem_B010301_any_element_006	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
7	Sem_B010301_any_element_007	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	
8	Sem_B010301_any_element_008	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.1	m	

A.3.164 Any number of elements of no element

Table A.163: Any number of elements of no element

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010302_any_number_of_elements_or_none_001	The IUT correctly handles template matching of * symbols in value elements	Clause B.1.3.2	m	
2	Sem_B010302_any_number_of_elements_or_none_002	The IUT correctly handles template matching of * symbols in value elements	Clause B.1.3.2	m	
3	Sem_B010302_any_number_of_elements_or_none_003	The IUT correctly handles template matching of * symbols in value elements	Clause B.1.3.2	m	

A.3.165 Permutation

Table A.164: Permutation

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010303_permutation_001	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.3	m	
2	NegSem_B010303_permutation_002	All from operand can be a record of or set of only	Clause B.1.3.3	m	
3	NegSem_B010303_permutation_003	Type restriction for permutation elements is applied	Clause B.1.3.3	m	
4	NegSem_B010303_permutation_004	Type restriction for all from clause in permutation is applied	Clause B.1.3.3	m	
5	NegSem_B010303_permutation_005	Verify restriction on individual members of all from operand in permutation	Clause B.1.3.3	m	
6	NegSem_B010303_permutation_006	Verify restriction on individual members of all from operand in permutation	Clause B.1.3.3	m	
7	Sem_B010303_permutation_001	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.3	m	
8	Sem_B010303_permutation_002	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.3	m	
9	Sem_B010303_permutation_003	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.3	m	
10	Sem_B010303_permutation_004	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.3	m	
11	Sem_B010303_permutation_005	The IUT correctly handles template matching of ? symbols in value elements	Clause B.1.3.3	m	
12	Sem_B010303_permutation_006	The IUT correctly handles permutation within arrays	Clause B.1.3.3	m	
13	Sem_B010303_permutation_007	All from clause can be used inside permutation	Clause B.1.3.3	m	
14	Sem_B010303_permutation_008	All from clause operand can be a set of value	Clause B.1.3.3	m	
15	Sem_B010303_permutation_009	All from clause operand can be a set of value	Clause B.1.3.3	m	

A.3.166 Length restrictions

Table A.165: Length restrictions

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010401_length_restrictions_001	The IUT correctly handles template matching of value length definitions	Clause B.1.4.1	m	
2	NegSem_B010401_length_restrictions_002	The IUT correctly handles template matching of value length definitions	Clause B.1.4.1	m	
3	NegSem_B010401_length_restrictions_003	The IUT correctly handles template matching of value length definitions	Clause B.1.4.1	m	
4	NegSem_B010401_length_restrictions_004	The IUT correctly handles template matching of value length definitions	Clause B.1.4.1	m	
5	Sem_B010401_length_restrictions_001	The IUT correctly handles template matching of value length definitions	Clause B.1.4.1	m	
6	Sem_B010401_length_restrictions_002	The IUT correctly handles template matching of value length definitions	Clause B.1.4.1	m	

A.3.167 The ifpresent indicator

Table A.166: The ifpresent indicator

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010402_ifPresent_indicator_001	The IUT correctly handles template matching of ifpresent indicators	Clause B.1.4.2	m	
2	Sem_B010402_ifPresent_indicator_001	The IUT correctly handles template matching of ifpresent indicators	Clause B.1.4.2	m	
3	Sem_B010402_ifPresent_indicator_002	The IUT correctly handles template matching of ifpresent indicators	Clause B.1.4.2	m	

A.3.168 Matching character pattern

Table A.167: Matching character pattern

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B0105_toplevel_001	The IUT correctly handles template matching of character pattern definitions	Clause B.1.5	m	
2	Sem_B0105_toplevel_002	The IUT correctly handles template quadruple and USI-like syntax matching of character pattern definitions	Clause B.1.5	m	

A.3.169 Set expression

Table A.168: Set expression

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010501_set_expression_001	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	
2	Sem_B010501_set_expression_001	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	
3	Sem_B010501_set_expression_002	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	
4	Sem_B010501_set_expression_003	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	
5	Sem_B010501_set_expression_004	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	
6	Sem_B010501_set_expression_005	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	
7	Sem_B010501_set_expression_006	The IUT correctly handles template matching of character pattern set expressions	Clause B.1.5.1	m	

A.3.170 Reference expression

Table A.169: Reference expression

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010502_reference_expression_001	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
2	Sem_B010502_reference_expression_002	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
3	Sem_B010502_reference_expression_003	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
4	Sem_B010502_reference_expression_004	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
5	Sem_B010502_reference_expression_005	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
6	Sem_B010502_reference_expression_006	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
7	Sem_B010502_reference_expression_007	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
8	Sem_B010502_reference_expression_008	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
9	Sem_B010502_reference_expression_009	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
10	Sem_B010502_reference_expression_010	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	
11	Sem_B010502_reference_expression_011	The IUT correctly handles template matching of character pattern reference expressions	Clause B.1.5.2	m	

A.3.171 Match expression n times

Table A.170: Match expression n times

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010503_match_n_times_001	The IUT correctly handles template matching of character pattern expression multiplicity	Clause B.1.5.3	m	
2	Sem_B010503_match_n_times_002	The IUT correctly handles template matching of character pattern expression multiplicity	Clause B.1.5.3	m	
3	Sem_B010503_match_n_times_003	The IUT correctly handles template matching of character pattern expression multiplicity	Clause B.1.5.3	m	
4	Sem_B010503_match_n_times_004	The IUT correctly handles template matching of character pattern expression multiplicity	Clause B.1.5.3	m	
5	Sem_B010503_match_n_times_005	The IUT correctly handles template matching of character pattern expression multiplicity	Clause B.1.5.3	m	

A.3.172 Match a referenced character set

Table A.171: Match a referenced character set

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	NegSem_B010504_match_referenced_characters_001	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
2	Sem_B010504_match_referenced_characters_001	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
3	Sem_B010504_match_referenced_characters_002	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
4	Sem_B010504_match_referenced_characters_003	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
5	Sem_B010504_match_referenced_characters_004	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
6	Sem_B010504_match_referenced_characters_005	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
7	Sem_B010504_match_referenced_characters_006	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	
8	Sem_B010504_match_referenced_characters_007	The IUT correctly handles template matching of character pattern reference characters	Clause B.1.5.4	m	

A.3.173 Type compatibility rules for patterns

Table A.172: Type compatibility rules for patterns

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010505_pattern_compatibility_001	The IUT correctly handles character pattern compatibility rules of template matching	Clause B.1.5.5	m	
2	Sem_B010505_pattern_compatibility_002	The IUT correctly handles character pattern compatibility rules of template matching	Clause B.1.5.5	m	

A.3.174 Case insensitive pattern matching

Table A.173: Case insensitive pattern matching

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_B010506_case_sensitive_pattern_matching_001	The IUT correctly handles character pattern compatibility rules of template case sensitive matching (@nocase)	Clause B.1.5.6	m	
2	Sem_B010506_case_sensitive_pattern_matching_002	The IUT correctly handles character pattern compatibility rules of template case sensitive matching (@nocase)	Clause B.1.5.6	m	

A.3.175 Preprocessing macros

Table A.174: Preprocessing macros

Item	TC/TP reference	Purpose	Reference in ETSI ES 201 873-1 [1]	Status	Support
1	Sem_D01_macro_module_001	__MODULE__ replaces the module name	Annex D	m	
2	Sem_D02_macro_file_001	__FILE__ macro stores the path and file name in a charstring	Annex D	m	
3	Sem_D03_macro_bfile_001	The __BFILE__ macro replaces the actual file name	Annex D	m	
4	Sem_D04_macro_line_001	__LINE__ macro stores the actual line number when it is called	Annex D	m	
5	NegSem_D05_macro_scope_001	__SCOPE__ replaces the actual higher named basic scope unit	Annex D	m	
6	Sem_D05_macro_scope_001	__SCOPE__ replaces the actual higher basic unit	Annex D	m	
7	Sem_D05_macro_scope_002	__SCOPE__ replaces the actual higher basic unit	Annex D	m	

A.4 Additional information for ICS

This clause contains all additional comments provided by the supplier of the implementation.

History

Document history		
V1.1.1	April 2011	Publication
V1.2.1	April 2012	Publication
V1.3.1	October 2013	Publication
V1.4.1	August 2014	Publication
V1.5.1	February 2016	Publication